

1)Write a program to print all natural numbers in reverse.

```
package daywisework;
import java.util.Scanner;
public class Nnatrulanumbers{
public static void main(String[]args){
    System.out.println("enter a number");
    Scanner sc=new Scanner(System.in);
    int i=a;
    while(i>=1) {
        System.out.println(i);
        i--;
    }
}}
```

2)Write a program to print tables

```
package daywisework;
import java.util.Scanner;
public class Table2 {
public static void main (String[]args) {
    System.out.println("enter a table number");
    Scanner sc=new Scanner(System.in);
    int num=sc.nextInt();
    for(int a=1;a<=10;a++) {
        System.out.println(num+"x"+a+"="+ (a*num));
    }
}
```

3)Write a program to print reverse tables

```
package daywisework;
import java.util.Scanner;
public class Revtable {
public static void main(String[]args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("Enter a number");
    int num=sc.nextInt();
    for(int i=num;i>=1;i--) {
        System.out.println(num+"x"+i+"="+ (num*i));
    }
}
```

4)Write a program to print reverse alphabets from Z to A

```
package daywisework;
public class revrsealph {
public static void main(String[] args) {
    for( char ch='z';ch>='a';ch--) {
        System.out.print(ch+" ");
    }
}
```

5)Write a program to find sum of all natural numbers between 1 to n

```
public class SumofNat{
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a value");
    int num=sc.nextInt();
    int i=1;
    int sum=0;
    while(i<=num) {
        System.out.println("Enter a number");
        int a=sc.nextInt();
        if(i%2==0);
        sum=sum+i;
        i++;
    }
    System.out.println("sum of numbers="+sum);
}
}
```

6)Write a program to find sum of all even numbers between 1 to n

```
package daywisework;
import java.util.Scanner;
public class Sumofeven {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int a=sc.nextInt();
    int i=1;
    int sum=0;
    while(i<=a) {
        if(i%2==0) {
            sum=sum+i;
            System.out.println(i+" ");
        }
        i++;
    }
    System.out.println(sum);
}}
```

7)Write a program to find sum of all odd numbers between 1 to n

```
package daywisework;
import java.util.Scanner;
public class sumofodd {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int a=sc.nextInt();
    int sum=0,i=1;
    while(i<=a) {
        if(i%2!=0) {
            sum=sum+i;
            System.out.println(i);
        }
        i++;
    }
}
```

```

        }
        i++;
    }
    System.out.println("sum of odd"+sum);
}

}

```

8)Write a program to print the ASCII values

9)Write a program to find the factorial value of any number

```

package daywisework;
import java.util.Scanner;
public class factorial {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int num=sc.nextInt();
    int i=1,fact=1;
    while(i<=num) {
        fact=fact*i;
        System.out.print(i+" ");
        i++;
    }

    System.out.println("factorial of numbers="+fact);
}
}

```

10)Write a program to find the value of one number raised to the power of another

```

package daywisework;
import java.util.Scanner;
public class sqeeris {
public static void main(String[] args) {
    Scanner Sc=new Scanner(System.in);
    System.out.println("enter two numbers");
    int a=Sc.nextInt();
    int b=Sc.nextInt();
    System.out.println(Math.pow(a, b))}}

```

11)write a program to reverse the given Digits

```
package daywisework;
import java.util.Scanner;
public class revrse {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int a=sc.nextInt();
    int rev=0,r;
    while(a!=0) {
        r=a%10;
        rev=rev*10+r;
        a=a/10;
    }
    System.out.println("reverse number is="+rev);
}
```

12)write a program to sum of its Digits

```
package daywisework;
import java.util.Scanner;
public class Sumofdigits {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number=");
    int a=sc.nextInt();
    int sum=0,r;
    while(a!=0) {
        r=a%10;
        sum=sum+r;
        a=a/10;
    }

    System.out.println("sum of digits="+sum);
}

}
```

13)write a program to Check Whether a Given Number is Prime or Not

```
package daywisework;
import java.util.Scanner;
public class prime {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int num=sc.nextInt();
    int count=0;
    for(int i=1;i<=num;i++) {
        if(num%i==0) {
            count++;
        }
    }

    if(count==2) {
        System.out.println(num + " is prime number" );
    }
}
```

```

        else {
            System.out.println(num + " composite number");
        }
    }
}

```

14)Write a program to calculate HCF of Two given number

```

package daywisework;
import java.util.Scanner;
public class hcf {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a two numbers");
    int a=sc.nextInt();
    int b= sc.nextInt();
    int hcf=1;
    for(int i=1;i<=a;i++)
        if(a%i==0&&b%i==0) {
            hcf=i;
        }
    System.out.println("HCF is"+hcf);
}
}

```

15)Write a program to enter the numbers till the user wants and at the end it should display the count of positive, negative and zeros entered

```

package daywisework;
import java.util.Scanner;
public class positivenum {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int num=sc.nextInt();
    if(num>0) {
        System.out.println("positive number");
    }
    else if(num<0) {
        System.out.println("negative number");
    }
    else {
        System.out.println("zero");
    }
}
}

```

16)Write a program to enter the numbers till the user wants and at the end the program should display the largest and smallest numbers entered

17)Write a program to find number and sum of all integer between 100 and 200 which are divisible by 9

```

package daywisework;
import java.util.Scanner;
public class Int100to200 {
public static void main(String[] args) {

```

```

Scanner sc=new Scanner(System.in);
System.out.println("Enter a number");
int a=sc.nextInt();
int sum=0;
int i=100;
while(i<=200) {
    if(i%9==0) {
        System.out.println(i);
        sum=sum+i;
    }
    i++;
}
System.out.println(sum);
}
}

```

18)Write a program to check whether a number is a Strong Number or not

```

package daywisework;
import java.util.Scanner;
public class strong {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int num=sc.nextInt();
    int temp=num;
    int r,sum=0;
    while(num!=0) {
        r=num%10;
        int fact=1;
        for(int i=r;i>1;i--) {
            fact=fact*i;
        }
        sum=sum+fact;
        num=num/10;
    }
    if(sum==temp) {
        System.out.println(temp+"is a strong number");
    }
    else {
        System.out.println(temp+"is not a strong number");
    }
}
}
}

```

19)Write a program to print fibonacci series upto n terms

```

package daywisework;
import java.util.Scanner;
public class fibonacci {
public static void main(String[] args) {
    Scanner sc=new Scanner(System.in);
    System.out.println("enter a number");
    int num=sc.nextInt();
}
}

```

```

int n1=0,n2=1,n3;
for(int i=1;i<num;i++) {
    n3=n1+n2;
    System.out.print(n1+" ");
    n1=n2;
    n2=n3;

}

}}

```

20)Write a program to print All Strong numbers 1 to 100000

```

package forloop;

import java.util.Scanner;

public class strongrange {

    public static void main(String[] args) {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter a number");
        int num=sc.nextInt();
        int c=0;
        for(int i=1;i<=num;i++) {
            int temp=i,sum=0;
            while(temp!=0) {
                int r;
                r=temp%10;
                int fact=1;
                for(int j=r;j>=1;j--) {
                    fact*=j;
                }
                sum+=fact;
                temp/=10;
            }
            if(sum==i) {
                System.out.print(i + " ");
                c++;
            }
        }
        System.out.println("\nnumber of strong numbers "+c);
    }
}

```

21)Write a Program to print All perfect numbers 1 to 10000

```

package forloop;
import java.util.Scanner;
public class Perfectrange {
    public static void main(String[] args) {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter a number:");
        int n=sc.nextInt();
        int count=0;
        for(int i=1;i<=n;i++) {
            int sum=0;
            for(int j=1;j<i;j++) {

```

```

        if(i%j==0) {
            sum=sum+j;
        }
    }
    if(sum==i) {
        System.out.println(i+" ");
        count++;
    }
}

System.out.println("Total number of
perfect numbers in given range="+count);
sc.close();

}

}

```

22)Write a Program to print All Armstrong numbers between 1 to 1000

```

package forloop;
import java.util.Scanner;
public class armstrongrange{
public static void main(String[] args){
    Scanner sc = new Scanner(System.in);
    int num1,num2;
    System.out.println("Enter your range:");
    num1 = sc.nextInt();
    num2 = sc.nextInt();
    int c=0;
    for (int i = num1; i<=num2; i++){
        int temp=i, r;
        double sum = 0;
        int count=0;
        while(temp!=0) {
            temp/=10;
            count++;
        }
        temp=i;
        while(temp != 0) {
            r = temp % 10;
            sum = sum +Math.pow(r,count);
            temp = temp/ 10;
        }
        if(sum == i){
            System.out.println(""+i+" is an Armstrong number.");
            c++;
        }
    }
    System.out.println("Total amstrong numbers between "+num1+" and
"+num2+" is "+c);
}
}

```

23)Write a Program to print Factors of a Positive Integer

```

package whileloop;
import java.util.Scanner;
public class Factors {
    public static void main(String[] args) {

```



```

Scanner sc=new Scanner(System.in);
System.out.println("enter a number");
int num=sc.nextInt();
    int i=1;
    while(i<=num) {
        if(num%i==0)
            System.out.print(i+ " ");

        i++;
    }

}

}

```

24)Write a Program to Check Given Number is a Palindrome or Not

```

package whileloop;
import java.util.Scanner;
public class palindrome {
    public static void main(String[]args) {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter a number");
        int a=sc.nextInt();
        int temp=a;
        int sum=0,r;
        while(a!=0){
            r=a%10;
            a=a/10;

            sum=(sum*10)+r;

        }
        if(temp==sum) {
            System.out.println(temp+ "is a palindrome");
        }
        else {
            System.out.println(temp+"is not a palindrome");
        }
    }

}

}

```

25)Write Java program to Implement infinite loop using while loop

```

package daywisework;
public class infinityloop {
    public static void main(String[] args) {

        while(true) {
            System.out.println("sai");
        }

    }
}

```