

Software Product Compatibility Reports
Detailed System Requirements

Product

Rational Collaborative Lifecycle Management Solution 6.0.1



Contents

Included in this repor		ncli	uded	in t	his	rep	ort
------------------------	--	------	------	------	-----	-----	-----

Operating systems

Hypervisors (No hypervisors specified for this product but there are notes associated)

Prerequisites

Supported software

Hardware

Packaging list

Glossary

Disclaimers



Included in this report

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

Legend

- The information about this item is included in this report.
- The information about this item is not included in the report filter.

Platforms	Component list	Capabilities
• AIX	Desktop	Prerequisites
• IBM i	RTC Eclipse Client	Application Servers
• Linux	RTC VS.Net Client	Databases
Mac OS	RTC zLinux Client	Eclipse Runtime Environment
• Windows	Web Client	 Identity Management
• z/OS	Server	 Installation
	CLM Server	Java SDK
	Jazz Authorization Server	• Licensing
		Reporting and Analysis
		Runtime Environment
		Web Browsers
		Web Servers
		Related Software
		 Architecture and Design Tools
		Asset Management



Capabilities

- Change and Release Management
- Collaboration
- Configuration Management
- Connectors
- Development Tools
- Instant Messaging
- Reporting and Analysis
- Requirements Management
- Security Management
- Testing Tools



Operating Systems

The Operating sysytems section specifies the operating systems that Rational Collaborative Lifecycle Management Solution 6.0.1 supports, organized by operating system familiy.

Component support

Full

Partial

None

Operating system families

AIX IBM i Linux Mac OS Windows z/OS

AIX

Summary

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
AIX 6.1	Base	POWER System - Big Endian	64-Exploit	6.0.1	o •	Yes
AIX 7.1	Base	POWER System - Big Endian	64-Exploit	6.0.1	0	Yes



AIX 6.1 POWER System - Big Endian

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	TL1	TL2	TL3	TL4	TL5	TL6	TL7	TL8	TL9	•••>
Server	CLM Server	64-Exploit	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø
	Jazz Authorization Server	64-Exploit	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•



AIX 7.1 POWER System - Big Endian

Legend:

Supported



Not supported

Component


Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	TL1	TL2	TL3	>
Server	CLM Server	64-Exploit	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	64-Exploit	(1)	(1)	(1)	(1)	•



AIX Notes

1. The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation.



IBM i

Summary

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
IBM i 7.1	Base	POWER System - Big Endian	64-Exploit	6.0.1	0 •	Yes
IBM i 7.2	Base	POWER System - Big Endian	64-Exploit	6.0.1	0 •	Yes



IBM i 7.1 POWER System - Big Endian

Legend:

_	
	,

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Server	CLM Server	64-Exploit	(1)	•



IBM i 7.2 POWER System - Big Endian

Legend:

•
•

Supported



Not supported

Component


Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Server	CLM Server	64-Exploit	(1)	•





Jazz Authorization Server is not supported for IBMi or z/OS.
 For the latest IBM i Group PTFs, go to http://www-912.ibm.com/s_dir/sline003.nsf/GroupPTFs?
 OpenView&view=GroupPTFs.

The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation.



Linux

Summary

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Com	ponents	Notes?
Red Hat Enterprise Linux (RHEL) Client 6	Base	x86-32	32	6.0.1	•	0	Yes
Red Hat Enterprise Linux (RHEL) Client 6	Base	x86-64	32, 64- Exploit	6.0.1	•	0	Yes
Red Hat Enterprise Linux (RHEL) Client 7	Base	x86-64	64-Exploit	6.0.1	•	0	Yes
Red Hat Enterprise Linux (RHEL) Server 6	Base	IBM z Systems	64-Exploit	6.0.1	•	•	Yes
Red Hat Enterprise Linux (RHEL) Server 7	Base	IBM z Systems	64-Exploit	6.0.1	•	•	Yes
Red Hat Enterprise Linux (RHEL) Server 6	Base	POWER System - Big Endian	64-Exploit	6.0.1	0	•	Yes
Red Hat Enterprise Linux (RHEL) Server 7	Base	POWER System - Big Endian	64-Exploit	6.0.1	0	•	Yes
Red Hat Enterprise Linux (RHEL) Server 6	Base	x86-64	64-Exploit	6.0.1	0	•	No
Red Hat Enterprise Linux (RHEL) Server 7	Base	x86-64	64-Exploit	6.0.1	0	•	Yes
Red Hat Enterprise Linux (RHEL) Workstation 6	Base	x86-32	32	6.0.1	•	0	Yes
Red Hat Enterprise Linux (RHEL) Workstation 6	Base	x86-64	32, 64- Exploit	6.0.1	•	0	Yes



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
SUSE Linux Enterprise Desktop (SLED) 11.0	Base	x86-32	32	6.0.1	O	Yes
SUSE Linux Enterprise Desktop (SLED) 11.0	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
SUSE Linux Enterprise Server (SLES) 11	Base	IBM z Systems	64-Exploit	6.0.1	•	Yes
SUSE Linux Enterprise Server (SLES) 11	Base	POWER System - Big Endian	64-Exploit	6.0.1	0	Yes
SUSE Linux Enterprise Server (SLES) 11	Base	x86-64	64-Exploit	6.0.1	0	No
Ubuntu 12.04 LTS	Base	x86-64	64-Exploit	6.0.1	O	Yes



Red Hat Enterprise Linux (RHEL) Client 6 x86-32

Legend:

_	
K*4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	>
Desktop	RTC Eclipse Client	32	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②
	Web Client	32	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②



Red Hat Enterprise Linux (RHEL) Client 6 x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	>
Desktop	RTC Eclipse Client	32, 64- Exploit	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②
	Web Client	32, 64- Exploit	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②



Red Hat Enterprise Linux (RHEL) Client 7 x86-64

Legend:

_	
A.	
	,

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	···>
Desktop	RTC Eclipse Client	64-Exploit	(2)	(2)	•
	Web Client	64-Exploit	(2)	(2)	•



Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems

Legend:

Supported



Not supported

Component

Desktop

- RTC zLinux Client
- RTC Eclipse Client
- RTC VS.Net Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	>
Desktop	RTC zLinux Client	64-Exploit	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②
Server	CLM Server	64-Exploit	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②
	Jazz Authorization Server	64-Exploit	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②



Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems

Legend:

Supported



Not supported

Component

Desktop

- RTC zLinux Client
- RTC Eclipse Client
- RTC VS.Net Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	··>
Desktop	RTC zLinux Client	64-Exploit	(7)	(7)	•
Server	CLM Server	64-Exploit	(7)	(7)	②
	Jazz Authorization Server	64-Exploit	(7)	(7)	②



Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian

Legend:

_	
	,

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	···>
Server	CLM Server	64-Exploit	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	⊘
	Jazz Authorization Server	64-Exploit	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	⊘



Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	>
Server	CLM Server	64-Exploit	(6)	(6)	•
	Jazz Authorization Server	64-Exploit	(6)	(6)	•



Red Hat Enterprise Linux (RHEL) Server 6 x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	•••>
Server	CLM Server	64-Exploit	•	•	•	•	•	•	•	•	②
	Jazz Authorization Server	64-Exploit	•	•	⊘	⊘	⊘	⊘	⊘	⊘	②



Red Hat Enterprise Linux (RHEL) Server 7 x86-64

Legend:

σ	•
v	•

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	···>
Server	CLM Server	64-Exploit	(6)	(6)	•
	Jazz Authorization Server	64-Exploit	(6)	(6)	•



Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32

Legend:

_	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	>
Desktop	RTC Eclipse Client	32	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②
	Web Client	32	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②



Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	Update 5	Update 6	Update 7	>
Desktop	RTC Eclipse Client	32, 64- Exploit	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Web Client	32, 64- Exploit	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②



SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	>
Desktop	RTC Eclipse Client	32	(3)	(3)	(3)	(3)	(3)	•
	Web Client	32	(3)	(3)	(3)	(3)	(3)	•



SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64

Legend:

	(
V	•

Supported

Not supported

Component

Desktop

- ▼ RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	>
Desktop	RTC Eclipse Client	32, 64-Exploit	(3)	(3)	(3)	(3)	(3)	•
	Web Client	32, 64-Exploit	(3)	(3)	(3)	(3)	(3)	•



SUSE Linux Enterprise Server (SLES) 11 IBM z Systems

Legend:

Supported



Not supported

Component

Desktop

- RTC zLinux Client
- RTC Eclipse Client
- RTC VS.Net Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	>
Desktop	RTC zLinux Client	64-Exploit	(1)	(1)	(1)	(1)	(1)	•
Server	CLM Server	64-Exploit	(1)	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	64-Exploit	(1)	(1)	(1)	(1)	(1)	•



SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian

Legend:

_	
A.	
	,

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	>
Server	CLM Server	64-Exploit	(6)	(6)	(6)	(6)	(6)	•
	Jazz Authorization Server	64-Exploit	(6)	(6)	(6)	(6)	(6)	•



SUSE Linux Enterprise Server (SLES) 11 x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	···>
Server	CLM Server	64-Exploit	•	•	•	•	•	•
	Jazz Authorization Server	64-Exploit	Ø	•	Ø	Ø	Ø	•



Ubuntu 12.04 LTS x86-64

Legend:

Supported

Not supported

Component

Desktop

RTC Eclipse Client

Web Client

RTC VS.Net Client

RTC zLinux Client

Server

CLM Server

Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(5)	•
	Web Client	64-Exploit	(5)	•



Linux Notes

- 1. SUSE Linux for System z is supported for RTC, RQM, and RDNG.
- 2. Supported for RTC, RQM, and RDNG.
 - If you are running the Eclipse client on Linux please ensure that you have a compatible xulrunner or webkitgtk installed and configured on your system. Failure to do so can result in various issues including failure to start. See Article for additional details and instructions.
 - The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation
- Supported for RTC, RQM, and RDNG.
 If you are running the Eclipse client on Linux please ensure that you have a compatible xlrunner or webkitgtk installed and configured on your system. Failure to do so can result in various issues including failure to start. See Article for additional details and instructions.
- 4. RHEL for System z is supported for RTC, RQM, and RDNG.
- 5. Supported for RTC only If you are running the Eclipse client on Linux please ensure that you have a compatible xlrunner or webkitgtk installed and configured on your system. Failure to do so can result in various issues including failure to start. See Article for additional details and instructions.
- 6. The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation.
- 7. RHEL for System z is supported for RTC, RQM, and RDNG. The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation.



Mac OS

Summary

Operating system	Operatin system minimun	Hardware	Bitness	Product minimum	Components 👤 🖺	Notes?
OS X Lion 10.7	Base	x86-64	64-Exploit	6.0.1	• 0	Yes
OS X Lion 10.7.3	Base	x86-64	64-Exploit	6.0.1	• 0	Yes
OS X Mountain Lion 10.8	Base	x86-64	64-Exploit	6.0.1	• 0	Yes
OS X Mavericks 10.9	Base	x86-64	64-Exploit	6.0.1	• 0	Yes
OS X Yosemite 10.10	Base	x86-64	64-Exploit	6.0.1	• 0	Yes
OS X El Capitan 10.11	Base	x86-64	64-Exploit	6.0.1	• 0	Yes



OS X Lion 10.7 x86-64

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	⊘
	Web Client	64-Exploit	(1)	②



OS X Lion 10.7.3 x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	⊘
	Web Client	64-Exploit	(1)	②



OS X Mountain Lion 10.8 x86-64

Legend: Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	⊘
	Web Client	64-Exploit	(1)	Ø



OS X Mavericks 10.9 x86-64

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	⊘
	Web Client	64-Exploit	(1)	②



OS X Yosemite 10.10 x86-64

Legend:

Supported



Not supported

Component

Desktop

RTC Eclipse Client

Web Client

RTC VS.Net Client

RTC zLinux Client

Server

CLM Server

Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	⊘
	Web Client	64-Exploit	(1)	Ø



OS X El Capitan 10.11 x86-64

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- Web Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Desktop	RTC Eclipse Client	64-Exploit	(1)	•
	Web Client	64-Exploit	(1)	•



Mac OS Notes

1. MAC OSX is supported for RTC, RQM, and RDNG.



Windows

Summary

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows 10 Enterprise	Base	x86-32	32	6.0.1	O	No
Windows 8.1 Enterprise	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
Windows 10 Enterprise	Base	x86-64	32, 64- Exploit	6.0.1	O	No
Windows 10 Pro	Base	x86-32	32	6.0.1	O	No
Windows 10 Pro	Base	x86-64	32, 64- Exploit	6.0.1	O	No
Windows 8.1 Professional	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
Windows 8.1 Standard	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
Windows 7 Enterprise	Base	x86-32	32	6.0.1	O	Yes
Windows 7 Enterprise	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
Windows 7 Professional	Base	x86-32	32	6.0.1	O	Yes
Windows 7 Professional	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes
Windows 7 Ultimate	Base	x86-32	32	6.0.1	O	Yes
Windows 7 Ultimate	Base	x86-64	32, 64- Exploit	6.0.1	O	Yes



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows Server 2008 R2 Enterprise Edition	Base	x86-64	64-Exploit	6.0.1	0	Yes
Windows Server 2008 R2 Standard Edition	Base	x86-64	64-Exploit	6.0.1	0	Yes
Windows Server 2012 Datacenter Edition	Base	x86-64	64-Exploit	6.0.1	0	No
Windows Server 2012 R2 Datacenter Edition	Base	x86-64	64-Exploit	6.0.1	0 •	No
Windows Server 2012 Standard Edition	Base	x86-64	64-Exploit	6.0.1	0	No
Windows Server 2012 R2 Standard Edition	Base	x86-64	64-Exploit	6.0.1	0 •	No



Windows 10 Enterprise x86-32

Legend:

_	
K*4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32	•	•
	RTC VS.Net Client	32	•	•
	Web Client	32	⊘	•



Windows 8.1 Enterprise x86-64

Legend: ✓ Supported ✓ Not supported

Component

Desktop

- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32, 64-Exploit	(2)	⊘
	RTC VS.Net Client	32, 64-Exploit	(2)	•
	Web Client	32, 64-Exploit	(2)	•



Windows 10 Enterprise x86-64

Legend:

(
- 1

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32, 64-Exploit	•	•
	RTC VS.Net Client	32, 64-Exploit	•	•
	Web Client	32, 64-Exploit	•	•



Windows 10 Pro x86-32

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32	•	•
	RTC VS.Net Client	32	•	•
	Web Client	32	Ø	•



Windows 10 Pro x86-64

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	·>
Desktop	RTC Eclipse Client	32, 64-Exploit	•	•
	RTC VS.Net Client	32, 64-Exploit	•	•
	Web Client	32, 64-Exploit	Ø	•



Windows 8.1 Professional x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32, 64-Exploit	(2)	Ø
	RTC VS.Net Client	32, 64-Exploit	(2)	•
	Web Client	32, 64-Exploit	(2)	•



Windows 8.1 Standard x86-64

Component

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Desktop	RTC Eclipse Client	32, 64-Exploit	(2)	⊘
	RTC VS.Net Client	32, 64-Exploit	(2)	•
	Web Client	32, 64-Exploit	(2)	>



Windows 7 Enterprise x86-32

Legend:

_	
K*4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32	(1)	(1)	•
	RTC VS.Net Client	32	(1)	(1)	•
	Web Client	32	(1)	(1)	•



Windows 7 Enterprise x86-64

Legend:

_	
K*4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32, 64-Exploit	(1)	(1)	•
	RTC VS.Net Client	32, 64-Exploit	(1)	(1)	•
	Web Client	32, 64-Exploit	(1)	(1)	•



Windows 7 Professional x86-32

Legend:

L'4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32	(1)	(1)	•
	RTC VS.Net Client	32	(1)	(1)	•
	Web Client	32	(1)	(1)	•



Windows 7 Professional x86-64

Legend:

_	
-	
- / -	
- P.	
-	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32, 64-Exploit	(1)	(1)	•
	RTC VS.Net Client	32, 64-Exploit	(1)	(1)	•
	Web Client	32, 64-Exploit	(1)	(1)	•



Windows 7 Ultimate x86-32

Legend:

- 674	^
- N.	4
-	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32	(1)	(1)	•
	RTC VS.Net Client	32	(1)	(1)	•
	Web Client	32	(1)	(1)	•



Windows 7 Ultimate x86-64

Legend:

_	
K*4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- Web Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Desktop	RTC Eclipse Client	32, 64-Exploit	(1)	(1)	•
	RTC VS.Net Client	32, 64-Exploit	(1)	(1)	•
	Web Client	32, 64-Exploit	(1)	(1)	•



Windows Server 2008 R2 Enterprise Edition x86-64

Legend:

F. 4	

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Server	CLM Server	64-Exploit	(1)	(1)	•
	Jazz Authorization Server	64-Exploit	(1)	(1)	•



Windows Server 2008 R2 Standard Edition x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	Service Pack 1	>
Server	CLM Server	64-Exploit	(1)	(1)	•
	Jazz Authorization Server	64-Exploit	(1)	(1)	•



Windows Server 2012 Datacenter Edition x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Server	CLM Server	64-Exploit	•	•
	Jazz Authorization Server	64-Exploit	•	•



Windows Server 2012 R2 Datacenter Edition x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Server	CLM Server	64-Exploit	•	•
	Jazz Authorization Server	64-Exploit	②	•



Windows Server 2012 Standard Edition x86-64

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Server	CLM Server	64-Exploit	•	•
	Jazz Authorization Server	64-Exploit	②	•



Windows Server 2012 R2 Standard Edition x86-64

Legend:

Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Server	CLM Server	64-Exploit	•	•
	Jazz Authorization Server	64-Exploit	•	•



Windows Notes

- 1. Although this OS is no longer in service, CLM products will continue to support it in this release. Future releases may deprecate support for this OS.
- 2. Does not include Metro Support Supported for the RTC Eclipse 4.2.2 client and higher.



z/OS

Summary

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
z/OS 1.13	Base	IBM z Systems	64-Exploit	6.0.1	0 •	Yes
z/OS 2.1	Base	IBM z Systems	64-Exploit	6.0.1	0 👄	Yes
z/OS 2.2	Base	IBM z Systems	64-Exploit	6.0.1	0 👄	Yes



z/OS 1.13 IBM z Systems

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Server	CLM Server	64-Exploit	(2)	•



z/OS 2.1 IBM z Systems

Legend:



Supported



Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	···>
Server	CLM Server	64-Exploit	(2)	•



z/OS 2.2 IBM z Systems

Legend:

Supported

Not supported

Component

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Bitness	Base	>
Server	CLM Server	64-Exploit	(1)(2)	•



z/OS Notes

- 1. Jazz Authorization Server is not supported for z/OS or IBMi. The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation. Rational Team Concert promotion and deployment support for z/OS require the REXX runtime or REXX alternate libraries (REXX.**.SEAGLPA, or REXX.**.SEAGALT). If you do not have either the REXX Library or the REXX Alternate Library installed, you can install the REXX Alternate Library to fulfill the REXX Library requirement. The REXX Alternate Library is shipped as part of the z/OS operating system beginning with release 1.9. The Alternate Library is also available as a free download from http://www.ibm.com/support/entry/portal/.
- 2. Jazz Authorization Server is not supported for z/OS or IBMi. The RDNG Converter application will not run on AIX, IBM i, Linux for Power systems, or RHEL 7 Linux. The server-side converter.war, needed to view graphical artifacts, must be deployed on a supported platform: Windows, Linux x86 RHEL 6 or SUSE, or zLinux RHEL 6 or SUSE. If your RDNG installation is on a platform not currently supported by the converter application, this document describes the delegated converter configuration option: Rational Requirements Composer Converter Application Installation. Rational Team Concert promotion and deployment support for z/OS require the REXX runtime or REXX alternate libraries (REXX.**.SEAGLPA, or REXX.**.SEAGALT). If you do not have either the REXX Library or the REXX Alternate Library installed, you can install the REXX Alternate Library to fulfill the REXX Library requirement. The REXX Alternate Library is shipped as part of the z/OS operating system beginning with release 1.9. The Alternate Library is also available as a free download from http://www.ibm.com/support/entry/portal/.



Hypervisors

The Rational Collaborative Lifecycle Management tools (CLM, RTC, RQM, RDNG, JRS, RELM) comply with IBM's Server Virtualization Policy for IBM Software. Please reference this link for more information: http://www-01.ibm.com/software/support/virtualization_policy.html



Prerequisites

The Prerequisites section specifies the capabilities that Rational Collaborative Lifecycle Management Solution 6.0.1 requires, and the prerequisite products that can be used to fulfill those capabilities.

Component Support Full

Partial

None

Capabilities

Application Servers Databases **Eclipse Runtime Environment Identity Management** Installation Java SDK Licensing Reporting and Analysis Runtime Environment Web Browsers Web Servers

Application Servers

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Apache Tomcat	7.0.59 and future fix packs	7.0.59	6.0.1	• •	Yes	Yes
WebSphere Application Server	8.0	8.0.0.6	6.0.1	• •	No	Yes
	8.5	8.5.0.2	6.0.1	• •	No	Yes
	8.5.5	8.5.5	6.0.1	• •	No	Yes
WebSphere Application Server Network Deployment	8.0	8.0.0.6	6.0.1	• •	No	Yes
	8.5	8.5.0.2	6.0.1	• •	No	Yes



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Prerequisite	Version	Prerequisite minimum	Product minimum	Components 👤 📱	Operating system restrictions?	Notes?
	8.5.5	8.5.5	6.0.1	• •	No	Yes
WebSphere Application Server for z/OS	8.0	8.0.0.6	6.0.1	• •	Yes	Yes
	8.5	8.5.0.2	6.0.1	• •	Yes	Yes
	8.5 Enhance (8.5.5)	8.5.5.1	6.0.1	• •	Yes	Yes
embedded WebSphere Application Server	8.5.5	8.5.5.7	6.0.1	• •	No	Yes



Apache Tomcat 7.0.59 and Future Fix Packs

Legend:

Supported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	7.0.59	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(9)	8	•
	RTC VS.Net Client	(9)	8	•
	RTC zLinux Client	(9)	8	•
	Web Client	(9)	8	•
Server	CLM Server	(9)	8	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	7.0.59	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(9)	8	•

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	AIX 6.1 POWER System - Big Endian
	RTC VS.Net Client	AIX 6.1 TL1 POWER System - Big Endian
	RTC zLinux Client	AIX 6.1 TL2 POWER System - Big Endian
	Web Client	AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian
Desktop	RTC Eclipse Client	Windows 10 Enterprise x86-32
	RTC VS.Net Client	Windows 8.1 Enterprise x86-64
	RTC zLinux Client	Windows 10 Enterprise x86-64
	Web Client	• Windows 10 Pro x86-32
		• Windows 10 Pro x86-64
		 Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32

Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		 Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		 Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Desktop	RTC Eclipse Client	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	RTC VS.Net ClientRTC zLinux Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
	Web Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32

Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Desktop	RTC Eclipse Client	z/OS 1.13 IBM z Systems
	RTC VS.Net Client	z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		z/OS 2.2 IBM z Systems
Server	CLM Server	Windows 10 Enterprise x86-32
	Jazz Authorization Server	Windows 8.1 Enterprise x86-64
		Windows 10 Enterprise x86-64
		Windows 10 Pro x86-32
		Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		Windows 7 Service Pack 1 Enterprise x86-64

Deployment Unit	Component	Only supported on
		Windows 7 Professional x86-32
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Server	CLM Server	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	Jazz Authorization Server	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64



eployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		• Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		I and the second se



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32

Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32
		• Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64
		• Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	AIX 6.1 POWER System - Big Endian
	Jazz Authorization Server	AIX 6.1 TL1 POWER System - Big Endian
		AIX 6.1 TL2 POWER System - Big Endian
		AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian



WebSphere Application Server 8.0

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0.	8.0.0.	8.0.0.3	8.0.0.	8.0.0.	8.0.0.6	8.0.0.	8.0.0.8	8.0.0.8	8.0.0.	8.0.0.	>
Desktop	RTC Eclipse Client	8	8	8	8	8	8	(8)	(8)	(8)	(8)	(8)	(8)	Ø
	RTC VS.Net Client	8	8	8	8	8	8	(8)	(8)	(8)	(8)	(8)	(8)	②
	RTC zLinux Client	8	8	8	8	8	8	(8)	(8)	(8)	(8)	(8)	(8)	Ø
	Web Client	8	8	8	8	8	8	(8)	(8)	(8)	(8)	(8)	(8)	②
Server	CLM Server	8	8	8	8	8	8	(8)	(8)	(8)	(8)	(8)	(8)	②



Deployment unit	Component	8.0	8.0.0.	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.	8.0.0.6	8.0.0.7	8.0.0.8	8.0.0.8	8.0.0.	8.0.0.	>
	Jazz Authorization Server	⊗	⊗	⊗	8	&	8	(8)	(8)	(8)	(8)	(8)	(8)	Ø



WebSphere Application Server 8.5

Legend:

	9
V	•

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
Desktop	RTC Eclipse Client	8	8	(2)	•
	RTC VS.Net Client	8	8	(2)	•
	RTC zLinux Client	8	8	(2)	•
	Web Client	8	8	(2)	•
Server	CLM Server	8	8	(2)	•
	Jazz Authorization Server	8	8	•	•



Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
				(2)	



WebSphere Application Server 8.5.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	•••>
Desktop	RTC Eclipse Client	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	•
	RTC VS.Net Client	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	•
	RTC zLinux Client	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	•
	Web Client	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	②
Server	CLM Server	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	•



Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	···>
	Jazz Authorization Server	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)	⊘



WebSphere Application Server Network Deployment 8.0

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0.	8.0.0.	8.0.0.3	8.0.0.	8.0.0.	8.0.0.	8.0.0.	8.0.0.8	8.0.0.9	8.0.0.	8.0.0.	>
Desktop	RTC Eclipse Client	8	8	8	8	8	8	(3)	(3)	(3)	(3)	(3)	(3)	Ø
	RTC VS.Net Client	8	8	8	8	8	8	(3)	(3)	(3)	(3)	(3)	(3)	Ø
RTC zLir Client	RTC zLinux Client	8	8	8	8	8	8	(3)	(3)	(3)	(3)	(3)	(3)	②
	Web Client	8	8	8	8	8	8	(3)	(3)	(3)	(3)	(3)	(3)	•
Server	CLM Server	8	8	8	8	8	8	(3)	(3)	(3)	(3)	(3)	(3)	②



Deployment unit	Component	8.0	8.0.0.	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.	8.0.0.6	8.0.0.7	8.0.0.8	8.0.0.8	8.0.0.	8.0.0.	>
	Jazz Authorization Server	⊗	⊗	⊗	&	&	&	(3)	(3)	(3)	(3)	(3)	(3)	•



WebSphere Application Server Network Deployment 8.5

Legend:

_	
V	•

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
Desktop	RTC Eclipse Client	8	8	(3)	•
	RTC VS.Net Client	8	8	(3)	•
	RTC zLinux Client	8	8	(3)	•
	Web Client	8	8	(3)	•
Server	CLM Server	8	8	(3)	•
	Jazz Authorization Server	8	8	•	•



Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
				(3)	



WebSphere Application Server Network Deployment 8.5.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	>
Desktop	RTC Eclipse Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	⊘
	RTC VS.Net Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
	RTC zLinux Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
	Web Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
Server	CLM Server	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	•



Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	•••>
	Jazz Authorization Server	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	⊘



WebSphere Application Server for z/OS 8.0

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0.	8.0.0.	8.0.0.3	8.0.0.	8.0.0.	8.0.0.6	8.0.0.	8.0.0.8	8.0.0.8	8.0.0.	8.0.0.	•••>
Desktop	RTC Eclipse Client	8	8	8	8	※	8	(5)	(5)	(5)	(5)	(5)	(5)	②
	RTC VS.Net Client	8	8	8	8	8	8	(5)	(5)	(5)	(5)	(5)	(5)	•
	RTC zLinux Client	8	8	8	8	8	8	(5)	(5)	(5)	(5)	(5)	(5)	•
	Web Client	8	8	8	8	8	8	(5)	(5)	(5)	(5)	(5)	(5)	•
Server	CLM Server	8	8	8	8	8	8	(5)	(5)	(5)	(5)	(5)	(5)	②



Deployment unit	Component	8.0	8.0.0.	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.	8.0.0.6	8.0.0.7	8.0.0.8	8.0.0.8	8.0.0.	8.0.0.	•••>
	Jazz Authorization Server	8	8	8	8	8	8	(5)	(5)	(5)	(5)	(5)	(5)	②

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	z/OS 1.13 IBM z Systems
	RTC VS.Net Client	z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	• z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		z/OS 2.2 IBM z Systems



WebSphere Application Server for z/OS 8.5

Legend:

N. 4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
Desktop	RTC Eclipse Client	8	8	(5)	•
	RTC VS.Net Client	8	8	(5)	•
	RTC zLinux Client	8	8	(5)	•
	Web Client	8	8	(5)	•
Server	CLM Server	8	8	(5)	•
	Jazz Authorization Server	8	8	•	•



Deployment unit	Component	8.5	8.5.0.1	8.5.0.2	>
				(5)	

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	• z/OS 1.13 IBM z Systems
	RTC VS.Net Client	z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		z/OS 2.2 IBM z Systems



WebSphere Application Server for z/OS 8.5 Enhancements (8.5.5)

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5 Enhand (8.5.5)		8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	>
Desktop	RTC Eclipse Client	8	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
	RTC VS.Net Client	8	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	⊗	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	Web Client	⊗	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø
Server	CLM Server	&	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•



Deployment unit	Component	8.5 Enhand (8.5.5)		8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	>
	Jazz Authorization Server	⊗	(1)	(1)	(1)	(1)	•				

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	z/OS 1.13 IBM z Systems
	RTC VS.Net Client	• z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		z/OS 2.2 IBM z Systems



embedded WebSphere Application Server 8.5.5

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	••>
Desktop	RTC Eclipse Client	8	8	8	8	8	⊗	⊗	(4)	(4)	•
	RTC VS.Net Client	⊗	8	⊗	⊗	⊗	&	⊗	(4)	(4)	•
	RTC zLinux Client	⊗	8	⊗	⊗	⊗	8	⊗	(4)	(4)	•
	Web Client	⊗	8	⊗	8	8	&	&	(4)	(4)	②
Server	CLM Server	⊗	⊗	⊗	⊗	⊗	⊗	⊗	(4)	(4)	•



Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	8.5.5.4	8.5.5.5	8.5.5.6	8.5.5.7	8.5.5.8	>
	Jazz Authorization Server	8	8	8	8	8	&	8	(4)	(4)	②



Application Servers Notes

1. If using WAS for z/OS 8.5.5 or later, the fix for APAR PI40241 is REQUIRED.

CLM supports both traditional WAS and the Liberty profile on z/OS. WAS 8.5.5 Liberty is bundled in the SMP/ e packaging.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

2. Excludes the Liberty profile configuration option.

WAS 8.5 was bundled with the CLM 4.0.3 to 4.0.6 media. Customers upgrading from CLM 4.0.3 to 4.0.6 are entitled to continue using WAS 8.0.x as long as CLM supports those versions.

There is a known issue with BIRT reports running WAS v8.0.0.x and v8.5.x please see this Tech Note for WAS patch. This issue is fixed in WAS 8.5.5.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

3. CLM supports WAS ND but **not** for high availability clustering.

There is a known issue with BIRT reports running WAS v8.0.0.x and v8.5.x please see this Tech Note for WAS patch. This issue is fixed in WAS 8.5.5.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

- 4. The WAS installation bundles the web server, so specific web server version support is not listed in this report.
- 5. There is a known issue with BIRT reports running WAS v8.0.0.x and v8.5.x please see this Tech Note for WAS patch. This issue is fixed in WAS 8.5.5.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

6. CLM supports WAS ND but **not** for high availability clustering.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

7. Excludes the Liberty profile configuration.

WAS 8.5.5 is bundled with CLM. WAS bundles are only available on Passport Advantage and in the CLM Media (not on Jazz.net).

The WAS installation bundles the web server, so specific web server version support is not listed in this report.

8. Excludes the Liberty profile configuration option.

WebSphere Application Server support for CLM is 64-bit only to align with 64-bit server platforms.

There is a known issue with BIRT reports running WAS v8.0.0.x and v8.5.x please see this Tech Note for WAS patch. This issue is fixed in WAS 8.5.5.

The WAS installation bundles the web server, so specific web server version support is not listed in this report.



9. Tomcat 7.0.59 is required, because of a fix for TLS.

Tomcat may be deprecated in a future release in favor of support for WebSphere Liberty.



Databases

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Apache Derby	10.10	10.10	6.0.1	• •	No	Yes
DB2 Advanced Enterprise Server Edition	10.5	10.5	6.0.1	• •	No	Yes
DB2 Advanced Workgroup Server Edition	10.5	10.5	6.0.1	• •	No	Yes
DB2 Enterprise Server Edition	10.1	10.1	6.0.1	• •	No	Yes
	10.5	10.5	6.0.1	• •	No	No
DB2 Express Edition	10.1	10.1	6.0.1	• •	No	Yes
	10.5	10.5	6.0.1	• •	No	Yes
DB2 Workgroup Server Edition	10.1	10.1	6.0.1	• •	No	Yes
	10.5	10.5	6.0.1	• •	No	Yes
DB2 for i5/OS	7.1	7.1	6.0.1	• •	Yes	No
	7.2	7.2	6.0.1	• •	Yes	No
DB2 for z/OS	10.1	10.1	6.0.1	• •	Yes	No
	11.1	11.1	6.0.1	• •	Yes	No
Microsoft SQL Server	2012 and	2012	6.0.1	• •	No	Yes

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
	future fix packs					
	2014 and future fix packs	2014	6.0.1	• •	No	Yes
Oracle Database 11g Enterprise Edition	Release 2	Release 2 11.2.0.2	6.0.1	• •	Yes	Yes
Oracle Database 11g Standard Edition	Release 2	Release 2 11.2.0.2	6.0.1	• •	No	Yes
Oracle Database 12c Release 1		(12.1.0.1.0) Enterprise Edition	6.0.1	• •	Yes	Yes
		(12.1.0.1.0) Standard Edition	6.0.1	• •	No	Yes
Oracle Real Application Clusters	(Oracle 11g Release 2) and future fix packs	(Oracle 11g Release 2)	6.0.1	• •	Yes	Yes
	(Oracle 12c Release 1) and future fix packs	(Oracle 12c Release 1)	6.0.1	• •	Yes	Yes



Apache Derby 10.10

Legend:

V.4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.10	>
Desktop	RTC Eclipse Client	(8)	•
	RTC VS.Net Client	(8)	•
	RTC zLinux Client	(8)	•
	Web Client	(8)	•
Server	CLM Server	(8)	•
	Jazz Authorization Server	②	②



Deployment unit	Component	10.10	···>
		(8)	



DB2 Advanced Enterprise Server Edition 10.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	•••>
Desktop	RTC Eclipse Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	⊘
	RTC VS.Net Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	②
	RTC zLinux Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	Ø
	Web Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	Ø
Server	CLM Server	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	Ø
	Jazz Authorization Server	•	•	•	•	•	•	•	⊘	②



Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	···>
		(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	



DB2 Advanced Workgroup Server Edition 10.5

Legend: Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	•••>
Desktop	RTC Eclipse Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	•
	RTC VS.Net Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	⊘
	RTC zLinux Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	②
	Web Client	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	⊘
Server	CLM Server	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	⊘
	Jazz Authorization Server	•	•	•	•	•	②	Ø	•	②



Dep	oloyment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	··>
			(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	



DB2 Enterprise Server Edition 10.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	···>
Desktop	RTC Eclipse Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	(4)	(4)	(4)	(4)	Ø
	Web Client	(4)	(4)	(4)	(4)	(4)	(4)	•
Server	CLM Server	(4)	(4)	(4)	(4)	(4)	(4)	•
	Jazz Authorization Server	•	•	•	•	•	•	•



Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	···>
		(4)	(4)	(4)	(4)	(4)	(4)	



DB2 Enterprise Server Edition 10.5

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	···>
Desktop	RTC Eclipse Client	•	•	②	•	②	②	②	②	②
	RTC VS.Net Client	•	•	•	•	②	②	②	②	•
	RTC zLinux Client	•	•	•	•	②	②	•	•	②
	Web Client	•	•	•	•	•	②	•	•	②
Server	CLM Server	•	•	•	•	②	②	Ø	Ø	•
	Jazz Authorization Server	•	•	•	•	②	②	②	②	•



DB2 Express Edition 10.1

Legend: Supported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	>
Desktop	RTC Eclipse Client	(6)	(6)	(6)	(6)	(6)	(6)	•
	RTC VS.Net Client	(6)	(6)	(6)	(6)	(6)	(6)	•
	RTC zLinux Client	(6)	(6)	(6)	(6)	(6)	(6)	•
	Web Client	(6)	(6)	(6)	(6)	(6)	(6)	•
Server	CLM Server	(6)	(6)	(6)	(6)	(6)	(6)	•
	Jazz Authorization Server	•	•	•	•	•	•	•



Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	···>
		(6)	(6)	(6)	(6)	(6)	(6)	



DB2 Express Edition 10.5

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
Desktop	RTC Eclipse Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	⊘
	RTC VS.Net Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
	RTC zLinux Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
	Web Client	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
Server	CLM Server	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	②
	Jazz Authorization Server	•	•	•	•	•	⊘	•	•	•



Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
		(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	



DB2 Workgroup Server Edition 10.1

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	>
Desktop	RTC Eclipse Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	Web Client	(4)	(4)	(4)	(4)	(4)	(4)	•
Server	CLM Server	(4)	(4)	(4)	(4)	(4)	(4)	•
	Jazz Authorization Server	•	•	Ø	Ø	•	•	Ø



Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	···>
		(4)	(4)	(4)	(4)	(4)	(4)	



DB2 Workgroup Server Edition 10.5

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	•••>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	⊘
	RTC zLinux Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②
	Web Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	⊘
Server	CLM Server	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	②
	Jazz Authorization Server	•	•	•	•	•	②	Ø	•	•



Deployment unit	Component	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
		(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	



DB2 for i5/OS 7.1

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1	···>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	Ø	•
	RTC zLinux Client	Ø	•
	Web Client	Ø	•
Server	CLM Server	Ø	•
	Jazz Authorization Server	•	•



Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	 RTC Eclipse Client RTC VS.Net Client RTC zLinux Client Web Client 	 IBM i 7.1 POWER System - Big Endian IBM i 7.2 POWER System - Big Endian
Server	CLM Server Jazz Authorization Server	 IBM i 7.1 POWER System - Big Endian IBM i 7.2 POWER System - Big Endian



DB2 for i5/OS 7.2

Legend: Supported Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.2	···>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	Ø	•
	RTC zLinux Client	Ø	•
	Web Client	Ø	•
Server	CLM Server	Ø	•
	Jazz Authorization Server	•	•



Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	 RTC Eclipse Client RTC VS.Net Client RTC zLinux Client Web Client 	 IBM i 7.1 POWER System - Big Endian IBM i 7.2 POWER System - Big Endian
Server	CLM Server Jazz Authorization Server	IBM i 7.1 POWER System - Big Endian IBM i 7.2 POWER System - Big Endian



DB2 for z/OS 10.1

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.1	>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	•	•
	RTC zLinux Client	•	•
	Web Client	•	•
Server	CLM Server	•	•
	Jazz Authorization Server	•	•



Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	• z/OS 1.13 IBM z Systems
	RTC VS.Net Client	• z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	• z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		• z/OS 2.2 IBM z Systems



DB2 for z/OS 11.1

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	11.1	>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	•	•
	RTC zLinux Client	•	•
	Web Client	•	S
Server	CLM Server	•	Ø
	Jazz Authorization Server	•	•



Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	• z/OS 1.13 IBM z Systems
	RTC VS.Net Client	• z/OS 2.1 IBM z Systems
	RTC zLinux Client	z/OS 2.2 IBM z Systems
	Web Client	
Server	CLM Server	• z/OS 1.13 IBM z Systems
	Jazz Authorization Server	z/OS 2.1 IBM z Systems
		• z/OS 2.2 IBM z Systems



Microsoft SQL Server 2012 and Future Fix Packs

Legend:

Supported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(1)	8	•
	RTC VS.Net Client	(1)	⊗	•
	RTC zLinux Client	(1)	8	•
	Web Client	(1)	8	•
Server	CLM Server	(1)	8	•



Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(1)	8	•



Microsoft SQL Server 2014 and Future Fix Packs

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2014	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(1)	8	•
	RTC VS.Net Client	(1)	8	•
	RTC zLinux Client	(1)	8	•
	Web Client	(1)	8	•
Server	CLM Server	(1)	8	•



Deployment unit	Component	2014	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(1)	8	•



Oracle Database 11g Enterprise Edition Release 2

Legend:

	Sι
V	O

upported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Release 2	Release 2 11.2.0.1	Release 2 11.2.0.2	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	8	(7)	8	•
	RTC VS.Net Client	8	8	(7)	8	•
	RTC zLinux Client	8	8	(7)	8	•
	Web Client	8	8	(7)	8	•
Server	CLM Server	8	8	(7)	8	•



Deployment unit	Component	Release 2		Release 2 11.2.0.2	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	8	8	(7)	8	②

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	AIX 6.1 POWER System - Big Endian
	RTC VS.Net Client	AIX 6.1 TL1 POWER System - Big Endian
	RTC zLinux Client	AIX 6.1 TL2 POWER System - Big Endian
	Web Client	AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian
Desktop	RTC Eclipse Client	Windows 10 Enterprise x86-32
	RTC VS.Net Client	 Windows 8.1 Enterprise x86-64
	RTC zLinux Client	 Windows 10 Enterprise x86-64
	Web Client	• Windows 10 Pro x86-32
		• Windows 10 Pro x86-64
		 Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		 Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		 Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32

Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		 Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Desktop	RTC Eclipse Client	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	 RTC VS.Net Client RTC zLinux Client 	 Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
	Web Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32

Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems

Rational Collaborative Lifecycle Management Solution 6.0.1

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	Windows 10 Enterprise x86-32
	Jazz Authorization Server	Windows 8.1 Enterprise x86-64
		Windows 10 Enterprise x86-64
		Windows 10 Pro x86-32
		Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64

Deployment Unit	Component	Only supported on
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Server	CLM Server	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	Jazz Authorization Server	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64



eployment Unit	Component	Only supported on
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	AIX 6.1 POWER System - Big Endian
	Jazz Authorization Server	AIX 6.1 TL1 POWER System - Big Endian
		AIX 6.1 TL2 POWER System - Big Endian
		AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian



Oracle Database 11g Standard Edition Release 2

Legend:

	S
v	_

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	Release 2	Release 2 11.2.0.1	Release 2 11.2.0.2	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	8	(7)	8	•
	RTC VS.Net Client	8	8	(7)	8	•
	RTC zLinux Client	8	8	(7)	8	•
	Web Client	8	8	(7)	8	•
Server	CLM Server	8	8	(7)	8	•



Deployment unit	Component	Release 2	Release 2 11.2.0.1	Release 2 11.2.0.2	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	&	8	(7)	&	•



Oracle Database 12c Release 1 (12.1.0.1.0) Enterprise Edition and Future Fix Packs

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	(12.1.0.1.0) Enterprise Edition	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(7)	8	•
	RTC VS.Net Client	(7)	8	•
	RTC zLinux Client	(7)	8	•
	Web Client	(7)	8	•
Server	CLM Server	•	8	•



Deployment unit	Component	(12.1.0.1.0) Enterprise Edition	Future Versions, Releases	Future Fix Packs
		(7)		
	Jazz Authorization Server	(7)	8	•

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	AIX 6.1 POWER System - Big Endian
	RTC VS.Net Client	AIX 6.1 TL1 POWER System - Big Endian
	RTC zLinux Client	AIX 6.1 TL2 POWER System - Big Endian
	Web Client	AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian
Desktop	RTC Eclipse Client	Windows 10 Enterprise x86-32
	RTC VS.Net Client	Windows 8.1 Enterprise x86-64
	RTC zLinux Client	Windows 10 Enterprise x86-64
	Web Client	• Windows 10 Pro x86-32
		 Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64

Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Desktop	RTC Eclipse Client	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	RTC VS.Net Client RTC zLinux Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
	Web Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IBM z Systems
		Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		• Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		• Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-
		SUSE Linux Enterprise Server (SLES) 11 IBM z Syster
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems



Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	Windows 10 Enterprise x86-32
	Jazz Authorization Server	Windows 8.1 Enterprise x86-64
		Windows 10 Enterprise x86-64
		• Windows 10 Pro x86-32
		Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64

Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Server	CLM Server	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	Jazz Authorization Server	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64



eployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IBI z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	AIX 6.1 POWER System - Big Endian
	Jazz Authorization Server	AIX 6.1 TL1 POWER System - Big Endian
		AIX 6.1 TL2 POWER System - Big Endian
		AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian



Oracle Database 12c Release 1 (12.1.0.1.0) Standard Edition and Future Fix Packs

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	(12.1.0.1.0) Standard Edition	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(7)	8	•
	RTC VS.Net Client	(7)	8	•
	RTC zLinux Client	(7)	8	•
	Web Client	(7)	8	•
Server	CLM Server	•	8	•



Deployment unit	Component	(12.1.0.1.0) Standard Edition	Future Versions, Releases	Future Fix Packs
		(7)		
	Jazz Authorization Server	(7)	8	•



Oracle Real Application Clusters (Oracle 11g Release 2) and Future Fix Packs

Legend:	Supported	Not supported
---------	-----------	---------------

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	(Oracle 11g Release 2)	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(2)	8	•
	RTC VS.Net Client	(2)	8	•
	RTC zLinux Client	(2)	8	•
	Web Client	(2)	8	•
Server	CLM Server	©	8	•



Deployment unit	Component	(Oracle 11g Release 2)	Future Versions, Releases	Future Fix Packs
		(2)		
	Jazz Authorization Server	(2)	8	Ø

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	AIX 6.1 POWER System - Big Endian
	RTC VS.Net Client	AIX 6.1 TL1 POWER System - Big Endian
	RTC zLinux Client	AIX 6.1 TL2 POWER System - Big Endian
	Web Client	AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian
Desktop	RTC Eclipse Client	Windows 10 Enterprise x86-32
	RTC VS.Net Client	• Windows 8.1 Enterprise x86-64
	RTC zLinux Client	Windows 10 Enterprise x86-64
	Web Client	• Windows 10 Pro x86-32
		• Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		 Windows 7 Enterprise x86-64

Deployment Unit	Component	Only supported on		
		Windows 7 Service Pack 1 Enterprise x86-64		
		Windows 7 Professional x86-32		
		Windows 7 Service Pack 1 Professional x86-32		
		Windows 7 Professional x86-64		
		Windows 7 Service Pack 1 Professional x86-64		
		Windows 7 Ultimate x86-32		
		Windows 7 Service Pack 1 Ultimate x86-32		
		Windows 7 Ultimate x86-64		
		Windows 7 Service Pack 1 Ultimate x86-64		
		Windows Server 2008 R2 Enterprise Edition x86-64		
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64		
		Windows Server 2008 R2 Standard Edition x86-64		
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64		
		Windows Server 2012 Datacenter Edition x86-64		
		Windows Server 2012 R2 Datacenter Edition x86-64		
		Windows Server 2012 Standard Edition x86-64		
		Windows Server 2012 R2 Standard Edition x86-64		
Desktop	RTC Eclipse Client	Red Hat Enterprise Linux (RHEL) Client 6 x86-32		
	RTC VS.Net Client RTC zLinux Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32		
	Web Client	Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32		
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64		
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64		

IBM

eployment Unit	Component	Component Only supported on				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64 				
		Red Hat Enterprise Linux (RHEL) Client 7 x86-64				
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems 				
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian 				
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian 				



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		• Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		• Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32

eployment Unit	Component	Component Only supported on				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 				
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-				
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-				
		SUSE Linux Enterprise Server (SLES) 11 IBM z System				
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems				
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems				
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems				

Deployment Unit	Component	Only supported on			
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems			
		SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64			
		• Ubuntu 12.04 LTS x86-64			
Server	CLM Server	Windows 10 Enterprise x86-32			
	Jazz Authorization Server	Windows 8.1 Enterprise x86-64			
		Windows 10 Enterprise x86-64			
		• Windows 10 Pro x86-32			
		• Windows 10 Pro x86-64			
		Windows 8.1 Professional x86-64			
		Windows 8.1 Standard x86-64			
		Windows 7 Enterprise x86-32			
		Windows 7 Service Pack 1 Enterprise x86-32			
		Windows 7 Enterprise x86-64			
		Windows 7 Service Pack 1 Enterprise x86-64			
		Windows 7 Professional x86-32			
		Windows 7 Service Pack 1 Professional x86-32			
		Windows 7 Professional x86-64			
		Windows 7 Service Pack 1 Professional x86-64			
		Windows 7 Ultimate x86-32			
		Windows 7 Service Pack 1 Ultimate x86-32			
		Windows 7 Ultimate x86-64			
	I	I			

Deployment Unit	Component	Only supported on			
		Windows 7 Service Pack 1 Ultimate x86-64			
		Windows Server 2008 R2 Enterprise Edition x86-64			
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64			
		Windows Server 2008 R2 Standard Edition x86-64			
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64			
		Windows Server 2012 Datacenter Edition x86-64			
		Windows Server 2012 R2 Datacenter Edition x86-64			
		Windows Server 2012 Standard Edition x86-64			
		Windows Server 2012 R2 Standard Edition x86-64			
Server	CLM Server	Red Hat Enterprise Linux (RHEL) Client 6 x86-32			
	Jazz Authorization Server	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32			
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64			
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64			



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64



eployment Unit	Component	Only supported on			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64 			
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-3			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-3			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-3			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-			
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-			
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-			
		SUSE Linux Enterprise Server (SLES) 11 IBM z System			
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems			
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems			
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems			
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems			
		 SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian 			
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian			
		 SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian 			
		 SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian 			

Deployment Unit	Component	Only supported on			
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian			
		SUSE Linux Enterprise Server (SLES) 11 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64			
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64			
		• Ubuntu 12.04 LTS x86-64			
Server	CLM Server	AIX 6.1 POWER System - Big Endian			
	Jazz Authorization Server	AIX 6.1 TL1 POWER System - Big Endian			
		AIX 6.1 TL2 POWER System - Big Endian			
		AIX 6.1 TL3 POWER System - Big Endian			
		AIX 6.1 TL4 POWER System - Big Endian			
		AIX 6.1 TL5 POWER System - Big Endian			
		AIX 6.1 TL6 POWER System - Big Endian			
		AIX 6.1 TL7 POWER System - Big Endian			
		AIX 6.1 TL8 POWER System - Big Endian			
		AIX 6.1 TL9 POWER System - Big Endian			
		AIX 7.1 POWER System - Big Endian			
		AIX 7.1 TL1 POWER System - Big Endian			
		AIX 7.1 TL2 POWER System - Big Endian			
		AIX 7.1 TL3 POWER System - Big Endian			



Oracle Real Application Clusters (Oracle 12c Release 1) and Future Fix Packs

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	(Oracle 12c Release 1)	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(2)	8	•
	RTC VS.Net Client	(2)	8	•
	RTC zLinux Client	(2)	8	•
	Web Client	(2)	8	•
Server	CLM Server	②	8	•



Deployment unit	Component	(Oracle 12c Release 1)	Future Versions, Releases	Future Fix Packs
		(2)		
	Jazz Authorization Server	(2)	8	②

Operating System Restrictions

Deployment Unit	Component	Only supported on
Desktop	RTC Eclipse Client	AIX 6.1 POWER System - Big Endian
	RTC VS.Net Client	AIX 6.1 TL1 POWER System - Big Endian
	RTC zLinux Client	AIX 6.1 TL2 POWER System - Big Endian
	Web Client	AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian
Desktop	RTC Eclipse Client	Windows 10 Enterprise x86-32
	RTC VS.Net Client	 Windows 8.1 Enterprise x86-64
	RTC zLinux Client	Windows 10 Enterprise x86-64
	Web Client	 Windows 10 Pro x86-32
		 Windows 10 Pro x86-64
		 Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		 Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64



Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Enterprise x86-64
		 Windows 7 Professional x86-32
		 Windows 7 Service Pack 1 Professional x86-32
		 Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32
		Windows 7 Ultimate x86-64
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		 Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		 Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Desktop	RTC Eclipse Client	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	RTC VS.Net Client RTC zLinux Client	 Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
	Web Client	 Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64



eployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		• Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IB z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		• Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		• Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-32

Rational Collaborative Lifecycle Management Solution 6.0.1 **Detailed System Requirements**

Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-32
		• Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update 7 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-64
		SUSE Linux Enterprise Server (SLES) 11 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems



Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	Windows 10 Enterprise x86-32
	Jazz Authorization Server	Windows 8.1 Enterprise x86-64
		Windows 10 Enterprise x86-64
		• Windows 10 Pro x86-32
		• Windows 10 Pro x86-64
		Windows 8.1 Professional x86-64
		Windows 8.1 Standard x86-64
		Windows 7 Enterprise x86-32
		Windows 7 Service Pack 1 Enterprise x86-32
		Windows 7 Enterprise x86-64
		Windows 7 Service Pack 1 Enterprise x86-64
		Windows 7 Professional x86-32
		Windows 7 Service Pack 1 Professional x86-32
		Windows 7 Professional x86-64
		Windows 7 Service Pack 1 Professional x86-64
		Windows 7 Ultimate x86-32
		Windows 7 Service Pack 1 Ultimate x86-32

Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment Unit	Component	Only supported on
		Windows 7 Service Pack 1 Ultimate x86-64
		Windows Server 2008 R2 Enterprise Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64
		Windows Server 2008 R2 Standard Edition x86-64
		Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64
		Windows Server 2012 Datacenter Edition x86-64
		Windows Server 2012 R2 Datacenter Edition x86-64
		Windows Server 2012 Standard Edition x86-64
		Windows Server 2012 R2 Standard Edition x86-64
Server	CLM Server	Red Hat Enterprise Linux (RHEL) Client 6 x86-32
	Jazz Authorization Server	Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-32
		Red Hat Enterprise Linux (RHEL) Client 6 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 2 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 3 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 4 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 5 x86-64
		Red Hat Enterprise Linux (RHEL) Client 6 Update 6 x86-64



Deployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Client 6 Update 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Client 7 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 IBN z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 IBM z Systems
		 Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 POWER System - Big Endian



eployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 POWER System - Big Endian
		Red Hat Enterprise Linux (RHEL) Server 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 1 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 2 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 3 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 4 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 5 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 6 Update 7 x86-64
		Red Hat Enterprise Linux (RHEL) Server 7 x86-64
		 Red Hat Enterprise Linux (RHEL) Server 7 Update 1 x86-64
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-32
		Red Hat Enterprise Linux (RHEL) Workstation 6 x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64



eployment Unit	Component	Only supported on
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		 Red Hat Enterprise Linux (RHEL) Workstation 6 Update x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-32
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-3
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-3
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-3
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 x86-64
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP1 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP2 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP3 x86-
		SUSE Linux Enterprise Desktop (SLED) 11.0 SP4 x86-
		SUSE Linux Enterprise Server (SLES) 11 IBM z System
		SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems
		SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems
		 SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian
		 SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian

Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment Unit	Component	Only supported on
		SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian
		SUSE Linux Enterprise Server (SLES) 11 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64
		SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64
		• Ubuntu 12.04 LTS x86-64
Server	CLM Server	AIX 6.1 POWER System - Big Endian
	Jazz Authorization Server	AIX 6.1 TL1 POWER System - Big Endian
		AIX 6.1 TL2 POWER System - Big Endian
		AIX 6.1 TL3 POWER System - Big Endian
		AIX 6.1 TL4 POWER System - Big Endian
		AIX 6.1 TL5 POWER System - Big Endian
		AIX 6.1 TL6 POWER System - Big Endian
		AIX 6.1 TL7 POWER System - Big Endian
		AIX 6.1 TL8 POWER System - Big Endian
		AIX 6.1 TL9 POWER System - Big Endian
		AIX 7.1 POWER System - Big Endian
		AIX 7.1 TL1 POWER System - Big Endian
		AIX 7.1 TL2 POWER System - Big Endian
		AIX 7.1 TL3 POWER System - Big Endian



Databases Notes

- 1. JTS Setup for Microsoft SQL Server does not support Integrated Authentication. You will be unable to install CLM in your environment. Ensure that server security is in mixed mode. To validate this, check server security -- it should be set to SQL Server and Windows Authentication Mode.
- 2. Requires Oracle Java Database Connectivity (JDBC) ojdbc6.jar.11.2.0.3 or higher.
- 3. DB2 WSE 10.5.0.3 is bundled with the CLM products. Clients upgrading from 10.1 are entitled to continue using that version for as CLM supports that version.
- 4. Clients upgrading from a previous version of RTC or CLM are entitled to continue using that version of DB2.
- 5. CLM, RTC, RQM, DNG, RELM all support the PureScale feature in the Advanced editions of DB2.
- 6. DB2 Express Edition is supported for small teams only (of 50 developers or less).
- 7. Oracle not supported for z/OS or IBM i.
- 8. The CLM products bundle Derby. For Evaluation purposes only, or for small teams of 10 users or less. Not to be used for benchmarking performance.



Eclipse Runtime Environment

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Eclipse	3.6.2	3.6.2	6.0.1	• •	No	Yes
	4.2	4.2.2	6.0.1	O	No	Yes
	4.3	4.3.2	6.0.1	O	No	Yes
	4.4	4.4.2	6.0.1	O	No	Yes
	4.5	4.5.1	6.0.1	O	No	Yes



Eclipse 3.6.2

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	3.6.2	···>
Desktop	RTC Eclipse Client	(2)	•
Server	CLM Server	(2)	•



Legend:



Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	4.2	4.2.1	4.2.2	>
Desktop	RTC Eclipse Client	8	8	(3)	•



Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	4.3	4.3.1	4.3.2	>
Desktop	RTC Eclipse Client	8	8	(1)	•



Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	4.4	4.4.1	4.4.2	>
Desktop	RTC Eclipse Client	8	8	(1)	•



Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	4.5	4.5.1	···>
Desktop	RTC Eclipse Client	8	(1)	•



Eclipse Runtime Environment Notes

- 1. The RTC p2 Install Repository download from jazz.net may be used to install into Eclipse 4.3.2 and 4.4.2 and 4.5.1 downloads from eclipse.org.
- 2. The RTC client bundles both IBM Eclipse SDK 3.6.2.3 and IBM Eclipse SDK 4.2.2.1 (two installation options). The CLM Server bundles IBM Eclipse SDK 3.6.2.3, and uses the Eclipse Runtime, Equinox and EMF.
- 3. The RTC Client bundles IES 3.6.2.3 or 4.2.2.1 (two installation options).



Identity Management

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components 👤 📳	Operating system restrictions?	Notes?
Apache Directory Server	1.0	1.5.5	6.0.1	• •	No	No
IBM RACF for z/OS	V1R13 and future versions, releases and fix packs	V1R13	6.0.1	• •	No	Yes
Microsoft Active Directory	2008 R2 and future fix packs	2008 R2	6.0.1	• •	No	Yes
	2012 and future fix packs	2012	6.0.1	• •	No	No
	2012 R2 and future fix packs	2012 R2	6.0.1	• •	No	No
Tivoli Directory Server	6.3	6.3	6.0.1	• •	No	No



Apache Directory Server 1.0

Legend:

_	
V	•

Supported

- 6	
- 4	\sim $-$

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	1.0	1.0.2	1.5.4	1.5.5	Future Versions, Releases	
Desktop	RTC Eclipse Client	8	8	8	•	8	•
	RTC VS.Net Client	8	8	8	•	8	•
	RTC zLinux Client	8	8	8	•	8	⊘
	Web Client	8	8	8	•	8	②
Server	CLM Server	8	8	8	•	8	•
	Jazz Authorization Server	8	8	8	•	8	•



IBM RACF for z/OS V1R13 and Future Versions, Releases and Fix Packs

Legend:	Supported
---------	-----------

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	V1R13	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(2)	•	•
	RTC VS.Net Client	(2)	•	•
	RTC zLinux Client	(2)	Ø	•
	Web Client	(2)	•	Ø
Server	CLM Server	(2)	•	Ø



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	V1R13	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(2)	•	•



Microsoft Active Directory 2008 R2 and Future Fix Packs

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2008 R2	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(1)	8	•
	RTC VS.Net Client	(1)	8	•
	RTC zLinux Client	(1)	8	•
	Web Client	(1)	8	•
Server	CLM Server	(1)	8	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	2008 R2	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(1)	8	•



Microsoft Active Directory 2012 and Future Fix Packs

Legend:

_	
A.	
	,

Supported

w	

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	•	8	•
	RTC VS.Net Client	•	8	•
	RTC zLinux Client	②	8	②
	Web Client	②	8	•
Server	CLM Server	•	8	•
	Jazz Authorization Server	•	8	•



Microsoft Active Directory 2012 R2 and Future Fix Packs

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2012 R2	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	•	8	•
	RTC VS.Net Client	•	8	•
	RTC zLinux Client	•	8	•
	Web Client	•	8	②
Server	CLM Server	②	8	•
	Jazz Authorization Server	•	8	•



Tivoli Directory Server 6.3

Legend: Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.3	···>
Desktop	RTC Eclipse Client	⊘	•
	RTC VS.Net Client	②	②
	RTC zLinux Client	②	②
	Web Client	•	②
Server	CLM Server	•	•
	Jazz Authorization Server	•	•



Identity Management Notes

- 1. Although the underlying OS providing this is no longer in service, CLM products will continue to support it in this release. Future releases may deprecate support for this version.
- 2. IBM Resource Access Control Facility (RACF) as bundled with CLM supported z/OS versions



Installation

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Com	ponents	Operating system restrictions?	Notes?
IBM Installation Manager	1.8.3	1.8.3	6.0.1	•	•	No	No



IBM Installation Manager 1.8.3

Legend: Supported

Not supported

Components

Desktop

- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	1.8.3	···>
Desktop	RTC Eclipse Client	•	⊘
	RTC VS.Net Client	②	②
	RTC zLinux Client	②	②
	Web Client	②	②
Server	CLM Server	②	②
	Jazz Authorization Server	•	•



Java SDK

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
IBM Runtime Environment, Java Technology Edition	6.0.16.0	6.0.16.7	6.0.1	• •	No	No
	7.0.1	7.0.1	6.0.1	O	No	No
	7.1.3	7.1.3.10	6.0.1	• •	No	No
	8	8	6.0.1	O	No	Yes



IBM Runtime Environment, Java Technology Edition 6.0.16.0

Legend: Supported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.0.16.0	5.0.16.1	6.0.16.1	6.0.16.2	6.0.16.3	6.0.16.4	6.0.16.7	6.0.16.1	··>
Desktop	RTC Eclipse Client	8	8	8	8	8	8	Ø	&	②
	RTC VS.Net Client	8	8	8	8	8	8	②	8	②
	RTC zLinux Client	8	8	8	8	8	8	•	&	•
	Web Client	8	8	8	8	8	8	•	&	②
Server	CLM Server	8	8	8	8	8	8	•	&	②
	Jazz Authorization Server	8	8	8	8	8	8	•	&	•



IBM Runtime Environment, Java Technology Edition 7.0.1

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	7.0.1	···>
Desktop	RTC Eclipse Client	②	•



IBM Runtime Environment, Java Technology Edition 7.1.3

Legend:

(

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.3	7.1.3.10	7.1.3.20	>
Desktop	RTC Eclipse Client	8	•	8	•
	RTC VS.Net Client	8	②	8	•
	RTC zLinux Client	8	Ø	8	•
	Web Client	8	Ø	8	•
Server	CLM Server	8	②	8	•
	Jazz Authorization Server	8	•	8	•



IBM Runtime Environment, Java Technology Edition 8

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8	8.0.1.1	···>
Desktop	RTC Eclipse Client	(1)	(1)	•



Java SDK Notes

1. Supported for the RTC Eclipse Client Only with either p2 Install Repository or shell-sharing IM-based products which bundle Java 8.0.



Licensing

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational License Key Server	8.1.4	8.1.4	6.0.1	• •	No	Yes



Rational License Key Server 8.1.4

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.1.4	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	8	8	(1)	(1)	8	(1)	8	②
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	8	8	(1)	(1)	8	(1)	8	Ø
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	⊗	8	(1)	(1)	8	(1)	⊗	•
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	8	8	(1)	(1)	8	(1)	8	Ø
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	8	8	(1)	(1)	8	(1)	8	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	8.1.4	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	8.1.4.	>
	Jazz Authorization Server	(1)	(1)	(1)	(1)	(1)	(1)	8	&	(1)	(1)	&	(1)	8	•



Licensing Notes

1. CLM bundles RCLM on Passport Advantage and in the media.



Reporting and Analysis

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Com	ponents	Operating system restrictions?	Notes?
Jazz Reporting Service	6.0.1	6.0.1	6.0.1		•	No	No



Jazz Reporting Service 6.0.1

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.0.1	···>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	②	•
	RTC zLinux Client	Ø	•
	Web Client	Ø	•
Server	CLM Server	Ø	•
	Jazz Authorization Server	•	•



Runtime Environment

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Adobe Flash Player	18 and future fix packs	18	6.0.1	• 0	No	Yes
Microsoft Visual Studio	2010 and future fix packs	2010	6.0.1	• 0	No	Yes
	2012 and future fix packs	2012	6.0.1	• 0	No	Yes
	2013 and future fix packs	2013	6.0.1	• 0	No	Yes
	2015 and future fix packs	2015	6.0.1	• 0	No	Yes



Adobe Flash Player 18 and Future Fix Packs

Legend:

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	18	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(2)	8	•



Microsoft Visual Studio 2010 and Future Fix Packs

Legend:

$\langle \mathbf{V} \rangle$	٩
	•

Supported



Not supported

Components

Desktop

- RTC VS.Net Client
- RTC Eclipse Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	2010	Future Versions, Releases	Future Fix Packs
Desktop	RTC VS.Net Client	(3)	8	•



Microsoft Visual Studio 2012 and Future Fix Packs

Legend:

Supported



Not supported

Components

Desktop

- RTC VS.Net Client
- RTC Eclipse Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
Desktop	RTC VS.Net Client	(3)	8	•



Microsoft Visual Studio 2013 and Future Fix Packs

Legend:

_	
A.	
	,

Supported



Not supported

Components

Desktop

- RTC VS.Net Client
- RTC Eclipse Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	2013	Future Versions, Releases	Future Fix Packs
Desktop	RTC VS.Net Client	(3)	8	•



Microsoft Visual Studio 2015 and Future Fix Packs

Legend:

_	
A.	c
W.	- 2

Supported



Not supported

Components

Desktop

- RTC VS.Net Client
- RTC Eclipse Client
- RTC zLinux Client
- Web Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	2015	Future Versions, Releases	Future Fix Packs
Desktop	RTC VS.Net Client	(1)	8	•



Runtime Environment Notes

- VS.Net is supported for the RTC Client for Visual Studio RTC specifically supports the Visual Studio Enterprise and Professional Editions
- 2. Adobe Flash Player is utilized by the RTC Work Item Statistics dashboard viewlet. Although previous versions of Flash may work with RTC, it is HIGHLY recommended that Adobe Flash Player be upgraded to at least 18.0.0.209, because of the recently discovered security vulnerabilities in Flash.
- VS.Net is supported for the RTC Client for Visual Studio RTC specifically supports the Visual Studio Professional, Premium and Ultimate Editions



Web Browsers

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Apple Safari	7.1 and future fix packs	7.1	6.0.1	• 0	No	Yes
	8.0 and future fix packs	8.0	6.0.1	• 0	No	Yes
Chrome	46 and future fix packs	46	6.0.1	• 0	No	Yes
Google Chrome	44 and future fix packs	44	6.0.1	• 0	No	Yes
	45 and future fix packs	45	6.0.1	• 0	No	Yes
Microsoft Internet Explorer	10 and future fix packs	10	6.0.1	• 0	No	Yes
	11 and future fix packs	11	6.0.1	• 0	No	Yes
Mozilla Firefox ESR	31 and future fix packs	31	6.0.1	• 0	No	Yes
	38 and future fix packs	38	6.0.1	• 0	No	Yes



Apple Safari 7.1 and Future Fix Packs

Legend:

,

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	7.1	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(1)	8	•



Apple Safari 8.0 and Future Fix Packs

Legend:

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	8.0	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(1)	8	•



Chrome 46 and Future Fix Packs

Legend:

_	

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	46	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(2)	8	•



Google Chrome 44 and Future Fix Packs

Legend:

- (
,

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	44	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(2)	8	•



Google Chrome 45 and Future Fix Packs

Legend:

_	
A.	
	,

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	45	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(2)	8	•



Microsoft Internet Explorer 10 and Future Fix Packs

Legend:

Supported

Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(3)	8	•



Microsoft Internet Explorer 11 and Future Fix Packs

Not supported

Legend: Supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- **CLM Server**
- Jazz Authorization Server

Deployment unit	Component	11	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(3)	8	•



Mozilla Firefox ESR 31 and Future Fix Packs

Legend:

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	31	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(4)	8	•



Mozilla Firefox ESR 38 and Future Fix Packs

Legend:

②	S

Supported



Not supported

Components

Desktop

- Web Client
- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	38	Future Versions, Releases	Future Fix Packs
Desktop	Web Client	(4)	8	•



Web Browsers Notes

- 1. The Safari browser shows graphical artifacts in preview mode, but does not support editing. The RDNG Graphical Editor is supported on Windows only using Internet Explorer in 32-bit mode or Firefox in 32-bit mode (ONLY). This will not work in any other browser or OS.
- Chrome does not provide an ESR release they typically provide a new release every 6 weeks. To support
 this, CLM will regularly support the current release of Chrome and the two prior versions. The versions
 supported for any particular CLM release are based on the Chrome versions available at the time of the CLM
 GA.
 - For RDNG the Chrome browser will show graphical artifacts in preview mode, but will not support editing. The RDNG Graphical Editor is supported on Windows only using Internet Explorer in 32-bit mode or Firefox in 32-bit mode (ONLY). This will not work in any other browser or OS.
- 3. The RDNG Graphical Editor is supported on Windows only using Internet Explorer in 32-bit mode or Firefox in 32-bit mode (ONLY). This will not work in any other browser or OS.
 Please see these tech note articles for mixed http/https content and self-signed certificates, which may result in content not being shown as expected.
- 4. The RDNG Graphical Editor is supported on Windows only using Internet Explorer in 32-bit mode or Firefox in 32-bit mode (ONLY). This will not work in any other browser or OS.
 Please see these tech note articles for mixed http/https content and self-signed certificates which may result in content not being shown as expected.



Web Servers

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Apache Server	2.2	2.2.19	6.0.1	• •	No	Yes
Squid	3.3	3.3.3	6.0.1	• •	No	Yes



Apache Server 2.2

Legend:

_	
	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2.2	2.2.10	2.2.19	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	8	(2)	8	•
	RTC VS.Net Client	8	8	(2)	8	•
	RTC zLinux Client	8	8	(2)	8	•
	Web Client	8	8	(2)	8	•
Server	CLM Server	8	8	(2)	8	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	2.2	2.2.10	2.2.19	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	8	8	(2)	&	•



Squid 3.3

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	3.3	3.3.3	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	(1)	8	•
	RTC VS.Net Client	8	(1)	8	•
	RTC zLinux Client	8	(1)	8	•
	Web Client	8	(1)	8	•
Server	CLM Server	8	(1)	8	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	3.3	3.3.3	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	⊗	(1)	8	•



Web Servers Notes

- 1. Squid 3.3.3 for caching (see Using content caching proxies for Jazz Source Control)
- 2. On RHEL and SLES Only. [Non-secure Only (no HTTPS)]



Supported software

The Supported software section specifies the additional software that Rational Collaborative Lifecycle Management Solution 6.0.1 supports.

Component Support

Full

Partial

None

Capabilities

Architecture and Design Tools Asset Management
Change and Release Management Collaboration
Configuration Management Connectors Development Tools
Instant Messaging Reporting and Analysis Requirements Management
Security Management Testing Tools

Architecture and Design Tools

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Rhapsody	8.0	8.0	6.0.1	• •	No	Yes
	8.1.3	8.1.3	6.0.1	• •	No	Yes
	8.1.4	8.1.4	6.0.1	• •	No	Yes
Rational Software Architect	8.5	8.5	6.0.1	• •	No	No
	9.0	9.0	6.0.1	• •	No	No
	9.1	9.1	6.0.1	• •	No	Yes
Rational Software Architect Design Manager	6.0	6.0	6.0.1	• •	No	Yes



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Software Architect RealTime Edition	8.5	8.5	6.0.1	• •	No	No
	9.1	9.1	6.0.1	• •	No	Yes
Rational Software Architect for WebSphere Software	8.5	8.5	6.0.1	• •	No	No
	9.1	9.1	6.0.1	• •	No	Yes



Rational Rhapsody 8.0

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.0	8.0.1	8.0.2	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	Ø
Server	CLM Server	(1)	(1)	(1)	•
	Jazz Authorization Server	②	②	②	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	8.0	8.0.1	8.0.2	>
		(1)	(1)	(1)	



Rational Rhapsody 8.1.3

Legend:

_	
	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.1.3	>
Desktop	RTC Eclipse Client	(2)	•
	RTC VS.Net Client	(2)	•
	RTC zLinux Client	(2)	•
	Web Client	(2)	•
Server	CLM Server	(2)	•
	Jazz Authorization Server	②	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	8.1.3	···>
		(2)	



Rational Rhapsody 8.1.4

Legend:

_	
	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.1.4	···>
Desktop	RTC Eclipse Client	(2)	•
	RTC VS.Net Client	(2)	•
	RTC zLinux Client	(2)	•
	Web Client	(2)	•
Server	CLM Server	(2)	•
	Jazz Authorization Server	②	•



Rational Collaborative Lifecycle Management Solution 6.0.1 Detailed System Requirements

Deployment unit	Component	8.1.4	···>
		(2)	



Rational Software Architect 8.5

Legend:	Supported	Not supported
---------	-----------	---------------

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future →

Deployment unit	Component	8.5	>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	•	•
	RTC zLinux Client	•	•
	Web Client	•	S
Server	CLM Server	•	Ø
	Jazz Authorization Server	•	•



Rational Software Architect 9.0

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	9.0.0.1	···>
Desktop	RTC Eclipse Client	•	•	•
	RTC VS.Net Client	•	•	•
	RTC zLinux Client	Ø	Ø	②
	Web Client	Ø	Ø	Ø
Server	CLM Server	②	②	②
	Jazz Authorization Server	•	•	•



Rational Software Architect 9.1

Legend: Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.1	>
Desktop	RTC Eclipse Client	(3)	•
	RTC VS.Net Client	(3)	•
	RTC zLinux Client	(3)	•
	Web Client	(3)	•
Server	CLM Server	(3)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	9.1	···>
		(3)	



Rational Software Architect Design Manager 6.0

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.0	6.0.1	··>
Desktop	RTC Eclipse Client	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	•
	Web Client	(4)	(4)	•
Server	CLM Server	(4)	(4)	•
	Jazz Authorization Server	②	•	•



Deployment unit	Component	6.0	6.0.1	···>
		(4)	(4)	



Rational Software Architect RealTime Edition 8.5

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	··>
Desktop	RTC Eclipse Client	②	⊘
	RTC VS.Net Client	•	•
	RTC zLinux Client	Ø	Ø
	Web Client	Ø	Ø
Server	CLM Server	Ø	Ø
	Jazz Authorization Server	②	②



Rational Software Architect RealTime Edition 9.1

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.1	>
Desktop	RTC Eclipse Client	(3)	•
	RTC VS.Net Client	(3)	•
	RTC zLinux Client	(3)	•
	Web Client	(3)	•
Server	CLM Server	(3)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	9.1	···>
		(3)	



Rational Software Architect for WebSphere Software 8.5

Legend:	Supported	Not supported
---------	-----------	---------------

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	···>
Desktop	RTC Eclipse Client	•	•
	RTC VS.Net Client	Ø	•
	RTC zLinux Client	Ø	•
	Web Client	②	•
Server	CLM Server	②	•
	Jazz Authorization Server	•	•



Rational Software Architect for WebSphere Software 9.1

Components

Desktop

- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.1	>
Desktop	RTC Eclipse Client	(3)	•
	RTC VS.Net Client	(3)	•
	RTC zLinux Client	(3)	•
	Web Client	(3)	•
Server	CLM Server	(3)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	9.1	···>
		(3)	



Architecture and Design Tools Notes

- 1. Rhapsody integrates with RTC and RQM Only.
- 2. Rhapsody integrates with RTC Eclipse Client and RQM Only. RDM 6.0.1 integrates with CLM.
- 3. RSA integrates with RTC only
- 4. RSA DM integrates with RTC, RQM, RDNG.



Asset Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Asset Manager Enterprise Edition	7.5.1	7.5.1	6.0.1	• •	No	Yes
	7.5.2	7.5.2	6.0.1	• •	No	Yes
Rational Asset Manager Standard Edition	7.5.1	7.5.1	6.0.1	• •	No	Yes
	7.5.2	7.5.2	6.0.1	• •	No	Yes



Rational Asset Manager Enterprise Edition 7.5.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.5.1	7.5.1.1	7.5.1.2	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	Ø
	Web Client	(1)	(1)	(1)	Ø
Server	CLM Server	(1)	(1)	(1)	•
	Jazz Authorization Server	•	•	•	•



Deployment unit	Component	7.5.1	7.5.1.1	7.5.1.2	>
		(1)	(1)	(1)	



Rational Asset Manager Enterprise Edition 7.5.2

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.5.2	7.5.2.1	7.5.2.2	7.5.2.3	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	(1)	•
Server	CLM Server	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	•	•	•	•	•



Deployment unit	Component	7.5.2	7.5.2.1	7.5.2.2	7.5.2.3	>
		(1)	(1)	(1)	(1)	



Rational Asset Manager Standard Edition 7.5.1

Legend:

_	
	•
V	٠,

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.5.1	7.5.1.1	7.5.1.2	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	Ø
	Web Client	(1)	(1)	(1)	Ø
Server	CLM Server	(1)	(1)	(1)	•
	Jazz Authorization Server	②	②	②	•



Deployment unit	Component	7.5.1	7.5.1.1	7.5.1.2	>
		(1)	(1)	(1)	



Rational Asset Manager Standard Edition 7.5.2

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.5.2	7.5.2.1	7.5.2.2	7.5.2.3	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	(1)	•
Server	CLM Server	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	•	•	•	•	•



Deployment unit	Component	7.5.2	7.5.2.1	7.5.2.2	7.5.2.3	>
		(1)	(1)	(1)	(1)	



Asset Management Notes

1. RAM integrates with RTC, RQM, RDNG



Change and Release Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Change	5.3.1	5.3.1	6.0.1	• •	No	Yes
Rational ClearQuest	8.0	8.0	6.0.1	• •	No	Yes
	8.0.1	8.0.1	6.0.1	• •	No	Yes



Rational Change 5.3.1

Legend:

_	
W	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	5.3.1	5.3.1.1	·->
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	©	②	②



Deployment unit	Component	5.3.1	5.3.1.1	···>
		(2)	(2)	



Rational ClearQuest 8.0

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	©
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	©
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•



Deployment unit	Component	8.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	•••>
	Jazz Authorization Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•



Rational ClearQuest 8.0.1

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0.1	8.0.1.1	8.0.1.2	8.0.1.3	8.0.1.4	8.0.1.5	8.0.1.6	8.0.1.7	8.0.1.8	8.0.1.9	8.0.1.1	•••>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②



Deployment unit	Component	8.0.1	8.0.1.1	8.0.1.2	8.0.1.3	8.0.1.4	8.0.1.5	8.0.1.6	8.0.1.7	8.0.1.8	8.0.1.9	8.0.1.1	>
	Jazz Authorization Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	⊘



Change and Release Management Notes

- 1. CQ integrates with RTC, RQM, RDNG
- 2. Change integrates with RTC, RQM, RDNG
 - Change and Synergy are closely linked and share the same repository
 - For RTC that integration is made via Rational Synchronization Server
 - For the RQM and RDNG integrations Change uses OSLC



Collaboration

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Atlassian JIRA	6.0 and future fix packs	6.0	6.0.1	• •	No	Yes
GitHub Enterprise	11.10.341 and future fix packs	11.10.341	6.0.1	• •	No	Yes
HP ALM	11.5	11.52	6.0.1	• •	No	Yes
HP Quality Center	10.0 and future fix packs	10.0	6.0.1	• •	No	Yes
IBM Connections	4.5	4.5	6.0.1	• •	No	Yes
Rational Lifecycle Integration Adapters Tasktop Edition	1.1.3	1.1.3	6.0.1	• •	No	Yes



Atlassian JIRA 6.0 and Future Fix Packs

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.0	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(4)	8	•
	RTC VS.Net Client	(4)	⊗	•
	RTC zLinux Client	(4)	8	Ø
	Web Client	(4)	8	•
Server	CLM Server	(4)	8	•



Deployment unit	Component	6.0	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(4)	8	•



GitHub Enterprise 11.10.341 and Future Fix Packs

Legend:

Supported

Not supported

Components

Desktop

- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	11.10.341	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(1)	8	•
	RTC VS.Net Client	(1)	8	•
	RTC zLinux Client	(1)	8	•
	Web Client	(1)	8	•
Server	CLM Server	(1)	8	•



Deployment unit	Component	11.10.341	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(1)	8	•



HP ALM 11.5

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	11.5	11.52	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	(5)	8	•
	RTC VS.Net Client	8	(5)	8	•
	RTC zLinux Client	8	(5)	8	•
	Web Client	8	(5)	8	•
Server	CLM Server	8	(5)	8	•



Deployment unit	Component	11.5	11.52	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	⊗	(5)	⊗	•



HP Quality Center 10.0 and Future Fix Packs

Legend:

Supported

- 6	
- 4	\sim $-$

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	10.0	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	(5)	8	•
	RTC VS.Net Client	(5)	8	•
	RTC zLinux Client	(5)	8	•
	Web Client	(5)	8	•
Server	CLM Server	(5)	8	•



Deployment unit	Component	10.0	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	(5)	8	•



IBM Connections 4.5

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	4.5	4.5 CR1	4.5 IFR1	4.5 CR2	4.5 IFR2	4.5 CR3	4.5 CR4	4.5 CR5	>
Desktop	RTC Eclipse Client	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•
	Web Client	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•
Server	CLM Server	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•



Deployment unit	Component	4.5	4.5 CR1	4.5 IFR1	4.5 CR2	4.5 IFR2	4.5 CR3	4.5 CR4	4.5 CR5	>
	Jazz Authorization Server	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	②



Rational Lifecycle Integration Adapters Tasktop Edition 1.1.3

Legend:

_	
	•
	•

Supported

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	1.1.3	1.1.3.1	1.1.3.2	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	Ø
	Web Client	(3)	(3)	(3)	Ø
Server	CLM Server	(3)	(3)	(3)	②
	Jazz Authorization Server	•	•	•	•



Deployment unit	Component	1.1.3	1.1.3.1	1.1.3.2	>
		(3)	(3)	(3)	



Collaboration Notes

- 1. Git integrates with RTC via RLIA. See Rational Lifecycle Integration Adapters regarding specific versions supported.
- 2. IBM Connections integrates with RTC only.
 - Please note that this integration supports form based auth, but not OAuth which means that the integration is not currently supported on the IBM SmartCLoud
- 3. RLIA enables integrations with Jira, GIT, HP ALM and QC, and many others. See Rational Lifecycle Integration Adapters for additional details.
- 4. JIRA integrates with RTC, RQM, and RDNG via RLIA. See Rational Lifecycle Integration Adapters regarding specific versions supported.
- 5. HP ALM and QC integration provided via RLIA. See Rational Lifecycle Integration Adapters regarding specific versions supported.



Configuration Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
IBM UrbanCode Deploy	6.1	6.1	6.0.1	• •	No	Yes
	6.1.1	6.1.1	6.0.1	• •	No	Yes
Rational Build Forge	8.0	8.0.0.1	6.0.1	• •	No	Yes
Rational Build Forge Enterprise Edition	7.1.1	7.1.1.4	6.0.1	• •	No	Yes
	7.1.2	7.1.2	6.0.1	• •	No	Yes
	7.1.3	7.1.3	6.0.1	• •	No	Yes
Rational Build Forge Enterprise Plus Edition	7.1.1	7.1.1.4	6.0.1	• •	No	Yes
	7.1.2	7.1.2	6.0.1	• •	No	Yes
	7.1.3	7.1.3	6.0.1	• •	No	Yes
Rational Build Forge Standard Edition	7.1.1	7.1.1.4	6.0.1	• •	No	Yes
	7.1.2	7.1.2	6.0.1	• •	No	Yes
	7.1.3	7.1.3	6.0.1	• •	No	Yes
Rational ClearCase	8.0	8.0	6.0.1	• •	No	Yes



Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
	8.0.1	8.0.1	6.0.1	• •	No	Yes
Rational Synergy	7.2.1	7.2.1	6.0.1	• •	No	Yes



IBM UrbanCode Deploy 6.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.1	6.1.0.1	6.1.0.2	6.1.0.3	6.1.0.4	>
Desktop	RTC Eclipse Client	(4)	(4)	(4)	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	(4)	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	(4)	(4)	(4)	•
	Web Client	(4)	(4)	(4)	(4)	(4)	•
Server	CLM Server	(4)	(4)	(4)	(4)	(4)	•
	Jazz Authorization Server	Ø	0	•	•	•	•



Deployment unit	Component	6.1	6.1.0.1	6.1.0.2	6.1.0.3	6.1.0.4	>
		(4)	(4)	(4)	(4)	(4)	



IBM UrbanCode Deploy 6.1.1

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.1.1	6.1.1.1	6.1.1.2	6.1.1.3	6.1.1.4	6.1.1.5	6.1.1.6	6.1.1.7	6.1.1.8	•••>
Desktop	RTC Eclipse Client	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②
	RTC VS.Net Client	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②
	Web Client	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	②
Server	CLM Server	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	•



Deployment unit	Component	6.1.1	6.1.1.1	6.1.1.2	6.1.1.3	6.1.1.4	6.1.1.5	6.1.1.6	6.1.1.7	6.1.1.8	>
	Jazz Authorization Server	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	⊘



Rational Build Forge 8.0

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0.1	8.0.0.2	>
Desktop	RTC Eclipse Client	8	(3)	(3)	•
	RTC VS.Net Client	8	(3)	(3)	•
	RTC zLinux Client	8	(3)	(3)	•
	Web Client	8	(3)	(3)	Ø
Server	CLM Server	8	(3)	(3)	•
	Jazz Authorization Server	8	•	•	•



Deployment unit	Component	8.0	8.0.0.1	8.0.0.2	>
			(3)	(3)	



Rational Build Forge Enterprise Edition 7.1.1

Legend:

_	
V	•

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.1	7.1.1.4	>
Desktop	RTC Eclipse Client	⊗	(3)	•
	RTC VS.Net Client	⊗	(3)	•
	RTC zLinux Client	8	(3)	•
	Web Client	8	(3)	•
Server	CLM Server	8	(3)	•
	Jazz Authorization Server	8	②	©



Deployment unit	Component	7.1.1	7.1.1.4	···>
			(3)	



Rational Build Forge Enterprise Edition 7.1.2

Legend:

_	
V	•

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•



Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	>
		(3)	(3)	(3)	(3)	



Rational Build Forge Enterprise Edition 7.1.3

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	7.1.3.6	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•	•	•	•



Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	7.1.3.6	···>
		(3)	(3)	(3)	(3)	(3)	(3)	(3)	



Rational Build Forge Enterprise Plus Edition 7.1.1

Legend:

_	
A.	
	,

Supported

w	

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.1	7.1.1.4	··>
Desktop	RTC Eclipse Client	⊗	(3)	•
	RTC VS.Net Client	⊗	(3)	•
	RTC zLinux Client	⊗	(3)	•
	Web Client	⊗	(3)	•
Server	CLM Server	⊗	(3)	•
	Jazz Authorization Server	8	②	•



Deployment unit	Component	7.1.1	7.1.1.4	···>
			(3)	



Rational Build Forge Enterprise Plus Edition 7.1.2

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	Ø



Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	>
		(3)	(3)	(3)	(3)	



Rational Build Forge Enterprise Plus Edition 7.1.3

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	7.1.3.6	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•	•	•	•



Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	7.1.3.6	•••>
		(3)	(3)	(3)	(3)	(3)	(3)	(3)	



Rational Build Forge Standard Edition 7.1.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.1	7.1.1.4	··>
Desktop	RTC Eclipse Client	⊗	(3)	•
	RTC VS.Net Client	⊗	(3)	•
	RTC zLinux Client	⊗	(3)	•
	Web Client	⊗	(3)	•
Server	CLM Server	⊗	(3)	•
	Jazz Authorization Server	8	②	•



Deployment unit	Component	7.1.1	7.1.1.4	···>
			(3)	



Rational Build Forge Standard Edition 7.1.2

Legend:

_	
M	C

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	·>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•



Deployment unit	Component	7.1.2	7.1.2.1	7.1.2.2	7.1.2.3	>
		(3)	(3)	(3)	(3)	



Rational Build Forge Standard Edition 7.1.3

Legend:

	S
V	U

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•	•	•



Deployment unit	Component	7.1.3	7.1.3.1	7.1.3.2	7.1.3.3	7.1.3.4	7.1.3.5	···>
		(3)	(3)	(3)	(3)	(3)	(3)	



Rational ClearCase 8.0

Legend: Supported

Not supported

Components

Desktop

- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②



Deployment unit	Component	8.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	8.0.0	•••>
	Jazz Authorization Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø



Rational ClearCase 8.0.1

Legend: Supported Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.0.1	8.0.1.1	8.0.1.2	8.0.1.3	8.0.1.4	8.0.1.5	8.0.1.6	8.0.1.7	8.0.1.8	8.0.1.9	···>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	⊘
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	⊘
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•



Deployment unit	Component	8.0.1	8.0.1.1	8.0.1.2	8.0.1.3	8.0.1.4	8.0.1.5	8.0.1.6	8.0.1.7	8.0.1.8	8.0.1.9	··>
	Jazz Authorization Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	⊘



Rational Synergy 7.2.1

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	7.2.1	7.2.1.1	7.2.1.2	7.2.1.3	7.2.1.4	>
Desktop	RTC Eclipse Client	(2)	(2)	(2)	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	(2)	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	(2)	(2)	(2)	•
	Web Client	(2)	(2)	(2)	(2)	(2)	•
Server	CLM Server	(2)	(2)	(2)	(2)	(2)	•
	Jazz Authorization Server	Ø	0	•	•	•	•



Deployment unit	Component	7.2.1	7.2.1.1	7.2.1.2	7.2.1.3	7.2.1.4	>
		(2)	(2)	(2)	(2)	(2)	



Configuration Management Notes

- 1. CC integrates with RTC only
- 2. Synergy integrates with RTC and RQM
 - Synergy integrates with RTC via Rational Synergy For Rational Team Concert Interface
- 3. Build Forge integrates with RTC only.
- 4. UrbanCode integrates with RTC only.



Connectors

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Connector for SAP Solution Manager	4.0	4.0	6.0.1	• •	No	Yes



Rational Connector for SAP Solution Manager 4.0

Legend:

Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	4.0	4.0.0.1	4.0.0.2	4.0.0.3	4.0.0.4	4.0.0.5	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	•	•	•	•	•	•	•



Deployment unit	Component	4.0	4.0.0.1	4.0.0.2	4.0.0.3	4.0.0.4	4.0.0.5	···>
		(1)	(1)	(1)	(1)	(1)	(1)	



Connectors Notes

1. • Rational Connector for SAP integrates with RTC and RQM Only.



Development Tools

Summary

Supported software	Version	Supported software minimum	Product minimum	Components 👤 📱	Operating system restrictions?	Notes?
Rational Application Developer for WebSphere Software	8.5	8.5	6.0.1	• •	No	Yes
	8.5.1	8.5.1	6.0.1	• •	No	Yes
	8.5.5	8.5.5	6.0.1	• •	No	Yes
	9.0	9.0	6.0.1	• •	No	Yes
	9.0.1	9.0.1	6.0.1	• •	No	Yes
Rational Business Developer	8.5	8.5	6.0.1	• •	No	Yes
Rational Developer for Power Systems Software	8.5	8.5	6.0.1	• •	No	Yes
Rational Developer for System z	8.5	8.5	6.0.1	• •	No	Yes
	9.0	9.0	6.0.1	• •	No	Yes
	9.1	9.1	6.0.1	• •	No	Yes
Rational Developer for i	9.0	9.0	6.0.1	• •	No	Yes
	9.1	9.1	6.0.1	• •	No	Yes
Rational Programming Patterns	8.5	8.5	6.0.1	• •	No	Yes



Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
	9.0.1	9.0.1	6.0.1	• •	No	Yes



Rational Application Developer for WebSphere Software 8.5

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	>
Desktop	RTC Eclipse Client	(5)	•
	RTC VS.Net Client	(5)	•
	RTC zLinux Client	(5)	•
	Web Client	(5)	•
Server	CLM Server	(5)	•
	Jazz Authorization Server	•	②



Deployment unit	Component	8.5	···>
		(5)	



Rational Application Developer for WebSphere Software 8.5.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5.1	···>
Desktop	RTC Eclipse Client	(5)	•
	RTC VS.Net Client	(5)	•
	RTC zLinux Client	(5)	•
	Web Client	(5)	•
Server	CLM Server	(5)	•
	Jazz Authorization Server	②	•



Deployment unit	Component	8.5.1	···>
		(5)	



Rational Application Developer for WebSphere Software 8.5.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	>
Desktop	RTC Eclipse Client	(5)	(5)	(5)	(5)	•
	RTC VS.Net Client	(5)	(5)	(5)	(5)	•
	RTC zLinux Client	(5)	(5)	(5)	(5)	•
	Web Client	(5)	(5)	(5)	(5)	•
Server	CLM Server	(5)	(5)	(5)	(5)	•
	Jazz Authorization Server	•	•	•	•	•



Deployment unit	Component	8.5.5	8.5.5.1	8.5.5.2	8.5.5.3	>
		(5)	(5)	(5)	(5)	



Rational Application Developer for WebSphere Software 9.0

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	··>
Desktop	RTC Eclipse Client	(5)	•
	RTC VS.Net Client	(5)	•
	RTC zLinux Client	(5)	•
	Web Client	(5)	•
Server	CLM Server	(5)	•
	Jazz Authorization Server	•	②



Deployment unit	Component	9.0	···>
		(5)	



Rational Application Developer for WebSphere Software 9.0.1

Legend:

N. 4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0.1	9.0.1.1	9.0.1.2	>
Desktop	RTC Eclipse Client	(5)	(5)	(5)	•
	RTC VS.Net Client	(5)	(5)	(5)	•
	RTC zLinux Client	(5)	(5)	(5)	•
	Web Client	(5)	(5)	(5)	•
Server	CLM Server	(5)	(5)	(5)	•
	Jazz Authorization Server	②	②	②	②



Deployment unit	Component	9.0.1	9.0.1.1	9.0.1.2	>
		(5)	(5)	(5)	



Rational Business Developer 8.5

Legend:

S

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	··>
Desktop	RTC Eclipse Client	(3)	•
	RTC VS.Net Client	(3)	•
	RTC zLinux Client	(3)	•
	Web Client	(3)	•
Server	CLM Server	(3)	Ø
	Jazz Authorization Server	•	②



Deployment unit	Component	8.5	···>
		(3)	



Rational Developer for Power Systems Software 8.5

Legend: Supported

Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.1	··>
Desktop	RTC Eclipse Client	(6)	8	•
	RTC VS.Net Client	(6)	8	•
	RTC zLinux Client	(6)	8	②
	Web Client	(6)	8	•
Server	CLM Server	(6)	8	•
	Jazz Authorization Server	•	8	•



Deployment unit	Component	8.5	8.5.1	···>
		(6)		



Rational Developer for System z 8.5

Legend:

_	
	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.0.1	·->
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	②	②	②



Deployment unit	Component	8.5	8.5.0.1	···>
		(2)	(2)	



Rational Developer for System z 9.0

Legend:

_	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	···>
Desktop	RTC Eclipse Client	(2)	•
	RTC VS.Net Client	(2)	•
	RTC zLinux Client	(2)	•
	Web Client	② (2)	Ø
Server	CLM Server	② (2)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	9.0	···>
		(2)	



Rational Developer for System z 9.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.1	··>
Desktop	RTC Eclipse Client	(2)	•
	RTC VS.Net Client	(2)	•
	RTC zLinux Client	(2)	•
	Web Client	(2)	•
Server	CLM Server	(2)	•
	Jazz Authorization Server	②	•



Deployment unit	Component	9.1	···>
		(2)	



Rational Developer for i 9.0

Legend:

•
•

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	··>
Desktop	RTC Eclipse Client	(1)	•
	RTC VS.Net Client	(1)	•
	RTC zLinux Client	(1)	•
	Web Client	(1)	•
Server	CLM Server	(1)	•
	Jazz Authorization Server	•	②



Deployment unit	Component	9.0	···>
		(1)	



Rational Developer for i 9.1

Legend:

_	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.1	9.1.1	··>
Desktop	RTC Eclipse Client	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	•
	Web Client	(1)	(1)	•
Server	CLM Server	(1)	(1)	•
	Jazz Authorization Server	©	©	•



Deployment unit	Component	9.1	9.1.1	···>
		(1)	(1)	



Rational Programming Patterns 8.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	8.5.1	>
Desktop	RTC Eclipse Client	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	•
	Web Client	(4)	(4)	•
Server	CLM Server	(4)	(4)	•
	Jazz Authorization Server	©	©	•



Deployment unit	Component	8.5	8.5.1	···>
		(4)	(4)	



Rational Programming Patterns 9.0.1

Legend:

② :	
_	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0.1	9.0.1.1	···>
Desktop	RTC Eclipse Client	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	•
	Web Client	(4)	(4)	•
Server	CLM Server	(4)	(4)	•
	Jazz Authorization Server	©	②	②



Deployment unit	Component	9.0.1	9.0.1.1	>
		(4)	(4)	



Development Tools Notes

- 1. RDi integrates with RTC only
- 2. RDz integrates with RTC only
- 3. RBD integrates with RTC Only.
- 4. RPP integrates with RTC Only.
- 5. RAD integrates with RTC Only.
- 6. Rational Developer for Power integrates with RTC Only.



Instant Messaging

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Jabber Openfire	3.4	3.4.1	6.0.1	• •	No	Yes
Lotus Sametime Standard	8.5	8.5	6.0.1	• •	No	Yes



Jabber Openfire 3.4

Legend:

N. 4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	3.4	3.4.1	Future Versions, Releases	Future Fix Packs
Desktop	RTC Eclipse Client	8	(1)	8	•
	RTC VS.Net Client	8	(1)	8	•
	RTC zLinux Client	8	(1)	8	•
	Web Client	8	(1)	8	S
Server	CLM Server	8	(1)	8	•



Deployment unit	Component	3.4	3.4.1	Future Versions, Releases	Future Fix Packs
	Jazz Authorization Server	⊗	(1)	⊗	•



Lotus Sametime Standard 8.5

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	8.5	···>
Desktop	RTC Eclipse Client	(2)	•
	RTC VS.Net Client	(2)	•
	RTC zLinux Client	(2)	•
	Web Client	(2)	•
Server	CLM Server	(2)	Ø
	Jazz Authorization Server	•	②



Deployment unit	Component	8.5	···>
		(2)	



Instant Messaging Notes

- 1. Jabber integrates with RTC only
- 2. Lotus Sametime integrates with RTC only



Reporting and Analysis

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Engineering Lifecycle Manager	6.0.1	6.0.1	6.0.1	• •	No	No
Rational Insight	1.1.1	1.1.1.7	6.0.1	• •	No	No
Rational Publishing Engine	1.3	1.3	6.0.1	• •	No	Yes
	2.0	2.0	6.0.1	• •	No	Yes



Rational Engineering Lifecycle Manager 6.0.1

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	6.0.1	···>
Desktop	RTC Eclipse Client	•	⊘
	RTC VS.Net Client	②	②
	RTC zLinux Client	②	②
	Web Client	•	②
Server	CLM Server	②	•
	Jazz Authorization Server	•	•



Rational Insight 1.1.1

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	1.1.1	1.1.1.1	1.1.1.2	1.1.1.3	1.1.1.4	1.1.1.5	1.1.1.6	1.1.1.7	>
Desktop	RTC Eclipse Client	8	8	8	8	8	8	8	•	8
	RTC VS.Net Client	8	8	8	8	8	8	8	•	8
	RTC zLinux Client	8	8	8	8	8	8	8	•	8
	Web Client	8	8	8	8	8	8	8	•	8
Server	CLM Server	8	8	8	8	8	8	8	•	8
	Jazz Authorization Server	8	8	8	8	8	8	8	②	8



Rational Publishing Engine 1.3

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	1.3	··>
Desktop	RTC Eclipse Client	(1)	•
	RTC VS.Net Client	(1)	•
	RTC zLinux Client	(1)	•
	Web Client	(1)	•
Server	CLM Server	(1)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	1.3	···>
		(1)	



Rational Publishing Engine 2.0

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	2.0	2.0.1	··>
Desktop	RTC Eclipse Client	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	•
	Web Client	(1)	(1)	•
Server	CLM Server	(1)	(1)	•
	Jazz Authorization Server	②	②	②



Deployment unit	Component	2.0	2.0.1	···>
		(1)	(1)	



Reporting and Analysis Notes

1. CLM supports use of RPE document template version 1 and 2 and RPE document specification version 1



Requirements Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational DOORS	9.5	9.5	6.0.1	• •	No	Yes
	9.5.1	9.5.1	6.0.1	• •	No	Yes
	9.5.2	9.5.2	6.0.1	• •	No	Yes
	9.6	9.6	6.0.1	• •	No	Yes
Rational DOORS Web Access	9.5	9.5	6.0.1	• •	No	Yes
	9.6	9.6	6.0.1	• •	No	Yes



Rational DOORS 9.5

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.5	9.5.0.1	9.5.1.1	9.5.1.2	9.5.2.1	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	(1)	(1)	•
Server	CLM Server	(1)	(1)	(1)	(1)	(1)	•
	Jazz Authorization Server	•	•	•	•	•	•



Deployment unit	Component	9.5	9.5.0.1	9.5.1.1	9.5.1.2	9.5.2.1	>
		(1)	(1)	(1)	(1)	(1)	



Rational DOORS 9.5.1

Legend:

N. 4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.5.1	··>
Desktop	RTC Eclipse Client	(1)	•
	RTC VS.Net Client	(1)	•
	RTC zLinux Client	(1)	•
	Web Client	(1)	•
Server	CLM Server	(1)	⊘
	Jazz Authorization Server	⊘	②



Deployment unit	Component	9.5.1	···>
		(1)	



Rational DOORS 9.5.2

Legend:

_	
	,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.5.2	···>
Desktop	RTC Eclipse Client	(1)	•
	RTC VS.Net Client	(1)	•
	RTC zLinux Client	(1)	•
	Web Client	(1)	Ø
Server	CLM Server	(1)	•
	Jazz Authorization Server	•	•



Deployment unit	Component	9.5.2	···>
		(1)	



Rational DOORS 9.6

Legend: ✓ Supported ✓ Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.6	9.6.0.1	>
Desktop	RTC Eclipse Client	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	•
	Web Client	(1)	(1)	•
Server	CLM Server	(1)	(1)	•
	Jazz Authorization Server	•	•	②



Deployment unit	Component	9.6	9.6.0.1	···>
		(1)	(1)	



Rational DOORS Web Access 9.5

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.5	9.5.1.2	·->
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	©	②	②



Deployment unit	Component	9.5	9.5.1.2	···>
		(2)	(2)	



Rational DOORS Web Access 9.6

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.6	9.6.0.1	>
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	②	•	©



Deployment unit	Component	9.6	9.6.0.1	···>
		(2)	(2)	



Requirements Management Notes

- DOORS 9.x integrates with RTC, RQM, RDNG.
 DOORS 9.5 and future versions bundle the RDNG app.
- 2. DWA 9.x integrates with RTC, RQM, RDNG



Security Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
IBM Security AppScan Enterprise	9.0	9.0	6.0.1	• •	No	Yes
IBM Security AppScan Source	9.0	9.0	6.0.1	• •	No	Yes



IBM Security AppScan Enterprise 9.0

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	9.0.0.1	>
Desktop	RTC Eclipse Client	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	•
	Web Client	(1)	(1)	•
Server	CLM Server	(1)	(1)	•
	Jazz Authorization Server	②	②	②



Deployment unit	Component	9.0	9.0.0.1	···>
		(1)	(1)	



IBM Security AppScan Source 9.0

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Deployment unit	Component	9.0	9.0.0.1	···>
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	©	②	②



Deployment unit	Component	9.0	9.0.0.1	···>
		(2)	(2)	



Security Management Notes

- 1. AppScan Enterprise integrates with RTC and RQM
- 2. AppScan Source integrates with RTC



Testing Tools

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational Functional Tester	8.6	8.6	6.0.1	• •	No	Yes
Rational Performance Tester	8.7	8.7	6.0.1	• •	No	Yes
	8.7.1	8.7.1	6.0.1	• •	No	Yes
Rational Service Tester for SOA Quality	8.7	8.7	6.0.1	• •	No	Yes
	8.7.1	8.7.1	6.0.1	• •	No	Yes
Rational Test RealTime	8.0	8.0	6.0.1	• •	No	Yes



Rational Functional Tester 8.6

Legend:

KY4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.6	8.6.0.1	8.6.0.2	8.6.0.3	8.6.0.4	8.6.0.5	8.6.0.6	>
Desktop	RTC Eclipse Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC VS.Net Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	RTC zLinux Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Web Client	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
Server	CLM Server	(3)	(3)	(3)	(3)	(3)	(3)	(3)	•
	Jazz Authorization Server	•	•	•	•	•	•	•	•



Deployment unit	Component	8.6	8.6.0.1	8.6.0.2	8.6.0.3	8.6.0.4	8.6.0.5	8.6.0.6	>
		(3)	(3)	(3)	(3)	(3)	(3)	(3)	



Rational Performance Tester 8.7

Legend:

K*4	

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.7	8.7.0.1	8.7.0.2	>
Desktop	RTC Eclipse Client	(2)	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	(2)	•
	Web Client	(2)	(2)	(2)	S
Server	CLM Server	(2)	(2)	(2)	•
	Jazz Authorization Server	②	②	②	②



Deployment unit	Component	8.7	8.7.0.1	8.7.0.2	>
		(2)	(2)	(2)	



Rational Performance Tester 8.7.1

Legend:

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.7.1	8.7.1.1	>
Desktop	RTC Eclipse Client	(2)	(2)	•
	RTC VS.Net Client	(2)	(2)	•
	RTC zLinux Client	(2)	(2)	•
	Web Client	(2)	(2)	•
Server	CLM Server	(2)	(2)	•
	Jazz Authorization Server	②	S	©



Deployment unit	Component	8.7.1	8.7.1.1	···>
		(2)	(2)	



Rational Service Tester for SOA Quality 8.7

Legend:

upported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.7	8.7.0.1	8.7.0.2	>
Desktop	RTC Eclipse Client	(1)	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	(1)	•
	Web Client	(1)	(1)	(1)	Ø
Server	CLM Server	(1)	(1)	(1)	•
	Jazz Authorization Server	②	②	②	•



Deployment unit	Component	8.7	8.7.0.1	8.7.0.2	>
		(1)	(1)	(1)	



Rational Service Tester for SOA Quality 8.7.1

Legend:

,

Supported



Not supported

Components

Desktop

- RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future -->

Deployment unit	Component	8.7.1	8.7.1.1	>
Desktop	RTC Eclipse Client	(1)	(1)	•
	RTC VS.Net Client	(1)	(1)	•
	RTC zLinux Client	(1)	(1)	•
	Web Client	(1)	(1)	•
Server	CLM Server	(1)	(1)	•
	Jazz Authorization Server	②	②	②



Deployment unit	Component	8.7.1	8.7.1.1	>
		(1)	(1)	



Rational Test RealTime 8.0

Legend:

_	
\mathbf{v}	

Supported

	2
	,
_	

Not supported

Components

Desktop

- ▼ RTC Eclipse Client
- RTC VS.Net Client
- RTC zLinux Client
- Web Client

Server

- CLM Server
- Jazz Authorization Server

Product Support for the Supported Software Maintenance Levels, Current and Future →

Deployment unit	Component	8.0	8.0.0.1	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.5	>
Desktop	RTC Eclipse Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC VS.Net Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	RTC zLinux Client	(4)	(4)	(4)	(4)	(4)	(4)	•
	Web Client	(4)	(4)	(4)	(4)	(4)	(4)	•
Server	CLM Server	(4)	(4)	(4)	(4)	(4)	(4)	•
	Jazz Authorization Server	•	•	•	•	•	•	•



Deployment unit	Component	8.0	8.0.0.1	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.5	···>
		(4)	(4)	(4)	(4)	(4)	(4)	



Testing Tools Notes

- 1. SOA Tester integrates with RTC, RQM.
- 2. RPT integrates with RTC, RQM.
- 3. RFT integrates with RTC, RQM.
- 4. TestRT integrates with RTC, RQM.



Hardware

Rational Collaborative Lifecycle Management Solution 6.0.1 requires the following hardware, organized by type of hardware, deployment units, or components.

Installable software

Operating System Families


AIX IBM i Linux Mac OS Windows z/OS

AIX

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Server CLM Server Jazz Authorization Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported AIX operating systems
Display	Server CLM Server Jazz Authorization Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported AIX operating systems
Memory	Server CLM Server Jazz Authorization Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported AIX operating systems
Processor	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported AIX operating systems



Hardware	Components	Requirement	Applicable operating systems
	Jazz Authorization Server		





IBM i

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported IBM i operating systems
Display	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported IBM i operating systems
Memory	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported IBM i operating systems
Processor	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported IBM i operating systems



Linux

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Desktop • RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Linux operating systems
	RTC zLinux Client		
	Web Client		
	Server • CLM Server		
	Jazz Authorization Server		
Display	Desktop • RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Linux operating systems
	RTC zLinux Client		
	Web Client		
	Server CLM Server		
	Jazz Authorization Server		
Memory	Desktop • RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Linux operating systems
	RTC zLinux Client		
	Web Client		
	Server CLM Server		
	Jazz Authorization Server		



Hardware	Components	Requirement	Applicable operating systems
Processor	Desktop • RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Linux operating systems
	RTC zLinux Client		
	Web Client		
	Server • CLM Server		
	Jazz Authorization Server		



Mac OS

Hardware	Components	Requirement	Applicable operating systems
Disk Space	DesktopRTC Eclipse ClientWeb Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Mac OS operating systems
Display	DesktopRTC Eclipse ClientWeb Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Mac OS operating systems
Memory	DesktopRTC Eclipse ClientWeb Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Mac OS operating systems
Processor	DesktopRTC Eclipse ClientWeb Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Mac OS operating systems




Windows

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Desktop RTC Eclipse Client RTC VS.Net	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Windows operating systems
	Client Web Client		
	Server CLM Server		
	Jazz Authorization Server		
Display	Desktop ● RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Windows operating systems
	RTC VS.Net Client		
	Web Client		
	Server CLM Server		
	Jazz Authorization Server		
Memory	Desktop RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Windows operating systems
	RTC VS.Net Client		
	Web Client		
	Server • CLM Server		
	Jazz Authorization Server		



Hardware	Components	Requirement	Applicable operating systems
Processor	Desktop • RTC Eclipse Client	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported Windows operating systems
	RTC VS.Net Client		
	Web Client		
	Server • CLM Server		
	Jazz Authorization Server		





z/OS

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported z/OS operating systems
Display	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported z/OS operating systems
Memory	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported z/OS operating systems
Processor	Server CLM Server	Runs on any hardware configuration supported by the licensed programs specified herein.	All supported z/OS operating systems



Packaging list

Rational Collaborative Lifecycle Management Solution 6.0.1 includes the following products:

Co-packaged software

Product name	Capability	Applicable Operating System Families	Notes
Jazz Reporting Service 6.0.1	Reporting and Analysis	AIX, IBM i, Linux, Mac OS, Windows, z/ OS	No
Rational DOORS Next Generation 6.0.1	Not specified	AIX, IBM i, Linux, Mac OS, Windows, z/OS	No
Rational Quality Manager 6.0.1	Not specified	AIX, IBM i, Linux, Mac OS, Windows, z/OS	No
Rational Team Concert 6.0.1	Not specified	AIX, IBM i, Linux, Mac OS, Windows, z/OS	No

Co-installed software

No co-installed software products specified.



Glossary

Bitness

Compatibility of the product with the bit version support that is provided by an operating system. Different parts of a product might run on the same operating system but support different application bitness. For example, one part of the product might run only in 32-bit mode, whereas another might support 64-bit tolerate mode.

31: The product or part of the product runs as a 31-bit application in a 31-bit operating environment.

32: The product or part of the product runs as a 32-bit application in a 32-bit operating environment.

64-tolerate: The product or part of the product runs as a 32-bit application in a 64-bit operating environment.

64-exploit: The product or part of the product runs natively as a 64-bit application in a 64-bit operating environment.

Co-packaged

Additional products that are included in the product package.

Co-installed

Additional products that are included in the product package and installed when the product is installed.

Deployment unit

Deployment Structure identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.

- The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.
- Deployment units may be further divided into deployable components

Desktop deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.

Server deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.

Agent or client deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent of client deployment



units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.

Mobile deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.

A virtual machine in which a product can run on a guest operating system. **Hypervisor** By default, the supported quest operating systems for a product and a hypervisor Limited operating are the operating systems that are supported by both the product and the system support hypervisor. If a product restricts support to a subset of these operating systems, this restriction will be indicated by specifying that there is Limited Operating System Support. The minimum operating system maintenance level that is required to run on the Operating system product. minimum The minimum maintenance level that is required for the prerequisite to work with **Prerequisite** the product. minimum The minimum maintenance level that is required for the product to run on the Product minimum operating system, on an hypervisor, or work with a prerequisite product or supported software. The minimum maintenance level that is required for the supported software to Supported software work with the product. minimum A Maintenance Support Release is a recommended product level for which **Maintenance Support** support, including defect and security updates, will be provided over a specified Release period of time.



Disclaimers

This report is subject to the Terms of Use (http://www.ibm.com/legal/us/en/) and the following disclaimers:

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use (http://www.ibm.com/legal/us/en/), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.