SAI ROLOTECH
ROLL FORMING REVOLUTION
PLOT NO 575/1 G.F MUNDKA INDUSTIRAL
AREA- NEW DELHI 110041
Ph: +91-9899925274,9818205274,9667146889,9910828534
Email .id : sairolotech@gmail.com , info@sairolotech.com
Info.vipinjangra@gmail.com
Web: www.Sairolotech.in / www.Sairolotech.com

Dear Sir,

Thank you for your interest in our products and company. As per Our conversation, we are pleased to quote you for above mentioned product suitable for your requirement

SUBJECT: QUOTATION FOR SHUTTER PATTI ROLL FORMING MACHINE.

STANDARD THREE PROFILE TYPE



KNURNLING TYPE

NOTE: CUSTOME KNURNLING TYPE ALSO AVAILABLE.

ROLL FORMING SHUTTER STRIP SIZE WITH SPESIFACTION

Model	**SAI-4.5/LD**	**SAI-4.5**	**SAI-5.0/LD**	**SAI-5.0**	**SAI-6.0/LD**	**SAI-6.0**
Capacity-Width of Strip:	4.5″ / 115 mm	4.5″ / 115 mm	5.0″ / 127 mm	5.0″ / 127 mm	6.0″ / 152 mm	6.0″ / 152 mm
Capacity- Thickness of Sheet:	0.4 to 0.9	0.7 to 1.2	0.4 to 0.9	0.7 to 1.2	0.4 to 0.9	0.7 to 1.2
Capacity – Max Length:	No limit	No limit	No limit	No limit	No limit	No limit
Size of formed rolling strip (round type):	3″ / 76 mm	3″ / 76 mm	3.35″ / 85 mm	3.35″ / 85 mm	3.75″ / 95 mm	3.75″ / 95 mm
Number of Rolls:	6 to 13 pairs	6 to 13 pairs	6 to 13 pairs	6 to 13 pairs	6 to 13 pairs	6 to 13 pairs
Machine Speed (Feet/ minute):	20	20	20	20	20	20
Machine Speed (Meter/ minute):	6	6	6	6	6	6
Motor (HP):	5	5	5	5	5	7.5
Net / Gross Weight:	950 / 1300	950 / 1300	1100 / 1450	1100 / 1450	1200 / 1600	1200 / 1600
Dimension (m):	2.7 to 3.5 x 1.0 x 1.2*	2.7 to 3.5 x 1.0 x 1.2*2.7 x 1.0 x 1.2*	2.7 to 3.5 x 1.0 x 1.2*	2.7 to 3.5 x 1.0 x 1.2*	2.7 to 3.5 x 1.0 x 1.2*	2.7 to 3.5 x 1.0 x 1.2*
Shipping Volume (m3):	4.0	4.0	5.0	5.0	6.0	6.0

NOTE: CUSTOME PROFILE ALSO AVAILABLE.

TECHINICAL SPESIFICATION BETWEEN BASIC, MEDIUM AND ADVANCE MODEL

MACHINE PARTS	BASIC	MEDIUM	ADVANCE
Plate Thickness	16mm	20mm	25mm
Rolls Material	En8	En31	D3
Maching	Leath	CNC	CNC + Advance Coding
Shaft Material	Em. S	En8	En8
Shaft Thickness	35mm	45mm	50mm
Tie Round	12mm	16mm	25mm
Machine Service	6 To 7 Days	3 To 5 Days	1 To 3 Days
Gear Box	Open Box	Reduction 1piece	Reduction 2piece For Up To 7 Stations
Bearing	1piece (NSK)	2piece (Flt)	2piece FAG (GERMAN BASE)
Side Gear	No	Singel Side	Double Side
Side Plate Machining	Welding	Welding+ Leath	VMC
Nut + Bolt	Basic	Medium	High
Pully	Single	Double Heavy	Double Heavy
Heat Treatment	45hcr	55hcr	60hcr
Heat Treatment (Temper)	Temper	Temper +Nickel	Temper + Hard Crome + Polish
Exide Guide	No	Yes	Yes
DE Coiler	Vertical	Horizontal	Horizontal (ADVANCE)
Rolls Size	Small	Medium	High
Side Gear Thickness	Chain Drive	32mm	40mm
Power Transmission	Chain Drive	Worm Gear	Worm Gear
Bolt Head	Default Hex	Custom Handle	Custom Handle
Electric Motor	No	Yes	Yes
Machine Rolls Warranty	1year	2 Year	3+2=5 Year
Machine Structure	Light	Medium	Heavy
Automatic	Available	Available	Available
Tool Box	Yes	Yes	Yes
Rot	Yes	Yes	Yes
Machines Tolls	Yes	Yes	Yes
Extra Bearings	No	Yes	Yes
Entry Guide	Basic	Basic	Advance
Chuck Nut	Pipe	Singel	Double With Grouve Bolt
Gear Box Oil	No	No	Yes
Chopsa	No	Chinese	Boss GCO 220 (1 Year Warranty)
Cutting Car Slide	No	Channel Slide	Tie Road Slide Chrome Plated
Machine Side Cover	No	No	Yes
Sharing Die	En31	D3	D2
Sharing Blade Thickness	12 Mm	16mm	25 Mm
Gear Box Brand	Open Gear Box Local	Open Gear Box Local	Standard Make
Pannel Quilty	Basic	Medium	Advance
Pannel Touch Screen	5 Inches	5 Inches	7 Inches
Cutting Types	Punch Scrap	Ultra Cutting Tech	Ultra Cutting Tech

SAI ROBOTECH
ROLL FORMING REVOLUTION

ROLL FORMING MACHINE PARTS INTRODUCTION

- ### Entry Gate

  Entry gate will be provided for movement of sheet to roll former.

- ### Main Base

  The main base is MS fabricated structure and adequately ribbed to minimize the distortion. It is accurately machined on top and bottom surfaces the threaded holes are made on the bed for positioning the stands.

- ### Roll shafts

  The roll shaft dia. 45 TO 55 mm will be manufactured from quality steel and will be keyed to locate tooling.

- ### Drive

  The drive to the roll former will be by means of a gear box system. The main drive will be provided by means of 2 TO 10 HPmotor

THE ROLL FORMING TECHNOLOGY

Roll forming process is one of most efficient way to form a material into shape and you can add more valued addition process like punching, notching dimple holes or marking. SAI ROLOTECH roll forming has rolled with the changes over the past 10 years and now sees an exciting future serving the various industries. Roll Forming Machines.



DESINGN EXPERIENCE



CUTTING SYSTEM:

You can adjust your cutting length with the help of required cutting method you can select as per yourrequirement.

CIRCULAR BLADE CUT- OFF:

This process is one of the simple processes to cut the finish product
In this process we are using limit switch to cut the section as per required length, when required length iscomplete it will touch the limit switch, machine will stop and by manually cut the section profile.

BENEFITS:

- cheaper and simple.

Hydraulic Die cut-off with length limit controller

There is very big change in section cutting, Section length is controlled by length limit plate that attached with adjustable steel bar when required length is complete it will push the cutting system and press on limit switch that send pulse to hydraulic cutting system to cut the section profile, this process is flying cut-off, once you adjust the limit plate as per required length then you don't need to Start machine again.

BENEFITS

- Easy to use.
- No manually cutting required means unskilled person can handle machine, Suitable for small quantity, changing length production.

The Chart of Process flow



SHUTTER PATTI MACHINE VIDEO

BASIC MACHINE



https://youtube.com/shorts/LPEQldD5c6g?si=bJdL-7Kihr_BX0FL

BASIC MACHINE PRICE

No. of Rolls	Raw Machine	Semi-Automatic Machine	Automatic Machine
6	2,40,000	2,80,000	4,80,000
7	2,80,000	3,20,000	5,20,000
8	3,20,000	3,60,000	5,60,000
9	3,60,000	4,00,000	6,00,000
10	4,00,000	4,40,000	6,40,000
11	4,40,000	4,80,000	6,80,000
12	4,80,000	5,20,000	7,20,000
13	5,20,000	5,60,000	7,60,000

Note: CUSTOME MACHINE ALSO AVAILABLE.

MEDIUM MACHINE

https://youtube.com/shorts/1DbpzyxH6sw?si=mx3AyLFMYWlu2gZz

MEDIUM MACHINE PRICE

No. of Rolls	Raw Machine	Semi-Automatic Machine	Automatic Machine
6	2,85,000	3,30,000	5,30,000
7	3,35,000	3,80,000	5,80,000
8	3,85,000	4,30,000	6,30,000
9	4,30,000	4,75,000	6,75,000
10	4,80,000	5,25,000	7,25,000
11	5,30,000	5,75,000	7,75,000
12	5,80,000	6,25,000	8,25,000
13	5,30,000	6,75,000	8,75,000

Note: CUSTOME MACHINE ALSO AVAILABLE.

ADVANCE MACHINE

https://youtu.be/Q8kiahPsCe0?si=Z21gMqe_c7TDOqj0

Sai Rolotech

- ✅German Technology
- ✅Reduction Gears
- ✅Dividation of Load Efficiently
- ✅Huge Producer

Other Companies

- ❌Old Technology
- ❌Weight Wheel usage (may breakes)
- ❌Need More Miantenance





ADVANCE MACHINE PRICE

No. of Station	Raw Machine	Semi-Automatic Machine	Automatic Machine
6	**3,25,000**	**3,70,000**	**5,70,000**
7	**3,80,000**	**4,25,000**	**6,25,000**
8	**4,35,000**	**4,80,000**	**6,80,000**
9	**4,85,000**	**5,30,000**	**7,30,000**
10	**5,40,000**	**5,85,000**	**7,85,000**
11	**5,95,000**	**6,40,000**	**8,40,000**
12	**6,50,000**	**6,95,000**	**8,95,000**
13	**7,05,000**	**7,50,000**	**9,50,000**

Note: CUSTOME MACHINE ALSO AVAILABLE.

OUR BANK DETAILS

Account Name: M/S SAI ROLOTECH
Account Number: 226133000000022
IFSC Code: IOBA0002261
Branch Code: 2261
Branch Name: Najafgarh, New Delhi
Branch Address: RZ – 15
Ground Floor, Old Roshan pura
Najafgarh - Gurgaon Road

Terms & Conditions: -

1. TRIAL MATERIAL ARRANGEMENT BY OWNER.
2. GST 18% extra on total bill value.
3. Color coated valid with single profile and minimum 8 rolls sets required.
4. MACHINE DELIVERY TIME 20 to 60 DAYS.
5. THE RATES ARE VALID FOR 1 MONTH ONLY.
6. TRUCK LOADING CHARGE, PACKAGING & TRANSPORTATION EXTRA.
7. PAYMENT STRUCTURE 50% ADVANCE WITH CONFIRMED ORDER, 30% PROGRESS ON WORK AND 20% BALANCE AT THE TIME OFMACHINE DELIVERY.
8. CANCELLATION: ORDER ONCE BOOKED/CONFIRMED CANNOT BE CANCELLED. ANY ADVANCE PAID WILL BE FORFEITED IN A SITUATION IF YOU FAIL TO TAKE DELIVERY OF THE MILLS AFTER ONE MONTH OF STIPULATED TIME DECIDED ONCE THEY ARE READY FOR DISPATCH / MUTUAL UNDERSTANDING.

We hope our above said information will in line of your requirement, In case you require any furtherinformation from our side please feel free to contact us.

Thanking you and hope to get your valued order very soon.

REGARDS
SAIROLOTECH.

VIPIN JANGRA
(PROPERITOR)

Additional Terms & Conditions
(Applicable for ADVANCE MODEL ONLY)

Important:
The following warranty terms and conditions are strictly applicable to **ADVANCE MODEL machines only**. These terms are **not applicable** to BASIC or MEDIUM models.

1. Rolls Warranty (Advance Model Only):
The rolls of the Advance Model machine are covered under a **5 (Five) years replacement warranty** against manufacturing defects only. Replacement of defective rolls will be provided free of cost; however, **labour charges, fitting charges, and transportation charges shall be borne by the customer**.

2. Electrical Panel Warranty:
The electrical panel of the Advance Model machine is covered under a **1 (One) year warranty** against manufacturing defects only.

3. Warranty Exclusions (Mis-handling Clause):
Warranty shall be **void** in case of mis-handling, overloading, improper operation, electrical voltage fluctuation, unauthorized repair or modification, operator negligence, or any accidental or physical damage.