


LAPORAN PRAKTIKUM
POSTTEST 2
ALGORITMA PEMROGRAMAN DASAR



Disusun oleh:
Ahmad Husaini (2609106102)
Kelas (C2 '26)

PROGRAM STUDI INFORMATIKA
UNIVERSITAS MULAWARMAN
SAMARINDA
2026

1. Flowchart



Catatan:

- Jika flowchart terlalu panjang + ribet pakai **on-page** atau **off-page reference** untuk memecah fiturnya biar ga burem karena kepanjangan(khusus drawio)

2. Deskripsi Singkat Program

Program ini digunakan untuk **menghitung dan mengolah harga merchandise**, seperti total, rata-rata, konversi ke USD, dan slicing data.

3. Source Code

```
harga_merchandise = [merchandise_1, merchandise_2, merchandise_3,
merchandise_4, merchandise_5, merchandise_6]

total_harga = (merchandise_1 + merchandise_2 + merchandise_3 + merchandise_4 +
merchandise_5 + merchandise_6)

total_harga = total_harga + 7500

rata_rata = total_harga / len(harga_merchandise)

nim = 100

boolean = nim > rata_rata

kurs_USD = 17805

total_harga_USD = total_harga / kurs_USD

slice_negatif = harga_merchandise[-4:-1]
```

Source Code:

```
merchandise_1 = 45000
merchandise_2 = 50000
merchandise_3 = 60000
merchandise_4 = 75000
merchandise_5 = 90000
merchandise_6 = 120000

harga_marchandise = [merchandise_1, merchandise_2, merchandise_3,
merchandise_4, merchandise_5, merchandise_6]

total_harga = (merchandise_1 + merchandise_2 + merchandise_3 + merchandise_4
+ merchandise_5 + merchandise_6)
total_harga = total_harga + 7500

rata_rata = total_harga / len(harga_marchandise)

nim = 100

boolean = nim > rata_rata

kurs_USD = 17805
total_harga_USD = total_harga / kurs_USD

slice_negatif = harga_marchandise[-4:-1]

print ("merchandise_1 :", merchandise_1)
print ("merchandise_2 :", merchandise_2)
print ("merchandise_3 :", merchandise_3)
print ("merchandise_4 :", merchandise_4)
print ("merchandise_5 :", merchandise_5)
print ("merchandise_6 :", merchandise_6)
print ("list_harga_marchandise =", harga_marchandise)
print ("total_harga =", total_harga)
print ("rata_rata =", rata_rata)
print ("nim =", nim)
print ("boolean = ", boolean)
print ("kurs_USD =", kurs_USD)
```

```
print ("total_harga_USD =", total_harga_USD)
print ("slice_negatif =", slice_negatif)
```

4. Hasil Output

```
merchandise_1 : 45000
merchandise_2 : 50000
merchandise_3 : 60000
merchandise_4 : 75000
merchandise_5 : 90000
merchandise_6 : 120000
list_harga_marchandise = [45000, 50000, 60000, 75000, 90000, 120000]
total_harga = 447500
rata_rata = 74583.33333333333
nim = 100
boolean = False
kurs_USD = 17805
total_harga_USD = 25.13338949733221
slice_negatif = [60000, 75000, 90000]
* Terminal will be reused by tasks, press any key to close it.
```

Gambar 4.1 Hasil output

5. Git Add

```
PS D:\Praktikum Apd-2026> git add .
PS D:\Praktikum Apd-2026> █
```

6. Git Commit

```
PS D:\Praktikum Apd-2026> git commit -m "2609106102-Ahmadhusaini-PT-2"
[main ce686e3] 2609106102-Ahmadhusaini-PT-2
1 file changed, 1 deletion(-)
```

7. Git Push

```
PS D:\Praktikum Apd-2026> git push -u origin main
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 399 bytes | 399.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/saisaisai21/Praktikum-APD-26.git
59a07dd..ce686e3 main -> main
```

