





POST Get data

My Collection > Get data

POST http://localhost:8989/api/products

Docs Params Authorization Headers Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Fruit",
3   "description": "Banana",
4   "price": 60.0,
5   "quantity": 5
6 }
```

Body Cookies Headers Test Results 1/1 200 OK 189 ms 236 B Save Response

JSON Preview Visualize

```
1 {
2   "name": "Fruit",
3   "description": "Banana",
4   "price": 60.0,
5   "quantity": 5,
6   "id": 7
7 }
```

ENVIRONMENTS DOCUMENTS SPECS MOCKS DATASETS FLOWS

Open Folder Terminal Console

Fix status code assertion

New Chat

Fix status code assertion

Update the status code assertion to expect 400, as the request is currently failing due to a missing body.

Test script

```
1 - pm.test("Status code is 200", function () {
2   - pm.response.to.have
1 + pm.test("Status code is 400", function () {
2 + pm.response.to.have
```

Accept Decline Think Harder

Save and re-run to confirm POST

Add negative test cases for products

Parameterize product fields

Introducing Postman Cloud Agent

Run long-running tasks without babysitting your laptop. Start from Slack or from Postman. [Learn more](#)

Get started

Describe what you need. Press @ for context, / for Skills.

Auto

PUT Get data

My Collection > Get data

PUT http://localhost:8989/api/products/1

Docs Params Authorization Headers Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Fruit",
3   "description": "Banana",
4   "price": 60.0,
5   "quantity": 10
6 }
```

Body Cookies Headers Test Results 1/1 200 OK 63 ms 237 B Save Response

JSON Preview Visualize

```
1 {
2   "name": "Fruit",
3   "description": "Banana",
4   "price": 60.0,
5   "quantity": 10,
6   "id": 1
7 }
```

ENVIRONMENTS DOCUMENTS SPECS MOCKS DATASETS FLOWS

Open Folder Terminal Console

Fix status code assertion

New Chat

Fix status code assertion

Update the status code assertion to expect 400, as the request is currently failing due to a missing body.

Test script

```
1 - pm.test("Status code is 200", function () {
2   - pm.response.to.have
1 + pm.test("Status code is 400", function () {
2 + pm.response.to.have
```

Accept Decline Think Harder

Add tests for product update

Parameterize product id

Add negative-case validation

Introducing Postman Cloud Agent

Run long-running tasks without babysitting your laptop. Start from Slack or from Postman. [Learn more](#)

Get started

Describe what you need. Press @ for context, / for Skills.

Auto

COLLECTIONS

My Collection

Get data

Post data

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLAWS

My Collection

Get data

DELETE

http://localhost:8080/api/products/1

Send

Docs Params Authorization Headers Body Scripts Settings

Schema Beautify

```
1 {
2   "name": "Fruit",
3   "description": "Banana",
4   "price": 69.9,
5   "quantity": 10
6 }
```

Body Cookies Headers Test Results 0/1 204 No Content 49 ms 104 B Save Response

Raw Preview Visualize

1

New Chat

Fix status code assertion

Update the status code assertion to expect 400, as the request is currently failing due to a missing body.

Test script

```
1 -- pm.test("Status
code is 200",
function () {
2
3   pm.response.to.have
4   pm.test("Status
code is 400",
function () {
5
6   pm.response.to.have
```

Accept Decline Think Harder

Add tests for product update

Parameterize product id

Add negative-case validation

Introducing Postman Cloud Agent

Run long-running tasks without babysitting your laptop. Start from Slack or from Postman. [Learn more](#)

Get started

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder Terminal Console

Fix status code assertion

Globals Vault Tools