| Full Name | Vallapu Sai Shyam |
|-------------------------|--------------------------|
| Batch | MS FSD DEC 2021 Cohort 1 |
| Project Name | Learners Academy |
| Project Submission Date | 02-04-2022 |

Source Code

```
Login.java
```

```
package myPackage;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
@WebServlet("/Login")
public class Login extends HttpServlet {
      protected void doPost(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException
             String username = request.getParameter("username");
             String password = request.getParameter("password");
             if(username.equals("username") &&
password.equals("password"))
               HttpSession session = request.getSession();
               session.setAttribute("username", username);
               response.sendRedirect("Admin.jsp");
             else
               response.sendRedirect("Login.jsp");
          }
```

```
Login.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
<title>Welcome to Learner's Academy</title>
<body>
<form action="Login" align="center" method="post">
<h1>Welcome to Learner's Academy</h1>
<br></br>
Enter username : <input type="text" name="username"> <br>
     <br> Enter password : <input type="password" name="password"> <br>
      <br> <input type="submit" value ="Sign In">
     </form>
</body>
</html>
Admin.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Admin</title>
</head>
<body align="center">
      response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
      if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
      }
      응>
      <h1>Administrative Portal</h1>
      <a href="Classes.jsp">Classes</a><br>
      <a href="Students.jsp">Students</a><br>
      <a href="Subjects.jsp">Subjects</a><br>
      <a href="Faculty.jsp">Faculty</a><br>
      <a href="Schedule.jsp">Schedule</a><br>
      <br></br>
      <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
```

```
</body>
</html>
Classes.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Classroom Details</title>
</head>
<body align="Center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Students.jsp">Students</a>
     <a href="Subjects.jsp">Subjects</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Class Rooms in Learner's Academy</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/SaiDB" user="root" password="Sai@3105"
/>
      <sql:query var="rs" dataSource="${db}"> select * from ClassRooms
</sql:query>
     Room No
          Room Name
     <c:forEach items="${rs.rows}" var="ClassRooms">
     <c:out value="${ClassRooms.Room No}"></c:out>
      <c:out value="${ClassRooms.ClassRoomName}"></c:out>
      </c:forEach>
     <br></br>
        <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
</body>
</html>
```

```
Students.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Students Details</title>
</head>
<body align="Center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
             //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Class Rooms</a>
     <a href="Subjects.jsp">Subjects</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Students List</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/SaiDB" user="root" password="Sai@3105"
     <sql:query var="rs" dataSource="${db}"> select * from Students
</sql:query>
     Roll No
          First Name
          Last Name
          Gender
          Age
          Course
     <c:forEach items="${rs.rows}" var="Students">
     <c:out value="${Students.Roll No}"></c:out>
         <c:out value="${Students.First Name}"></c:out>
         <c:out value="${Students.Last Name}"></c:out> 
         <c:out value="${Students.Gender}"></c:out>
         <c:out value="${Students.Age}"></c:out>
         <c:out value="${Students.Course}"></c:out>
     </c:forEach>
     <br></br>
        <form action="Logout" method="post">
```

Faculty.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
< ht.ml>
<head>
<meta charset="ISO-8859-1">
<title>Faculty Details</title>
</head>
<body align="center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Class Rooms</a>
     <a href="Students.jsp">Students</a>
     <a href="Subjects.jsp">Subjects</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Faculty Details</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/SaiDB" user="root" password="Sai@3105"
/>
     <sql:query var="rs" dataSource="${db}"> select * from Faculty
</sql:query>
     Regd Id
         First Name
          Last Name
          Age
          Gender
          Subject
         Salary
     <c:forEach items="${rs.rows}" var="Faculty">
     <c:out value="${Faculty.Regd Id}"></c:out>
          <c:out value="${Faculty.First Name}"></c:out>
          <c:out value="${Faculty.Last Name}"></c:out> 
          <c:out value="${Faculty.Age}"></c:out>
          <c:out value="${Faculty.Gender}"></c:out>
          <c:out value="${Faculty.Subject}"></c:out>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Subject Details</title>
</head>
<body align="center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Classes</a>
     <a href="Students.jsp">Students</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Subject Details</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/SaiDB" user="root" password="Sai@3105"
/>
     <sql:query var="rs" dataSource="${db}"> select * from Subjects
</sql:query>
     Subject Code
          Subject Name
     <c:forEach items="${rs.rows}" var="Subjects">
```

```
<c:out value="${Subjects.Subject Code}"></c:out>
          <c:out value="${Subjects.Subject Name}"></c:out>
     </c:forEach>
     <br></br>
        <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
</body>
</html>
Schedule.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Schedule</title>
</head>
<body align="center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Classes</a>
     <a href="Students.jsp">Students</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Subjects.jsp">Students</a><br>
     <h3>Subject Details</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/SaiDB" user="root" password="Sai@3105"
/>
     <sql:query var="rs" dataSource="${db}"> select * from Schedule
</sql:query>
     Room No
           Room Name
           Faculty
           Subject
```

Student

Time

```
<c:forEach items="${rs.rows}" var="Schedule">
     <c:out value="${Schedule.Room No}"></c:out>
         <c:out value="${Schedule.Room Name}"></c:out>
         <c:out value="${Schedule.Faculty}"></c:out>
         <c:out value="${Schedule.Subject}"></c:out>
         <c:out value="${Schedule.Student}"></c:out>
         <c:out value="${Schedule.Time}"></c:out>
     </c:forEach>
     <br></br>
       <form action="Logout" method="post">
     <input type="submit" value="Logout">
     </form>
</body>
</html>
```

Logout.Java

```
package myPackage;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
/**
* Servlet implementation class Logout
@WebServlet("/Logout")
public class Logout extends HttpServlet {
      protected void doPost(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException {
            HttpSession session = request.getSession();
            session.removeAttribute("username");
            session.invalidate();
            response.sendRedirect("Login.jsp");
```

| Screen Shots |
|--|
| Login Page |
| Welcome to Learner's Academy |
| Enter username : |
| Enter password : |
| Sign In |
| Logging In |
| Welcome to Learner's Academy |
| Enter username : username |
| Enter password : |
| Sign In |
| Admin Page |
| Administrative Portal |
| Classes Students Subjects Faculty Schedule |
| Logout |

Class Rooms Master List

Administrative Students Subjects Faculty Schedule

Class Rooms in Learner's Academy

| Room No | Room Name |
|---------|---------------------|
| 1 | Mother Teresa Hall |
| 2 | CV Raman Hall |
| 3 | Saraswathi Hall |
| 4 | Abdul Kalam Hall |
| 5 | Kalpana Chawla Hall |
| 6 | Vivekananda Hall |

Logout

Students Master List

Administrative Class Rooms Subjects Faculty Schedule

Students List

| Roll No | First Name | Last Name | Gender | Age | Course |
|---------|-------------|-----------|--------|-----|---------|
| 1001 | Nagaraju | Ch | M | 28 | ITP |
| 1002 | Manoj | Puli | M | 25 | SSC |
| 1003 | Vinay Kumar | Metta | M | 24 | Banking |
| 1004 | Ganesh | Veera | M | 27 | Banking |
| 1005 | Laya | Megha | F | 23 | SSC |
| 1006 | Pavani | Nagi | F | 25 | ITP |
| 1007 | Arjun | Nag | M | 25 | Banking |
| 1008 | Pallavi | Sai | F | 24 | SSC |
| 1009 | Nitya | Menon | F | 32 | ITP |
| 1010 | Karthik | Bhim | M | 21 | Banking |
| 1011 | Rashmika | Mandana | F | 29 | Banking |
| 1012 | Pooja | Hegde | F | 28 | SSC |

Logout

Subjects Master List

Administrative Classes Students Faculty Schedule

Subject Details

| Subject Code | Subject Name |
|--------------|--------------|
| 11 | Quant |
| 12 | Algebra |
| 13 | GK |
| 14 | Core |
| 15 | Reasoning |
| 16 | English |

Logout

Faculty Master File

Administrative Class Rooms Students Subjects Schedule

Faculty Details

| Regd_Id | First Name | Last Name | Age | Gender | Subject | Salary |
|---------|------------|-----------|-----|--------|-----------|---------|
| 2001 | Dinesh | Patro | 29 | M | Quant | 70000.0 |
| 2002 | Raju | Kumar | 28 | M | Algebra | 65000.0 |
| 2003 | Harish | Kumar | 27 | M | GK | 60000.0 |
| 2004 | Pandu | Varma | 35 | M | Core | 45000.0 |
| 2005 | Kumar | Das | 38 | M | Reasoning | 50000.0 |
| 2006 | Vinitha | Pamnani | 26 | F | English | 75000.0 |

Logout

Schedule

Administrative Classes Students Faculty Students

Subject Details

| Room No | Room Name | Faculty | Subject Student | | Time |
|---------|--------------------|--------------|-----------------|-------------------|-------|
| 1 | Mother Teresa Hall | Dinesh Patro | Quant | Nagaraju Ch | 09:30 |
| 1 | Mother Teresa Hall | Dinesh Patro | Quant | Manoj Puli | 09:30 |
| 2 | CV Raman Hall | Raju Kumar | Algebra | Vinay Kumar Metta | 10:00 |
| 2 | CV Raman Hall | Raju Kumar | Algebra | Ganesh Veera | 10:00 |
| 3 | Saraswathi Hall | Harish Kumar | GK | Laya Megha | 10:30 |
| 3 | Saraswathi Hall | Harish Kumar | GK | Pavani nagi | 10:30 |

Logout

Flow Diagram

