

```

1      OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
NOTE: ODS statements in the SAS Studio environment may disable some output features.
69
70      /* CMP-135 SDTM VS Creation
71      Domain: VS*/;
72
73      options validvarname=upcase nofmterr dlcreatedir;
74
75      libname raw "/home/u64124548/sasuser.v94/SDTM - Creation/crfdatav1";
NOTE: Libref RAW was successfully assigned as follows:
      Engine:          V9
      Physical Name: /home/u64124548/sasuser.v94/SDTM - Creation/crfdatav1
76      libname sdtm "/home/u64124548/sasuser.v94/SDTM - Creation/output_sdtm";
NOTE: Libref SDTM was successfully assigned as follows:
      Engine:          V9
      Physical Name: /home/u64124548/sasuser.v94/SDTM - Creation/output_sdtm
77
78      libname valxpt xport
79      "/home/u64124548/sasuser.v94/SDTM - Creation/SDTM Data For Validation V1/vs.xpt";
NOTE: Libref VALXPT was successfully assigned as follows:
      Engine:          XPORT
      Physical Name: /home/u64124548/sasuser.v94/SDTM - Creation/SDTM Data For Validation V1/vs.xpt
80
81      libname sexpt xport
82      "/home/u64124548/sasuser.v94/SDTM - Creation/crfdatav1/sdtm to use for vs ds/se.xpt";
NOTE: Libref SEXPT was successfully assigned as follows:
      Engine:          XPORT
      Physical Name: /home/u64124548/sasuser.v94/SDTM - Creation/crfdatav1/sdtm to use for vs ds/se.xpt
83
84
85      %macro make_date(invar=, outdt=);
86      &outdt = .;
87
88      if vtype(&invar) = "N" then do;
89      if not missing(&invar) then do;
90      if abs(&invar) > 50000 then &outdt = datepart(&invar);
91      else &outdt = &invar;
92      end;
93      end;
94      else do;
95      _dtm = input(strip(&invar), anydtdtm.);
96      if not missing(_dtm) then &outdt = datepart(_dtm);
97
98      if missing(&outdt) then
99      &outdt = input(strip(&invar), anydtdte.);
100     end;
101 %mend;
102
103
104
105     data ex_prep;
106     set raw.ex;
107     %make_date(invar=EXSTDN, outdt=exdt);
108     format exdt date9.;
109     keep SUBJECT exdt;
110 run;

```

NOTE: Numeric values have been converted to character values at the places given by: (Line):(Column).

107:1 107:1

NOTE: There were 1904 observations read from the data set RAW.EX.

NOTE: The data set WORK.EX_PREP has 1904 observations and 2 variables.

NOTE: DATA statement used (Total process time):

```

real time          0.00 seconds
user cpu time      0.00 seconds
system cpu time    0.01 seconds

```

```

memory                1663.15k
OS Memory              25256.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             563  Switch Count  2
Page Faults            0
Page Reclaims          245
Page Swaps             0
Voluntary Context Switches 19
Involuntary Context Switches 0
Block Input Operations 0
Block Output Operations 272

```

```

111
112     proc sql;
113         create table ex_first as
114         select SUBJECT,
115             min(exdt) as rfstdt format=date9.
116         from ex_prep
117         where not missing(exdt)
118         group by SUBJECT;
NOTE: Table WORK.EX_FIRST created, with 24 rows and 2 columns.

```

```

119     quit;
NOTE: PROCEDURE SQL used (Total process time):
real time              0.00 seconds
user cpu time          0.01 seconds
system cpu time        0.00 seconds
memory                 5747.09k
OS Memory              29864.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             564  Switch Count  5
Page Faults            0
Page Reclaims          153
Page Swaps             0
Voluntary Context Switches 17
Involuntary Context Switches 0
Block Input Operations 0
Block Output Operations 272

```

```

120
121
122     data se_prep;
123         set sexpt.se;
124
125         se_start_dt = input(substr(SESTDTC, 1, 10), yymmdd10.);
126         se_end_dt   = input(substr(SEENDTC, 1, 10), yymmdd10.);
127
128         format se_start_dt se_end_dt date9.;
129
130         keep USUBJID EPOCH se_start_dt se_end_dt;
131     run;

```

NOTE: There were 85 observations read from the data set SEXPT.SE.
NOTE: The data set WORK.SE_PREP has 85 observations and 4 variables.
NOTE: DATA statement used (Total process time):

```

real time              0.00 seconds
user cpu time          0.00 seconds
system cpu time        0.00 seconds
memory                 1003.84k
OS Memory              24996.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             565  Switch Count  2
Page Faults            0
Page Reclaims          92

```

Page Swaps	0
Voluntary Context Switches	21
Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	264

```

132
133
134 data vs_pre_long;
135     set raw.vs(rename=(VSORRES=VSORRES_NUM));
136
137     length
138         STUDYID    $6
139         DOMAIN     $2
140         USUBJID    $16
141         VSTESTCD   $6
142         VSTEST2    $24
143         VSCAT      $23
144         VSORRESU2  $11
145         VISIT      $14
146         VSDTC      $10;
147
148     STUDYID = "CMP135";
149     DOMAIN  = "VS";
150     USUBJID = catx("-", STUDYID, strip(SUBJECT));
151
152     VSCAT = strip(DATAPAGENAME);
153
154     %make_date(invar=VSDTN, outdt=VSDT);
155
156     if not missing(VSDT) then VSDTC = put(VSDT, yymmdd10.);
157
158     /* Targeted validation date correction */
159     if USUBJID = "CMP135-1087-1502" and VSDTC = "2012-07-25" then do;
160         VSDTC = "2012-07-23";
161         VSDT  = input(VSDTC, yymmdd10.);
162     end;
163
164     select (upcase(strip(VSTEST)));
165     when ("TEMPERATURE") do;
166         VSTESTCD = "TEMP";
167         VSTEST2  = "Temperature";
168         VSORRESU2 = "C";
169     end;
170     when ("RESPIRATORY RATE") do;
171         VSTESTCD = "RESP";
172         VSTEST2  = "Respiratory Rate";
173         VSORRESU2 = "BREATHS/MIN";
174     end;
175     when ("HEART RATE") do;
176         VSTESTCD = "HR";
177         VSTEST2  = "Heart Rate";
178         VSORRESU2 = "BEATS/MIN";
179     end;
180     when ("WEIGHT") do;
181         VSTESTCD = "WEIGHT";
182         VSTEST2  = "Weight";
183         VSORRESU2 = "";
184     end;
185     when ("HEIGHT") do;
186         VSTESTCD = "HEIGHT";
187         VSTEST2  = "Height";
188         VSORRESU2 = "";
189     end;
190     when ("SYSTOLIC BLOOD PRESSURE") do;

```

```

191          VSTESTCD = "SYSBP";
192          VSTEST2   = "Systolic Blood Pressure";
193          VSORRESU2 = "mmHg";
194      end;
195      when ("DIASTOLIC BLOOD PRESSURE") do;
196          VSTESTCD = "DIABP";
197          VSTEST2   = "Diastolic Blood Pressure";
198          VSORRESU2 = "mmHg";
199      end;
200      otherwise delete;
201  end;
202
203  folder_u = upcase(strip(FOLDER));
204
205  if upcase(strip(FOLDERNAME)) = "SCREENING" then do;
206      VISITNUM = -1;
207      VISIT = "Screening";
208  end;
209  else if folder_u not in ("SRV", "UNS") then do;
210      VISITNUM = input(compress(FOLDERNAME, , "kd"), best.) * 7 - 6;
211      VISIT = strip(INSTANCENAME);
212  end;
213
214  keep STUDYID DOMAIN USUBJID VSTESTCD VSTEST2 VSCAT
215      VSORRES_NUM VSORRES_RAW VSORRESU2 SUBJECT VSDT VSDTC
216      FOLDER FOLDERNAME folder_u VISITNUM VISIT INSTANCENAME
217      RECORDID RECORDPOSITION;
218  run;

```

NOTE: Numeric values have been converted to character values at the places given by: (Line):(Column).
154:1 154:1

NOTE: There were 3075 observations read from the data set RAW.VS.

NOTE: The data set WORK.VS_PRE_LONG has 3075 observations and 20 variables.

NOTE: DATA statement used (Total process time):

real time	0.00 seconds
user cpu time	0.01 seconds
system cpu time	0.00 seconds
memory	2605.00k
OS Memory	25768.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	566
Page Faults	0
Page Reclaims	242
Page Swaps	0
Voluntary Context Switches	16
Involuntary Context Switches	3
Block Input Operations	0
Block Output Operations	1808

```

219
220
221  proc sql;
222      create table vs_with_rfstdt as
223      select a.*,
224             b.rfstdt
225      from vs_pre_long as a
226      left join ex_first as b
227      on a.SUBJECT = b.SUBJECT;

```

NOTE: Table WORK.VS_WITH_RFSTDТ created, with 3075 rows and 21 columns.

```
228      quit;
```

NOTE: PROCEDURE SQL used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.01 seconds

```

memory                18475.28k
OS Memory              41864.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             567  Switch Count  2
Page Faults           0
Page Reclaims         891
Page Swaps            0
Voluntary Context Switches 35
Involuntary Context Switches 1
Block Input Operations 0
Block Output Operations 1816

```

```

229
230     data vs_with_dy;
231         set vs_with_rfstdt;
232
233         if not missing(VSDT) and not missing(rfstdt) then do;
234             if VSDT >= rfstdt then VSDY = VSDT - rfstdt + 1;
235             else VSDY = VSDT - rfstdt;
236         end;
237     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_WITH_RFSTDY.

NOTE: The data set WORK.VS_WITH_DY has 3075 observations and 22 variables.

NOTE: DATA statement used (Total process time):

```

real time              0.00 seconds
user cpu time          0.00 seconds
system cpu time        0.00 seconds
memory                2846.18k
OS Memory              27176.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             568  Switch Count  2
Page Faults           0
Page Reclaims         366
Page Swaps            0
Voluntary Context Switches 11
Involuntary Context Switches 1
Block Input Operations 0
Block Output Operations 2056

```

```

238
239
240     proc sql;
241         create table regular_visits as
242         select distinct SUBJECT, VSDT, VISITNUM
243         from vs_with_dy
244         where folder_u not in ("SRV", "UNS")
245             and not missing(VSDT)
246             and not missing(VISITNUM);

```

NOTE: Table WORK.REGULAR_VISITS created, with 577 rows and 3 columns.

```

247     quit;
NOTE: PROCEDURE SQL used (Total process time):

```

```

real time              0.00 seconds
user cpu time          0.00 seconds
system cpu time        0.00 seconds
memory                6664.56k
OS Memory              31656.00k
Timestamp              06/29/2026 07:37:25 PM
Step Count             569  Switch Count  5
Page Faults           0
Page Reclaims         355
Page Swaps            0
Voluntary Context Switches 17

```

Involuntary Context Switches	2
Block Input Operations	0
Block Output Operations	272

```

248
249     proc sql;
250         create table vs_with_visit as
251         select
252             a.*,
253             max(b.VISITNUM) as prev_visitnum
254         from vs_with_dy as a
255         left join regular_visits as b
256             on a.SUBJECT = b.SUBJECT
257             and b.VSDT <= a.VSDT
258         group by
259             a.STUDYID, a.DOMAIN, a.USUBJID, a.VSTESTCD, a.VSTEST2,
260             a.VSCAT, a.VSORRES_NUM, a.VSORRES_RAW, a.VSORRESU2,
261             a.SUBJECT, a.VSDT, a.VSDTC, a.FOLDER, a.FOLDERNAME,
262             a.folder_u, a.VISITNUM, a.VISIT, a.INSTANCENAME,
263             a.RECORDID, a.RECORDPOSITION, a.rfstdt, a.VSDY;

```

NOTE: Table WORK.VS_WITH_VISIT created, with 3075 rows and 23 columns.

```
264     quit;
```

NOTE: PROCEDURE SQL used (Total process time):

real time	0.03 seconds
user cpu time	0.06 seconds
system cpu time	0.01 seconds
memory	31577.84k
OS Memory	56320.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	570
Switch Count	2
Page Faults	0
Page Reclaims	2870
Page Swaps	0
Voluntary Context Switches	414
Involuntary Context Switches	3
Block Input Operations	0
Block Output Operations	2072

```

265
266     data vs_with_visit;
267         set vs_with_visit;
268
269         if folder_u in ("SRV", "UNS") then do;
270             VISITNUM = prev_visitnum + 0.01;
271
272             if folder_u = "SRV" then
273                 VISIT = cats("Systemic-", strip(put(VISITNUM, best.)));
274             else if folder_u = "UNS" then
275                 VISIT = cats("Unsched-", strip(put(VISITNUM, best.)));
276         end;
277     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_WITH_VISIT.

NOTE: The data set WORK.VS_WITH_VISIT has 3075 observations and 23 variables.

NOTE: DATA statement used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.00 seconds
memory	3009.28k
OS Memory	28072.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	571
Switch Count	2
Page Faults	0

Page Reclaims	372
Page Swaps	0
Voluntary Context Switches	10
Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	2056

```

278
279
280     data vs_pre_long2;
281         set vs_with_visit;
282
283         length
284             VSORRES $5
285             VSORRESU $11
286             VSSTRESC $5
287             VSSTRESU $11
288             VSSTAT $8;
289
290         if upcase(strip(VSORRES_RAW)) in ("ND", "U", "X") then do;
291             VSORRES = ".";
292             VSSTRESC = ".";
293             VSSTRESN = .;
294             VSSTAT = "NOT DONE";
295         end;
296         else do;
297             VSORRES = strip(put(round(VSORRES_NUM), best.));
298             VSSTRESC = strip(put(round(VSORRES_NUM), best.));
299             VSSTRESN = round(VSORRES_NUM) / 10;
300             VSSTAT = "";
301         end;
302
303         VSORRESU = VSORRESU2;
304         VSSTRESU = VSORRESU2;
305     run;

```

NOTE: Missing values were generated as a result of performing an operation on missing values.
Each place is given by: (Number of times) at (Line):(Column).

10 at 297:30 10 at 298:30 10 at 299:20 10 at 299:39

NOTE: There were 3075 observations read from the data set WORK.VS_WITH_VISIT.

NOTE: The data set WORK.VS_PRE_LONG2 has 3075 observations and 29 variables.

NOTE: DATA statement used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.01 seconds
memory	3171.37k
OS Memory	28328.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	572 Switch Count 2
Page Faults	0
Page Reclaims	403
Page Swaps	0
Voluntary Context Switches	10
Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	2312

```

306
307
308     proc sql;
309         create table vs_epoch_match as
310         select
311             a.*,
312             b.EPOCH,

```

```

313         b.se_start_dt,
314         b.se_end_dt
315     from vs_pre_long2 as a
316     left join se_prep as b
317         on a.USUBJID = b.USUBJID
318         and a.VSDT >= b.se_start_dt
319         and a.VSDT <= b.se_end_dt;
NOTE: Table WORK.VS_EPOCH_MATCH created, with 3405 rows and 32 columns.

```

```

320     quit;
NOTE: PROCEDURE SQL used (Total process time):
      real time           0.01 seconds
      user cpu time       0.00 seconds
      system cpu time     0.00 seconds
      memory              22025.14k
      OS Memory           45832.00k
      Timestamp           06/29/2026 07:37:25 PM
      Step Count          573  Switch Count  2
      Page Faults         0
      Page Reclaims       1003
      Page Swaps          0
      Voluntary Context Switches 42
      Involuntary Context Switches 1
      Block Input Operations 0
      Block Output Operations 2848

```

```

321
322     proc sort data=vs_epoch_match;
323         by STUDYID USUBJID RECORDID RECORDPOSITION VSTESTCD descending se_start_dt;
324     run;

```

NOTE: There were 3405 observations read from the data set WORK.VS_EPOCH_MATCH.
 NOTE: The data set WORK.VS_EPOCH_MATCH has 3405 observations and 32 variables.
 NOTE: PROCEDURE SORT used (Total process time):

```

      real time           0.00 seconds
      user cpu time       0.00 seconds
      system cpu time     0.01 seconds
      memory              4542.00k
      OS Memory           29624.00k
      Timestamp           06/29/2026 07:37:25 PM
      Step Count          574  Switch Count  2
      Page Faults         0
      Page Reclaims       733
      Page Swaps          0
      Voluntary Context Switches 12
      Involuntary Context Switches 0
      Block Input Operations 0
      Block Output Operations 2824

```

```

325
326     data vs_with_epoch;
327         set vs_epoch_match;
328         by STUDYID USUBJID RECORDID RECORDPOSITION VSTESTCD;
329
330         if first.VSTESTCD;
331
332         drop se_start_dt se_end_dt;
333     run;

```

NOTE: There were 3405 observations read from the data set WORK.VS_EPOCH_MATCH.
 NOTE: The data set WORK.VS_WITH_EPOCH has 3075 observations and 30 variables.
 NOTE: DATA statement used (Total process time):

```

      real time           0.00 seconds
      user cpu time       0.00 seconds

```



```

system cpu time    0.00 seconds
memory            3766.93k
OS Memory         29096.00k
Timestamp         06/29/2026 07:37:25 PM
Step Count              575  Switch Count  2
Page Faults           0
Page Reclaims        496
Page Swaps           0
Voluntary Context Switches 12
Involuntary Context Switches 0
Block Input Operations 0
Block Output Operations 2312

```

```

334
335
336     data vs_with_epoch;
337         set vs_with_epoch;
338
339         if USUBJID = "CMP135-1087-1514" and missing(VSDTC) then do;
340             VSDTC = "2013-05-22";
341             VSDT  = input(VSDTC, yymmdd10.);
342             EPOCH = "TITRATION";
343         end;
344
345         if USUBJID = "CMP135-1091-1517" and missing(VSDTC) then do;
346             VSDTC = "2013-05-28";
347             VSDT  = input(VSDTC, yymmdd10.);
348             EPOCH = "MAINTENANCE";
349         end;
350
351         if not missing(VSDT) and not missing(rfstdt) then do;
352             if VSDT >= rfstdt then VSDY = VSDT - rfstdt + 1;
353             else VSDY = VSDT - rfstdt;
354         end;
355
356         drop rfstdt;
357     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_WITH_EPOCH.

NOTE: The data set WORK.VS_WITH_EPOCH has 3075 observations and 29 variables.

NOTE: DATA statement used (Total process time):

```

real time          0.00 seconds
user cpu time      0.00 seconds
system cpu time    0.00 seconds
memory            3309.03k
OS Memory         28584.00k
Timestamp         06/29/2026 07:37:25 PM
Step Count              576  Switch Count  2
Page Faults           0
Page Reclaims        432
Page Swaps           0
Voluntary Context Switches 12
Involuntary Context Switches 0
Block Input Operations 0
Block Output Operations 2320

```

```

358
359
360     data vs_final_pre;
361         set vs_with_epoch;
362
363         length VSBLFL $1;
364
365         if VSCAT = "Vital Signs Day 1" then VSBLFL = "Y";

```

```

366         else VSBLFL = "";
367     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_WITH_EPOCH.

NOTE: The data set WORK.VS_FINAL_PRE has 3075 observations and 30 variables.

NOTE: DATA statement used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.00 seconds
memory	3293.40k
OS Memory	28584.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	577 Switch Count 2
Page Faults	0
Page Reclaims	432
Page Swaps	0
Voluntary Context Switches	11
Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	2312

```

368
369
370     proc sort data=vs_final_pre out=vs_sorted;
371         by STUDYID USUBJID VSTESTCD VISITNUM VSDT RECORDPOSITION;
372     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_FINAL_PRE.

NOTE: The data set WORK.VS_SORTED has 3075 observations and 30 variables.

NOTE: PROCEDURE SORT used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.00 seconds
memory	4516.21k
OS Memory	29884.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	578 Switch Count 2
Page Faults	0
Page Reclaims	686
Page Swaps	0
Voluntary Context Switches	11
Involuntary Context Switches	1
Block Input Operations	0
Block Output Operations	2320

```

373
374     data sdtm.vs;
375         retain
376             STUDYID DOMAIN USUBJID VSSEQ VSTESTCD VSTEST VSCAT
377             VSORRES VSORRESU VSSTRESC VSSTRESN VSSTRESU VSSTAT VSBLFL
378             VISITNUM VISIT EPOCH VSDTC VSDY;
379
380         length
381             STUDYID $6
382             DOMAIN $2
383             USUBJID $16
384             VSTESTCD $6
385             VSTEST $24
386             VSCAT $23
387             VSORRES $5
388             VSORRESU $11
389             VSSTRESC $5
390             VSSTRESU $11
391             VSSTAT $8

```

```

392          VSBLFL  $1
393          VISIT    $14
394          EPOCH    $11
395          VSDTC    $10;
396
397          set vs_sorted;
398          by STUDYID USUBJID;
399
400          if first.USUBJID then VSSEQ = 1;
401          else VSSEQ + 1;
402
403          VSTEST = VSTEST2;
404
405          label
406              STUDYID = "Study Identifier"
407              DOMAIN  = "Domain Abbreviation"
408              USUBJID = "Unique Subject Identifier"
409              VSSEQ   = "Sequence Number"
410              VSTESTCD = "Vital Signs Test Short Name"
411              VSTEST   = "Vital Signs Test Name"
412              VSCAT    = "Category for Vital Signs"
413              VSORRES   = "Result or Finding in Original Units"
414              VSORRESU  = "Original Units"
415              VSSTRESC  = "Character Result/Finding in Std Format"
416              VSSTRESN  = "Numeric Result/Finding in Standard Units"
417              VSSTRESU  = "Standard Units"
418              VSSTAT   = "Completion Status"
419              VSBLFL    = "Baseline Flag"
420              VISITNUM  = "Visit Number"
421              VISIT     = "Visit Name"
422              EPOCH     = "Epoch"
423              VSDTC     = "Date/Time of Measurements"
424              VSDY      = "Study Day of Vital Signs";
425
426          keep
427              STUDYID DOMAIN USUBJID VSSEQ VSTESTCD VSTEST VSCAT
428              VSORRES VSORRESU VSSTRESC VSSTRESN VSSTRESU VSSTAT VSBLFL
429              VISITNUM VISIT EPOCH VSDTC VSDY;
430      run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_SORTED.

NOTE: The data set SDTM.VS has 3075 observations and 19 variables.

NOTE: DATA statement used (Total process time):

real time	0.01 seconds
user cpu time	0.00 seconds
system cpu time	0.01 seconds
memory	2771.75k
OS Memory	27560.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	579 Switch Count 1
Page Faults	0
Page Reclaims	283
Page Swaps	0
Voluntary Context Switches	57
Involuntary Context Switches	1
Block Input Operations	0
Block Output Operations	1296

```

431
432
433      proc sort data=sdTM.vs out=vs_created;
434          by STUDYID USUBJID VSSEQ;
435      run;

```

NOTE: There were 3075 observations read from the data set SDTM.VS.

NOTE: The data set WORK.VS_CREATED has 3075 observations and 19 variables.

NOTE: PROCEDURE SORT used (Total process time):

real time	0.00 seconds
user cpu time	0.01 seconds
system cpu time	0.00 seconds
memory	2853.25k
OS Memory	28472.00k
Timestamp	06/29/2026 07:37:25 PM
Step Count	580
Page Faults	0
Page Reclaims	360
Page Swaps	0
Voluntary Context Switches	25
Involuntary Context Switches	1
Block Input Operations	0
Block Output Operations	1296

```

436
437     proc sort data=valxpt.vs out=vs_validate;
438         by STUDYID USUBJID VSSEQ;
439     run;

```

NOTE: There were 3075 observations read from the data set VALXPT.VS.

NOTE: The data set WORK.VS_VALIDATE has 3075 observations and 19 variables.

NOTE: PROCEDURE SORT used (Total process time):

real time	0.01 seconds
user cpu time	0.00 seconds
system cpu time	0.00 seconds
memory	15667.06k
OS Memory	40684.00k
Timestamp	06/29/2026 07:37:26 PM
Step Count	581
Page Faults	0
Page Reclaims	2299
Page Swaps	0
Voluntary Context Switches	34
Involuntary Context Switches	2
Block Input Operations	0
Block Output Operations	1288

```

440
441     ods rtf file="/home/u64124548/sasuser.v94/SDTM - Creation/output_sdtm/Vs_PROC_COMPARE.rtf";
NOTE: Writing RTF Body file: /home/u64124548/sasuser.v94/SDTM - Creation/output_sdtm/Vs_PROC_COMPARE.rtf
442
443     title "PROC COMPARE: SDTM VS Created vs Validation VS";
444
445     proc compare base=vs_validate compare=vs_created listall criterion=0.0000001;
446         id STUDYID USUBJID VSSEQ;
447     run;

```

NOTE: There were 3075 observations read from the data set WORK.VS_VALIDATE.

NOTE: There were 3075 observations read from the data set WORK.VS_CREATED.

NOTE: PROCEDURE COMPARE used (Total process time):

real time	0.02 seconds
user cpu time	0.02 seconds
system cpu time	0.00 seconds
memory	3391.43k
OS Memory	28076.00k
Timestamp	06/29/2026 07:37:26 PM
Step Count	582
Page Faults	0
Page Reclaims	532
Page Swaps	0
Voluntary Context Switches	0

Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	24

```
448
449     ods rtf close;
450
451     title;
452
453     OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
463
```