Cambridge International AS & A Level

CANDIDATE NAME						
CENTRE NUMBER			CANI NUM	DIDATE BER		

MATHEMATICS 9709/53

Paper 5 Probability & Statistics 1

October/November 2023

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has 12 pages.

1	Becky sometimes works in an office and sometimes works at home. The random variable X denotes
	the number of days that she works at home in any given week. It is given that

$$P(X = x) = kx(x+1),$$

where k is a constant and x = 1, 2, 3 or 4 only.

(a)	Draw up the probability distribution table for X , giving the probabilities as numerical fractions. [3]
(b)	Find $E(X)$ and $Var(X)$. [3]

2

The weights of large bags of pasta produced by a company are normally distributed with mean 1.5 kg

	1.52kg.	
75	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally of	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally of the seminary deviation σ kg. It is found that 68% of these small bags kg.	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n
75 9 k	weights of small bags of pasta produced by the company are normally σ kg and standard deviation σ kg. It is found that 68% of these small bags kg. Find the value of σ .	distributed with n

3 Tim has two bags of marbles, A and B.

Bag A contains 8 white, 4 red and 3 yellow marbles.

Bag *B* contains 6 white, 7 red and 2 yellow marbles.

Tim also has an ordinary fair 6-sided dice. He rolls the dice. If he obtains a 1 or 2, he chooses two marbles at random from bag A, without replacement. If he obtains a 3, 4, 5 or 6, he chooses two marbles at random from bag B, without replacement.

Find the probability that both marbles are white.	


					t the t												
••••	•••••			•••••					•••••					•••••			•••••
••••														•••••			
														•••••			
		•••••												•••••			
•••		•••••												•••••			
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••										
••••	•••••	•••••	••••••	••••••	••••••	•••••	•••••	•••••	•••••	•••••	•••••	••••••	•••••	• • • • • • • •	••••••	••••••	••••••
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	•••••	••••••
••••	••••••	•••••	•••••	•••••	••••••	•••••	••••••	•••••	•••••	•••••	•••••	••••••	••••••	•••••	••••••	••••••	••••••
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	••••••	•••••	•••••	••••••	•••••	• • • • • • • •	••••••	•••••	•••••
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	••••••	•••••	••••••
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	•••••		•••••	•••••	•••••	•••••	••••••	•••••	•••••
••••	•••••			•••••		•••••	•••••	•••••	•••••		•••••		•••••	•••••			•••••
••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	•••••	•••••	•••••	•••••	••••••	•••••	•••••	••••••	•••••	••••••
••••	•••••	•••••	•••••	•••••		•••••	•••••	•••••	•••••		•••••	•••••	•••••	• • • • • • • •		•••••	•••••
••••				•••••		•••••		•••••	•••••	•••••	•••••		•••••	•••••		•••••	•••••

4 The weights, $x \log$, of 120 students in a sports college are recorded. The results are summarised in the following table.

Weight (x kg)	<i>x</i> ≤ 40	<i>x</i> ≤ 60	<i>x</i> ≤ 65	<i>x</i> ≤ 70	<i>x</i> ≤ 85	<i>x</i> ≤ 100
Cumulative frequency	0	14	38	60	106	120

(a) Draw a cumulative frequency graph to represent this information.

[2]



(b) It is found that 35% of the students weigh more than $W \log x$.

Use your graph to estimate the value of W .						
	•••••					

(c)	Calculate estimates for the mean and standard deviation of the weights of the 120 students. [6]									

The probability that a driver passes an advanced driving test is 0.3 on any given attempt.

5

(a)		ak keeps taking the test until he passes. mpts required for Dipak to pass the test.	es. The random variable X denotes the number .				
	(i)	Find $P(2 \le X \le 6)$.	[2]				
	(ii)	Find $E(X)$.	[1]				
Eire	frion	nds will each take their advanced driving t	ast tomorrow				
		I the probability that at least three of them					
(10)	1 1110	the probability that at least times of them	will pass tollionow.				
	•••••						
	•••••						
	•••••						
	•••••						
	•••••						
	•••••						
	•••••						

75 people will take their advanced driving test next week.						
(c) Use an approximation to find the probability that mo	ore than 20 of them will pass next week. [5]					

023	9709/53/O/N/23		[Turn over
	••••••	•••••	•••••

6

Jai and his wife Kaz are having a party. Jai has invited five friends and each friend will bring his wife.

(i)	How many different arrangements are there of the 12 people if Jai stands next to Kaz and each friend stands next to his own wife? [3]
(;;)	How many different among amonto and though of the 12 months if Isi and Var account the two
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th
(ii)	
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side? [2]
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side? [2]
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side? [2]
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side?
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side?
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side? [2]
(ii)	middle positions in the line, with Jai's five friends on one side and the five wives of th friends on the other side? [2]

For a competition during the party, the 12 people are divided at random into a group of 5, a group of 4 and a group of 3.
Find the probability that Jai and Kaz are in the same group as each other.

Additional Page

must be clearly shown.				

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.