Status	Finished
Started	Friday, 16 October 2026, 12:03 AM
Completed	Friday, 16 October 2026, 12:09 AM
Duration	6 mins 14 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. Semicolon(;)

b. Colon (:) ✓

c. dot(.)

d. Comma(,)

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. Error

b. [1, 2, 3, 4, 5]

c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

d. [10, 20, 30, 40, 50]

Question **3**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Emily', 'John', 'Erik'] ✓

b. ['Janice', 'Emily', 'John', 'Eleanor']

c. ['Janice', 'John', 'Erik']

d. ['Janice', 'Emily', 'John']

Question **4**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair

b. A dictionary can have two same keys with different values.

c. A dictionary can have two same values with different keys. ✓

d. A python, a dictionary can neither have two same keys nor two same values.

Question **5**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓

b. True

Question **6**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.Items) ✓
b. print(A.values)
c. print(A.get)
d. print(A.keys)

Question **7**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False
b. True ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.pop(7)
b. D1.values(7)
c. D1.get(7) ✓
d. D1.disp(7)

Question **9**

Correct

Mark 1.00 out of 1.00

____ datatype fall under mapping.

a. List
b. Dictionary ✓
c. String
d. Tuple

Question **10**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same values with different keys. ✓

b. A python, a dictionary can neither have two same keys nor two same values.

c. A dictionary can have two same keys or same values but cannot have two same key-value pair

d. A dictionary can have two same keys with different values.

Question **11**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.

b. None of the mentioned

c. It will create a new dictionary.

d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

c. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **13**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

- a. list ✓
- b. dictionary
- c. string
- d. tuple

Question **14**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False ✓

Question **15**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

- a. value
- b. item ✓
- c. pair item
- d. paired value