talenciaglobal
Great talent. Global opportunities


AGENTIC ROADMAP

DATA-DRIVEN DEVELOPMENT · AGENTIC

From controlled output to agentic delivery

How the lifecycle becomes agentic one proven level at a time, starting with evaluator agents that score every deliverable against its scorecard.

L1 · Evaluator agents
L2 · Generator agents
L3 · Template pipeline
L4 · Raw thoughts to delivery



THE PLAYBOOK SERIES

Three playbooks: what we do, how we do it, who does it

PLAYBOOK 1 · WHAT WE DO

Data-Driven Development Lifecycle

8 phases · 46 steps · 8 quality gates. Data first, tests before code, insight before specification.

→

PLAYBOOK 2 · HOW WE DO EACH STEP

Control the Output

Discover → Define → Generate → Analyse → Validate → Refine, with a scorecard deciding accept, refine or rework.

→

PLAYBOOK 3 · WHO DOES THE WORK

Data-Driven Development · Agentic

People first, then agents, one proven level at a time. Level 1: evaluator agents.

What stays the same

The 46 steps, the six-stage loop, frozen schemas and scorecards, and the rule that nothing is accepted until it is scored.

What changes

Who carries out each part. Agents take over work only after the process for that work is proven and repeatable.

What we start with

Evaluator agents only. People still define every schema and scorecard and produce every output.

THE PRINCIPLE

You cannot automate what you have not made repeatable.

Each level is earned with evidence from the level below it. No level is skipped.

THE FOUNDATION · THE QUAD MODEL

Every step produces four deliverables

	THE ARTIFACT	THE SCORECARD THAT JUDGES IT
Schema what to produce	**D1 Schema design** The frozen structure of the deliverable: sections, parameters, levels and definitions.	**D2 Schema scorecard** How the schema is judged: dimensions, weights, measures, critical gates and thresholds.
Output what was produced	**D3 Output document** The deliverable itself, generated strictly inside the frozen schema.	**D4 Output scorecard** How the output is judged: the same structure, applied to the content.

ACROSS THE LIFECYCLE

184

deliverables to author and score: 46 steps × 4

Scorecards come first

Each scorecard is defined and frozen before the thing it judges is produced, so the target never moves.


Why this leads to agents

Scoring 184 deliverables by hand, several times each, does not scale. Scoring is also the most repeatable part, so it is the first to hand to agents.

A step is complete only when both scorecards are green: the schema passes D2, and the output passes D4.

THE FOUNDATION · HOW A STEP MOVES THROUGH ITS TWO GATES

Two gates per step: the schema first, then the output



When is D4 defined?

After the schema passes Gate 1 and before any output is generated, so the target is fixed before the content exists.

What the gates check

The weighted score, the critical dimensions and any human-only evidence, using the decision rule from Control the Output.

Where agents come in

At Level 1, only the two Evaluate boxes are agents. Every other box is done by people.

WHY AGENTIC, AND WHY GRADUALLY

Agents earn each responsibility with evidence

SIX PRINCIPLES FOR EVERY LEVEL

01 Proven before automated
An agent takes over a task only when people have done it repeatably, with stable templates and scorecards.

02 Evaluate before generate
Agents judge work before they produce it. A trustworthy evaluator is what makes generator agents safe later.

03 Independent by design
The agent that evaluates is never the one that authored. Raters come from different model families.

04 Evidence, not opinion
Every score cites where in the artifact it comes from. No evidence, no score.

05 People own the judgement
Agents recommend; people approve at every gate and can override with a written reason.

06 Everything is logged
Inputs, versions, prompts, models, scores and decisions are recorded so any result can be reproduced.

LESSONS ALREADY LEARNED FROM OUR OWN SCORECARDS

The author audited itself
A review run by the session that wrote the schema is not independent. → Evaluator and author are always separate.


Raters from one model family
Blind raters from the same family share blind spots. → Three raters from different model families.

Author understanding
No document edit can prove the author understands it; only a scored interview can. → Kept as a human-only gate.

From the schema scorecards already run on a live deliverable (versions 2.0 to 3.2).

THE MATURITY ROADMAP

Four levels, from evaluator agents to raw thoughts in, delivery out



PEOPLE
Defines every schema and scorecard, and produces the output.

AGENTS
Evaluate each schema and output against its scorecard, using three raters and a consolidator.

PEOPLE
Reviews and approves drafts at each gate.

AGENTS
Draft schemas, scorecards and outputs from proven templates; evaluators check every draft.

PEOPLE
Supplies the requirements docket and approves at gates.

AGENTS
Run all downstream steps from a library of proven schemas and scorecards.

PEOPLE
States the intent precisely and confirms the generated docket.

AGENTS
Turn raw thoughts into a requirements docket, evaluate it, confirm it, then run the pipeline.

Across every level: evaluator agents keep checking every deliverable, and people keep the final say at every gate.

THE MATURITY ROADMAP · WHO DOES WHAT AT EACH LEVEL

The work moves to agents. The judgement stays with people

WHO DOES IT	L1 · EVALUATOR AGENTS	L2 · GENERATOR AGENTS	L3 · TEMPLATE PIPELINE	L4 · RAW THOUGHTS TO DELIVERY
Schema (D1)	Person	Agent drafts, person approves	Template from library	Template from library
Scorecards (D2, D4)	Person	Agent drafts, person approves	Template from library	Template from library
Output (D3)	Person, with LLM help	Agent generates	Agent generates	Agent generates
Evaluation	Evaluator agent, 3 + 1	Evaluator agent, 3 + 1	Evaluator agent, 3 + 1	Evaluator agent, 3 + 1
Requirements docket	Person	Person	Person supplies it	Intake agent drafts from raw thoughts
Gate approval	Person	Person	Person	Person
Human input	Every deliverable	Review and approve	A docket and gate approvals	Precise raw thoughts and gate approvals

Teal = agents or templates **Dark** = people Gate approval stays with people at every level.

MOVING BETWEEN LEVELS

Each level is earned with evidence from the one below

L1 → L2 PROMOTE ONLY WHEN

- Evaluator scores within ±1 point of the human-adjudicated score on at least 90% of dimensions
- Accept / refine / rework decisions match human decisions at least 95% of the time
- No false greens on critical gates across the calibration set
- Schema and scorecard templates stable for the steps in scope: few changes between versions

L2 → L3 PROMOTE ONLY WHEN

- At least 80% of generated drafts reach green within two refine passes
- Proven templates exist for every step of a phase
- Human edits to approved drafts small and falling
- Evaluator calibration holds on generated content, not only human-written content

L3 → L4 PROMOTE ONLY WHEN

- The full pipeline has delivered phases end to end on at least three projects
- Gate approvals rarely reverse an agent recommendation
- Docket intake tested: generated dockets score green against the docket scorecard
- Clear rules for what a precise raw-thought input must contain

PROVE BEFORE YOU PROMOTE

A level is a result, not a date.

Moving up is decided on the evidence above. All targets are proposed starting values for the team to confirm.


Demotion is allowed

If calibration drops or a false green reaches a later step, the affected step drops back a level until the cause is fixed.

LEVEL 1 · THE EVALUATOR SYSTEM

One evaluator engine, three raters and a consolidator

THE LEVEL 1 EVALUATOR AGENT · ONE ENGINE, USED AT BOTH GATES OF EVERY STEP



Two uses, one engine

The schema evaluator checks D1 against D2. The output evaluator checks D3 against D4. Same engine, different inputs.

3 + 1

Three raters score independently. A fourth model consolidates their scores into one scorecard and one verdict.

Green moves on

A green verdict passes the deliverable to the next stage: from schema to output, or from output to the next step.

Amber or red loops back

The author reviews the report, fixes the findings and resubmits. A person reviews every amber and red.

LEVEL 1 · THE 3 + 1 MULTI-LLM MODEL

Three independent raters, one consolidator

THREE RATERS

Independent scoring

- Works in its own context, with no access to the other raters or to the author's self-score.
- Uses a different model family from the other two, so blind spots are not shared.
- Scores every dimension from 0 to 5 against the frozen anchors.
- Cites the location in the artifact for every score and finding.
- Raises findings with a severity: high, medium or low risk.

ONE CONSOLIDATOR

Reconciliation, not a fourth opinion

- Does not re-rate from scratch. It reconciles the three scorecards.
- Where raters agree within one point, takes the evidence-backed score.
- Where they differ by more than one point, checks each claim against the artifact text.
- If a disagreement cannot be resolved, **the lower score stands** and the item is flagged for a person.
- Merges duplicate findings, applies the decision rule and writes the report.

WHY FOUR MODELS

Agreement between independent raters is evidence. Disagreement is a finding.

Rater spread is reported

The report shows each rater's score and the spread for every dimension, so people can see how certain the verdict is.

LEVEL 1 · THE EVALUATION REPORT

Every evaluation produces the same eight-section report

	SECTION	CONTENTS
1	**Header**	Artifact ID, version and hash · scorecard version and hash · raters and models used · date and run ID
2	**Verdict**	Weighted score · decision (green, amber, red) · result of each critical gate
3	**Dimension scores**	Each rater's score, the consolidated score and the spread, for every dimension
4	**Strengths**	What is already strong, with evidence, so it is kept in the next version
5	**Gaps and findings**	ID · severity · dimension · location in the artifact · recommended fix · stage to return to
6	**Rater agreement**	Where raters disagreed, how it was resolved, and what is flagged for a person
7	**Not measurable here**	Items only a person can provide, such as the author interview and sign-offs
8	**Path to green**	The smallest set of fixes that would change the verdict, in priority order

CONTROL THE EVALUATOR TOO

The evaluation report has its own fixed schema.

Every report has the same eight sections, so reports can be compared across steps, versions and teams.

FINDING SEVERITY

High risk Blocks green. Must be fixed before resubmission.

Medium risk Fix in this pass or record why it is deferred.

Low risk Improvement; fix when convenient.

LEVEL 1 · WHAT HAPPENS AFTER THE VERDICT

The verdict decides where the deliverable goes next

Green

Score ≥ 90 and every critical gate passed, plus any human-only evidence

- The deliverable moves to the next stage automatically.
- The person at the gate confirms; no rework needed.

Amber

Score 75–89, or a critical gate below 4

- The author fixes the listed findings, starting with the path to green.
- A peer reviews the changes, then the evaluator runs again.

Red

Score below 75

- Back to Discover or Define with a mentor.
- The structure or the understanding is wrong; patching content will not fix it.

Human-only gates

The evaluator marks items such as the author interview and sign-offs as not measurable. A deliverable cannot turn green until a person supplies that evidence.

Override with a reason

A person may override a verdict, up or down, but must record why. Overrides are reviewed during calibration.

Every run is kept

Each evaluation is stored with its inputs and report, so the score trend across versions is always visible.

LEVEL 1 · GUARDRAILS

Eight rules that keep the evaluator trustworthy

Independence
The evaluator never runs in the author's session. Raters use different model families.

Freeze
The artifact and scorecard are fixed and hashed before rating starts. Nothing changes mid-evaluation.

Blind rating
Raters see neither each other's scores nor the author's self-assessment.

Evidence
Every score and finding cites a location in the artifact. Unsupported claims are discarded.

Lower score stands
Unresolved disagreements take the lower score and are flagged for a person.

Read-only
The evaluator never edits the artifact. It reports; the author fixes.

Reproducible
Prompts, model versions and settings are logged so a run can be repeated.

Confidentiality
Only approved models receive project documents, in line with client terms and data protection law.

LEVEL 1 · CALIBRATING THE EVALUATOR

The evaluator is scored too, before and after it goes live

MEASURE	HOW TO CALCULATE	PROPOSED TARGET
Score agreement	Dimensions where the agent is within ±1 of the human-adjudicated score ÷ dimensions scored	**≥ 90%**
Decision agreement	Verdicts that match the human verdict ÷ verdicts	**≥ 95%**
False green rate	Agent green where the human verdict was amber or red ÷ agent greens	**0% on critical gates**
False red rate	Agent red where the human verdict was green ÷ agent reds	**≤ 10%**
Rater spread	Average gap between highest and lowest rater per dimension	**Tracked; falling**
Run stability	Same inputs, re-run: verdicts that stay the same ÷ re-runs	**≥ 95%**
Cost and time	Model cost and elapsed time per evaluation	**Tracked per step**

EVALUATE THE EVALUATOR

A false green is the most expensive error.

It lets a weak deliverable through to every step built on it. Targets are set strictest there.

The calibration set

Deliverables already scored by people, with adjudicated results. Our existing schema scorecards (versions 2.0 to 3.2) are the first entries.

How often

On every evaluator change, on every model version change, and on a regular sample of live evaluations.

LEVEL 1 · WHO DOES WHAT

Five roles, one of them an agent

Author

- Defines D1, D2 and D4, and produces D3
- Self-scores before submitting
- Fixes findings and resubmits

Peer reviewer

- Reviews every amber and red report
- Checks fixes before re-evaluation
- Second view on disputed findings

Mentor

- Runs the author interview
- Adjudicates disputes, approves gates
- Owns overrides and their reasons

Evaluator agent

- Runs the 3 + 1 evaluation
- Writes the eight-section report
- Never edits the artifact

Agent platform team

- Builds and runs the evaluator
- Maintains prompts, models and logs
- Runs calibration and reports it

AT LEVEL 1

One agent role. Every other role is a person.

That is deliberate: the agent does the most repeatable work, and people keep everything that needs judgement.

GETTING STARTED · THE LEVEL 1 BUILD PLAN

What the team builds first, and in what order

WHAT TO BUILD: EIGHT COMPONENTS

Formats
Machine-readable formats for schemas, scorecards and reports (YAML or JSON), with version and hash.

Rater prompt
One standard prompt: frozen scorecard + artifact + sources in, scored dimensions and findings out.

Consolidator prompt
Reconciles three rater outputs using the rules on the 3 + 1 page.

Orchestrator
Freezes inputs, calls three model families, collects results, calls the consolidator.

Report renderer
Writes the eight-section report as a workbook and a readable summary.

Run log
Stores every input, prompt, model version, score and decision.

Gate tracker
Shows the status of D1–D4 for every step, so anyone can see what is green.

Calibration set
Human-adjudicated deliverables, starting with the existing schema scorecards.

BUILD SEQUENCE · START SMALL, PROVE, THEN WIDEN

0 SPRINT 0
Foundations
Formats, prompts, orchestrator and run log. Load the calibration set.

1 SPRINT 1
Schema evaluator
Evaluate D1 against D2 for steps 1 and 2. Compare with human scores.

2 SPRINT 2
Output evaluator
Evaluate D3 against D4 for the same steps. Report and gate tracker live.

3 SPRINT 3
Phase 1 rollout
All five Phase 1 steps. Calibration review against the L1 → L2 targets.

GETTING STARTED · FORMATS AND PROMPT PATTERNS

The evaluator runs on frozen, machine-readable inputs

SCORECARD AS INPUT · EXAMPLE FORMAT

```
scorecard:
  id: SC-STEP01-D2
  version: 1.0
  judges: D1 schema · Step 01
  frozen: true
  thresholds: { accept: 90, refine: 75 }
  dimensions:
    - id: C01
      name: Structure conformance
      weight: 15
      critical: true
      measure: matching fields / all fields
      anchors: { 5: ">=98%", 4: "90-97%",
                 3: "75-89%", 2: "50-74%",
                 1: "1-49%",  0: "0% or missing" }
    - id: C08
      name: Author understanding
      weight: 10
      critical: true
      measurable_by_agent: false
    # ... remaining dimensions
```

RATER PROMPT PATTERN

```
You are an independent rater.
Inputs: a frozen scorecard, an artifact,
and its source documents. Nothing else.
For every dimension in the scorecard:
 · give a score from 0 to 5 using only
   the anchors in the scorecard
 · cite the location in the artifact
   that supports the score
 · list findings with severity
   HIGH, MEDIUM or LOW, and a fix.
Mark a dimension NOT MEASURABLE if the
artifact cannot show it. Do not edit the
artifact. Return the result in the
report schema only.
```

CONSOLIDATOR PROMPT PATTERN

```
You are the consolidator.
Inputs: three rater results, the frozen
scorecard and the artifact.
For each dimension:
 · if raters agree within 1 point, take
   the score best supported by evidence
 · if they differ by more, check each
   claim against the artifact text
 · if still unresolved, the lower score
   stands; flag it for a person.
Merge duplicate findings. Apply the
decision rule. Write the report in its
eight-section schema.
```

Starting patterns for Sprint 0. The team refines them, then freezes and versions them like any other artifact.

GETTING STARTED · THE GATE TRACKER

Every step, four deliverables, one status board

STEP	LIFECYCLE STEP	D1 · SCHEMA DESIGN	D2 · SCHEMA SCORECARD	D3 · OUTPUT DOCUMENT	D4 · OUTPUT SCORECARD	STEP STATUS
01	Requirement Analysis Docket	Green	Frozen	Green	Frozen	Complete
02	Stakeholders, Personas and Roles	Amber	Frozen	Not started	Frozen	Open
03	Feature Discovery	Green	Frozen	Drafting	Frozen	Open
04	NFR Discovery	Red	Frozen	Not started	In review	Open
05	Business Workflow Analysis	Drafting	In review	Not started	Drafting	Open

Illustrative statuses. D1 and D3 show the evaluator verdict (green, amber, red). D2 and D4 show the scorecard state (drafting, in review, frozen).

One view for everyone

Authors, mentors and leads see the same board, so progress is a fact, not a status meeting.

Complete means all four

A step closes only when its schema and its output have both passed, and both scorecards are frozen.

Linked to the reports

Each status links to the evaluation report and run log behind it.

GETTING STARTED · THE FIRST SIX MOVES

How the team starts Level 1

SIX STEPS TO A LIVE LEVEL 1

1. **Agree the formats**
   Fix the machine-readable format for schemas, scorecards and reports.
2. **Freeze Phase 1 scorecards**
   D2 and D4 for steps 1 to 5, reviewed by mentors.
3. **Load the calibration set**
   Start with the existing human-adjudicated schema scorecards.
4. **Build the evaluator**
   Orchestrator, three raters, consolidator and run log.
5. **Run in shadow mode**
   The agent scores alongside people; people still decide. Compare results.
6. **Switch on the gate**
   When calibration meets the targets, the agent's verdict drives the gate, with people confirming.

SHADOW MODE FIRST

The agent earns the gate by matching people, not by being switched on.

Shadow results become the first calibration evidence for the L1 → L2 decision.

What success looks like

Every Phase 1 deliverable scored by the evaluator, with a report people trust, and calibration targets met.

What does not change

People still define every schema and scorecard and produce every output at Level 1.

LOOKING AHEAD · LEVELS 2 TO 4

What each later level adds, and what could go wrong

LEVEL 2
Generator agents

AGENTS ADDED

- Schema generator agent
- Scorecard generator agent
- Output generator agent (3 + 1: three generate, one consolidates)
- Evaluator agent, as in Level 1

PEOPLE

Reviews and approves every draft at the gate.

MAIN RISK AND CONTROL

Generators and evaluators sharing blind spots. Control: different model families for generating and evaluating.

LEVEL 3
Template pipeline

AGENTS ADDED

- Template library of proven schemas and scorecards for every step
- Pipeline orchestrator that runs steps in lifecycle order
- Generators and evaluators per step

PEOPLE

Supplies the requirements docket; approves at each phase gate.

MAIN RISK AND CONTROL

An early mistake carrying through every step. Control: phase gates and traceability back to the docket.

LEVEL 4
Raw thoughts to delivery

AGENTS ADDED

- Intake agent: raw thoughts → requirements docket
- Docket evaluator and a confirmation step with the person
- The full Level 3 pipeline

PEOPLE

States the intent precisely; confirms the docket before anything runs.

MAIN RISK AND CONTROL

Vague input producing confident output. Control: rules for what a precise input must contain, and a mandatory confirmation.

RISKS AND CONTROLS

What could go wrong, and how we prevent it

RISK	WHAT HAPPENS	CONTROL
! **Fluent but wrong**	Raters reward well-written text that is incorrect	**Evidence citation required; traceability is a critical dimension**
! **Shared blind spots**	All raters miss the same issue	**Different model families; human calibration samples**
! **Writing to the scorecard**	Authors optimise for the score, not the purpose	**Fitness-for-next-step dimension; downstream proof before closing**
! **Model drift**	A model update changes scores silently	**Model versions logged; recalibrate on every change**
! **Over-trust**	People stop reading reports and accept verdicts	**Human review of every amber and red; overrides reviewed**
! **Confidential data**	Project documents sent to external models	**Approved models only; client terms and data protection respected**
! **Cost and latency**	Four model calls per evaluation, many times	**Cost per step tracked; evaluate small sections first**

THE PATH

Evaluate first. Automate what is proven. People own the judgement.

The foundation we lay today, controlled outputs, frozen schemas and scorecards, is exactly what makes every later level possible.

Level 1 · Evaluator agents
Agents evaluate. People define, produce and approve.

Level 2 · Generator agents
Agents draft from proven templates. People approve.

Level 3 · Template pipeline
Plug in a docket. The pipeline runs. People approve at gates.

Level 4 · Raw thoughts to delivery
State the intent. Agents build the docket and run the rest.