

Assignment 1

Kamparaju Srikanth - EE18BTECH11023

Download all Codes from

https://github.com/srikanth2001/EE4013-C_DS/tree/main/Assingment-01/codes

Download all latex-tikz codes from

https://github.com/srikanth2001/EE4013-C_DS/blob/main/Assingment-01/assignment1.tex

```
// C Code for printing output in form of array
#include <stdio.h>
int main(){
    int a[4][5] = { {1,2,3,4,5},
                    {6,7,8,9,10},
                    {11,12,13,14,15},
                    {16,17,18,19,20}};

    printf("%d", a[3][3]);
    return(0);
}
```

1 PROBLEM

(Q 22) Consider the following C fProgram.

```
#include <stdio.h>

int main() {
    float sum=0.0,j=1.0,i=2.0;
    while(i/j>0.0625){
        j=j+j;
        sum=sum+i/j;
        printf("%f\n",sum);
    }
    return 0;
}
```

The output of the program is?

2 SOLUTION

Answer : The output of the program is-19

Explanation

Let consider that input **a** is a 2D matrix

$$\begin{bmatrix} a_{[0][[0]} & a_{[0][[1]} & a_{[0][[2]} & a_{[0][[3]} & a_{[0][[4]} \\ a_{[1][[0]} & a_{[1][[1]} & a_{[1][[2]} & a_{[1][[3]} & a_{[1][[4]} \\ a_{[2][[0]} & a_{[2][[1]} & a_{[2][[2]} & a_{[2][[3]} & a_{[2][[4]} \\ a_{[3][[0]} & a_{[3][[1]} & a_{[3][[2]} & a_{[3][[3]} & a_{[3][[4]} \end{bmatrix} = \begin{bmatrix} 1 & 2 & 3 & 4 & 5 \\ 6 & 7 & 8 & 9 & 10 \\ 11 & 12 & 13 & 14 & 15 \\ 16 & 17 & 18 & 19 & 20 \end{bmatrix}$$

From the above matrix ****a** represents the index of the element in $a_{[0][0]}$ element i.e 1,

$$* (* (a + 1 + 2) + 3)) \quad (2.0.1)$$

in above equation $*(a+3) + 3$ this represents the index of $a_{[3][3]}$ in the matrix a. Hence the Output will be $a_{[3][3]}$ Element of the matrix a i.e 19