ADMIN.REVIEWS

Key		Column	Type
P	*	REVIEW_ID	NUMBER
F		CUST_ID	VARCHAR2 (20 BYTE)
F		PROD_DETAIL_ID	VARCHAR2 (20 BYTE)
		COMMENTS	VARCHAR2 (20 BYTE)
		RATING	VARCHAR2 (20 BYTE)

REVIEWS_PK (REVIEW_ID)

FK_PROD_CUST_ID (CUST_ID)
FK_PROD_DETAIL_ID (PROD_DETAIL_ID)

ADMIN.PRODUCT_DETAILS

Key		Column	Type
P	*	PROD_DETAIL_ID	VARCHAR2 (20 BYTE)
		PROD_NAME	VARCHAR2 (20 BYTE)
F		VENDOR_ID	NUMBER
F		CATEGORY_ID	NUMBER
		PROD_DIMENSION	NUMBER
		PROD_COLOR	VARCHAR2 (20 BYTE)
		PROD_WEIGHT	NUMBER
		PROD_STOCK_DATE	DATE
		PROD_UNIT_AVAILABLE	NUMBER
		PROD_PRICE_PER_UNIT	NUMBER
		IN_STOCK	VARCHAR2 (5 BYTE)

PRODUCT_DETAILS_PK (PROD_DETAIL_ID)

FK_PROD_CATEGORY_ID (CATEGORY_ID)
FK_VENDOR_VENDOR_ID (VENDOR_ID)

ADMIN.PRODUCT_CATEGORY

Key		Column	Type
P	*	CATEGORY_ID	NUMBER
		CATEGORY_NAME	VARCHAR2 (40 BYTE)

PRODUCT_CATEGORY_PK (CATEGORY_ID)

ADMIN.CUSTOMER

Key		Column	Type
P	*	CUST_ID	VARCHAR2 (20 BYTE)
		CUST_FIRST_NAME	VARCHAR2 (20 BYTE)
		CUST_LAST_NAME	VARCHAR2 (20 BYTE)
		CUST_MIDDLE_NAME	VARCHAR2 (20 BYTE)
		CUST_GENDER	VARCHAR2 (20 BYTE)
		CUST_MARITAL_STATUS	VARCHAR2 (20 BYTE)
		CUST_EMAIL	VARCHAR2 (40 BYTE)
		CUST_PASSWORD	VARCHAR2 (40 BYTE)
		CUST_DOB	DATE
		CUST_EFFECTIVE_FROM	TIMESTAMP
		CUST_EFFECTIVE_TO	TIMESTAMP
		IS_ACTIVE	VARCHAR2 (20 BYTE)
		HASH_VALUE	NUMBER

RK_CUST_ID (CUST_ID)

RK_CUST_ID (CUST_ID)

ADMIN.VENDOR

Key		Column	Type
P	*	VENDOR_ID	NUMBER
		VENDOR_NAME	VARCHAR2 (20 BYTE)
		VENDOR_DESC	VARCHAR2 (40 BYTE)
		CONTRACT_START_DATE	DATE
		CONTRACT_END_DATE	DATE
		IS_RENEWED	VARCHAR2 (5 BYTE)
		CONTRACT_TYPE	VARCHAR2 (20 BYTE)
		CONTRACT_ID	VARCHAR2 (20 BYTE)

VENDOR_PK (VENDOR_ID)

ADMIN.ORDERS

Key		Column	Type
P	*	ORDER_ID	NUMBER
F		CUST_ID	VARCHAR2 (20 BYTE)
F		ADDRESS_ID	NUMBER
		ORDER_DATE	TIMESTAMP
F		PAYMENT_ID	NUMBER
		SHIPPING_DAYS	NUMBER
		ORDER_STATUS	VARCHAR2 (20 BYTE)
		DELIVERY_MODE	VARCHAR2 (20 BYTE)
		TOTAL_ITEMS	NUMBER

ORDERS_PK (ORDER_ID)

FK_ADDRESS_ID (ADDRESS_ID)
FK_ORDERS_CUST_ID (CUST_ID)
FK_ORDER_DETAILS_PAYMENT_ID (PAYMENT_ID)

ADMIN.CUST_CONTACT_DETAILS

Key		Column	Type
P	*	ADDRESS_ID	NUMBER
F		CUST_ID	VARCHAR2 (20 BYTE)
		ADDRESS_LINE_1	VARCHAR2 (20 BYTE)
		ADDRESS_LINE_2	VARCHAR2 (20 BYTE)
		CITY	VARCHAR2 (20 BYTE)
		STATE	VARCHAR2 (20 BYTE)
		REGION	VARCHAR2 (20 BYTE)
		ZIPCODE	NUMBER
		PHONE_1	NUMBER
		EFFECTIVE_FROM	TIMESTAMP
		EFFECTIVE_TO	TIMESTAMP

CUST_CONTACT_DETAILS_PK (ADDRESS_ID)

FK_CUST_RK (CUST_ID)

ADMIN.CUST_PAYMENT

Key		Column	Type
P	*	PAYMENT_ID	NUMBER
F		CUST_ID	VARCHAR2 (20 BYTE)
		PAYMENT_TYPE	VARCHAR2 (20 BYTE)
		CARD_TYPE	VARCHAR2 (20 BYTE)
		CARD_EXPIRY_DATE	VARCHAR2 (20 BYTE)
		PAYMENT_DATE	TIMESTAMP
		PAYMENT_STATUS	VARCHAR2 (20 BYTE)

CUST_PAYMENT_PK (PAYMENT_ID)

FK_CUST_PAYMENT_CUST_ID (CUST_ID)

ADMIN.VENDOR_ADDRESS

Key		Column	Type
P	*	VENDOR_ADDRESS_ID	NUMBER
F		VENDOR_ID	NUMBER
		VENDOR_EMAIL	VARCHAR2 (20 BYTE)
		ADDRESS_LINE_1	VARCHAR2 (20 BYTE)
		ADDRESS_LINE_2	VARCHAR2 (20 BYTE)
		CITY	VARCHAR2 (20 BYTE)
		STATE	VARCHAR2 (20 BYTE)
		ZIPCODE	VARCHAR2 (20 BYTE)
		PHONE_1	VARCHAR2 (20 BYTE)

VENDOR_ADDRESS_PK (VENDOR_ADDRESS_ID)

FK_VENDOR_ID (VENDOR_ID)

ADMIN.LINE_ITEMS

Key		Column	Type
P	*	ITEM_ID	NUMBER
F		ORDER_ID	NUMBER
		PROD_DETAIL_ID	VARCHAR2 (20 BYTE)
		QUANTITY	VARCHAR2 (20 BYTE)
		TAX_AMOUNT	NUMBER (6,2)
		SHIPPING_AMOUNT	NUMBER (6,2)
		AMOUNT_PER_UNIT	NUMBER (6,2)
		TOTAL_LINE_AMOUNT	NUMBER (6,2)
		ORDER_STATUS	VARCHAR2 (20 BYTE)

LINE_ITEMS_PK (ITEM_ID)

FK_LINE_ITEMS_ORDER_ID (ORDER_ID)

ADMIN.VENDOR_HISTORY

Column	Type
VENDOR_ID	NUMBER
VENDOR_NAME	VARCHAR2 (20 BYTE)
VENDOR_DESC	VARCHAR2 (40 BYTE)
CONTRACT_START_DATE	DATE
CONTRACT_END_DATE	DATE
IS_RENEWED	VARCHAR2 (5 BYTE)
CONTRACT_TYPE	VARCHAR2 (20 BYTE)
CONTRACT_ID	VARCHAR2 (20 BYTE)