Test Output

Catalog Service Test Output:

```
(base) om@Oms-MacBook-Air test % python3 catalog-service-test.py
Test lookup on a stock that is present in the database
Sending lookup request for: stock1
Lookup request: stock1, response: Price of stock: 25.78, Volume of the stock: 10
.Test lookup on a stock that is not present in the database
Sending lookup request for: IAmNotAStock
Lookup request: AirwoltAStock, response: Price of stock: -1.0, Volume of the stock: -1
.Test buy update on a stock that is present in the database
Sending lookup request for: stock1
Lookup request: stock1, response: Price of stock: 25.78, Volume of the stock: 10
Sending update request of type: 0 for: stock1 with quantity: 10
Trade request: stock1, 10, response status: 1
Sending lookup request for: stock1
Lookup request: stock1, response: Price of stock: 25.78, Volume of the stock: 0
.Test sell update on a stock that is present in the database
Sending lookup request stock1, response: Price of stock: 25.78, Volume of the stock: 0
Sending lookup request for: stock1
Lookup request: stock1, response: Price of stock: 25.78, Volume of the stock: 0
Sending lookup request of type: 1 for: stock1 with quantity: 10
Trade request: stock1, response: Price of stock: 25.78, Volume of the stock: 0
Sending lookup request of type: 1 for: stock1 with quantity: 10
Trade request: stock1, response: Price of stock: 25.78, Volume of the stock: 10
.Test lookup on a stock that is present in the database but has insufficient volume for buy
Sending update request of type: 0 for: stock1 with quantity: 10
Trade request: stock1, 1000000000, response status: 0
.Test lookup on a stock that is present in the database
Sending update request of type: 0 for: stock1 with quantity: 10
Trade request: stock1, response: Price of stock: 25.78, Volume of the stock: 10
.Test lookup on a stock that is present in the database
Sending update request of type: 0 for: stock1 with quantity: 10
Trade request: stock1, 10, response status: 0
.Test lookup on a stock that is present in the database
Sending lookup request stock1, response
```

Order Service Test Output:

Test Output

Frontend Service Test output:

```
PS E:\UMASS_Acads\Sen2\67700S\Labs_lablets\spring23-lab2-om-vineeth\src\test> python .\frontend_service_test.py

Test_Lookup Failure because of invalid path

6EI request; /stock/stocknamesstock10

Response: Path not found
.Test_Lookup Failure because of invalid stockname

6EI request; /stock/stocknamesstock10

Response: ("renror: \{ "code \text{: 404. "nessage": "stock not found"}}
.Test_Lookup Success

6EI request; /stock/stocknamesstock10

Response: ("famae": 'stock1", "price": 25.78, "quantity": 10})
.Test_Driver_Failure because of invalid trade quantity

POSI request: \{ "name": \text{: 5tock1", "quantity": 10}, \text{: 50, "type": BUV"}}
Response: \{ "error": \{ "code \text{: 404. "nessage": \text{: 5tock not found"}}}
.Test_Driver_Failure because of invalid stockname

POSI request: \{ "name": \text{: 5tock1*, "quantity": 10}, \text{: 10}}

POSI request: \{ "name": \text{: 104, "quantity": 10}, \text{: 104, "type": BUV"}}

Response: \{ "error": \{ "code \text{: 404, "nessage": \text{: 5tock not found"}}}
.Test_Driver_Failure because of invalid trade type

POSI request: \{ "name": \text{: 104, "quantity": 10}, \text{: 104}}

POSI request: \{ "name": \text{: 104, "quantity": 10}, \text{: 104}}

Response: \{ "error": \{ "code: \text{: 404, "nessage": \text{: 104, "quantity": 10}, \text{: 104}}

POSI request: \{ "name": \text{: 104, "quantity": 10}, \text{: 104}}

Response: \{ "error": \{ "code: \text{: 404, "nessage": \text{: 104, "quantity": 10}, \text{: 104}}

Response: \{ "error": \{ "code: \text{: 404, "nessage: \text{: 104, "quantity": 104, \text{: 104}}

Response: \{ "error": \{ "code: \text{: 404, "nessage: \text{: 104, "quantity": 104, \text{: 104}}

Response: \{ "error": \{ "code: \text{: 404, "nessage: \text{: 104, "quantity": 104, \t
```