


Modeling the Chaos of Naturally Fractured Reservoirs

The evolution from simplified dual-porosity paradigms to dynamic, data-integrated hybrid models.

Prepared by Eng. Sajjad k. Hano




The Subsurface Dual-Economy: Unconventional Thinking

The Vault (Matrix)

- **High Volume, Low Mobility**


Where the vast majority of hydrocarbons are physically stored, but fluid movement is agonizingly slow.



The Highway (Fractures)

- **Low Volume, Extreme Mobility**


The primary flow pathways, moving fluids rapidly to the wellbore while continuously exchanging with the matrix.



Takeaway: Choosing the right conceptual model is fundamentally about capturing the accurate fluid exchange rate between the vault and the highway.


Think Backwards: Reverse-Engineering Reservoir Success

If an Enhanced Oil Recovery (EOR) project underperforms, the root cause often traces back to the base conceptual model. Select the appropriate fracture model directly impacts:



Takeaway: We do not model fractures just to visualize them; we model them to guarantee the efficacy of end-of-life extraction strategies.

Extracting the Key Variables of Storage and Flow



1. Matrix

High volume, low permeability.
The primary hydrocarbon reservoir.

2. Fractures

Low volume, extreme permeability.
The critical delivery system.

3. Vugs

Irregular cavities that introduce unpredictable
secondary storage and flow complexity.

The dynamic interaction between these three
isolated variables forms the foundation of all
advanced reservoir characterization.

Evaluate Metacognition: The Mathematical Elegance of Early Abstractions


Why conceptualize chaotic rock as perfect geometric blocks? Because early computational limits demanded mathematical symmetry.

Geological Reality



Geological Reality: Chaotic, natural fracture distribution.

The Warren & Root Model (Dual-Porosity)



The Warren & Root Model (Dual-Porosity): Abstracting the reservoir into an inner radial-flow zone and an outer fractured zone.

Takeaway: This classical model remains a cornerstone of well test interpretation, reflecting an era where cognitive models prioritized mathematical elegance over physical reality.

Question the Assumptions: The Flaw of Averages



Local Heterogeneity

- Nature does not build in perfect cubes.
- Fracture development is inherently driven by local variations.

Geological Drivers

- Variations in lithology, mechanical properties, and localized stress promote highly asymmetric fracture growth.

The Result

- These drivers create localized fracture networks that strongly dictate real-world connectivity, rendering broad averages dangerous.


The Modern Reality: Discrete Fracture Representation (DFN)

Explicit Modeling:

When reservoirs are dominated by specific fracture corridors or individual highly conductive fractures connected directly to the wellbore, broad abstractions fail. Fracture geometry, orientation, and connectivity must be modeled explicitly as individual, discrete entities.

Beyond Averages:

DFNs move the conceptual model from “average systemic behavior” to “specific localized pathways.”




3 Experts Discuss: The Multidisciplinary Shift



The Geoscientist

"We must map the local heterogeneity and stress fields. The complex fracture networks are born from lithological and mechanical variations."



The Reservoir Engineer

"I need both of your inputs integrated with seismic and dynamic data to build realistic hybrid DFN models for simulation."



The Petrophysicist


"Identifying the fracture on an image log is only step one; quantifying its true aperture and porosity contribution is the real challenge."

Read Between the Lines: The Unwritten Challenge of Data Integration

The explicit data from an image log tells us a fracture exists. But the unwritten truth of subsurface characterization requires reading between the lines of static data.

The True Bottleneck: The real challenge is not simply identifying fractures, but understanding their dynamic contribution to flow relative to the matrix over time.

The Evolution: As the industry successfully integrates petrophysical, image log, seismic, and dynamic data, legacy conceptual models are becoming obsolete.



A Comparative Synthesis of Conceptual Flow Models

Feature	Dual-Porosity (Sugar Cube)	Warren & Root	Discrete Fracture (DFN)
Core Concept	Interacting matrix & fracture domains	Inner radial flow + outer fractured zone	Explicitly modeled individual fractures
View of Nature	Symmetrical / Averaged	Mathematical / Zonal	Chaotic / Heterogeneous
Best Used For	Basic conceptualization	Classical well test interpretation	Complex connectivity, specific corridors
Data Reliance	Low (Assumes uniformity)	Medium (Pressure transient data)	High (Image logs, seismic integration)

Takeaway: The future of reservoir engineering relies on choosing the model that precisely matches both the geological reality and the available data resolution.