














DEBUG



1 2 3 4 5 6


A

A



B

B




C

C

D

D

1 2 3 4 5 6



1

2

3

4

A

A

B


B


C

C

D

D





Comment	Description	Designator	Footprint	Ref	Quantity
0.1uF	OP-CE0 0.1uF 6.3V RES042, OP-CE0 0.1uF 30V/SR042	C1, C3, C5, C6, C8, C12, C17, C18, C21, C23, C24, C25, C26, C27, C41, C42, C43, C44, C45, C46, C47, C48, C51, C53, C54, C57, C58, C59, C60, C61, C63, C64, C67, C68, C71, C72, C77, C78, C82, C83, C86, C87	SMD-0402C	GRM030R010484E3 D, GRM030R010484E3 D	42
22uF	OP-CE0 22uF 6.3V SR0805	C2, C4, C5, C10, C13, C22, C24, C27	SMD-0805C	294C22H0.22M4E2 D	8
22uF	OP-CE0 22uF 50V NR0402, OP-CE0 22uF 25V/NR0402	C7, C20, C26, C28, C30	SMD-0402C	GC0255C1H-220J045 D, GRM0255C1E220J041 D	5
1uF	OP-CE0 1uF 6.3V X7T0803	C11, C14, C16, C18, C25, C32, C38, C46, C48, C49, C70, C72, C74, C76, C88	SMD-0803C	GRM080C70.009M073 D	15
220uF	OP-CE0 220uF 50V NR0402	C15	SMD-0402C	GC0255C1H-220J045 D	1
1uF	OP-CE0 1uF 6.3V RES0805	C28, C30	SMD-0805C	294C22H0.22M4E2 D	2
10000uF	OP-CE0 10000uF 10V SR0402	C31	SMD-0402C	GRM030R10030A01 D	1
1uF	OP-CE0 1uF 10V X75 0402	C34, C36, C38, C40, C50, C51, C53, C55, C75, C76, C78, C80, C84, C85	SMD-0402C	GC0255C71A059E8B D	14
4.7uF	OP-CE0 4.7uF 6.3V RES0402	C32, C34	SMD-0402C	GRM030R0475ME15 D	2
ESDVALCS-18T2	Single-line low capacitance TransilutEM2, transient surge voltage suppressor (TVS) for ESD protection	CR1, CR2	SC0802T_SML	ESDVALCS-18T2	2
RES0402SRG	Description	CR3	300_45SRG_TOR	RES0402SRG	1
105400001	USB 3.0 (Type-C) USB 3.2 Gen 2 (40G) 3.1 Gen 2, SuperSpeed + (40G) 3.1) Receptacle Connector 24 Position Surface Mount, Right Angle Through Hole	J1	MOLEX_105400001	105400001	1
72309-8048LF	USB 3.0 Inert Output Connectors, Double Deck Receptacle, Type A, Through Hole, Right Angle, 8 Positions	J2	AMPHENOL_72309-8048LF	72309-8048LF	1
114004008	10 (8 + 2) Position Card Connector Secure Digital - microSD, 4 Surface Mount, Right Angle Gold	J3	AMPHENOL_114004008	114004008	1
FR01_0100000E	FR01_0100000E, 01V LED	J4	FR011005A	FR011005A	1
6130421121	WAFER Pin Header, THT, pitch 2.54mm, Dual Row, Vertical, 4pin	J5	6130421121	6130421121	1
3MP03025SR0MT	No Description Available	L1, L2, L3, L4	IND_3MP03025_SML	3MP03025SR0MT	4
	LED 1.8-2.8V, 2mA, 5, NO-0402	LED1, LED2, LED3, LED4	LED003	TUMS000-GS8	4
MMBT3904,215	Description	Q1	SC723_NEXM	MMBT3904,215	1
150k	RESMD 150K OHM 5% 1/10W/0402	RL, R7	SMD-0603-RES	RF030P1502V	2
5k	RESMD 5K OHM 5% 1/10W/0402	R9	SMD-0603-RES	RF030P5302V	1
10k	RESMD 10K OHM 5% 1/10W/0402	R6, RL, R6, RL, R8, R15, R16, R20, R24, R26, R40, R45	SMD-0402-RES	RF030E200X	12
30.1k	RESMD 30.1K OHM 5% 1/10W/0402	R8	SMD-0402-RES	RF030P3012X	1
100k	RESMD 100K OHM 5% 1/10W/0402	R9	SMD-0603-RES	RF030P1002V	1
0.0	RESMD 0.0 OHM JUMPER 1/10W/0402	RL1, RL4	SMD-0402-RES	RF030E000X	2
100k	RESMD 100K OHM 5% 1/10W/0603	RL2, RL3	SMD-0603-RES	RF030P1002V	2
1k	RESMD 1K OHM 5% 1/10W/0402	RL7, RL8, RL9, RL1, RL5, RL6	SMD-0402-RES	RF030E200X	6
2	RESMD 2 OHM 5% 1/4W/0603	RL9	SMD-0603-RES	RF030E230V	1
5.1k	RESMD 5.1K OHM 5% 1/10W/0402	RL2	SMD-0402-RES	RF030E320X	1
47k	RESMD 47K OHM 5% 1/10W/0402	RL5, RL7, RL9, RL1, RL5, RL6	SMD-0402-RES	RF030E070X	6
0.0	RESMD 0.0 OHM 5% 1/10W/0402	RL9	SMD-0402-RES	RF030E000X	1
100	RESMD 100K OHM 5% 1/10W/0402	RL8, RL9	SMD-0402-RES	RF030E300X	2
5k	RESMD 5K OHM 5% 1/10W/0402	RL0, RL3	SMD-0402-RES	RF030E300X	2
240	RESMD 240 OHM 5% 1/10W/0402	RL2, RL3, RL9	SMD-0402-RES	RF030E040X	3
100	RESMD 100K OHM 5% 1/10W/0402	RL4	SMD-0402-RES	RF030E300X	1
0.3k	RESMD 0.3K OHM 5% 1/10W/0402	RL5	SMD-0402-RES	RF030E020X	1
100k	RESMD 100K OHM 5% 1/10W/0402	RL6	SMD-0402-RES	RF030P1003V	1
4.7k	RESMD 4.7K OHM 5% 1/10W/0402	RL7, RL8, RL9, RL1, RL5, RL6	SMD-0402-RES	RF030E070X	4
0R	RES 0 Ohm Jumper 1/10W/0402 0603	RL1, RL2, RL3	000003	RC000L04700RL	3
0R	RES 0 Ohm Jumper 1/10W/0402 0402	RL4	000002	RC000L04700RL	1
39009WAC	Description	UL, U7	39009WAC-39PL	39009WAC	2
PCN004	Description	U8	SC7233_42PL	PCN004	1
0A46/7S	No Description Available	U9	SC70G_NEX4	0A46/7S	1
39000B	No Description Available	U4	SC729_5_39000B_Scy	39000B	1
39111B	No Description Available	U5	SC723_6	39111B	1
0900	No Description Available	U6	SC723_NEX	0900	1
MC5259-3.3VDS-TR	Description	U8	TSOT-23-5_DS_MCH4	MC5259-3.3VDS-TR	1
CP202	CP202N USB 2.0 to UART (RS232) Bridge Interface Evaluation Board	U9	CPN60P00050050020 29N	CP202	1
MSQ256P4BG	No Description Available	U10	WIN_E4-WIN	MSQ256P4BG	1
KBK3046E-BCMA	No Description Available	U11	RC000L04800000- BCMA_50MM	KBK3046E-BCMA	1
0R		U12	0A46/7S_0A46/7S	0R	1
TSX-3225 24.000MHZ0GACD	Description	X1	3225_TSX-3225 24.000MHZ0G- ACD_0PS	TSX-3225 24.000MHZ0GACD	1