

Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout

TIM3 Mode and Configuration

Mode

Slave Mode

Trigger Source

☒ Internal Clock

Channel1

Channel2

Channel3

Channel4

Combined Channels

Configuration

Reset Configuration

☒ User Constants ☒ NVIC Settings ☒ DMA Settings

☒ Parameter Settings

Configure the below parameters :

Search (Ctrl+F)

Counter Settings

Prescaler (PSC - 16 bits value) 7999


Counter Mode Up

Counter Period (AutoReload ...) 499

Internal Clock Division (CKD) No Division

Pinout view

System view



Pinout & Configuration

Clock Configuration

Project Manager

Tools

▼ Software Packs

▼ Pinout

NVIC Mode and Configuration

Pinout view

System view

Categories A-Z

System Core

DMA
GPIO
IWDG
NVIC
RCC
SYS
WWDG

Analog

Timers

Connectivity

CAN
I2C1
I2C2
SPI1
SPI2
USART1
USART2

Configuration


NVIC

Code generation

Priority Group ☐ Sort by Preemption Priority and Sub Priority ☐ Sort by inSearch Show available interrupts ☒ Force DM

NVIC Interrupt Table

	Enabled	Preemption P
Non maskable interrupt	☒	0
Hard fault interrupt	☒	0
Memory management fault	☒	0
Prefetch fault, memory access fault	☒	0
Undefined instruction or illegal state	☒	0
System service call via SWI instruction	☒	0
Debug monitor	☒	0
Pendable request for system service	☒	0
Time base: System tick timer	☒	15
PVD interrupt through EXTI line 16	☐	0
Flash global interrupt	☐	0
RCC global interrupt	☐	0
TIM3 global interrupt	☒	0
I2C1 event interrupt	☐	0
I2C1 error interrupt	☐	0

☒ Enabled Preemption Priority Sub Priority

Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs

Pinout

I2C1 Mode and Configuration

Mode

I2C I2C

Configuration

Reset Configuration

NVIC Settings DMA Settings GPIO Settings

Parameter Settings User Constants

Configure the below parameters :

Search (Ctrl+F)

Master Features

I2C Speed Mode Standard Mode

I2C Clock Speed (Hz) 100000

Slave Features

Clock No Stretch Mode Disabled

Pinout view

System view

