

```

'use client';

import { useEffect } from 'react';
import Navbar from '@components/Navbar';
import Footer from '@components/Footer';
import Cursor from '@components/Cursor';
import Grain from '@components/Grain';
import InquiryModal from '@components/InquiryModal';
import MenuOverlay from '@components/MenuOverlay';

const founders = [
  {
    init: 'V',
    role: 'Co-Founder · Creative Direction & Brand Strategy',
    name: 'Vedika\nBhardwaj',
    bio: 'Fashion Design graduate from NIFT Delhi, where a garment she designed w
    creds: ['NIFT Delhi – Fashion Design', 'Garment presented at Bharat Tex', 'Ex
  },
  {
    init: 'M',
    role: 'Co-Founder · Operations & Structural Systems',
    name: 'Madhav\nSharma',
    bio: 'Operational Research and Economics graduate from the University of Delh
    creds: ['University of Delhi – Operational Research & Economics', 'Systems op
  },
];

const philosophy = [
  { n: 'I', t: 'Community Before Commerce', d: 'We build trust and loyal commun
  { n: 'II', t: 'Depth Before Scale', d: 'We start with Gurugram, build
  { n: 'III', t: 'Identity Is Non-Negotiable', d: "We don't alter brand identity
];

export default function AboutPage() {
  useEffect(() => {
    const els = document.querySelectorAll<HTMLElement>('.rv');
    const io = new IntersectionObserver(
      (entries) => entries.forEach((e) => { if (e.isIntersecting) { e.target.clas
        { threshold: 0.07, rootMargin: '0px 0px -40px 0px' }
      });
    els.forEach((el) => io.observe(el));
    return () => io.disconnect();
  }, []);

```

```

return (
  <>
    <Cursor /><Grain /><Navbar /><MenuOverlay /><InquiryModal />

    <div className="pgh">
      <div className="pgh-bg">ABOUT</div>
      <span className="ey rv">About Yorkstn</span>
      <h1 className="pgh-h1 rv d1">Where Creativity<br /><em>Met Structure</em>
      <p className="pgh-s rv d1">Yorkstn was built on a shared frustration: wat
    </div>

    <div style={{ padding: '96px 60px' }}>
      {/* Founding idea */}
      <div style={{ display: 'grid', gridTemplateColumns: '1fr 1fr', gap: 72, m
        <h2 className="rv" style={{ fontFamily: 'var(--fd)', fontSize: 'clamp(3
          The <em style={{ fontStyle: 'italic', color: 'var(--bl)' }}>Founding<
        </h2>
        <p className="rv d2" style={{ fontSize: 13.5, lineHeight: 2.2, color: '
          India doesn't need more brands – it needs finer curation and a more d
        </p>
      </div>

      {/* Founders */}
      <div style={{ display: 'grid', gridTemplateColumns: '1fr 1fr', gap: 2, ba
        {founders.map((f) => (
          <article key={f.init} className="rv" style={{ background: 'var(--c)',
            <div style={{ position: 'absolute', top: 22, right: 22, fontFamily:
              <p style={{ fontSize: 8, letterSpacing: '.3em', textTransform: 'upp
              <h2 style={{ fontFamily: 'var(--fd)', fontSize: 42, fontWeight: 300
              <p style={{ fontSize: 12, lineHeight: 2.1, color: 'var(--tx)', font
              <div style={{ display: 'flex', flexDirection: 'column', gap: 9, pad
                {f.creds.map((c) => (
                  <div key={c} style={{ fontSize: 10, letterSpacing: '.1em', colo
                    <span style={{ color: 'var(--g)', opacity: .6, fontSize: 8.5
                  </div>
                )))
              </div>
            </article>
          )))
        </div>
      </div>

      {/* Philosophy */}
      <div style={{ background: 'var(--b)', padding: '60px', display: 'grid', gri
        {philosophy.map((p, i) => (
          <div key={p.n} className="rv" style={{ padding: '0 18px', borderRight:
            <div style={{ fontFamily: 'var(--fd)', fontSize: 44, fontWeight: 300,

```

```
        <p style={{ fontFamily: 'var(--fd)', fontSize: 19, fontWeight: 400, c
        <p style={{ fontSize: 11.5, lineHeight: 1.9, color: 'rgba(240,232,224
    </div>
  )}}
</div>

  <Footer />
</>

);
}
```