In [ ]:

In [1]:
```
import pymongo

client = pymongo.MongoClient(
    "mongodb+srv://sajan:Sajan%40123@cluster0.5u8yykc.mongodb.net/?retryWrites=true
)

db = client.test
print(db.list_collection_names())
```

```
[]
```

In [ ]:

In [2]:
```
pip install pymongo #ap ise conda promt se install kar sate ho
```

```
Note: you may need to restart the kernel to use updated packages.
ERROR: Invalid requirement: '#ap': Expected package name at the start of dependency
specifier
    #ap
    ^
```

In [3]:
```
#koi bhi chi ko pip ke tru install kar sate ho jupyter lab / notbook me
```

In [4]:
```
db
```

Out[4]:
```
Database(MongoClient(host=['ac-4o1aerl-shard-00-02.5u8yykc.mongodb.net:27017', 'ac
-4o1aerl-shard-00-00.5u8yykc.mongodb.net:27017', 'ac-4o1aerl-shard-00-01.5u8yykc.m
ongodb.net:27017'], document_class=dict, tz_aware=False, connect=True, retrywrites
=True, w='majority', appname='Cluster0', authsource='admin', replicaset='atlas-jl9
oj6-shard-0', tls=True), 'test')
```

In [5]:
```
import pymongo

client = pymongo.MongoClient(
    "mongodb+srv://sajan:Sajan%40123@cluster0.5u8yykc.mongodb.net/?retryWrites=true
)
```

In [6]:
```
db = client['pwskills']
```

In [7]:
```
data = {'name':'sajan',
'class':'data science master',
 'time':'flexi'}
```

In [8]:
```
call_pwskills=db['my_record']
```

In [9]:
```
call_pwskills.insert_one(data)
#db['my_record'].insert_one(data) you can do
```

Out[9]:
```
InsertOneResult(ObjectId('68df76ae59c99a97acc129a1'), acknowledged=True)
```

In [10]:
```
data1 = {"mallL_id":"sajanku3032@gmaill.com",
         "phone_number":2003230232,
         "addr":"jharkhand"

}
```

In [11]:
```
call_pwskills.insert_one(data1)
```

Out[11]:
```
InsertOneResult(ObjectId('68df76af59c99a97acc129a2'), acknowledged=True)
```

In [12]:
```
data2 = [
    {"name": "Sajan", "age": 25},
    {"name": "Amit", "age": 22},
    {"name": "Rohit", "age": 27},
    {"name": "Neha", "age": 23},
    {"name": "Pooja", "age": 24},
    {"name": "Arjun", "age": 26},
    {"name": "Meena", "age": 21},
    {"name": "Vikram", "age": 28},
    {"name": "Kiran", "age": 23},
    {"name": "Anjali", "age": 25}
]
```

In [13]:
```
call_pwskills.insert_many(data2)
```

Out[13]:
```
InsertManyResult([ObjectId('68df76af59c99a97acc129a3'), ObjectId('68df76af59c99a97
acc129a4'), ObjectId('68df76af59c99a97acc129a5'), ObjectId('68df76af59c99a97acc129
a6'), ObjectId('68df76af59c99a97acc129a7'), ObjectId('68df76af59c99a97acc129a8'),
ObjectId('68df76af59c99a97acc129a9'), ObjectId('68df76af59c99a97acc129aa'), Object
Id('68df76af59c99a97acc129ab'), ObjectId('68df76af59c99a97acc129ac')], acknowledge
d=True)
```

In [14]:
```
data3 = {
    "id": 1,
    "name": "Sajan",
    "subjects": ["Math", "Science", "English"],
    "marks": [85, 90, 88]
}
```

In [15]:
```
call_pwskills.insert_one(data3)
```

Out[15]:
```
InsertOneResult(ObjectId('68df771c59c99a97acc129ad'), acknowledged=True)
```

In [17]:
```
companies = [
    {
        "company_name": "Tata Consultancy Services",
        "location": "Mumbai",
        "employees": 500000,
        "departments": ["IT", "HR", "Finance", "Marketing"]
    },
    {
        "company_name": "Infosys",
        "location": "Bengaluru",
        "employees": 350000,
```

```
        "departments": ["Development", "Support", "Sales"]
    },
    {
        "company_name": "Wipro",
        "location": "Hyderabad",
        "employees": 250000,
        "departments": ["Cloud", "AI", "Cybersecurity"]
    }
]
```

In [34]:
```
radam_data =[
    {'_id':'3','companyname':'saja','faculty':"xyz"},
    {'_id':'4','companyname':'saja','faculty':"abc"},
    {'_id':'5','companyname':'saja','faculty':"pqr"},
]
```

In [37]:
```
radam_data1 =[
    {'id':3,'companyname':'saja','faculty':"xyz"},
    {'id':4,'companyname':'saja','faculty':"abc"},
    {'id':5,'companyname':'saja','faculty':"pqr"},
]
```

In [ ]:
```
call_pwskills.insert_many(radam_data1)
```

In [35]:
```
call_pwskills.insert_many(radam_data)
```

Out[35]:
```
InsertManyResult(['3', '4', '5'], acknowledged=True)
```

In [19]:
```
call_pwskills.insert_many(companies)
```

Out[19]:
```
InsertManyResult([ObjectId('68df79ff59c99a97acc129ae'), ObjectId('68df79ff59c99a97
acc129af'), ObjectId('68df79ff59c99a97acc129b0')], acknowledged=True)
```

In [26]:
```
data4 = [
    {'company':'sajan', 'age':21},
    {'company':'sajan','time':54}
]
```

In [27]:
```
call_pwskills.insert_many(data4)
```

Out[27]:
```
InsertManyResult([ObjectId('68df803f59c99a97acc129b1'), ObjectId('68df803f59c99a97
acc129b2')], acknowledged=True)
```

In [20]:
```
call_pwskills.find_one()
```

Out[20]:
```
{'_id': ObjectId('68df76ae59c99a97acc129a1'),
 'name': 'sajan',
 'class': 'data science master',
 'time': 'flexi'}
```

In [40]:
```
for i in call_pwskills.find():
    print(i)
```

```
{'_id': ObjectId('68df76ae59c99a97acc129a1'), 'name': 'sajan', 'class': 'data scienc
e master', 'time': 'flexi'}
{'_id': ObjectId('68df76af59c99a97acc129a2'), 'mallL_id': 'sajanku3032@gmaill.com',
'phone_number': 2003230232, 'addr': 'jharkhand'}
{'_id': ObjectId('68df76af59c99a97acc129a3'), 'name': 'Sajan', 'age': 25}
{'_id': ObjectId('68df76af59c99a97acc129a4'), 'name': 'Amit', 'age': 22}
{'_id': ObjectId('68df76af59c99a97acc129a5'), 'name': 'Rohit', 'age': 27}
{'_id': ObjectId('68df76af59c99a97acc129a6'), 'name': 'Neha', 'age': 23}
{'_id': ObjectId('68df76af59c99a97acc129a7'), 'name': 'Pooja', 'age': 24}
{'_id': ObjectId('68df76af59c99a97acc129a8'), 'name': 'Arjun', 'age': 26}
{'_id': ObjectId('68df76af59c99a97acc129a9'), 'name': 'Meena', 'age': 21}
{'_id': ObjectId('68df76af59c99a97acc129aa'), 'name': 'Vikram', 'age': 28}
{'_id': ObjectId('68df76af59c99a97acc129ab'), 'name': 'Kiran', 'age': 23}
{'_id': ObjectId('68df76af59c99a97acc129ac'), 'name': 'Anjali', 'age': 25}
{'_id': ObjectId('68df771c59c99a97acc129ad'), 'id': 1, 'name': 'Sajan', 'subjects':
['Math', 'Science', 'English'], 'marks': [85, 90, 88]}
{'_id': ObjectId('68df79ff59c99a97acc129ae'), 'company_name': 'Tata Consultancy Serv
ices', 'location': 'Mumbai', 'employees': 500000, 'departments': ['IT', 'HR', 'Finan
ce', 'Marketing']}
{'_id': ObjectId('68df79ff59c99a97acc129af'), 'company_name': 'Infosys', 'location':
'Bengaluru', 'employees': 350000, 'departments': ['Development', 'Support', 'Sale
s']}
{'_id': ObjectId('68df79ff59c99a97acc129b0'), 'company_name': 'Wipro', 'location':
'Hyderabad', 'employees': 250000, 'departments': ['Cloud', 'AI', 'Cybersecurity']}
{'_id': ObjectId('68df803f59c99a97acc129b1'), 'company': 'sajan', 'age': 21}
{'_id': ObjectId('68df803f59c99a97acc129b2'), 'company': 'sajan', 'time': 54}
{'_id': ObjectId('68df828159c99a97acc129b3'), 'id': 3, 'companyname': 'saja', 'facul
ty': 'xyz'}
{'_id': ObjectId('68df828159c99a97acc129b4'), 'id': 4, 'companyname': 'saja', 'facul
ty': 'abc'}
{'_id': ObjectId('68df828159c99a97acc129b5'), 'id': 5, 'companyname': 'saja', 'facul
ty': 'pqr'}
{'_id': '3', 'companyname': 'saja', 'faculty': 'xyz'}
{'_id': '4', 'companyname': 'saja', 'faculty': 'abc'}
{'_id': '5', 'companyname': 'saja', 'faculty': 'pqr'}
```

In [ ]:

In [24]:
```
for i in call_pwskills.find({'name': 'Amit'}):
    print(i)
```

```
{'_id': ObjectId('68df76af59c99a97acc129a4'), 'name': 'Amit', 'age': 22}
```

In [25]:
```
for i in call_pwskills.find({'name': 'sajan'}): #do koi nahi aa kyu dono me antr ha
    print(i)
```

```
{'_id': ObjectId('68df76ae59c99a97acc129a1'), 'name': 'sajan', 'class': 'data scienc
e master', 'time': 'flexi'}
```

In [30]:
```
for i in call_pwskills.find({'company': 'sajan'}):
    print(i)
```

```
{'_id': ObjectId('68df803f59c99a97acc129b1'), 'company': 'sajan', 'age': 21}
{'_id': ObjectId('68df803f59c99a97acc129b2'), 'company': 'sajan', 'time': 54}
```

In [41]:
```
for i in call_pwskills.find({'_id':{"$gte":"4"}}): #$gte matlab hota greter than eq
    print(i)
```

```
{'_id': '4', 'companyname': 'saja', 'faculty': 'abc'}
{'_id': '5', 'companyname': 'saja', 'faculty': 'pqr'}
```

In [43]:
```
call_pwskills.update_many({'companyname': 'saja'},{"$set":{'companyname': 'pwskills
```

Out[43]:
```
UpdateResult({'n': 6, 'electionId': ObjectId('7fffffff0000000000000281'), 'opTim
e': {'ts': Timestamp(1759479589, 7), 't': 641}, 'nModified': 6, 'ok': 1.0, '$clust
erTime': {'clusterTime': Timestamp(1759479589, 7), 'signature': {'hash': b'\x14\x0
1\xb0\xb0\x05\x17\xf5\xc2C\xa7\xb0\x88\xef\xd3O\xeep\xe3,\xa2', 'keyId': 751163238
0315041793}}, 'operationTime': Timestamp(1759479589, 7), 'updatedExisting': True},
acknowledged=True)
```

In [44]:
```
for i in call_pwskills.find():
    print(i)
```

```
{'_id': ObjectId('68df76ae59c99a97acc129a1'), 'name': 'sajan', 'class': 'data scienc
e master', 'time': 'flexi'}
{'_id': ObjectId('68df76af59c99a97acc129a2'), 'mallL_id': 'sajanku3032@gmaill.com',
'phone_number': 2003230232, 'addr': 'jharkhand'}
{'_id': ObjectId('68df76af59c99a97acc129a3'), 'name': 'Sajan', 'age': 25}
{'_id': ObjectId('68df76af59c99a97acc129a4'), 'name': 'Amit', 'age': 22}
{'_id': ObjectId('68df76af59c99a97acc129a5'), 'name': 'Rohit', 'age': 27}
{'_id': ObjectId('68df76af59c99a97acc129a6'), 'name': 'Neha', 'age': 23}
{'_id': ObjectId('68df76af59c99a97acc129a7'), 'name': 'Pooja', 'age': 24}
{'_id': ObjectId('68df76af59c99a97acc129a8'), 'name': 'Arjun', 'age': 26}
{'_id': ObjectId('68df76af59c99a97acc129a9'), 'name': 'Meena', 'age': 21}
{'_id': ObjectId('68df76af59c99a97acc129aa'), 'name': 'Vikram', 'age': 28}
{'_id': ObjectId('68df76af59c99a97acc129ab'), 'name': 'Kiran', 'age': 23}
{'_id': ObjectId('68df76af59c99a97acc129ac'), 'name': 'Anjali', 'age': 25}
{'_id': ObjectId('68df771c59c99a97acc129ad'), 'id': 1, 'name': 'Sajan', 'subjects':
['Math', 'Science', 'English'], 'marks': [85, 90, 88]}
{'_id': ObjectId('68df79ff59c99a97acc129ae'), 'company_name': 'Tata Consultancy Serv
ices', 'location': 'Mumbai', 'employees': 500000, 'departments': ['IT', 'HR', 'Finan
ce', 'Marketing']}
{'_id': ObjectId('68df79ff59c99a97acc129af'), 'company_name': 'Infosys', 'location':
'Bengaluru', 'employees': 350000, 'departments': ['Development', 'Support', 'Sale
s']}
{'_id': ObjectId('68df79ff59c99a97acc129b0'), 'company_name': 'Wipro', 'location':
'Hyderabad', 'employees': 250000, 'departments': ['Cloud', 'AI', 'Cybersecurity']}
{'_id': ObjectId('68df803f59c99a97acc129b1'), 'company': 'sajan', 'age': 21}
{'_id': ObjectId('68df803f59c99a97acc129b2'), 'company': 'sajan', 'time': 54}
{'_id': ObjectId('68df828159c99a97acc129b3'), 'id': 3, 'companyname': 'pwskills', 'f
aculty': 'xyz'}
{'_id': ObjectId('68df828159c99a97acc129b4'), 'id': 4, 'companyname': 'pwskills', 'f
aculty': 'abc'}
{'_id': ObjectId('68df828159c99a97acc129b5'), 'id': 5, 'companyname': 'pwskills', 'f
aculty': 'pqr'}
{'_id': '3', 'companyname': 'pwskills', 'faculty': 'xyz'}
{'_id': '4', 'companyname': 'pwskills', 'faculty': 'abc'}
{'_id': '5', 'companyname': 'pwskills', 'faculty': 'pqr'}
```

In [ ]:

In [ ]: