In [1]:
```
pip install flask
```

```
Requirement already satisfied: flask in c:\programdata\anaconda3\lib\site-packages (3.1.0)
Requirement already satisfied: Werkzeug>=3.1 in c:\programdata\anaconda3\lib\site-packages (from flask) (3.1.3)
Requirement already satisfied: Jinja2>=3.1.2 in c:\programdata\anaconda3\lib\site-packages (from flask) (3.1.6)
Requirement already satisfied: itsdangerous>=2.2 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.2.0)
Requirement already satisfied: click>=8.1.3 in c:\programdata\anaconda3\lib\site-packages (from flask) (8.1.8)
Requirement already satisfied: blinker>=1.9 in c:\programdata\anaconda3\lib\site-packages (from flask) (1.9.0)
Requirement already satisfied: colorama in c:\programdata\anaconda3\lib\site-packages (from click>=8.1.3->flask) (0.
4.6)
Requirement already satisfied: MarkupSafe>=2.0 in c:\programdata\anaconda3\lib\site-packages (from Jinja2>=3.1.2->fla
sk) (3.0.2)
Note: you may need to restart the kernel to use updated packages.
```

In [5]:
```
from flask import Flask
app = Flask( __name__)

@app.route("/")
def hello_world():
    return "<h1> hello world <h1>"

if __name__=="__main__":
    app.run(host="0.0.0.0")
```

```
 * Serving Flask app '__main__'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instea
d.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://10.167.89.103:5000
Press CTRL+C to quit
10.167.89.103 - - [08/Oct/2025 12:20:26] "GET / HTTP/1.1" 200 -
```

In [1]:
```
from flask import Flask
app = Flask( __name__)

@app.route("/")
def hello_world():
    return "<h1> hello world! <h1>"
```

```
@app.route("/hello_world1")
def hello_world1():
    return "<h1> hello world1! <h1>"

@app.route("/ hello_world2")
def hello_world2():
    return "<h1> hello world2! <h1>"

@app.route("/sajan")
def test():
    a = 5+6
    return f"this is my function to run app {a}"


if __name__=="__main__":
    app.run(host="0.0.0.0")
```

```
 * Serving Flask app '__main__'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instea
d.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://10.167.89.103:5000
Press CTRL+C to quit
10.167.89.103 - - [08/Oct/2025 13:28:38] "GET / HTTP/1.1" 200 -
10.167.89.103 - - [08/Oct/2025 13:28:38] "GET /favicon.ico HTTP/1.1" 404 -
```

In [ ]:

```
from flask import Flask
from flask import request

app = Flask( __name__)

@app.route("/")
def hello_world():
    return "<h1> hello world! <h1>"

@app.route("/hello_world1")
def hello_world1():
    return "<h1> hello world1! <h1>"

@app.route("/ hello_world2")
```

```python
def hello_world2():
    return "<h1> hello world2! <h1>"

@app.route("/sajan")
def test():
    a = 5+6
    return f"this is my function to run app {a}"

@app.route("/test2/test2")
def test2():
    data = request.args.get('x')
    return f"this is a input from my url{data}"


if __name__=="__main__":
    app.run(host="0.0.0.0")
```

```
 * Serving Flask app '__main__'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instea
d.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://10.167.89.103:5000
Press CTRL+C to quit
10.167.89.103 - - [08/Oct/2025 13:54:36] "GET / HTTP/1.1" 200 -
10.167.89.103 - - [08/Oct/2025 13:55:08] "GET / HTTP/1.1" 200 -
10.167.89.103 - - [08/Oct/2025 13:55:14] "GET /test2/test2 HTTP/1.1" 200 -
```