Products, Customer Operations & Support Playbook

Product facts, service commitments, escalation paths, and troubleshooting

Document ID	05_PRODUCTS_CUSTOMERS_AND_SUPPORT_PLAYBOOK
Version	2.7
Effective date	20 October 2026
Document owner	Customer Reliability
Classification	Internal – Fictional training content

Purpose

This controlled document contains invented company-specific facts, rules, limits, names, and procedures. It is designed to be ingested into a Retrieval-Augmented Generation (RAG) system so that answers can be grounded in source documents rather than model assumptions.

1. Product capabilities

Orbit: Workflow orchestration. Supports configurable approval chains, task assignment, SLA timers, and webhook-based integrations. Does not provide native payroll processing.

Beacon: Analytics and operational forecasting. Standard refresh interval is 15 minutes; Enterprise customers may configure a 5-minute refresh for eligible data sources.

Relay: iOS and Android field application. Offline task updates are queued locally and synchronised when connectivity returns. Photo attachments are limited to 15 MB each.

Control Room: Administrative console for user provisioning, audit exports, integration settings, and workspace configuration. It does not expose raw database credentials.

2. Service availability commitments

• Orbit and Control Room Enterprise tier target 99.9% monthly availability, excluding scheduled maintenance and force majeure events.

• Beacon Standard tier target is 99.5% monthly availability. Beacon Enterprise target is 99.9%.

• Relay mobile sync is measured separately: 99.0% successful sync completion within 10 minutes after connectivity is restored, measured monthly.

• Scheduled maintenance is normally performed on Sundays from 01:00 to 03:00 IST. Customers receive at least 72 hours' notice for planned maintenance expected to exceed 30 minutes.

• Availability commitments are contractual service targets, not guarantees that every feature or integration is continuously available.

3. Support hours and response targets

P1 Critical: Production service unavailable for multiple customer sites, or confirmed active data exposure. 24x7 coverage; initial response within 15 minutes.

P2 High: Major function unavailable with no reasonable workaround, affecting a single customer or region. 24x7 coverage; initial response within 1 hour.

P3 Normal: Limited functionality issue with a workaround, or a non-urgent defect. Business days 08:00–18:00 IST; initial response within 8 business hours.

P4 Request: How-to question, access request, or cosmetic issue. Business days 08:00–18:00 IST; initial response within 2 business days.

• Response time means acknowledgement and ownership, not resolution. Resolution estimates must not be promised before engineering triage.

4. Incident escalation

• Any suspected customer data exposure is immediately escalated to Security and the incident commander, regardless of apparent customer impact.

• Customer Reliability owns customer communications. Engineers provide verified technical facts but must not send independent customer status updates.

• For a P1 incident, the incident commander posts an internal update every 30 minutes and Customer Reliability updates affected customers at least every 60 minutes.

• For a P2 incident, internal updates are posted every 60 minutes and customer updates at least every 2 hours.

• Only the incident commander may downgrade severity. The downgrade rationale must be recorded in the incident ticket.

5. Relay offline sync troubleshooting

• Step 1: Confirm the user is signed into the correct customer tenant and workspace.

• Step 2: Confirm the device has connectivity and the app is permitted to use cellular data or Wi-Fi.

• Step 3: Check the Relay sync queue timestamp. A queued item older than 30 minutes after connectivity returns should be escalated as a P2 if multiple users are affected, otherwise P3.

• Step 4: Ask the user to keep the app open for up to 2 minutes and retry sync once. Do not ask the user to uninstall the app before checking whether unsynchronised local work exists.

• Step 5: Capture app version, OS version, workspace ID, task ID, timestamp with timezone, and a redacted diagnostic bundle.

• Never request a user's password, MFA code, or unredacted customer personal data in a support ticket.

6. Beacon data freshness troubleshooting

• Standard tier dashboards refresh every 15 minutes. A delay of up to 20 minutes can occur during normal ingestion.

• Enterprise 5-minute refresh is available only for supported connectors and must be enabled by the Data Platform team.

• If data is more than 30 minutes stale, check connector health and the last successful ingestion timestamp before escalating.

• Do not tell a Standard customer that 5-minute refresh is included by default.

7. Customer onboarding and change control

• New customer onboarding requires a signed order form, named customer administrator, tenant region, data-processing contact, and approved integration list.

• Production integrations require a change ticket and a rollback plan. Changes with customer-visible impact must be scheduled in the customer's approved maintenance window.

• Customer administrators may manage users within their own tenant. Asterion employees must not create customer users without a documented customer request.

• Sandbox workspaces are not production environments and must not contain live personal data.

8. Known limitations and product boundaries

• Orbit does not execute payroll, tax filing, or bank transfers.

• Beacon forecasting is advisory and does not guarantee demand, delivery, or revenue outcomes.

• Relay does not guarantee immediate sync while offline. Users should retain the device until the queue shows successful synchronisation.

• Control Room audit exports are available for 90 days in the standard interface. Longer retention requires an approved compliance export request.

• Custom integrations are not included in the standard support plan unless listed in the customer's order form.

9. Routing guide

Billing, invoice, or credit note: Finance Operations via finance-ops@asterion-works.example.

Login, MFA, or employee device: IT service desk via helpdesk@asterion-works.example.

Customer login or tenant access: Customer Reliability; verify the customer administrator and tenant before changing access.

Suspected security or privacy incident: security@asterion-works.example immediately; do not wait for normal support triage.

Feature request: Product feedback queue, with customer impact, workflow, and requested outcome.

Contractual SLA or service credit: Customer Reliability and Legal; do not calculate or promise credits from this playbook alone.

10. Customer communication rules

• Use plain language and distinguish confirmed facts from hypotheses.

• Never promise a resolution time unless the engineering owner has provided an approved estimate.

• Do not disclose another customer's name, tenant details, incident status, or configuration.

• Postmortems are shared externally only after Legal and Customer Reliability approval.

• These examples and commitments are fictional training data and do not describe a real company.

End of document — Questions should be routed to the document owner listed above. If the answer is not stated here or in another applicable controlled document, say that the knowledge base does not specify it.