HTTP					
Method	URL Path	Statu	Description	Request	Response
!		S			
CET.	/auti/Dantaus	code	Cot All Deaters		
GET	/api/Doctors	200 (ok)	Get All Doctors	http://localhost:9090/api/Doctors	<pre>"doctors_id": 1,     "doctors_name": "obada",     "doctors_mobile": "0599128308"     "doctors_address": "baqa" },  {     "doctors_id": 2,     "doctors_name": "sajed",     "doctors_mobile": "05987565",     "doctors_address": "nablus" },  {     "doctors_id": 3,     "doctors_id": 3,     "doctors_name": "maher",     "doctors_name": "maher",     "doctors_address": "ramllah"</pre>
					]
GET	/api/Doctors/{id}	200 (Ok)	Get doctor by id	http://localhost:9090/api/Doctors/1	<pre>"doctors_id": 1,    "doctors_name": "obada",    "doctors_mobile": "0599128308",    "doctors_address": "baqa" }</pre>
POST	/api/Doctors	201 (Crea ted)	Create new doctor	<pre>http://localhost:9090/api/Doctors {    "doctors_name": "khaled",    "doctors_mobile": "0599128 387",    "doctors_address":    "Birzeit" }</pre>	<pre>"doctors_id": 4,    "doctors_name": "khaled",    "doctors_mobile": "0599128387",    "doctors_address": "Birzeit" }</pre>

PUT	/api/Doctors/{id}	200 (Ok)	Update existing doctor with id	<pre>http://localhost:9090/api/Doctors/1 {     "doctors_id": 1,     "doctors_name": "AbdAlka reem",     "doctors_mobile": "05991 28387",     "doctors_address": "Birz eit" }</pre>	<pre>"doctors_id": 1,    "doctors_name": "AbdAlkareem",    "doctors_mobile": "0599128387",    "doctors_address": "Birzeit" }</pre>
DELETE	/api/Doctors/{id}	200 (OK)	Delete doctor by id	http://localhost:9090/api/Doctors/3	Deleted successfully.
GET	/api/Drugs	200 (ok)	Get All Drugs	http://localhost:9090/api/Drugs	<pre>[</pre>

					"report_id": 3 } ]
GET	/api/Drugs/{id}	200 (ok)	Get Drugs by id	http://localhost:9090/api/Drugs/1	<pre>"drug_id": 1,    "drug_name": "Alcohol",    "price": 20,    "drug_description": "",    "drug_company": "AbbVie",    "report_id": 1 }</pre>
Post	/api/Drugs	201 (Crea ted)	Create new Drugs	<pre>http://localhost:9090/api/Drugs {     "drug_name": "GHB",     "price": 80,     "drug_description": "",     "drug_company": "Genen tech",     "report_id": 2 }</pre>	<pre>"drug_id": 4,    "drug_name": "GHB",    "price": 80,    "drug_description": "",    "drug_company": "Genentech",    "report_id": 2 }</pre>
PUT	/api/Drugs/{id}	200 (ok)	Update existing Drugs with id	http://localhost:9090/api/Drugs/1 {        "drug_id": 1,        "drug_name": "Hallucin       ogens",        "price": 20,        "drug_description": "",        "drug_company": "AbbVi e",       "report_id": 1 }	<pre>"drug_id": 1,    "drug_name": "Hallucinogens",    "price": 20,    "drug_description": "",    "drug_company": "AbbVie",    "report_id": 1 }</pre>
DELETE	/api/Drugs/{id}	200 (ok)	delete drugs by id	http://localhost:9090/api/Drugs/3	Deleted successfully.

GET	/api/Patient	200 ok	Get All patient	http://localhost:9090/api/Patient	<pre>[</pre>
GET	/api/Patient/{id}	200 ok	Get patient by id	http://localhost:9090/api/Patient/1	<pre>{     "patient_id": 1,     "patient_name": "sami",     "patient_mobile": "059912846",     "patient_address": "nablus" }</pre>
POST	/api/Patient	201 (Crea ted)	Create new patient	<pre>http://localhost:9090/api/Patient {         "patient_name": "tariq ",         "patient_mobile": "059 912999",         "patient_address": "ba qa" }</pre>	<pre>"patient_id": 4,     "patient_name": "tariq",     "patient_mobile": "059912999",     "patient_address": "baqa" }</pre>

		1			
PUT	/api/Patient/{id}	200 ok	Update patient With id	<pre>http://localhost:9090/api/Patient/1 {         "patient_id": 1,         "patient_name": "hamza ",         "patient_mobile": "888 8888",         "patient_address": "ha ja" }</pre>	<pre>"patient_id": 1,     "patient_name": "hamza",     "patient_mobile": "8888888",     "patient_address": "haja" }</pre>
Delete	/api/Patient/{id}	200 ok	Delete patient by id	http://localhost:9090/api/Patient/3	Deleted successfully.
GET	/api/Report	200 ok	Get All Report	http://localhost:9090/api/Report	<pre>[     "report_id": 1,     "report_name": "web1",     "patient_id": 1,     "doctors_id": 1,     "report_id": 2,     "report_name": "web2",     "patient_id": 2,     "doctors_id": 2,     "drugs_id": 2 },  {     "report_id": 3,     "report_name": "web3",     "patient_id": 3,     "report_name": "web3",     "patient_id": 3,     "doctors_id": 3,     "doctors_id": 3,     "doctors_id": 3,     "drugs_id": 3 } </pre>

GET	/api/Report/{id}	200 ok	Get report by id	http://localhost:9090/api/Report/1	<pre>"report_id": 1,     "report_name": "web1",     "patient_id": 1,     "doctors_id": 1,     "drugs_id": 1 }</pre>
POST	/api/Report	201 (Crea ted)	Create new report	<pre>http://localhost:9090/api/Report {     "report_name": "web4",     "patient_id": 3,     "doctors_id": 3,     "drugs_id": 3 }</pre>	<pre>"report_id": 4,     "report_name": "web4",     "patient_id": 3,     "doctors_id": 3,     "drugs_id": 3 }</pre>
PUT	/api/Report/{id}	200 ok	Update existing report with id	<pre>http://localhost:9090/api/Report/1 {     "report_id": 1,     "report_name": "web5",     "patient_id": 1,     "doctors_id": 1,     "drugs_id": 1 }</pre>	<pre>"report_id": 1,     "report_name": "web5",     "patient_id": 1,     "doctors_id": 1,     "drugs_id": 1 }</pre>
DELETE	/api/Report/{id}	200 ok	Delete report by id	http://localhost:9090/api/Report/3	Deleted successfully.