


CSE370 : Database Systems

Assignment 01/02/03 | Spring 2026



ID : 23201376 | Name : Mir Mohammad Sajedul Islam

No 1 Query (as Plain Text)	<pre>SELECT c.customer_name, b.loan_number FROM customer c JOIN borrower b ON c.customer_id = b.customer_id JOIN loan l ON b.loan_number = l.loan_number WHERE l.branch_name = 'Downtown';</pre>
No 1 SS (of Query & Output in Shell)	 <pre>+-----+-----+ customer_name loan_number +-----+-----+ Johnson L-14 Jones L-17 Williams L-17 +-----+-----+ 3 rows in set (0.021 sec)</pre>
No 2 Query (as Plain Text)	<pre>SELECT c.customer_name FROM customer c JOIN borrower b ON c.customer_id = b.customer_id GROUP BY c.customer_name;</pre>

No 2 SS (of Query & Output in Shell)	<pre> +-----+ customer_name +-----+ Adams Curry Hayes Johnson Jones Smith Williams +-----+ 7 rows in set (0.040 sec) </pre>
No 3 Query (as Plain Text)	SELECT customer_name FROM customer WHERE customer_id NOT IN (SELECT customer_id FROM borrower);
No 3 SS (of Query & Output in Shell)	<pre> +-----+ customer_name +-----+ Lindsay Turner Glenn Brooks Green +-----+ 5 rows in set (0.023 sec) </pre>
No 4 Query (as Plain Text)	SELECT a.customer_name AS Customer1, b.customer_name AS Customer2, a.customer_city AS City FROM customer a, customer b WHERE a.customer_city = b.customer_city AND a.customer_id < b.customer_id;

No 4 SS (of Query & Output in Shell)	<pre> +-----+-----+-----+ Customer1 Customer2 City +-----+-----+-----+ Jones Hayes Harrison Smith Curry Rye Lindsay Adams Pittsfield Turner Green Stamford +-----+-----+-----+ 4 rows in set (0.017 sec) </pre>
No 5 Query (as Plain Text)	SELECT branch_name, ROUND(SUM(balance * 0.04), 2) AS Total_Interest FROM account GROUP BY branch_name;
No 5 SS (of Query & Output in Shell)	<pre> +-----+-----+ branch_name Total_Interest +-----+-----+ Brighton 66.00 Downtown 20.00 Mianus 28.00 Perryridge 16.00 Redwood 28.00 Round Hill 14.00 +-----+-----+ 6 rows in set (0.017 sec) </pre>
No 6 Query (as Plain Text)	SELECT a.account_number FROM account a JOIN branch b ON a.branch_name = b.branch_name WHERE (b.branch_city, a.balance) IN (SELECT b2.branch_city, MAX(a2.balance) FROM account a2

	JOIN branch b2 ON a2.branch_name = b2.branch_name GROUP BY b2.branch_city);
No 6 SS (of Query & Output in Shell)	<pre> +-----+ account_number +-----+ A-201 A-215 A-222 +-----+ 3 rows in set (0.021 sec) </pre>
No 7 Query (as Plain Text)	SELECT b.loan_number, l.amount, c.customer_name FROM borrower b JOIN loan l ON b.loan_number = l.loan_number JOIN customer c ON b.customer_id = c.customer_id ORDER BY l.amount ASC, b.loan_number DESC LIMIT 5;
No 7 SS (of Query & Output in Shell)	<pre> +-----+-----+-----+ loan_number amount customer_name +-----+-----+-----+ L-93 500 Curry L-11 900 Smith L-17 1000 Jones L-17 1000 Williams L-16 1300 Adams +-----+-----+-----+ 5 rows in set (0.004 sec) </pre>
No 8 Query (as Plain Text)	SELECT c.customer_name FROM customer c WHERE EXISTS (SELECT 1 FROM depositor d

	JOIN account a ON d.account_number = a.account_number WHERE d.customer_id = c.customer_id AND a.branch_name = 'Perryridge') AND EXISTS (SELECT 1 FROM borrower b JOIN loan l ON b.loan_number = l.loan_number WHERE b.customer_id = c.customer_id AND l.branch_name = 'Perryridge');
No 8 SS (of Query & Output in Shell)	 <pre> +-----+ customer_name +-----+ Hayes +-----+ 1 row in set (0.029 sec) </pre>
No 9 Query (as Plain Text)	SELECT c.customer_name, SUM(l.amount) AS total_loan FROM customer c JOIN borrower b1 ON c.customer_id = b1.customer_id JOIN borrower b2 ON c.customer_id = b2.customer_id AND b1.loan_number <> b2.loan_number JOIN loan l ON b1.loan_number = l.loan_number GROUP BY c.customer_id, c.customer_name;
No 9 SS (of Query & Output in Shell)	 <pre> -- GROUP BY c.customer_id, c +-----+-----+ customer_name total_loan +-----+-----+ Smith 2900 +-----+-----+ 1 row in set (0.021 sec) </pre>
No 10 Query (as Plain Text)	SELECT d1.customer_id, SUM(a.balance) AS total_balance FROM depositor d1 JOIN depositor d2 ON d1.customer_id = d2.customer_id AND d1.account_number <> d2.account_number

	JOIN account a ON d1.account_number = a.account_number GROUP BY d1.customer_id;
No 10 SS (of Query & Output in Shell)	<pre>+-----+-----+ customer_id total_balance +-----+-----+ C-226 1400 +-----+-----+ 1 row in set (0.006 sec)</pre>