



Positions in CSS

Assignment

01. Create a simple webpage as shown in the below image.

- The webpage must be in dark mode
- The webpage must have a sidebar to the left with navigation Links
- The output must be achieved using the CSS flat property and no CSS position property except flat must be used.

```
• <!DOCTYPE html>
• <html lang="en">
• <head>
•     <meta charset="UTF-8">
•     <meta name="viewport" content="width=device-width, initial-scale=1.0">
•     <title>Document</title>
•     <style>
•         body {
•             background-color: black;
•         }
• 
```

```
nav {  
    background-color: rgba(127, 255, 212, 0.77);  
    width: 150px;  
    height: 680px;  
    float: left;  
    margin: 0px;  
    padding: 0px;  
}
```

```
nav>img {  
    width: 100%;  
    background-color: rgb(104, 104, 189);  
}
```

```
nav>a {  
    text-decoration: none;  
    font-size: 17px;  
    display: block;  
    padding: 10px 25px;  
    border: 1px dotted black;  
}
```

```
• section {
•     margin: 0px 25px 0px 200px;
•     color: aliceblue;
• }
•
• section>h1 {
•     text-align: center;
•     color: blueviolet;
•     font-size: 30px;
• }
•
• p {
•     line-height: 25px;
•     font-size: 25px;
• }
•
• .image>img {
•     width: 500px;
• }
•
• </style>
• </head>
```

•

- <body>
- <nav>
-
- Home
- About
- Blog
- Course
- PW Skills Lab
- Job Portal
- Experience Portal
- Hall Of Fame
- Become an Affiliate
- FAQs
- Contact
- Login
- </nav>

- `<p>`
- PW Skills' mission is to permeate through every student/professional's outlook towards jobs and change their attitude and perspective from “How Can I Do It?” to “Of Course I Can Do It”. We aim to do this by providing exceptional upskilling courses at

affordable rates, while being tech-forward so anyone, anywhere can access and improve their ability to be successful in life.
- `</p>`
- `</section>`
- `</body>`
- `</html>`

Q-02. Create a simple webpage as shown in the below image ?.

- The webpage must contain a content section and image
- The content section with a heading, paragraph, and button must be aligned to the left and the image must be aligned to the right of the webpage .
- The output must be achieved using the CSS float property and a CSS position property except float must be used.

- **Ans-** `<!DOCTYPE html>`
- `<html lang="en">`
- `<head>`
- `<meta charset="UTF-8">`
- `<meta name="viewport" content="width=device-width, initial-scale=1.0">`
- `<title>Document</title>`
- `<style>`

- `body {`
- `background-color: black;`
- `}`
- `section {`
- `width: 50%;`
- `float: left;`
- `color: aliceblue;`
- `margin-top: 150px;`
- `margin-left: 50px;`
- `}`
- `section>h1 {`
- `font-size: 60px;`
- `margin: 0px;`
- `}`
- `section>p {`
- `font-size: 20px;`
- `}`

```
img {  
  • width: 500px;  
  • float: right;  
  • margin-top: 150px;  
  • }  
  • button {  
  • background-color: blueviolet;  
  • padding: 10px 25px;  
  • margin-top: 20px;  
  • color: aliceblue;  
  • border-radius: 5px;  
  • border: 0px;  
  • font-size: 10px;  
  • }  
  • </style>  
  • </head>
```

- `<body>`
- `<section>`
- `<h1>PW Skills Hall of Fame</h1>`
- `<p>`
- `We are proud of our achievers to have proved their`
`success through hard-work and dedication which has enabled them to`
`make their dreams come true. You too can be part of the PW Skills`
`achiever group only if you stay consistent and be determined.`
- `</p>`
- `<button>Share your Story</button>`
- `</section>`
- ``
- `</body>`
- `</html>`

○Q-03. Create a simple webpage as shown in the Below image ?.

- The webpage must contain a car with some images and text
- The card contains two columns below. Use CSS flat property to achieve the outcome. No table must be used.

- Ans- <!DOCTYPE html>

- <html lang="en">

- <head>

- <meta charset="UTF-8">

- <meta name="viewport" content="width=device-width, initial-scale=1.0">

- <title>Document</title>

- <style>

- .main {

- width: 300px;

- height: 620px;

- background-color: #f8f9fa;

- border: 1px solid black;

- padding: 5px;

- font-family: Verdana, Geneva, Tahoma, sans-serif;

- }

-

- `.left-text {`
- `font-size: 12px;`
- `font-weight: bold;`
- `color: #4966cc;`
- `}`
-
- `.right-text {`
- `font-size: 12px;`
- `}`
- `</style>`
- `</head>`
- `<body>`
- `<section class="main">`
- `<div class="logo">`
- `<img`
`src="https://upload.wikimedia.org/wikipedia/commons/thumb/6/61/HTML5_logo_and_w`
`ordmark.svg/240px-HTML5_logo_and_wordmark.svg.png" alt="HTML Logo">`
- `</div>`
- `<p class="title">The official logo of the latest version, HTML5.</p>`

- `<section class="section-1">`
- `<p class="left-text">Filename extension</p>`
- `<p class="left-text">Internet media type</p>`
- `<p class="left-text">Type code</p>`
- `<p class="left-text">Uniform Type Identifier (UTI)</p>`
- `<p class="left-text">Developed by</p>`
- `<p class="left-text">Initial release</p>`
- `<p class="left-text">Latest release</p>`
- `<p class="left-text">Type of format</p>`
- `<p class="left-text">Container for</p>`
- `<p class="left-text">Contained by</p>`
- `<p class="left-text">Extended from</p>`
- `<p class="left-text">Extended to</p>`
- `<p class="left-text">Open format?</p>`
- `<p class="left-text">Website</p>`
- `</section>`

- `<section class="section-2">`
- `<p class="right-text">.html</p>`
- `<p class="right-text">.htm</p>`
- `<p class="right-text" style="margin-top: 18px">text/HTML</p>`
- `<p class="right-text">text/HTML</p>`
- `<p class="right-text">public.html</p>`
- `<p class="right-text" style="margin-top: 28px">WHATWG</p>`
- `<p class="right-text">1993; 30 years ago</p>`
- `<p class="right-text">HTML5</p>`
- `<p class="right-text">Document</p>`
- `<p class="right-text">HTML elements</p>`
- `<p class="right-text">Web browser</p>`
- `<p class="right-text">SGML</p>`
- `<p class="right-text">XHTML</p>`
- `<p class="right-text">Yes</p>`
- `<p class="right-text">html.spec.whatwg.org</p>`
- `</section>`
- `</section>`
- `</body>`
- `</html>`

Q-04 Create a simple course detail page as shown in the Below image ?.

- The course offer banner must always be at the top even if the user scrolls down the page
- Add the course name, thumbnail, and some information about the course until the webpage is scroll enable.

Ans- <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

<style>

body {

background-color: rgba(0, 0, 0, 0.758);

color: aliceblue;

padding: 0px 150px;

}

```
•   .course {  
•       width: 100%;  
•       height: 50px;  
•       background-color: brown;  
•       text-align: center;  
•       padding: 2px;  
•       top: 10px;  
•       position: sticky;  
•   }  
•   .name {  
•       text-align: center;  
•       color: rgba(210, 105, 30, 0.76);  
•       margin-top: 20px;  
•   }  
•   section>img {  
•       width: 400px;  
•       margin-left: 400px;  
•   }  
•   </style>  
•   </head>
```

- `<body>`
- `<section class="course">`
- `<h3 style="text-align: center;">Buy This Course Today @ Rs. 3500 /-</h3>`
- `</section>`
- `<h1 class="name">Full Stack web development 2.0</h1>`
- `<section>`
- `<img`
- `src="https://cdn.pwskills.com/assets/uploads/thumbnails/64215310af09d6aa495682f5.jpg" alt="Course Thumbnail">`
- `</section>`
- `<section>`
- `<p>`
- `Learn complete web stack programming with React and Node by doing it`
- `the way a full-stack professional would do it. Learn how to create whole web apps`
- `from start to finish with one of the most trending tech stacks available. You can`
- `learn how to create data-driven applications, as well as how to test, protect, and`
- `deploy your code, in this thorough study path. MERN stack is one of the most`
- `versatile tech stacks available. Learn front-end and server-side support, to build`
- `a multi-platform solution.`
- `</p>`

- `<h1 class="name" style="font-size: 30px;">Course Details</h1>`
- `<p>`
- Lorem ipsum dolor sit amet consectetur adipisicing elit. Aspern mollitia eveniet, modi minus incidunt ex sunt ut nisi, praesentium minima, quisquam fuga laborum exercitationem cupiditate voluptatem quos dignissimos commodi aliquid alias eum saepe. corrupti voluptates earum voluptate possimus nesciunt expedita vitae nostrum error quis, totam incidunt debitis, iure praesentium similique nisi repellendus. Illum exercitationem perferendis quibusdam, modi minus cupiditate quam itaque facere eveniet amet a nesciunt. Perferendis ratione est dolor minus reiciendis molestiae obcaecati autem corrupti voluptate quo ad iste ab, commodi in voluptatum fuga pariatur minima ea reprehenderit qui cumque. Sequi doloribus aspernatur obcaecati quod sapiente natus corporis quibusdam in, dignissimos ab numquam consequatur, accusamus ducimus eius voluptatibus sunt voluptas iste iusto nemo accusantium maiores voluptate. Magnam quia reprehenderit molestiae vero nulla. Laborum
- `</p>`
- `</section>`
- `</body>`
- `</html>`

• Q-05 Create a button as shown in the below image ?.

- `<!DOCTYPE html>`
- `<html lang="en">`
- `<head>`
- `<meta charset="UTF-8">`
- `<meta name="viewport" content="width=, initial-scale=1.0">`
- `<title>Document</title>`
- `<style>`
- `.button {`
- `width: 120px;`
- `height: 50px;`
- `background-color: rgba(165, 42, 42, 0.8);`
- `margin-top: 200px;`
- `margin-left: 600px;`
- `border-radius: 5%;`
- `}`

- `button>p {`
- `text-align: center;`
- `}`
- `button>span {`
- `background-color: black;`
- `font-size: 20px;`
- `color: aliceblue;`
- `border-radius: 5px;`
- `position: relative;`
- `top: -50px;`
- `left: 65px;`
- `}`
- `</style>`
- `</head>`
- `<body>`
- `<button class="button" style="text-align: center;">`
- `<p >Buy Now </p>`
- `15% off`
- `</button>`
- `</body>`
- `</html>`

Q-06. Create a simple webpage as shown in the image below ?.

- The webpage must be similar to what we have done in assignment 01.
- Add a chatbot image at the bottom right end of the webpage
- The chatbot should be in the same position all the time.

Ans- `<!DOCTYPE html>`

`<html lang="en">`

`<head>`

`<meta charset="UTF-8">`

`<meta name="viewport" content="width=, initial-scale=1.0">`

`<title>Document</title>`

`<style>`

`body {`

`background-color: #5204049e;`

`}`

```
• nav {  
•     background-color: #056532b6;  
•     width: 150px;  
•     min-height: 100vh;  
•     float: left;  
•     margin-top: 0;  
•     padding-top: 0;  
• }  
• nav>img {  
•     width: 100%;  
•     background-color: #a574d3c1;  
• }  
• a {  
•     color: #fff;  
•     text-decoration: none;  
•     display: block;  
•     padding: 10px 25px;  
•     border-bottom: 1px dashed black;  
• }
```



```
• a {  
•     color: #fff;  
•     text-decoration: none;  
•     display: block;  
•     padding: 10px 25px;  
•     border-bottom: 1px dashed black;  
•  
• }  
• section {  
•     margin: 0px 50px 0px 200px;  
•     color: aliceblue;  
•  
• }  
• section>h1 {  
•     text-align: center;  
•     color: #5a4bda;  
•     font-size: 35px;  
•  
• }  
• .image>img {  
•     width: 500px;  
•  
• }  
•  
• p {  
•     line-height: 25px;  
•  
• }
```

- `.image {`
- `text-align: center;`
- `}`
- `.chatbot {`
- `width: 60px;`
- `position: fixed;`
- `bottom: 0;`
- `right: 0;`
- `margin-right: 10px;`
- `}`
- `</style>`
- `</head>`
- `<body>`
- `<nav>`
- ``
- `Home`
- `About`

- `Blog`
- `Course`
- `PW Skills Lab`
- `Job Portal`
- `Experience Portal`
- `Hall Of Fame`
- `Become an Affiliate`
- `FAQs`
- `Contact`
- `Login`
- `</nav>`
- `section>`
- `<h1>PW Skills</h1>`
- `<p>`
- `PW Skills is the result of a continual effort to exponentially increase the employability of every Indian, irrespective of their socioeconomic status. With accessibility and affordability being the support structure of high-quality, industry-relevant`
- `</p>`

- Q-07. Create a simple Pokemoon game as shown in the image below ?.

- `<!DOCTYPE html>`
- `<html lang="en">`
- `<head>`
- `<meta charset="UTF-8">`
- `<meta name="viewport" content="width=device-width, initial-scale=1.0">`
- `<title>Document</title>`
- `<style>`
- `body {`
- `position: relative;`
- `text-align: center;`
- `}`
- `.card {`
- `position: absolute;`
- `width: 200px;`
- `height: 300px;`
- `background-color: #f1f1f1;`
- `border: 1px solid #ccc;`
- `border-radius: 5px;`
- `margin: 10px;`
- `padding: 10px;`
- `border: 2px solid black;`
- `text-align: center;`
- `}`

```
•   .card:hover {  
•       z-index: 2;  
•   }  
•   .card-1 {  
•       background-color: #1b98f5;  
•   }  
•   .card-2 {  
•       margin-top: 80px;  
•       background-color: #1faa59;  
•       margin-left: 40px;  
•   }  
•   .card-3 {  
•       position: absolute;  
•       margin-top: 150px;  
•       background-color: #f7cd2e;  
•       margin-left: 70px;  
•   }  
•   img {  
•       width: 150px;  
•       height: 200px;  
•       background-color: #1f1f1f;  
•   }  
•   </style>  
• </head>
```


Q-08. Study about the webpage modals and build a simple modal as shown image below ?.

Ans- <!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

<style>

.modal {

background-color: aliceblue;

width: 700px;

height: 400px;

margin: auto;

border: 0px;

border-radius: 5px;

padding: 10px;

position: absolute;

top: 20px;

left: 30%;

}


```
h3 {  
    color: black;  
    text-align: center;  
    font-size: 25px;  
}  
.input-01 {  
    width: 99%;  
    height: 40px;  
    margin-bottom: 20px;  
    border: 1px solid black;  
    border-top: none;  
    border-left: none;  
    border-right: none;  
}  
.input-02 {  
    width: 48.5%;  
    height: 40px;  
    border: 1px solid black;  
    border-top: none;  
    border-left: none;  
    border-right: none;  
}
```

```
.input-03 {  
    width: 99%;  
    height: 150px;  
    border: 1px solid black;  
    border-top: none;  
    border-left: none;  
    border-right: none;  
}  
button {  
    background-color: rgb(13, 13, 125);  
    font-size: 20px;  
    border-radius: 5px;  
    color: aliceblue;  
}  
</style>  
</head>  
<body>
```

```
<section style="background-color:rgba(0, 0, 0, 0.816); color: aliceblue;">
```

```
<h1 style="color: rgb(154, 93, 154);">Full Stack web development 2.0</h1>
```

```
<p>
```

Learn complete web stack programming with React and Node by doing it the way a full-stack professional would do it. Learn how to create whole web apps from start to finish with one of the most trending tech stacks available. You can learn how to create

data-driven applications, as well as how to test, protect, and deploy your code, in this thorough study path. MERN stack is one of the most versatile tech stacks available. Learn front-end and server-side support, to build a multi-platform

solution.

```
</p>
```

```
<h2 style="color: rgb(154, 93, 154);">Course Details</h2>
```

```
<p>
```

Lorem ipsum dolor sit amet consectetur adipisicing elit. Aspernatur ea mollitia eveniet, modi minus incidunt ex sunt ut nisi, praesentium minima, quisquam fuga laborum exercitationem cupiditate voluptatem quos dignissimos commodi aliquid alias eum saepe.

Eum corrupti voluptates earum voluptate possimus nesciunt expedita vitae nostrum error quis, totam incidunt debitis, iure praesentium similique nisi repellendus. Illum exercitationem perferendis quibusdam, modi minus cupiditate quam itaque

facere eveniet amet a nesciunt. Perferendis ratione est dolor minus reiciendis molestiae obcaecati autem corrupti voluptate quo ad iste ab, commodi in voluptatum fuga pariatur minima ea reprehenderit qui cumque. Sequi doloribus aspernatur

obcaecati quod sapiente natus corporis quibusdam in, dignissimos ab numquam consequatur, accusamus ducimus eius voluptatibus sunt voluptas iste iusto nemo accusantium maiores voluptate. Magnam quia reprehenderit molestiae vero nulla. Laborum </p>

```
</section>
  <section class="modal">
    <h3>Want A Free Consultation?</h3>
    <hr>
    <div><input type="text" class="input-01" placeholder="Full Name"></div>
    <div>
      <input type="email" class="input-02" placeholder="Email">
      <input type="number" class="input-02" placeholder="Contact Number">
    </div>
    <div>
      <textarea class="input-03" cols="30" rows="10"
placeholder="Message"></textarea>
    </div>
    <div>
      <button>Send Message</button>
    </div>
  </section>
</body>
</html>
```

Q-09. Design a customized dropdown menu as shown in the below image

- Initially, there should be a message displayed saying “Hover to show the dropdown” you can use the span tag or button tag to achieve this
- Once hovering the dropdown menu should be visible and there should be a horizontal scroll to view all the options

you can achieve this by using the max-height property to restrict the height of the dropdown and the overflow property to get the vertical scroll bar to navigate between items

Ans- `<html lang="en">`

`<head>`

`<meta charset="UTF-8">`

`<meta http-equiv="X-UA-Compatible" content="IE=edge">`

`<meta name="viewport" content="width=device-width, initial-scale=1.0">`

`<title>Scrollable Dropdown</title>`

`<style>`

```
.dropdown {  
    position: relative;  
    top: 10px;  
    display: inline-block;  
}  
.dropdown-content {  
    display: none;  
    position: absolute;  
    background-color: #f9f9f9;  
    border: 1px solid #ddd;  
    max-height: 150px;  
    overflow-y: scroll;  
    width: 200px;  
}  
.dropdown:hover .dropdown-content {  
    display: block;  
}  
.dropdown-option {  
    padding: 10px;  
    cursor: pointer;  
}
```

```
.dropdown-option:hover
{
    background-color: #f1f1f1;
}

span {
    background-color: #ff6666;
    padding: 10px 25px;
}

</style>
</head>
<body>
    <div class="dropdown">
        <span>Hover To View Options </span>
        <div class="dropdown-content">
            <div class="dropdown-option">Option 1</div>
            <div class="dropdown-option">Option 2</div>
            <div class="dropdown-option">Option 3</div>
            <div class="dropdown-option">Option 4</div>
            <div class="dropdown-option">Option 5</div>
```

```
        <div class="dropdown-option">Option 6</div>
        <div class="dropdown-option">Option 7</div>
        <div class="dropdown-option">Option 8</div>
        <div class="dropdown-option">Option 9</div>
        <div class="dropdown-option">Option 10</div>
    </div>
</div>
</body>
</html>
```

Q-10. Create simple terms and conditions pop-up as shown in the below image ?.

- The pp-up should be a modal similar to what we have built-in question number 08.
- The terms and conditions must be inside a separate section that has a vertical scrollbar to navigate and read the complete content Add a checkbox and a button at the end.


```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title></title>
  <style>
    body {
      background-color: #758283;
      font-family: Cambria, Cochin, Georgia, Times, "Times New Roman", serif;
    }
    .modal {
      background-color: #fff;
      width: 700px;
      border: 0;
      border-radius: 5px;
      margin: auto;
      padding: 10px;
      position: absolute;
      top: 10px;
      left: 20%;
      z-index: 2;
    }
  </style>
</head>
<body>
```

```
h3 {
    text-align: center;
    font-size: 25px;
}

.tnc {
    height: 300px;
    overflow-y: scroll;
}

button {
    display: block;
    margin-top: 20px;
    padding: 10px 25px;
    border: 0;
    border-radius: 4px;
    background-color: #5a4bda;
    color: white;
}

</style>
</head>
<body>
    <section class="webpage">
        <h1>Full Stack web development 2.0</h1>
```

<p>

Learn complete web stack programming with React and Node by doing it the way a full-stack professional would do it. Learn how to create whole web apps from start to finish with one of the most trending tech stacks available. You can learn how to create

data-driven applications, as well as how to test, protect, and deploy your code, in this thorough study path. MERN stack is one of the most versatile tech stacks available. Learn front-end and server-side support, to build a multi-platform

solution.

</p>

<h2>Course Details</h2>

<p>

Lorem ipsum dolor sit amet consectetur adipisicing elit. Aspernatur ea mollitia eveniet, modi minus incidunt ex sunt ut nisi, praesentium minima, quisquam fuga laborum exercitationem cupiditate voluptatem quos dignissimos commodi aliquid alias eum saepe.

Eum corrupti voluptates earum voluptate possimus nesciunt expedita vitae nostrum error quis, totam incidunt debitis, iure praesentium similique nisi repellendus. Illum exercitationem perferendis quibusdam, modi minus cupiditate quam itaque

facere eveniet amet a nesciunt. Perferendis ratione est dolor minus reiciendis molestiae obcaecati autem corrupti voluptate quo ad iste ab, commodi in voluptatum fuga pariatur minima ea reprehenderit qui cumque. Sequi doloribus aspernatur

obcaecati quod sapiente natus corporis quibusdam in, dignissimos ab numquam consequatur, accusamus ducimus eius voluptatibus sunt voluptas iste iusto nemo accusantium maiores voluptate. Magnam quia reprehenderit molestiae vero nulla. Laborum

dolorem odit sunt, eum dolor sapiente optio cum maxime debitis fugiat repellat corporis numquam. Voluptas fugiat, quaerat assumenda tempora molestiae placeat ipsa minus incidunt laboriosam et nam impedit distinctio, architecto iure autem error

excepturi! Ipsa obcaecati, magni excepturi nostrum quas ex, fugiat nisi soluta iusto delectus quam ullam debitis tempore. Dicta minima, obcaecati temporibus autem veritatis maxime dolorum adipisci laborum commodi saepe provident eum iste doloremque

pariatur nam accusantium sapiente minus, nostrum tenetur impedit sed? Quis ducimus inventore dolor fuga atque quas reiciendis omnis in perferendis fugiat natus tenetur, totam laborum qui quasi quaerat temporibus. Consequatur aliquid dicta

possimus iure magni dolorum, velit quia mollitia error ad quis atque autem tempore suscipit laborum. Distinctio accusantium facere, excepturi ullam fugit accusamus quod quaerat, iusto perspiciatis quo vel nulla assumenda rem exercitationem

magni. Modi possimus eos iste maxime aperiam tempora quaerat repellat autem, soluta est aliquam hic, ipsum quas expedita vitae excepturi quia culpa laudantium ex similique eligendi. Provident labore aut explicabo vitae magni enim. Accusamus

totam id numquam eveniet enim, recusandae maxime aspernatur quis minima tenetur qui? Cum blanditiis sapiente quae dolorum earum laboriosam eveniet tenetur vitae ut, dolor, consectetur quo fuga possimus nesciunt delectus labore nisi aut assumenda

consequatur incidunt reiciendis? Ut minima doloribus possimus beatae, eveniet placeat ea, cum tenetur vel architecto corporis minus, voluptates quaerat. Impedit dolorem vero incidunt quod asperiores aliquam corporis quisquam eveniet sint vitae

sequi expedita adipisci aut deserunt repellat veniam sed aliquid, ipsum provident delectus odit sit. Velit repellat mollitia tenetur totam asperiores sit, eos amet doloribus aspernatur neque reiciendis sequi consequuntur animi omnis quibusdam,

earum vero ad molestias iusto corrupti soluta ea ipsum eum.

</p>

```
</section>
  <section class="modal">
    <h3>Terms & Conditions</h3>
    <hr>
    <section class="tnc">
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Fuga corrupti, aut tempore veniam rem porro reprehenderit
        tempora aliquid perferendis numquam enim labore nobis inventore reiciendis sequi ipsa culpa quisquam libero adipisci consectetur
        debitis
        neque magni voluptates! Eaque doloremque reprehenderit nemo id fugit molestias commodi voluptate? Repellendus vero
        iusto quod quisquam provident cupiditate neque, perspiciatis fugiat, atque eum accusantium excepturi, temporibus sequi.
        Quisquam alias quas facilis perspiciatis repellendus nesciunt perferendis et iste voluptas laudantium, voluptatem
        esse sunt suscipit iusto obcaecati laborum fuga ipsam impedit consectetur. Deleniti, optio accusamus cupiditate veniam quae
        assumenda nulla recusandae architecto laborum soluta sunt, aliquam sed dolorem doloribus. Quasi facere nulla
        doloribus minus incidunt ea quae, tempora dolorem iusto hic libero totam sunt quis obcaecati cupiditate officia modi alias itaque
        molestiae ipsam? Dolores necessitatibus accusantium exercitationem, commodi, rem magnam nemo fugiat quidem, provident
        libero odit deserunt quo reiciendis! Incidunt pariatur sit nisi numquam possimus cum ducimus quam. Eos alias exercitationem
        modi possimus maiores pariatur corporis tempora iure odio, eaque dolores, labore magni velit! Quae autem eligendi
        aliquid? Quae officiis a vel fugit id? Excepturi alias voluptatum ea? Minima officia quia, sequi doloremque ipsum qui repellendus

      </p>
    </section>
    <hr>
    <input type="checkbox" name="ok" id="ok">
    <label for="ok">I agree to the Terms & Conditions mentioned above</label>
    <button>Submit</button>
  </section>
</body>
</html>
```