

Sync Jobs

Purpose:


To Sync the PLUG IN (S4HANA/ECC/BW/CRM.) system data into GRC system.

The ECC data (Plug in system) is **not created** in GRC system, but it is **stored in GRAC* tables** of GRC system with reference to Plug-in system name.

Tables:

GRACRLCONN – Roles in Backend System

GRACUSERCONN – Users in Backend System



Path for Sync Jobs:

SPRO ----- > IMG

Reference ----- > GRC

-----> Access Control -----

> Sync Jobs

Types of Sync Jobs:

1) **Authorization**

Sync: Used to sync **Auth**

Data like **T-codes, Auth Objects and SU24 Data.** This job is not required for JAVA systems & NON SAP Systems.

- 2) **Repository Object Sync:** Used to sync **USER, ROLE and PROFILE** data.
- 3) **Action usage Sync:** T-code usage data (Table: **GRACACTUSAGE**) – Audit logs should be enabled in your plug-in system.
- 4) **Role usage Sync:** Role usage data – Role assignment to users (Table: **GRACUSERROLE**)
- 5) **Fire Fighter log sync:** Used to sync FF ID usage in Plug in system
- 6) **Fire Fighter workflow sync:** FF workflow for FF ID Controller review
- 7) **Fetch IDM Schema Sync:** To sync all **PORTAL** system data, only for portal (JAVA) system. IDM stands for Identity Management. **Not required for ABAP systems**
- 8) **EAM Master Data Sync:** It is related to **Decentralized** FF ID concept (EAM)

9) **SOD Organizational Variables Elements Sync:** It is related **ORG Rules** concept in **Risk Analysis** Component. (GRAC12)

10) **IDM Provisioning:** Used to sync IDM Access Requests Status (GRAC12)

11) **BOM Data Sync:** Fiori Master Data sync (GRAC12)

❖ ABAP system: 1 and 2 Sync Jobs are mandatory

❖ JAVA system: 2 and 7 sync Jobs are mandatory

Component wise requirement for SYNC jobs:

- ARA – 1,2,7,9 (7 is for PORTAL/JAVA system only)
- EAM – 5,6,8
- BRM – 2
- Security Audit Reports – 3,4
- ARM – 6

Note:

- 1) Always execute the SYNC jobs in **Background** mode only. Else it would hit the performance of the GRC system
- 2) Only **Repository Sync Job** is executed in 2 modes
 - **Full Sync mode** – Complete Data , First time, repeated once in month
 - **Incremental Sync Mode** – 2nd time onwards, repeated daily, Delta (differential) data is loaded

If Sync job fails – SM37/SLG1 (SLG1 is more Accurate)

- 1) RFC Connection Problem
- 2) Plug In System is down for a while – System restart, bounce
- 3) Post Installations Steps – 5th step
- 4) RFC user may not have proper authorizations/Locked/expired
- 5) Connector Configuration 3rd Step – Integration Scenarios
- 6) Recent Plug In system Maintenance – Refresh/Upgrade - Jobs have to be rescheduled

Frequency of the Jobs:

Authorization Sync: Daily

Repository Object Sync: Daily


Action usage Sync: Daily

Role usage Sync: Daily

Fire Fighter log sync: Daily

Fire Fighter workflow sync: Daily

Fetch IDM Schema Sync: One time - Half yearly or annually

GRC12 Sync Jobs:

Programs for the Sync Jobs:

SE38 ----- > GRAC*SYNC*