


BRM: Business Role Management

VIRSA 4.0 ---- > Role Expert

GRC AC 5.1, 5.2, 5.3 ----- > ERM (Enterprise Role Management)

GRC AC 10, 10.1, 12 ----- > BRM (Business Role Management)



- 1) CR - Documentation – Requirement – Tool
- 2) Approval Process – Group of people --- Finance team
Approvals FI, GRC, MM – SME or Solution Architect
- 3) Technical Process – Security – PFCG
- 4) Testing – UT/SIT (DEV), Integration test/UAT (QUALITY)
- 5) Moving to PROD

SOLMAN: Solution Manager

SD – Service Desk – Ticketing Tool

ChARM – **Ch**ange **A**ccess **R**equest **M**anagement – Role Admin Process

Role Administration Concerns:

- 1) Role Naming Convention Ex, ZS – Single, ZM – Master, ZD – Derived
- 2) Approval


3) Documentation - Who requested, who modified, who approved, T-codes (5)

4) Risk Analysis


5) Role should be visible to user while submitting access request - ARM

What is the purpose of BRM?

1. Role Methodology in GRC – Steps - Workflow - Automating role management/administration process by Defining Workflow with Stages like – Approvals, Documentation, and Risk Analysis and make the role visible for End user (Role creation is done from GRC and then pushed into ECC) – **1 to 5 Steps are addressed.**



2. Making the role visible (by defining attributes) for the user while filling the access form in GRC - **Role Import Concept** - (Role is created in the ECC Dev and moved to ECC PROD and then imported into GRC PROD NWBC) – **5th is addressed.**



Default Role Methodology:

SPRO -----> GRC -----> Access Control -----> Role Management ---> Define Methodology Processes and Steps

Step	Phase
001	Define Role
002	Maintain Authorizations
003	Derive Role
004	Analyze Access Risks
005	Request Approval
006	Generate Roles
007	Maintain Test Cases
009	PROVISIONING


1. Initiate Role Creation in GRC PROD (NWBC) ----> Role is pushed into ECC Dev → ECC QUA ---> ECC PROD
2. Role Creation in GRC PROD
Role is pushed from GRC PROD into ECC Dev - Unit TEST

Role is pushed from GRC PROD into ECC Quality -
Integration Test, UAT


Role is pushed from GRC PROD into ECC Prod

3. Role Creation in GRC PROD ---- > Role is pushed into ECC
prod Copy ---- > ECC DEV ---- > ECC QUA ---- > ECC
PROD

Normal process:



BRM process:



Role Types

- ▢ Business Role ----> Group of Technical Roles (Single, Comp, Group)
- ▢ Composite Role
- ▢ CUA Composite Role
- ▢ Derived Role
- ▢ Group ---- > Enterprise Portal Group
- ▢ PD Profile ----- > HR system used in Structural Auth Concept
- ▢ Profile
- ▢ Single Role
- ▢ Template ----- > Master Role

Role Naming Convention:

Single Role----- > ZS*MODULE*SUBMODULE*PROJECT_NAME

Composite Role ----- > Y*MODULE* PROJECT_NAME

Ex,,

ZS:BS:CLIENT_ADMIN:TYT

ZS:BASIS:SYSTEM_ADMIN:TYT

BASIS - BS


HR - HR

Sales and - SD


MM - MM

- 1- Z* indicates Custom role.
- 2- S/M/D – Indicates of role type.
- 3- :
- 4- Module Name
- 5- Module Name
- 6- :
- 7- Sub Module
- 8- Sub Module
- 9- Sub Module
- 10- Sub Module
- 11- Sub Module
- 12- Sub Module
- 13- Sub Module
- 14- Sub Module
- 15- Sub Module
- 16- Sub Module
- 17- Sub Module
- 18- :
- 19- Project Name
- 20- Project Name


Project Releases:



WBS - Work Break down Structure



User can search the role based on attributes



Role Creation:

Approval

Naming convention

Proper Requirement

Testing

BRF Plus:

Application where we can design rules

If "Role Type" is SIN ---- > SINGLE

If "Role Type" is COM ---- > COMP

If "Role Type" is BUS ---- > BUSINESS

Condition groups:

SINGLE ---- > CG1

COMP ----- > CG2

BUSINESS --- > CG3


Mapping Condition groups with Role Methodology:

CG1 ---- > Single role Methodology - 6 Steps

CG2 ---- > Comp Role Methodology - 4 Steps

CG3 ----- > Business Role Methodology - 3 Steps

Role Import Concept:



Create the role in the Backend and then import the role into GRC, **define attributes (Define Role)** and **make it ready for assignment (Provisioning)** in the GRC system.

Basic purpose of BRM is to make the role visible for user while submitting access form (ARM)

Single/Mass role Import:

NWBC ---- > Access Management ---- > Role Mass Maintenance ---
-- > Role Import

When the role imported/created thru BRM is not visible in ARM - while filling Access form:

1. Below entry should be YES.

How to make this entry as YES? Through SYNC job...

2. Role Status: Production

Single Role:Z_GODREJ_USER_COMMONROLE1

< Previous Next > Save & Continue Save Edit Close Certify Reapply Methodology Go To Phase

Role Type Single Role

Definition **Additional Details**

Detailed Description **Provisioning** Where-Used Roles Assigned Users Attachments Change History

Role Status: Production

Systems

Set Default Period

System	Environment	Role Exists
GECLNT800	Production	No

Template is needed to load the data into GRC system for multiple roles

[Click here to download attribute file template](#)

Mandatory Columns to be filled for all role types: A to H, AC, AF, AG

Derived Role - T (Master Role - additional mandatory column to be filled)

Comp Role - X (Associated Roles - additional mandatory column to be filled)

Business Role -X, Y (additional mandatory columns to be filled)

Note: Associated Roles (column X) & Master Role (Column T) – should be imported already into BRM before you import Comp role or Business Role and Derived Role.

Derived Role ---- > Master Role

Comp Role ---- > single Roles

Business Roles ----- > Single, Comp, Group

Single Role

Comp Role ---- > Single Roles

Derived Role --- > Master Role

Comp Role --- > DR1, SR1

1.Single Roles

2.Master Roles

3.Derived Roles

4.Comp Roles

5.Business Roles

New Single Role

Role Type ALT Single role

Define Role → Maintain Authorizations → Analyze Access Risks → Generate Roles → Maintain Test Cases

❗ Role name and connector group need to be unique

Previous Next Save & Continue Save Edit Close Go To Phase

Define Role

Additional Details

Details Properties Functional Area Company Custom Fields Owners/Approvers Prerequisite Role Mapping

Attributes

Application Type: * SAP
Landscape: * BHP_GROUP
Business Process: * BMW BASIS
Subprocess: * CLIENT ADMINSTRATION
Project Release: * ALTTEST

Names

Role Name: Z:SOD_RISK:BHP
Description: Z:SOD_RISK:BHP
Profile Name:
Profile Description: Z:SOD_RISK:BHP

Connector Group ----- > Landscape

GE_GROUP

ECC - R1

BW - R1

CRM - R1

FIORI - R1

BMW_GROUP

ECC - R1

BW - R1

CRM - R1

ECC_GROUP

ECC

BW_GROUP

BW

FIORI_GROUP

FIORI

Role Owner:

Role owners are responsible for approving either **role content** or **user-role assignment** or both

- 1) Create the USER ID in GRC system
- 2) Declare him as **Role Owner** in **Access Control Owners Table**
- 3) Define Role Owner for the respective roles

What is the difference between **Assignment Approver** and **Role Content Approver**?

Ans:

- ▮ **Assignment Approver** – Person who approves for assignment of role in ARM
- ▮ **Role Content Approver** – Person who approves for Role maintenance which includes Role creation, modification and deletion in BRM

Business Role:

- ▮ It is a collection of Technical Roles (Single/Comp/Derived/Master/Java UME Group/profile/Business Role) belonging to **different PROD Systems/Landscapes**
- ▮ Business Role exists only in GRC system (NWBC) (Not in PFCG)
- ▮ **Composite role** is collection of **Single roles** belonging to **same system**
- ▮ **Business Role** is collection of **technical** roles belonging to **different** systems
- ▮ In the earlier version **GRC AC 5.3**, this was like **ROLE MAPPING** concept.
- ▮ Launched in GRC 10

Ex,, **Finance Accountant** User needs following access

Finance Dept

S4HANA/ECC system --- >

FI AP: Accounting Officer(R1), Accounting TL(R2), Accounting Manager(R3), Analyst (R9)

Fiori System ---- > Acc off (R4) Accounting TL(R5), Accounting Manager(R6), Analyst (R10)

GRC system ---- > Acc off/Analyst (GRC req - R7) Acc Man (GRC Approver - R8)

Finance AP Accounting Officer

ECC - R1

FIORI - R4

GRC - R7

ECC - R1, R2, R5

BW - R3

FIN - R4

EP - G1

GRC - Requestor Role

Security Consultant


ECC - Sec Role


BW- Sec Role

HR - Sec Role

or

Finance Accountant	
System	Role
ECC	R1, R6, R7
ECC	R2
BW	R3
FI	R4
EP	G1





Finance Team:

Clerk - T1, T2, T3

Supervisor - T5

Accountant - T6

Manager - T1, T2, T3, T4, T5, T6

Important Tables: (GRACROLE*/GRACRL*)

GRACRLCONN ---- > Backend System Role details

GRACUSERCONN ---- > Backend User Details

GRACROLE ---- > BRM Role Records

GRACUSERROLE --- > User Role Assignments of Multiple systems connected to GRC

GRACROLERELAT ---- > Role Relationships (Comp - Single, BS- Roles)

Default Role:

Generic or Common role which must be assigned to every user. We can make this as Default role so whenever user fills the access form, this role is added to the access form automatically and assigned to user when user is created.

1) Parameter Group: ACCESS REQUEST DEFAULT ROLES

Parameter **2009**: Consider Default roles - **YES/NO**

Access Request Default Roles	2009	YES	Consider Default Roles
Access Request Default Roles	2010	001	Request type for default roles
Access Request Default Roles	2011	REQUEST	Default Role Level
Access Request Default Roles	2012	SYSTEM	Role Attributes
Access Request Default Roles	2013	SYSTEM	Request Attributes

2) Path: NWBC ---- > ACCESS MANAGEMENT ----- > Role Management --- > Default Roles

Role Mining:

2018 -- > Role 1 ---- > 10 T-codes ---- Assigned to several users.

2020 --- > Role 1 ---- > 10+5 = 15 T-codes

2024 -- > Role 1 ---- > 10+5+5 = 20 T-codes

2026 --- > Audit team ---- > Action usage Logs --- > 8 T-codes

T-code is Obsolete now

New t-code has been Launched Ex, ST01--- > STAUTHTRACE, SE16 --- SE16N

Remove the t-codes from Role.

Roles Reaffirmation/Role Certification: