

# Rajalakshmi Engineering College

Name: Sajine Santhakumar  
Email: 240701459@rajalakshmi.edu.in  
Roll no: 240701459  
Phone: 9952076750  
Branch: REC  
Department: I CSE FE  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

### REC\_DS using C\_Week 7\_COD\_Question 4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Develop a program using hashing to manage a fruit contest where each fruit is assigned a unique name and a corresponding score. The program should allow the organizer to input the number of fruits and their names with scores.

Then, it should enable them to check if a specific fruit, identified by its name, is part of the contest. If the fruit is registered, the program should display its score; otherwise, it should indicate that it is not included in the contest.

##### ***Input Format***

The first line consists of an integer N, representing the number of fruits in the contest.

The following N lines contain a string K and an integer V, separated by a space, representing the name and score of each fruit in the contest.

The last line consists of a string T, representing the name of the fruit to search for.

### **Output Format**

If T exists in the dictionary, print "Key "T" exists in the dictionary.".

If T does not exist in the dictionary, print "Key "T" does not exist in the dictionary.".

Refer to the sample outputs for the formatting specifications.

### **Sample Test Case**

Input: 2  
banana 2  
apple 1  
Banana

Output: Key "Banana" does not exist in the dictionary.

### **Answer**

```
#include <stdio.h>
#include <string.h>
#define MAX 15
#define NAME_LEN 21
typedef struct {
    char name[NAME_LEN];
    int score;
} Fruit;
int main() {
    int N, i, found = 0;
    Fruit fruits[MAX];
    char search[NAME_LEN];
    scanf("%d", &N);
    for (i = 0; i < N; i++) {
        scanf("%s %d", fruits[i].name, &fruits[i].score);
        scanf("%s", search);
```

```
for (i = 0; i < N; i++) {  
    if (strcmp(fruits[i].name, search) == 0) {  
        found = 1;  
        break;}}  
if (found) {  
    printf("Key \"%s\" exists in the dictionary.\n", search);  
} else {  
    printf("Key \"%s\" does not exist in the dictionary.\n", search);}  
return 0;}
```

**Status :** Correct

**Marks :** 10/10