# LO-160 — Pick Orders - OTC (IP)

## Architecture Document (TOGAF BDAT)

Order To Cash (IP) (OTC-IP) Tower
Capability LO-160 · LO Logistics Management Outbound - OTC (IP)

IAO Program · Release 3
Generated: March 2026
Sajiv Francis

IAO Architecture Pipeline — Intel Confidential

# Table of Contents


1. Executive Summary
2. Business Context & Objectives
   - 2.1 Classification
   - 2.2 Business Drivers
   - 2.3 Success Criteria
   - 2.4 Companion Documents
3. Business Architecture (TOGAF "B")
   - 3.1 Business Process Overview
   - 3.2 Business Process Diagrams
   - 3.3 Business Roles & Responsibilities
4. Data Architecture (TOGAF "D")
   - 4.1 Data Entities & Ownership
   - 4.2 Data Flow Diagrams
   - 4.3 Data Lineage
   - 4.4 RICEFW Data Objects
   - 4.5 Data Governance & Quality
5. Application Architecture (TOGAF "A")
   - 5.1 Current-State Application Landscape
   - 5.2 Future-State Application Landscape
   - 5.3 Change Impact Summary
   - 5.4 Component Overview
   - 5.5 RICEFW Inventory
   - 5.6 Integration Patterns
6. Technology Architecture (TOGAF "T")
   - 6.1 Platform & Infrastructure
   - 6.2 SAP Development Object Status
   - 6.3 NFRs & Design Principles
   - 6.4 Security & Governance
7. Project Context
   - 7.1 Project Roadmap & Go-Live Plan
   - 7.2 RAID Log
   - 7.3 Recommendations & Next Steps

# 1. Executive Summary

This Architecture Document defines the **Business, Data, Application, and Technology** (BDAT) architecture for **LO-160 Pick Orders - OTC (IP)** within the IAO program. It includes 7 BPMN process diagram(s) in Section 3.

| Dimension | Value |
|---|---|
| **Tower** | Order To Cash (IP) (OTC-IP) |
| **Process Group** | LO Logistics Management Outbound - OTC (IP) |
| **Capability** | LO-160 - Pick Orders - OTC (IP) |
| **Release** | Release 3 |
| **Total Systems** | 0 |
| **System Status** | 0 Deployed, 0 Developing, 0 EOL, 0 Pending IAPM |
| **RICEFW Objects** | 6 Conversions, 3 Enhancements, 1 Workflows |
| **Change Summary**: 0 new flow chains, 0 removed, 0 modified, 0 unchanged between Current-State and Future-State states. | |

> All system nodes in architecture diagrams are **IAPM-linked** — click any node to open its IAPM page. Diagrams require `securityLevel: 'loose'` for click events.

# 2. Business Context & Objectives

## 2.1 Classification

| Level | Value |
|---|---|
| **L0 Tower** | Order To Cash (IP) |
| **L1 Process** | LO Logistics Management Outbound - OTC (IP) |
| **L2 Capability** | LO-160 - Pick Orders - OTC (IP) |

## 2.2 Business Drivers

| # | Driver | Description | Strategic Alignment | Priority |
|---|---|---|---|---|
| 1 | IP Order Management Transformation | Transform Intel Products order management onto S/4 HANA with integrated pricing and ATP | IDM 2.0 Products Revenue | High |
| 2 | Customer Experience Improvement | Reduce order processing time and improve order visibility for IP customers | Customer Centricity | High |
| 3 | Returns & Rebate Automation | Automate returns processing, rebate management, and chargeback handling | Revenue Assurance | Medium |
| 4 | LO-160 Process Migration | Migrate Pick Orders - OTC (IP) business processes and 0 integrated systems from legacy to S/4 HANA target architecture | IDM 2.0 Order Management (Intel Products) | High |

## 2.3 Success Criteria

| Metric | Target | Measure | Baseline | Owner |
|---|---|---|---|---|
| Order Processing Time | < 2 hours | Time from order receipt to order confirmation | 6 hours (current) | Order Management Lead |
| Customer Credit Decision Time | < 15 minutes | Automated credit check and approval for standard orders | 2 hours (manual) | Credit Manager |
| Returns Processing Cycle | < 3 business days | End-to-end returns receipt to credit memo issuance | 7 business days (current) | Returns Manager |
| LO-160 Migration Completeness | 100% flow chains validated | All 0 flow chains verified in target state | 0% (pre-migration) | Tower Architect |

## 2.4 Companion Documents

| Document | Description |
|---|---|
| **Business Architecture** | Included in this document (Section 3) — process flows from BPMN diagrams |
| **This Document** | Full BDAT Architecture — Business + Data + Application + Technology |

# 3. Business Architecture (TOGAF "B")

## 3.1 Business Process Overview

This capability includes **7 business process(es)** modeled in BPMN 2.0, covering the end-to-end workflow for LO-160 Pick Orders - OTC (IP).

| # | Step ID | Process Name | Lanes | Tasks | Gatew |
|---|---|---|---|---|---|
| 1 | LO-160-020_Plan_Daily_Pick_Flow_-*OTC*(IP) | LO-160-020_Plan_Daily_Pick_Flow_-*OTC*(IP) | Warehouse Operator | 3 | 0 |
| 2 | LO-160-030_Consolidate_Appropriate_Pick_Items_-*OTC*(IP) | LO-160-030_Consolidate_Appropriate_Pick_Items_-*OTC*(IP) | Warehouse Operator | 1 | 0 |
| 3 | LO-160-040_Generate_Pick_Tickets_-*OTC*(IP) | LO-160-040_Generate_Pick_Tickets_-*OTC*(IP) | Warehouse Operator | 1 | 0 |
| 4 | LO-160-050_Pick_Order_Items_-*OTC*(IP) | LO-160-050_Pick_Order_Items_-*OTC*(IP) | Warehouse Operator | 2 | 2 |
| 5 | LO-160-070_Note_and_Record_Exceptions_-*OTC*(IP) | LO-160-070_Note_and_Record_Exceptions_-*OTC*(IP) | Warehouse Operator | 3 | 3 |
| 6 | LO-160-080_Confirm_Quantity_and_Location_Picked_-*OTC*(IP) | LO-160-080_Confirm_Quantity_and_Location_Picked_-*OTC*(IP) | Warehouse Operator | 1 | 1 |
| 7 | LO-160-090_Transport_Product_to_Staging_Area_-*OTC*(IP) | LO-160-090_Transport_Product_to_Staging_Area_-*OTC*(IP) | Warehouse Operator | 2 | 0 |

## 3.2 Business Process Diagrams

### BUSINESS ARCHITECTURE — 3.2.1 LO-160-020_Plan_Daily_Pick_Flow_-*OTC*(IP) — LO-160-020_Plan_Daily_Pick_Flow_-*OTC*(IP) {#business-architecture--321-lo-160-020_plan_daily_pick_flow_-*otc_ip--lo-160-020_plan_daily_pick_flow*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 3 | **Gateways**: 0

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process




### BUSINESS ARCHITECTURE — 3.2.2 LO-160-030_Consolidate_Appropriate_Pick_Items_-*OTC*(IP) — LO-160-030_Consolidate_Appropriate_Pick_Items_-*OTC*(IP) {#business-architecture--322-lo-160-030_consolidate_appropriate_pick_items_-*otc_ip--lo-160-030_consolidate_appropriate_pick_items*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 1 | **Gateways**: 0

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process




### BUSINESS ARCHITECTURE — 3.2.3 LO-160-040_Generate_Pick_Tickets_-*OTC*(IP) — LO-160-040_Generate_Pick_Tickets_-*OTC*(IP) {#business-architecture--323-lo-160-040_generate_pick_tickets_-*otc_ip--lo-160-040_generate_pick_tickets*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 1 | **Gateways**: 0

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process

### BUSINESS ARCHITECTURE — 3.2.4 LO-160-050_Pick_Order_Items_-*OTC*(IP) — LO-160-050_Pick_Order_Items_-*OTC*(IP) {#business-architecture--324-lo-160-050_pick_order_items_-*otc_ip--lo-160-050_pick_order_items*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 2 | **Gateways**: 2

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process


Warehouse Operator
Generate Pick Tickets
Scan Box ID / Lot No / Batch No Based on Pick List
Is Type of Product Kit/Sequence?
No
Check Products and Handling Units in Storage Bin
Any Exceptions with Picked Products?
No
Confirm Quantity and Location Picked (IP)
Yes
Note and Record Exceptions (IP)
Yes
Kit/Sequence Products (IP

### BUSINESS ARCHITECTURE — 3.2.5 LO-160-070_Note_and_Record_Exceptions_-*OTC*(IP) — LO-160-070_Note_and_Record_Exceptions_-*OTC*(IP) {#business-architecture--325-lo-160-070_note_and_record_exceptions_-*otc_ip--lo-160-070_note_and_record_exceptions*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 3 | **Gateways**: 3

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process




### BUSINESS ARCHITECTURE — 3.2.6 LO-160-080_Confirm_Quantity_and_Location_Picked_-*OTC*(IP) — LO-160-080_Confirm_Quantity_and_Location_Picked_-*OTC*(IP) {#business-architecture--326-lo-160-080_confirm_quantity_and_location_picked_-*otc_ip--lo-160-080_confirm_quantity_and_location_picked*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 1 | **Gateways**: 1

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process




### BUSINESS ARCHITECTURE — 3.2.7 LO-160-090_Transport_Product_to_Staging_Area_-*OTC*(IP) — LO-160-090_Transport_Product_to_Staging_Area_-*OTC*(IP) {#business-architecture--327-lo-160-090_transport_product_to_staging_area_-*otc_ip--lo-160-090_transport_product_to_staging_area*-_otc_ip }

**Swim Lanes**: Warehouse Operator | **Tasks**: 2 | **Gateways**: 0

**Legend**: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process



## 3.3 Business Roles & Responsibilities

| Role / Lane | Processes Involved | Description |
|---|---|---|
| Warehouse Operator | LO-160-020_Plan_Daily_Pick_Flow_-*OTC*(IP), LO-160-030_Consolidate_Appropriate_Pick_Items_-*OTC*(IP), LO-160-040_Generate_Pick_Tickets_-*OTC*(IP), LO-160-050_Pick_Order_Items_-*OTC*(IP), LO-160-070_Note_and_Record_Exceptions_-*OTC*(IP), LO-160-080_Confirm_Quantity_and_Location_Picked_-*OTC*(IP), LO-160-090_Transport_Product_to_Staging_Area_-*OTC*(IP) | |

# 4. Data Architecture (TOGAF "D")

## 4.1 Data Entities & Ownership

The following data entities are derived from the system integration flows for LO-160. Tower architects should validate ownership and classification.

| # | Data Entity | Source System | Target System | Data Owner | Classification | Volume | Master/Transaction |
|---|---|---|---|---|---|---|---|

## 4.2 Data Flow Diagrams

> **DATA ARCHITECTURE** — Database-to-database data flows. Applications (blue) sit above their hosting databases (green cylinders). Thick arrows show data movement between databases.

## 4.3 Data Lineage

Data lineage traces the origin and transformation path of key data objects across integrated systems.

| # | Source System | Source Schema/Object | Target System | Target Schema/Object | Transformation |
|---|---|---|---|---|---|

> *Lineage detail will be refined when tower architects validate source/target schema object mappings.*

## 4.4 RICEFW Data Objects

Data-centric RICEFW objects (Reports and Conversions) from the Object Tracker:

| Object ID | Type | Description | Status | Source | Target | Complexity |
|---|---|---|---|---|---|---|
| OTCC1341 | Conversion | Payer Profile Data Conversion | 10. Object Complete | | | 03.Medium |
| OTCC1340 | Conversion | Payer Segment Data Conversion | 10. Object Complete | | | 03.Medium |
| OTCC1339 | Conversion | Payer Relationship Data Conversion | 10. Object Complete | | | 03.Medium |
| OTCC0803 | Conversion | Open Credit Case Conversion | 10. Object Complete | | | 02.High |
| OTCC0679 | Conversion | Open Dispute Case Conversion | 10. Object Complete | | | 02.High |
| OTCC0678 | Conversion | Collection Master Conversion | 10. Object Complete | | | 02.High |

## 4.5 Data Governance & Quality

| Concern | Approach |
|---|---|
| Data Ownership | Per-entity owners listed in Section 3.1 |
| Data Classification | Financial data classified as Intel Confidential |
| Data Retention | Per Intel corporate retention policies |
| Data Quality | Validated at source; reconciliation at target |

# 5. Application Architecture (TOGAF "A")

## 5.1 Current-State — Current-State Application Landscape

### Overview

The Current-State architecture represents the **current / legacy** landscape for LO-160.

## Current-State Flow Narrative

*(No current-state flows defined.)*

## 5.2 Future-State — Future-State Application Landscape

### Overview

The Future-State architecture represents the **target** landscape for LO-160.

## Future-State Flow Narrative

*(No future-state flows defined.)*

## 5.3 Change Impact Summary

| Change Type | Flow Chain | Detail |
|---|---|---|

**Totals**: 0 new - 0 removed - 0 modified - 0 unchanged

## 5.4 Component Overview

### System Inventory

| System | IAPM ID | Status |
|---|---|---|

## 5.5 RICEFW Inventory

| Object ID | Type | Description | Status | Source → Target | Middleware | Complexity |
|---|---|---|---|---|---|---|
| OTCW1683 | Workflow | Additional WRICEF for Credit Limit Request Workflow | 10. Object Complete | | NA | 03.Medium |
| OTCE0737 | Enhancement | Implement Standard BADI to activate Credit Limit Request Workflow | 10. Object Complete | | NA | 04.Low |
| OTCE0614_IP | Enhancement | Implement Standard Credit/Collection BADI | 10. Object Complete | | NA | 03.Medium |
| OTCE0021 | Enhancement | Credit hold release dashboard at line-item level | 10. Object Complete | NA → NA | NA | 01.Very High |
| OTCC1341 | Conversion | Payer Profile Data Conversion | 10. Object Complete | | NA | 03.Medium |
| OTCC1340 | Conversion | Payer Segment Data Conversion | 10. Object Complete | | NA | 03.Medium |
| OTCC1339 | Conversion | Payer Relationship Data Conversion | 10. Object Complete | | NA | 03.Medium |
| OTCC0803 | Conversion | Open Credit Case Conversion | 10. Object Complete | | NA | 02.High |
| OTCC0679 | Conversion | Open Dispute Case Conversion | 10. Object Complete | | NA | 02.High |
| OTCC0678 | Conversion | Collection Master Conversion | 10. Object Complete | | NA | 02.High |

**Summary**: 6 Conversions, 3 Enhancements, 1 Workflows

## 5.6 Integration Patterns

Integration patterns identified from the system flow analysis for LO-160:

| # | Pattern | Flow Chain | Middleware | Protocol | Auth |
|---|---|---|---|---|---|

> *Integration pattern details will be refined when tower architects validate middleware assignments.*

# 6. Technology Architecture (TOGAF "T")

## 6.1 Platform & Infrastructure

> **TECHNOLOGY / PLATFORM ARCHITECTURE** — Platforms (green) host applications (blue). Thick arrows show platform-to-platform integration flows.

### Platform Inventory

Platform landscape inferred from integrated systems for LO-160:

| # | Platform | Type | Systems Using | Environment |
|---|---|---|---|---|
| 1 | SAP S/4HANA | On-Premise (HEC) | SAP S/4 modules | DEV, QAS, PRD |
| 2 | SAP BTP (Integration Suite) | Cloud / PaaS | CPI, API Management | DEV, QAS, PRD |
| 3 | MuleSoft Anypoint | Cloud / iPaaS | API-led integrations | DEV, QAS, PRD |

> *Platform assignments will be validated when tower architects populate technology platform columns.*

## 6.2 SAP Development Object Status

**Capability RICEFW Status** (10 objects)
*Data source: Smartsheet Object Tracker (cached 2026-03-26)*

| Status | Count | % |
|---|---|---|
| 10. Object Complete | 10 | 100.0% |
| **Total** | **10** | **100%** |

**RICEFW by Type:**

| Type | Count |
|---|---|
| Conversion (C) | 6 |
| Enhancement (E) | 3 |
| Workflow (W) | 1 |
| **Total** | **10** |

**Technical Complexity:**

| Complexity | Count |
|---|---|
| 01.Very High | 1 |
| 02.High | 3 |
| 03.Medium | 5 |
| 04.Low | 1 |

**Tower Context:** OTC-IP has 292 total RICEFW objects (282 complete, 10 active/other)

## 6.3 NFRs & Design Principles

| Category | Requirement | Target / SLA | Priority |
|---|---|---|---|
| Performance | Order/transaction processing within interactive SLA | < 3 seconds for online transactions | High |
| Availability | Business-critical systems available during extended hours | 99.9% (06:00-22:00 all time zones) | High |
| Scalability | Support seasonal and promotional volume spikes | Handle 2x baseline transaction volume | Medium |
| Recoverability | Customer-facing systems recover within business impact window | RPO < 30 min, RTO < 2 hours | High |
| Data Volume | Support transactional data growth from business expansion | 10M+ documents/year | Medium |
| Latency | Near-real-time integration for order status updates | < 30 seconds for status propagation | Medium |
| Concurrency | Support global user base across business functions | 300+ concurrent users | Medium |

## 6.4 Security & Governance

| Concern | Approach | Standard / Policy | Owner |
|---|---|---|---|
| Authentication | Single Sign-On (SSO) via Intel corporate Azure AD identity | Intel IT Security Policy - Identity Management | IT Security |
| Authorization | Role-based access control (RBAC) with SAP authorization objects | Intel SAP Security Standards - Role Design | SAP Security Team |
| Data Classification | All financial/operational data classified per Intel Data Classification Standard | Intel Data Classification Policy | Data Governance |
| Data Encryption (at rest) | AES-256 encryption for SAP HANA database and file storage | Intel Encryption Standard | Infrastructure Security |
| Data Encryption (in transit) | TLS 1.3 for all system-to-system and user-to-system communication | Intel Network Security Policy | Network Engineering |
| Network Segmentation | SAP systems in dedicated network zones with firewall controls | Intel Network Architecture Standard | Network Security |
| API Security | OAuth 2.0 / certificate-based authentication for all API integrations | Intel API Security Guidelines | Integration Architecture |
| Audit Logging | Comprehensive audit trail for all data changes and user actions (SAP Security Audit Log) | SOX Compliance / Intel Audit Policy | Internal Audit |
| Certificate Management | Automated certificate lifecycle management for system-to-system trust | Intel PKI Standard | Certificate Authority Team |
| Compliance | SOX controls, export control (EAR/ITAR) screening, data privacy (GDPR) | Intel Corporate Compliance Framework | Compliance Office |

# 7. Project Context

## 7.1 Project Roadmap & Go-Live Plan

*10 objects with timeline data (source: Object Tracker)*

| ID | Description | FS | TDD | Build | FUT | Status |
|---|---|---|---|---|---|---|
| OTCW1683 | Additional WRICEF for Credit Limit Request Workflow | Dec-25 (100%) | Feb-26 (100%) | Feb-26 (100%) | Mar-26 (100%) | 1. On Track |
| OTCE0737 | Implement Standard BADI to activate Credit Limit Request Workflow | Jul-25 (100%) | Dec-25 (100%) | Dec-25 (100%) | Mar-26 (100%) | 1. On Track |
| OTCE0614_IP | Implement Standard Credit/Collection BADI | Mar-25 (100%) | Aug-25 (100%) | Apr-25 (100%) | Sep-25 (100%) | |
| OTCE0021 | Credit hold release dashboard at line-item level | Jul-24 (100%) | Sep-25 (100%) | Sep-25 (100%) | Feb-26 (100%) | 1. On Track |
| OTCC1341 | Payer Profile Data Conversion | May-25 (100%) | Jun-25 (100%) | Aug-25 (100%) | Sep-25 (100%) | |
| OTCC1340 | Payer Segment Data Conversion | May-25 (100%) | Jun-25 (100%) | Aug-25 (100%) | Sep-25 (100%) | 1. On Track |
| OTCC1339 | Payer Relationship Data Conversion | Jun-25 (100%) | Oct-25 (100%) | Nov-25 (100%) | Nov-25 (100%) | 4. Completed |
| OTCC0803 | Open Credit Case Conversion | Jun-25 (100%) | Oct-25 (100%) | Nov-25 (100%) | Nov-25 (100%) | 4. Completed |
| OTCC0679 | Open Dispute Case Conversion | Jun-25 (100%) | Jul-25 (100%) | Aug-25 (100%) | Oct-25 (100%) | 4. Completed |
| OTCC0678 | Collection Master Conversion | Mar-25 (100%) | May-25 (100%) | Jun-25 (100%) | Aug-25 (100%) | |

## 7.2 RAID Log

*Live data from Smartsheet Master RAID Log — extracted 2026-03-26*

**Mapped sub-tower(s):** 5.6 OTC IP - Credit and Collections

**RAID Summary:** 19 open items (0 capability-specific, 19 tower-level), 220 closed

| Severity | Capability | Tower-Wide | Total Open |
|---|---|---|---|
| P1 - High | 0 | 3 | 3 |
| P2 - Medium | 0 | 12 | 12 |
| P3 - Low | 0 | 4 | 4 |
| **Total** | **0** | **19** | **19** |

**Other OTC-IP Tower RAID Items** (19 open):

| RAID ID | Type | Severity | Title | Status | Assigned To | Due Date |
|---|---|---|---|---|---|---|
| 03591 | Risk | P1 - High | R3 E2E scenario execution | In Progress | Test Management | 2026-04-03 |
| 03755 | Risk | P1 - High | Coding for 2DN and AIF enhancements. | In Progress | Technology | 2026-03-27 |
| 03767 | Risk | P1 - High | Day 1 OTC Execution - APOP production cutover for allocation... | In Progress | OTC IP | 2026-04-24 |
| 01733 | Risk | P2 - Medium | Tariffs impacts Item/BOM design which is impacting ERP/SCP (... | In Progress | E2E | 2026-03-06 |
| 03060 | | P2 - Medium | Resource shift across Intel / Accenture Managed Services | In Progress | CM & Comms | 2026-03-27 |
| 03712 | Risk | P2 - Medium | LOGE0627, LOGE0690 | In Progress | OTC IP | 2026-04-03 |
| 03625 | Risk | P2 - Medium | Item/ BOM MC1 delta load | In Progress | Cutover | 2026-04-10 |
| 03635 | Risk | P2 - Medium | Gaps in mapping of ITC test cases to automated controls and ... | Not Started | OTC IP | 2026-03-27 |
| 02456 | Action | P2 - Medium | clarify who is D for the R3 org design between SMG and CPG a... | In Progress | OTC IP | 2026-03-27 |
| 02486 | Action | P2 - Medium | Tier 1/Tier 2 customer support | Not Started | OTC IP | 2026-03-31 |
| 02491 | Action | P2 - Medium | Clearly defined demand and sales ops roles (especially in BM... | In Progress | OTC IP | 2026-03-27 |
| 03736 | Action | P2 - Medium | Golden Data/Test Data Readiness | In Progress | Master Data | 2026-04-22 |
| 03743 | Issue | P2 - Medium | FD-Share with Entitlements - Interface File Paths for MC1 | Roadblock / At Risk | PMO | 2026-03-20 |
| 03749 | Action | P2 - Medium | Logistics Data Intake and Creation Process Definition | In Progress | Test Management | 2026-03-27 |
| 03760 | Risk | P2 - Medium | Require confirmation from OT/B2B team to confirm on 3B2 ASN | Roadblock / At Risk | B-Apps | |
| 03315 | Risk | P3 - Low | BPMG – SCP L3/L4 flow standards | In Progress | Business Process Mgmt | 2026-03-27 |
| 03317 | Risk | P3 - Low | BPMG – E2E L3/L4 flow standards | In Progress | Business Process Mgmt | 2026-05-29 |
| 03627 | Risk | P3 - Low | Inconsistency Response from EH -API B-App | Not Started | B-Apps | |
| 02488 | Action | P3 - Low | contractual demand policy (including cloud customers) | In Progress | OTC IP | 2026-04-17 |

## 7.3 Recommendations & Next Steps

| # | Category | Recommendation | Priority | Owner | Target Date | Status |
|---|---|---|---|---|---|---|
| 1 | Architecture | Complete extended flow attributes (Data Entity, Integration Pattern, Tech Platform) in Flows tab for full BDAT coverage | High | Tower Architect | 2026-Q2 | Open |
| 2 | Data | Define data ownership and classification for all 0 flow chains to satisfy Data Architecture (TOGAF D) requirements | Medium | Data Architect | 2026-Q3 | Open |
| 3 | Testing | Develop integration test scenarios covering all 0 flow chains for FUT/SIT readiness | High | Test Lead | 2026-Q3 | Open |
| 4 | Business Architecture | Review and validate Business Architecture process steps against latest Signavio/BIC process models | Medium | Business Analyst | 2026-Q2 | Open |
| 5 | Security | Complete security review for API integrations and data flows per Intel Security Architecture standards | Medium | Security Architect | 2026-Q3 | Open |

*LO-160 — Architecture Document (TOGAF BDAT) · Order To Cash (IP) · Generated: March 2026*