Business | Data | Application | Technology

IAO Architecture

TOGAF BDAT · IAO Program · IDM 2.0

INTEL CONFIDENTIAL

DS-020 — Perform Product Costing and Inventory Valuation

Architecture Document (TOGAF BDAT)

Finance Plan To Report (FPR) Tower
Capability DS-020 · DS Provide Decision Support

IAO Program · R3
Generated: April 2026
Sajiv Francis

IAO Architecture Pipeline — Intel Confidential

Table of Contents

1. Executive Summary
2. Business Context & Objectives
    - 2.1 Classification
    - 2.2 Business Drivers
    - 2.3 Success Criteria
    - 2.4 Companion Documents
3. Business Architecture (TOGAF "B")
    - 3.1 Business Process Overview
    - 3.2 Business Process Diagrams
    - 3.3 Business Roles & Responsibilities
4. Data Architecture (TOGAF "D")
    - 4.1 Data Entities & Ownership
    - 4.2 Data Flow Diagrams
    - 4.3 Data Lineage
    - 4.4 RICEFW Data Objects
    - 4.5 Data Governance & Quality
5. Application Architecture (TOGAF "A")
    - 5.1 Current-State Application Landscape
    - 5.2 Future-State Application Landscape
    - 5.3 Change Impact Summary
    - 5.4 Component Overview
    - 5.5 RICEFW Inventory
    - 5.6 Integration Patterns
6. Technology Architecture (TOGAF "T")
    - 6.1 Platform & Infrastructure
    - 6.2 SAP Development Object Status
    - 6.3 NFRs & Design Principles
    - 6.4 Security & Governance
7. Project Context
    - 7.1 Project Roadmap & Go-Live Plan
    - 7.2 RAID Log
    - 7.3 Recommendations & Next Steps

1. Executive Summary

This Architecture Document defines the **Business, Data, Application, and Technology** (BDAT) architecture for **DS-020 Perform Product Costing and Inventory Valuation** within the IAO program. It includes 15 BPMN process diagram(s) in Section 3.

Dimension	Value
Tower	Finance Plan To Report (FPR)
Process Group	DS Provide Decision Support
Capability	DS-020 - Perform Product Costing and Inventory Valuation
Release	R3
Total Systems	68
System Status	14 Deployed, 1 Developing, 12 EOL, 41 Pending IAPM
RICEFW Objects	10 Interfaces, 2 Conversions, 15 Enhancements

Change Summary: 22 new flow chains, 37 removed, 0 modified, 0 unchanged between ICOST and S/4 HANA states.

> All system nodes in architecture diagrams are **IAPM-linked** — click any node to open its IAPM page. Diagrams require `securityLevel: 'loose'` for click events.

2. Business Context & Objectives

2.1 Classification

Level	Value
L0 Tower	Finance Plan To Report
L1 Process	DS Provide Decision Support
L2 Capability	DS-020 - Perform Product Costing and Inventory Valuation

2.2 Business Drivers

#	Driver	Description	Strategic Alignment	Priority
1	S/4 HANA Finance Consolidation	Migrate legacy costing and reporting platforms to unified S/4 HANA finance backbone	IDM 2.0 Core Finance Transformation	High
2	Real-Time Financial Visibility	Enable real-time cost reporting and variance analysis replacing batch-driven legacy processes	CFO Digital Finance Initiative	High
3	Regulatory Compliance Readiness	Ensure SOX compliance and audit trail continuity through the ERP transition period	Intel Corporate Compliance	Medium
4	DS-020 Process Migration	Migrate Perform Product Costing and Inventory Valuation business processes and 42 integrated systems from legacy to S/4 HANA target architecture	IDM 2.0 Finance	High

2.3 Success Criteria

Metric	Target	Measure	Baseline	Owner
Month-End Close Cycle Time	< 3 business days	Calendar days from period close trigger to final posting	5 business days (legacy)	Finance Controller
Cost Variance Accuracy	< 0.5% deviation	Variance between standard and actual cost post-migration	1.2% (ICOST baseline)	Cost Accounting Lead
System Availability (Finance)	99.9% uptime	S/4 HANA finance module availability during business hours	99.5% (legacy)	IT Operations
DS-020 Migration Completeness	100% flow chains validated	All 22 flow chains verified in target state	0% (pre-migration)	Tower Architect

2.4 Companion Documents

Document	Description
Business Architecture	Included in this document (Section 3) — process flows from BPMN diagrams
This Document	Full BDAT Architecture — Business + Data + Application + Technology

3. Business Architecture (TOGAF "B")

3.1 Business Process Overview

This capability includes **15 business process(es)** modeled in BPMN 2.0, covering the end-to-end workflow for DS-020 Perform Product Costing and Inventory Valuation.

#	Step ID	Process Name	Lanes	Tasks	Gateways
1	DS-020-020	Perform Cumulative Costing Run	Cost Analyst	10	3
2	DS-020-030	Analyze and Review Cost Estimates for Accuracy	Cost Accountant	7	7
3	DS-020-040	Release Cost Estimates	Cost Accountant	8	2
4	DS-020-050	Perform Off-Cycle, Unplanned Costing Run	Cost Accountant	9	4
5	DS-020-060	Analyze Material Ledger	Cost Accountant	4	4
6	DS-020-080	Verify Standard Cost	Cost Accountant	10	10
7	DS-020-090	Review Production Orders	Cost Accountant	7	9
8	DS-020-100	Actual Costing	Cost Accountant	8	0
9	DS-020-110	Material Ledger Reports	Cost Accountant	3	4
10	DS-020-120	Calculate and apply overhead for all MFG orders	Cost Accountant	6	2
11	DS-020-130	Calculate WIP	Cost Accountant	4	4
12	DS-020-140	Calculate Variances	Cost Accountant	10	11
13	DS-020-150	Generate Variances Report	Cost Accountant	12	11
14	DS-020-160	Execute Order Settlement	Cost Accountant	4	3
15	DS-020-170	Product Costing Reports	TBD	7	0

3.2 Business Process Diagrams

BUSINESS ARCHITECTURE — 3.2.1 DS-020-020 — Perform Cumulative Costing Run

Swim Lanes: Cost Analyst | **Tasks**: 10 | **Gateways**: 3

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process



View Diagram

BUSINESS ARCHITECTURE — 3.2.2 DS-020-030 — Analyze and Review Cost Estimates for Accuracy

Swim Lanes: Cost Accountant | **Tasks**: 7 | **Gateways**: 7

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process



View Diagram

BUSINESS ARCHITECTURE — 3.2.3 DS-020-040 — Release Cost Estimates

Swim Lanes: Cost Accountant | **Tasks**: 8 | **Gateways**: 2

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process



View Diagram

BUSINESS ARCHITECTURE — 3.2.4 DS-020-050 — Perform Off-Cycle, Unplanned Costing Run

Swim Lanes: Cost Accountant | **Tasks**: 9 | **Gateways**: 4

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process



View Diagram

BUSINESS ARCHITECTURE — 3.2.5 DS-020-060 — Analyze Material Ledger

Swim Lanes: Cost Accountant | **Tasks**: 4 | **Gateways**: 4

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process



View Diagram

BUSINESS ARCHITECTURE — 3.2.6 DS-020-080 — Verify Standard Cost

Swim Lanes: Cost Accountant | **Tasks**: 10 | **Gateways**: 10

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

View Diagram

BUSINESS ARCHITECTURE — 3.2.7 DS-020-090 — Review Production Orders

Swim Lanes: Cost Accountant | **Tasks**: 7 | **Gateways**: 9

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Display Cost Analysis of Production Order"] n2["fa:fa-user Display Production Order"] n3["fa:fa-user Review Planned Cost and Planned Quantity"] n4["fa:fa-user Review Actual Qty and Cost for Actual Quantity"] n5["fa:fa-user Review Activity Costs for the Order"] n6["fa:fa-user Review the Documented Goods Movements"] n7["fa:fa-user Review the Production Order Status"] n8(["fa:fa-play Production Orders Review is Initiated"]) n9(["fa:fa-stop Production Orders Review Completed"]) n10["Execute Production Operations (IF)"] n11["Execute Production Operations (IP)"] n12["Execute Production Operations (IF)"] n13["Execute Production Operations (IP)"] n14["Calculate and apply overhead for all MFG orders"] n15["Process Goods Receipt from Production (IF)"] n16["Process Goods Receipt from Production (IP)"] n17["Confirm Completion of Production Operation Order (IF)"] n18["Confirm Completion of Production Operation Order (IP)"] n19{{"fa:fa-code-branch Review Successful?"}} n20{{"fa:fa-code-branch Review Successful?"}} n21{{"fa:fa-code-branch Review Successful?"}} n22{{"fa:fa-code-branch Review Successful?"}} n23{{"fa:fa-code-branch Review Successful?"}} n24{{"fa:fa-arrows-alt parallelGateway"}} n25{{"fa:fa-arrows-alt parallelGateway"}} n26{{"fa:fa-arrows-alt parallelGateway"}} n27{{"fa:fa-arrows-alt parallelGateway"}} end n2 --> n1 n8 --> n2 n5 --> n21 n3 --> n19 n1 --> n3 n4 --> n20 n19 -->|"Yes"| n4 n20 -->|"Yes"| n5 n6 --> n22 n21 -->|"Yes"| n6 n22 -->|"Yes"| n7 n7 --> n23 n23 -->|"Yes"| n9 n19 --> n24 n24 --> n10 n24 --> n11 n25 --> n12 n25 --> n13 n20 -->|"No"| n25 n26 --> n15 n26 --> n16 n27 --> n17 n27 --> n18 n23 -->|"No"| n27 n22 -->|"No"| n26 n21 -->|"No"| n14 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 userTask class n6 userTask class n7 userTask class n8 startEvt class n9 endEvt class n10 startEvt class n11 startEvt class n12 startEvt class n13 startEvt class n14 startEvt class n15 startEvt class n16 startEvt class n17 startEvt class n18 startEvt class n19 gateway class n20 gateway class n21 gateway class n22 gateway class n23 gateway class n24 gateway class n25 gateway class n26 gateway class n27 gateway

View Diagram

BUSINESS ARCHITECTURE — 3.2.8 DS-020-100 — Actual Costing

Swim Lanes: Cost Accountant | **Tasks**: 8 | **Gateways**: 0

> **Legend**: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Execute Actual Activity Price / Rate Calculation"] n2["fa:fa-user Calculate Work in Progress"] n3["fa:fa-user Perform Actual Costing Run"] n4["fa:fa-user Run Distribution Cycle"] n5["fa:fa-user Execute Variance Calculation"] n6["fa:fa-user Run Template Allocation"] n7["fa:fa-user Perform Actual Cost Splitting"] n8["fa:fa-user Execute Production Order Settlement"] n9(["fa:fa-play Actual Costing initiated"]) n10(["fa:fa-stop Actual Costing Checked"]) end n1 --> n2 n8 --> n3 n6 --> n4 n4 --> n7 n9 --> n6 n2 --> n5 n7 --> n1 n5 --> n8 n3 --> n10 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 userTask class n6 userTask class n7 userTask class n8 userTask class n9 startEvt class n10 endEvt

View Diagram

BUSINESS ARCHITECTURE — 3.2.9 DS-020-110 — Material Ledger Reports

Swim Lanes: Cost Accountant | **Tasks**: 3 | **Gateways**: 4

> **Legend**: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Review Variances"] n2["fa:fa-user Review Standard Price vs Actual Prices Report"] n3["fa:fa-user Review Unabsorbed Variances"] n4(["fa:fa-play Running of Material Ledger Report Initiated"]) n5(["fa:fa-stop Running of Material Ledger Report Completed"]) n6["Analyze Material Ledger"] n7{{"fa:fa-code-branch Review Successful?"}} n8{{"fa:fa-code-branch Review Successful?"}} n9{{"fa:fa-code-branch Review Successful?"}} n10{{"fa:fa-code-branch exclusiveGateway"}} end n4 --> n2 n3 --> n9 n2 --> n7 n1 --> n8 n9 -->|"Yes"| n5 n8 -->|"Yes"| n3 n7 -->|"Yes"| n1 n10 --> n6 n7 -->|"No"| n10 n8 -->|"No"| n10 n9 -->|"No"| n10 class n1 userTask class n2 userTask class n3 userTask class n4 startEvt class n5 endEvt class n6 startEvt class n7 gateway class n8 gateway class n9 gateway class n10 gateway

View Diagram

BUSINESS ARCHITECTURE — 3.2.10 DS-020-120 — Calculate and apply overhead for all MFG orders

Swim Lanes: Cost Accountant | **Tasks**: 6 | **Gateways**: 2

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Perform Template Allocation for COH"] n2["fa:fa-user Perform Actual Activity Rate Calculation"] n3["fa:fa-user Perform Actual Costing"] n4[["fa:fa-cog Perform Production Order Activity Confirmation"]] n5[["fa:fa-cog Update Activity Quantity based on Template Allocation to Production Orders COH"]] n6[["fa:fa-cog Apply Standard Overhead Rates on Production Activity Quantity"]] n7(["fa:fa-play Overhead Calculation Initiated"]) n8(["fa:fa-stop Overhead Calculation Completed"]) n9{{"fa:fa-arrows-alt parallelGateway"}} n10{{"fa:fa-arrows-alt parallelGateway"}} end n7 --> n9 n1 --> n5 n6 --> n2 n9 --> n4 n9 --> n1 n4 --> n10 n5 --> n10 n10 --> n6 n2 --> n3 n3 --> n8 class n1 userTask class n2 userTask class n3 userTask class n4 serviceTask class n5 serviceTask class n6 serviceTask class n7 startEvt class n8 endEvt class n9 gateway class n10 gateway

View Diagram

BUSINESS ARCHITECTURE — 3.2.11 DS-020-130 — Calculate WIP

Swim Lanes: Cost Accountant | **Tasks**: 4 | **Gateways**: 4

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Execute Calculation of WIP"] n2["fa:fa-user Validate the WIP Amount for the Current Period"] n3["fa:fa-user Validate the WIP Reversal Amount of the Previous Period"] n4["fa:fa-user Review Production Order Level WIP"] n5(["fa:fa-play Calculation of WIP Started"]) n6(["fa:fa-stop Calculation of WIP Completed"]) n7["Review Production Orders"] n8{{"fa:fa-code-branch Validation Successful?"}} n9{{"fa:fa-code-branch Validation Successful?"}} n10{{"fa:fa-code-branch Review Successful?"}} n11{{"fa:fa-code-branch exclusiveGateway"}} end n5 --> n1 n1 --> n2 n2 --> n8 n3 --> n9 n8 -->|"Yes"| n3 n9 -->|"Yes"| n4 n4 --> n10 n10 -->|"Yes"| n6 n11 --> n7 n10 -->|"No"| n11 n9 -->|"No"| n11 n8 -->|"No"| n11 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 startEvt class n6 endEvt class n7 startEvt class n8 gateway class n9 gateway class n10 gateway class n11 gateway

View Diagram

BUSINESS ARCHITECTURE — 3.2.12 DS-020-140 — Calculate Variances

Swim Lanes: Cost Accountant | **Tasks**: 10 | **Gateways**: 11

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Display Cost Analysis of Production Order"] n2["fa:fa-user Display Production Order"] n3["fa:fa-user Review Planned Cost and Planned Quantity"] n4["fa:fa-user Review Actual Qty and Cost for Actual Quantity"] n5["fa:fa-user Review Activity Costs for the Order"] n6["fa:fa-user Review the Documented Goods Movements"] n7["fa:fa-user Review the Production Order Status"] n8["fa:fa-user Execute Variance Calculation Test mode"] n9["fa:fa-user Review Variance Amounts Calculated"] n10["fa:fa-user Calculate Variances Without Test"] n11(["fa:fa-play Variances Calculation is Initiated"]) n12(["fa:fa-play Production Orders Review is Initiated"]) n13(["fa:fa-stop Production Orders Review Completed"]) n14(["fa:fa-stop Variances Calculation is Completed"]) n15["Execute Production Operations (IF)"] n16["Execute Production Operations (IP)"] n17["Execute Production Operations (IF)"] n18["Execute Production Operations (IP)"] n19["Calculate and apply overhead for all MFG orders"] n20["Process Goods Receipt from Production (IF)"] n21["Process Goods Receipt from Production (IP)"] n22["Confirm Completion of Production Operation Order (IF)"] n23["Confirm Completion of Production Operation Order (IP)"] n24{{"fa:fa-code-branch Review Successful?"}} n25{{"fa:fa-code-branch Review Successful?"}} n26{{"fa:fa-code-branch Review Successful?"}} n27{{"fa:fa-code-branch Review Successful?"}} n28{{"fa:fa-code-branch Review Successful?"}} n29{{"fa:fa-code-branch Amounts are Correct?"}} n30{{"fa:fa-code-branch exclusiveGateway"}} n31{{"fa:fa-arrows-alt parallelGateway"}} n32{{"fa:fa-arrows-alt parallelGateway"}} n33{{"fa:fa-arrows-alt parallelGateway"}} n34{{"fa:fa-arrows-alt parallelGateway"}} n35[["fa:fa-folder-open Review Production Orders"]] end n2 --> n1 n12 --> n2 n5 --> n26 n3 --> n24 n1 --> n3 n4 --> n25 n24 -->|"Yes"| n4 n25 -->|"Yes"| n5 n6 --> n27 n26 -->|"Yes"| n6 n27 -->|"Yes"| n7 n7 --> n28 n28 -->|"Yes"| n13 n24 --> n31 n31 --> n15 n31 --> n16 n32 --> n17 n32 --> n18 n25 -->|"No"| n32 n33 --> n20 n33 --> n21 n34 --> n22 n34 --> n23 n28 -->|"No"| n34 n27 -->|"No"| n33 n26 -->|"No"| n19 n11 --> n30 n35 --> n8 n8 --> n9 n9 --> n29 n29 -->|"Yes"| n10 n30 --> n35 n29 -->|"No"| n30 n10 --> n14 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 userTask class n6 userTask class n7 userTask class n8 userTask class n9 userTask class n10 userTask class n11 startEvt class n12 startEvt class n13 endEvt class n14 endEvt class n15 startEvt class n16 startEvt class n17 startEvt class n18 startEvt class n19 startEvt class n20 startEvt class n21 startEvt class n22 startEvt class n23 startEvt class n24 gateway class n25 gateway class n26 gateway class n27 gateway class n28 gateway class n29 gateway class n30 gateway class n31 gateway class n32 gateway class n33 gateway class n34 gateway class n35 subProc

View Diagram

BUSINESS ARCHITECTURE — 3.2.13 DS-020-150 — Generate Variances Report

Swim Lanes: Cost Accountant | **Tasks**: 12 | **Gateways**: 11

Legend: ● **Start** · ● End · User Task · Service Task · ◇ Gateway · Sub-Process

```
%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["Execute Reports for Variances"] n2["Analyze the Variances"] n3["fa:fa-user Display Cost Analysis of Production Order"] n4["fa:fa-user Display Production Order"] n5["fa:fa-user Review Planned Cost and Planned Quantity"] n6["fa:fa-user Review Actual Qty and Cost for Actual Quantity"] n7["fa:fa-user Review Activity Costs for the Order"] n8["fa:fa-user Review the Documented Goods Movements"] n9["fa:fa-user Review the Production Order Status"] n10["fa:fa-user Execute Variance Calculation Test mode"] n11["fa:fa-user Review Variance Amounts Calculated"] n12["fa:fa-user Calculate Variances Without Test"] n13(["fa:fa-play Variance Report Generation is Initiated"]) n14(["fa:fa-play Variances Calculation is Initiated"]) n15(["fa:fa-play Production Orders Review is Initiated"]) n16(["fa:fa-stop Variance Report Generation is Completed"]) n17(["fa:fa-stop Production Orders Review Completed"]) n18(["fa:fa-stop Variances Calculation is Completed"]) n19["Execute Production Operations (IF)"] n20["Execute Production Operations (IP)"] n21["Execute Production Operations (IF)"] n22["Execute Production Operations (IP)"] n23["Calculate and apply overhead for all MFG orders"] n24["Process Goods Receipt from Production (IF)"] n25["Process Goods Receipt from Production (IP)"] n26["Confirm Completion of Production Operation Order (IF)"] n27["Confirm Completion of Production Operation Order (IP)"] n28{{"fa:fa-code-branch Review Successful?"}} n29{{"fa:fa-code-branch Review Successful?"}} n30{{"fa:fa-code-branch Review Successful?"}} n31{{"fa:fa-code-branch Review Successful?"}} n32{{"fa:fa-code-branch Review Successful?"}} n33{{"fa:fa-code-branch Amounts are Correct?"}} n34{{"fa:fa-code-branch exclusiveGateway"}} n35{{"fa:fa-arrows-alt parallelGateway"}} n36{{"fa:fa-arrows-alt parallelGateway"}} n37{{"fa:fa-arrows-alt parallelGateway"}} n38{{"fa:fa-arrows-alt parallelGateway"}} n39[["fa:fa-folder-open Calculate Variances"]] n40[["fa:fa-folder-open Review Production Orders"]] end n4 --> n3 n15 --> n4 n7 --> n30 n5 --> n28 n3 --> n5 n6 --> n29 n28 -->|"Yes"| n6 n29 -->|"Yes"| n7 n8 --> n31 n30 -->|"Yes"| n8 n31 -->|"Yes"| n9 n9 --> n32 n32 -->|"Yes"| n17 n28 --> n35 n35 --> n19 n35 --> n20 n36 --> n21 n36 --> n22 n29 -->|"No"| n36 n37 --> n24 n37 --> n25 n38 --> n26 n38 --> n27 n32 -->|"No"| n38 n31 -->|"No"| n37 n30 -->|"No"| n23 n14 --> n34 n40 --> n10 n10 --> n11 n11 --> n33 n33 -->|"Yes"| n12 n34 --> n40 n33 -->|"No"| n34 n12 --> n18 n13 --> n39 n39 --> n1 n1 --> n2 n2 --> n16 class n3 userTask class n4 userTask class n5 userTask class n6 userTask class n7 userTask class n8 userTask class n9 userTask class n10 userTask class n11 userTask class n12 userTask class n13 startEvt class n14 startEvt class n15 startEvt class n16 endEvt class n17 endEvt class n18 endEvt class n19 startEvt class n20 startEvt class n21 startEvt class n22 startEvt class n23 startEvt class n24 startEvt class n25 startEvt class n26 startEvt class n27 startEvt class n28 gateway class n29 gateway class n30 gateway class n31 gateway class n32 gateway class n33 gateway class n34 gateway class n35 gateway class n36 gateway class n37 gateway class n38 gateway class n39 subProc class n40 subProc
```

View Diagram

BUSINESS ARCHITECTURE — 3.2.14 DS-020-160 — Execute Order Settlement

Swim Lanes: Cost Accountant | **Tasks**: 4 | **Gateways**: 3

Legend: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["Cost Accountant"] n1["fa:fa-user Execute Order Settlement in Update Run"] n2["fa:fa-user Validate Accounting Document"] n3["fa:fa-user Validate the Settlement Values"] n4["fa:fa-user Execute Order Settlement in Test Run"] n5(["fa:fa-play Order Settlement Execution Initiated"]) n6(["fa:fa-stop Order Settlement Execution Completed"]) n7["Review Production Orders"] n8{{"fa:fa-code-branch Validation Successful?"}} n9{{"fa:fa-code-branch Validation Successful?"}} n10{{"fa:fa-code-branch exclusiveGateway"}} end n1 --> n2 n3 --> n8 n2 --> n9 n4 --> n3 n5 --> n4 n9 -->|"Yes"| n6 n8 -->|"Yes"| n1 n10 --> n7 n9 -->|"No"| n10 n8 -->|"No"| n10 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 startEvt class n6 endEvt class n7 startEvt class n8 gateway class n9 gateway class n10 gateway

View Diagram

BUSINESS ARCHITECTURE — 3.2.15 DS-020-170 — Product Costing Reports

Swim Lanes: TBD | **Tasks**: 7 | **Gateways**: 0

Legend: • **Start** · • End · User Task · Service Task · ◇ Gateway · Sub-Process

%%{init: {'theme': 'base', 'themeVariables': {'fontSize': '14px', 'fontFamily': 'Segoe UI, Arial, sans-serif','primaryColor': '#e8f0fe', 'primaryBorderColor': '#0071c5','lineColor': '#37474F', 'secondaryColor': '#f5f8fc'}, 'flowchart': {'useMaxWidth': false, 'htmlLabels': true, 'curve': 'basis', 'nodeSpacing': 40, 'rankSpacing': 50}} }%% flowchart TD classDef startEvt fill:#4CAF50,stroke:#2E7D32,color:#000,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef endEvt fill:#C62828,stroke:#B71C1C,color:#fff,font-weight:bold,stroke-width:2px,rx:20,ry:20 classDef userTask fill:#E3F2FD,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef serviceTask fill:#FFF3E0,stroke:#E65100,stroke-width:2px,color:#BF360C classDef gateway fill:#FFF9C4,stroke:#F57F17,stroke-width:2px,color:#E65100 classDef subProc fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px,color:#4A148C subgraph lane_0["TBD"] n1["fa:fa-user Execute Product Costing Reports"] n2["fa:fa-user Execute Cost Center Reports"] n3["fa:fa-user Execute Production Order Reports"] n4["fa:fa-user Execute Scrap Reports"] n5["fa:fa-user Execute Variance Reports"] n6["fa:fa-user Execute Material Ledger Reports"] n7["fa:fa-user Execute Inventory Reports"] n8(["fa:fa-play Product Costing Reports Execution Started"]) n9(["fa:fa-stop Product Costing Reports Execution Completed"]) end n8 --> n2 n2 --> n1 n1 --> n3 n3 --> n4 n4 --> n5 n5 --> n6 n6 --> n7 n7 --> n9 class n1 userTask class n2 userTask class n3 userTask class n4 userTask class n5 userTask class n6 userTask class n7 userTask class n8 startEvt class n9 endEvt

View Diagram

3.3 Business Roles & Responsibilities

Role / Lane	Processes Involved	Description
Cost Analyst	DS-020-020,	
Cost Accountant	DS-020-030, DS-020-040, DS-020-050, DS-020-060, DS-020-080, DS-020-090, DS-020-100, DS-020-110, DS-020-120, DS-020-130, DS-020-140, DS-020-150, DS-020-160,	
TBD	DS-020-170	

4. Data Architecture (TOGAF "D")

4.1 Data Flows — Source to Target

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
1	MES Route to ICOST	1	MES 300	Oracle	XEUS	Oracle	MES Routes	Near Real-Time	Intel Confidential
2	MES Route to ICOST	2	XEUS	Oracle	ICOST	MS SQL	FSM/ATM SF Routes & Cycle Times	Daily	Intel Confidential
3	WorkStream Route to ICOST	1	WorkStream	Oracle	MARS	Oracle	WorkStream Routes	Near Real-Time	Intel Confidential
4	WorkStream Route to ICOST	2	MARS	Oracle	ICOST	MS SQL	Forecast ASP / Forecast Units	Daily	Intel Confidential
5	WIP to ICOST	1	MES 300	Oracle	XEUS	Oracle	WIP Inventory	Every 4 hrs	Intel Confidential
6	WIP to ICOST	2	XEUS	Oracle	CIBR	Oracle	WIP Inventory	Daily	Intel Confidential
7	WIP to ICOST	3	CIBR	Oracle	ICOST	MS SQL	WIP Inventory	Daily	Intel Confidential
8	WIP to ICOST	1	Workstream	Oracle	MARS	Oracle	WIP Inventory	Every 4 hrs	Intel Confidential
9	WIP to ICOST	2	MARS	Oracle	CIBR	Oracle	WIP Inventory	Daily	Intel Confidential
10	ATM Cycle Times to ICOST	1	EATS	Oracle	ICOST	MS SQL	ATM Cycle Times	Weekly	Intel Confidential
11	SPEED BOM to ECC	1	SPEED-LEGACY	MS SQL	SAP PO	Legacy HANA	Material Master & BOMs	Event-Driven	Intel Confidential
12	SPEED BOM to ECC	2	SAP PO	Legacy HANA	SAP ECC	Legacy HANA	Material BOMs, RM Std Cost, RM Inv	Event-Driven	Intel Confidential
13	SPEED BOM to ICOST	1	SPEED-LEGACY	MS SQL	EDW	Oracle	Product BOMs	Batch	Intel Confidential
14	SPEED BOM to ICOST	2	EDW	Oracle	ICOST	MS SQL	Product BOMs	Daily	Intel Confidential
15	SPEED BOM to CIBR	1	SPEED-LEGACY	MS SQL	EDW	Oracle	Product BOMs	Batch	Intel Confidential
16	SPEED BOM to CIBR	2	EDW	Oracle	CIBR	Oracle	Product BOMs	Daily	Intel Confidential
17	Finance Master Data to ICOST	1	Legacy MDG	Legacy HANA	SAP ECC	Legacy HANA	Master Data	Event-Driven	Intel Confidential
18	Finance Master Data to ICOST	2	ECC	Legacy HANA	EDW	Oracle	Finance Master Data. Profit Center, Cost Center, GL Acc, Calendar etc	Daily	Intel Confidential
19	Finance Master Data to ICOST	3	EDW	Oracle	ICOST	MS SQL	Finance Master Data. Profit Center, Cost Center, GL Acc, Calendar etc	Daily	Intel Confidential
20	WH Inventory to ICOST	1	ECC	Legacy HANA	EDW	Oracle	WH/FG Inventory	Daily	Intel Confidential
21	WH Inventory to ICOST	2	EDW	Oracle	ICOST	MS SQL	WH/FG Inventory	Daily	Intel Confidential
22	WH Inventory to CIBR	1	ECC	Legacy HANA	EDW	Oracle	WH/FG Inventory	Daily	Intel Confidential
23	WH Inventory to CIBR	2	EDW	Oracle	CIBR	Oracle	WH/FG Inventory	Daily	Intel Confidential
24	Auto GR in ECC	1	CIBR	Oracle	SAP ECC	Oracle	Auto GR and mSAP Extract	Daily	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
25	CIBR to SPAN	1	CIBR	Oracle	SPAN	MS SQL	WIP Inventory	Daily	Intel Confidential
26	Factory Spend to ICOST	1	ECC	Legacy HANA	EDW	Oracle	Factory Spending	Daily	Intel Confidential
27	Factory Spend to ICOST	2	EDW	Oracle	ICOST	MS SQL	Factory Spending	Daily	Intel Confidential
28	CIBR RM Inv to ECC	1	CIBR	Oracle	SAP PO	Legacy HANA	RM Inv Consumption & Subcon Inv Data	Near Real-Time	Intel Confidential
29	CIBR RM Inv to ECC	2	SAP PO	Legacy HANA	SAP ECC	Legacy HANA	RM Inv Consumption & Subcon Inv Data	Event-Driven	Intel Confidential
30	ECC Replication to ECA	1	SAP ECC	Legacy HANA	SideCar	S4/HANA (SideCar)	SLT: Financials, BOMs, Routes	Real-Time/NRT	Intel Confidential
31	ECC Replication to ECA	2	SideCar	S4/HANA - SideCar	ADLS	ADLS (Azure Data Lake)	CIF Data	Near Real-Time	Intel Confidential
32	ECC Replication to ECA	3	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	Transform Data	Batch	Intel Confidential
33	ECC Replication to ECA	4	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	Stores Data	Batch	Intel Confidential
34	Corp/IP Inv Mvt to ECA	1	Corp / IP S/4	S4/HANA	SideCar	S4/HANA (SideCar)	Inv Mvt Conf (561 MvT) BOH Transfer	Real-Time/NRT	Intel Confidential
35	Corp/IP Inv Mvt to ECA	2	SideCar	S4/HANA - SideCar	ADLS	ADLS (Azure Data Lake)	CIF Data	Near Real-Time	Intel Confidential
36	Corp/IP Inv Mvt to ECA	3	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	Transform Data	Batch	Intel Confidential
37	Corp/IP Inv Mvt to ECA	4	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	Stores Data	Batch	Intel Confidential
38	IF Inv Mvt to ECA	1	IF S/4	S4/HANA	SideCar	S4/HANA (SideCar)	Inv Mvt Conf (561 MvT) BOH Transfer	Real-Time/NRT	Intel Confidential
39	IF Inv Mvt to ECA	2	SideCar	S4/HANA - SideCar	ADLS	ADLS (Azure Data Lake)	CIF Data	Near Real-Time	Intel Confidential
40	IF Inv Mvt to ECA	3	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	Transform Data	Batch	Intel Confidential
41	IF Inv Mvt to ECA	4	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	Stores Data	Batch	Intel Confidential
42	Corp/IP Master Data to ECA	1	Corp / IP S/4	S4/HANA	SideCar	S4/HANA (SideCar)	Master data: Finance, Materials (BOM), Plant Calendar	Real-Time/NRT	Intel Confidential
43	Corp/IP Master Data to ECA	2	SideCar	S4/HANA - SideCar	ADLS	ADLS (Azure Data Lake)	CIF Data	Near Real-Time	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
44	Corp/IP Master Data to ECA	3	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	Transform Data	Batch	Intel Confidential
45	Corp/IP Master Data to ECA	4	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	Stores Data	Batch	Intel Confidential
46	IF Master Data to ECA	1	Corp / IP S/4	S4/HANA	SideCar	S4/HANA (SideCar)	Master data: Finance, Materials (BOM), Plant Calendar	Real-Time/NRT	Intel Confidential
47	IF Master Data to ECA	2	SideCar	S4/HANA - SideCar	ADLS	ADLS (Azure Data Lake)	CIF Data	Near Real-Time	Intel Confidential
48	IF Master Data to ECA	3	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	Transform Data	Batch	Intel Confidential
49	IF Master Data to ECA	4	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	Stores Data	Batch	Intel Confidential
50	GL Posting to ECC/CFIN	1	ICOST	MS SQL	CFIN S/4	Data Bricks	GL Postings	Batch	Intel Confidential
51	ECC to EDW Finance Master Data	1	SAP ECC	Legacy HANA	EDW	Oracle	Finance Master Data, G/L Spending, BOM, Materials, Order Details	Batch	Intel Confidential
52	ECC to EDW Finance Master Data	2	EDW	Oracle	ICOST	MS SQL	Inventory Data, Cost Data, GL Transactions	Batch	Intel Confidential
53	FCA to ICOST	1	FCA	ADLS (Azure Data Lake)	ICOST	MS SQL	Financial Cost Data	Batch	Intel Confidential
54	ECC to Finance HANA	1	SAP ECC	Legacy HANA	Finance HANA	Legacy HANA	Finance Data	Real-Time/NRT	Intel Confidential
55	RM Std Fluctuations Alert	1	Finance HANA	Legacy HANA	APIGEE	Google Cloud	RM Std Major Fluctuations	Event-Driven	Intel Confidential
56	RM Std Fluctuations Alert	2	APIGEE	Google Cloud	PEGA	PEGA Data	RM Std Major Fluctuations	Event-Driven	Intel Confidential
57	Finance HANA to BOBJ	1	Finance HANA	Legacy HANA	BOBJ	Legacy HANA	Financial Analytics Data	Batch	Intel Confidential
58	RM Std Cost Update to ECC	1	Finance HANA	Legacy HANA	SAP PO	Legacy HANA	RM Std Cost Update	Event-Driven	Intel Confidential
59	RM Std Cost Update to ECC	2	SAP PO	Legacy HANA	SAP ECC	Legacy HANA	RM Std Cost Update	Event-Driven	Intel Confidential
60	IBP Demand Planning (Legacy)	1	SAP IBP	Legacy HANA Cloud	ADLS	ADLS (Azure Data Lake)	LCM Reserves, Financial Projections, Demand Planning	Batch	Intel Confidential
61	IBP Demand Planning (Legacy)	2	ADLS	ADLS (Azure Data Lake)	DataBricks	Delta Lake (Data bricks)	LCM Reserves, Financial Projections, Demand Planning	Batch	Intel Confidential
62	IBP Demand Planning (Legacy)	3	DataBricks	Delta Lake (Data bricks)	SnowFlake	Snowflake Cloud DW	LCM Reserves, Financial Projections, Demand Planning	Batch	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
63	ECC GL to EDW	1	SAP ECC	Legacy HANA	EDW	Oracle	G/L Spending	Batch	Intel Confidential
64	ECC BOH to EDW	1	SAP ECC	Legacy HANA	EDW	Oracle	BOH Transfer 711 MvT	Batch	Intel Confidential
65	COMPASS to ICOST	1	COMPASS	MS SQL	ICOST	MS SQL	Forecast Routes	Daily	Intel Confidential
66	SDRA Demand to ICOST	1	SDRA Demand	MS SQL	ICOST	MS SQL	ProratedConsensusDemandForecast	Daily	Intel Confidential
67	Wafer Starts to ICOST	1	Wafer Starts	MS SQL	ICOST	MS SQL	Wafer Starts	Daily	Intel Confidential
68	SPAN to ICOST	1	SPAN	MS SQL	ICOST	MS SQL	Forecast Parameters	Daily	Intel Confidential
69	SnOP to ICOST	1	SnOP	MS SQL	ICOST	MS SQL	Forecast Parameters	Daily	Intel Confidential
70	BPC to ICOST	1	BPC	Legacy HANA	ICOST	MS SQL	Factory Spending	Close Week	Intel Confidential
71	OneMPS to ICOST	1	OneMPS	MS SQL	ICOST	MS SQL	Forecast Parameters	Daily	Intel Confidential
72	MyDeals to ICOST	1	MyDeals	MS SQL	ICOST	MS SQL	Rebates	Daily	Intel Confidential
73	MES Routes to S/4	1	MES 300	Oracle	XEUS	Oracle	MES Routes	Near Real-Time	Intel Confidential
74	MES Routes to S/4	2	XEUS	Oracle	PDF-SMH	Oracle & Apache Cassandra	MES Routes	Batch / On-demand	Intel Confidential
75	MES Routes to S/4	3	PDF-SMH	Oracle & Apache Cassandra	IF S/4 HANA	SAP HANA	Ops Confirmations & Route Data	Batch / On-demand	Intel Confidential
76	MES Routes to S/4	4	IF S/4 HANA	SAP HANA	CFIN S/4 HANA	SAP HANA	Replicated Postings	Batch / On-demand	Intel Confidential
77	WorkStream Routes to S/4	1	WorkStream	Oracle	MARS	Oracle	WorkStream Routes	Batch / On-demand	Intel Confidential
78	WorkStream Routes to S/4	2	MARS	Oracle	PDF-SMH	Oracle & Apache Cassandra	WorkStream Routes	Batch / On-demand	Intel Confidential
79	WorkStream Routes to S/4	3	PDF-SMH	Oracle & Apache Cassandra	IF S/4 HANA	SAP HANA	Ops Confirmations & Route Data	Batch / On-demand	Intel Confidential
80	WorkStream Routes to S/4	4	IF S/4 HANA	SAP HANA	CFIN S/4 HANA	SAP HANA	Replicated Postings	Batch / On-demand	Intel Confidential
81	ECM to S/4 via MDG	1	ECM (Windchill)	Oracle	PDM Translator	MS SQL	Factory Equipment Configurations	Batch / On-demand	Intel Confidential
82	ECM to S/4 via MDG	2	PDM Translator	MS SQL	SAP S/4 MDG	SAP HANA	Factory Equipment Configurations	Batch / On-demand	Intel Confidential
83	ECM to S/4 via MDG	3	SAP S/4 MDG	SAP HANA	IF S/4 HANA	SAP HANA	Governed Master Data	Batch / On-demand	Intel Confidential
84	ECM to S/4 via MDG	3	SAP S/4 MDG	SAP HANA	Corp / IP S/4 HANA	SAP HANA	Governed Master Data	Batch / On-	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
85	SPEED to S/4 via MDG	1	SPEED	MS SQL	PDM Translator	MS SQL	Product Master & BOM Data	Batch / On-demand	Intel Confidential
86	SPEED to S/4 via MDG	2	PDM Translator	MS SQL	SAP S/4 MDG	SAP HANA	Translated Product Master & BOM	Batch / On-demand	Intel Confidential
87	SPEED to S/4 via MDG	3	SAP S/4 MDG	SAP HANA	IF S/4 HANA	SAP HANA	Governed Master Data	Batch / On-demand	Intel Confidential
88	SPEED to S/4 via MDG	4	SAP S/4 MDG	SAP HANA	Corp / IP S/4 HANA	SAP HANA	Governed Master Data	Batch / On-demand	Intel Confidential
89	SPEED BOMs to ECA	1	SPEED	MS SQL	ECA-ADLS	ADLS (Azure Data Lake)	Product BOMs	Batch / On-demand	Intel Confidential
90	SPEED BOMs to ECA	2	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Product BOMs	Batch / On-demand	Intel Confidential
91	SPEED BOMs to ECA	3	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Product BOMs	Batch / On-demand	Intel Confidential
92	GraphiteConnect Vendor MD	1	GraphiteConnect	PostgreSQL	SAP S/4 MDG	SAP HANA	Vendor Master Data	Batch / On-demand	Intel Confidential
93	GraphiteConnect Vendor MD	2	SAP S/4 MDG	SAP HANA	IF S/4 HANA	SAP HANA	Governed Vendor Master Data	Batch / On-demand	Intel Confidential
94	GraphiteConnect Vendor MD	3	SAP S/4 MDG	SAP HANA	Corp / IP S/4 HANA	SAP HANA	Governed Vendor Master Data	Batch / On-demand	Intel Confidential
95	ERP to SideCar	1	IF S/4 HANA	SAP HANA	SideCar	S4/HANA - SideCar	Master & Transactional Data	Trigger based (SLT)	Intel Confidential
96	ERP to SideCar	2	Corp / IP S/4 HANA	SAP HANA	SideCar	S4/HANA - SideCar	Master & Transactional Data	Trigger based (SLT)	Intel Confidential
97	ERP to SideCar	3	CFIN S/4 HANA	SAP HANA	SideCar	S4/HANA - SideCar	Master & Transactional Data	Trigger based (SLT)	Intel Confidential
98	SideCar to ECA	1	SideCar	S4/HANA - SideCar	ECA-ADLS	ADLS (Azure Data Lake)	Master & Transactional Data	NRT / Batch / On-demand	Intel Confidential
99	SideCar to ECA	2	ECA-ADLS	Azure Data Lake (ADLS)	ECA-DataBricks	Delta Lake (Data bricks)	Master & Transactional Data	NRT / Batch / On-demand	Intel Confidential
100	SideCar to ECA	3	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Master & Transactional Data	NRT / Batch / On-demand	Intel Confidential
101	Factory Rpt to ECA (FCS)	1	FCS	MS SQL	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
102	Factory Rpt to ECA (FCS)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
103	Factory Rpt to ECA (FCS)	3	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
104	Factory Rpt to ECA (FCS)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
105	Factory Rpt to ECA (FCS)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
106	Factory Rpt to ECA (ICS)	1	ICS (Phoenix)	Oracle	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
107	Factory Rpt to ECA (ICS)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
108	Factory Rpt to ECA (ICS)	3	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
109	Factory Rpt to ECA (ICS)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
110	Factory Rpt to ECA (ICS)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
111	Factory Rpt to ECA (ATCR)	1	ATCR	MS SQL	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
112	Factory Rpt to ECA (ATCR)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
113	Factory Rpt to ECA (ATCR)	3	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
114	Factory Rpt to ECA (ATCR)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
115	Factory Rpt to ECA (ATCR)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
116	Factory Rpt to ECA (SCS)	1	SCS	MS SQL	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
117	Factory Rpt to ECA (SCS)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
118	Factory Rpt to ECA (SCS)	3	ECA-ADLS	ADLS (Azure	ECA-DataBricks	Delta Lake	Response to Forecast (RTF)load	Batch / On-	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
						(Data bricks)			
119	Factory Rpt to ECA (SCS)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
120	Factory Rpt to ECA (SCS)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
121	Factory Rpt to ECA (DXCR)	1	DXCR	MS SQL	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
122	Factory Rpt to ECA (DXCR)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
123	Factory Rpt to ECA (DXCR)	3	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
124	Factory Rpt to ECA (DXCR)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
125	Factory Rpt to ECA (DXCR)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
126	Factory Rpt to ECA (DMOCR)	1	DMOCR	MS SQL	Capacity Forecast Data Store	Oracle	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
127	Factory Rpt to ECA (DMOCR)	2	Capacity Forecast Data Store	Oracle	ECA-ADLS	ADLS (Azure Data Lake)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
128	Factory Rpt to ECA (DMOCR)	3	ECA-ADLS	ADLS (Azure Data Lake)	ECA-DataBricks	Delta Lake (Data bricks)	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
129	Factory Rpt to ECA (DMOCR)	4	ECA-DataBricks	Delta Lake (Data bricks)	ECA-SnowFlake	Snowflake Cloud DW	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
130	Factory Rpt to ECA (DMOCR)	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Response to Forecast (RTF)load	Batch / On-demand	Intel Confidential
131	WSPW Direct to ECA	1	WSPW	MS SQL	ECA-SnowFlake	Snowflake Cloud DW	EQ CAP & FTQ	Batch / On-demand	Intel Confidential
132	WSPW Direct to ECA	2	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	EQ CAP & FTQ	Batch / On-demand	Intel Confidential
133	Blue Yonder Demand to ECA	1	IF Blue Yonder	Snowflake BY	IF PDH Raw	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential
134	Blue Yonder Demand to ECA	2	IF PDH Raw	Snowflake Cloud DW (PDH)	IF PDH Foundational	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
135	Blue Yonder Demand to ECA	3	IF PDH Foundational	Snowflake Cloud DW (PDH)	IF PDH Consumptional	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential
136	Blue Yonder Demand to ECA	4	IF PDH Consumptional	Snowflake Cloud DW (PDH)	ECA-SnowFlake	Snowflake Cloud DW	Demand Signal	NRT / Batch / On demand	Intel Confidential
137	Blue Yonder Demand to ECA	5	ECA-SnowFlake	Snowflake Cloud DW	SAP PAPM	SAP HANA	Demand Signal	NRT / Batch / On demand	Intel Confidential
138	Blue Yonder Demand to ECA	1	IP Blue Yonder	Snowflake BY	IP PDH Raw	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential
139	Blue Yonder Demand to ECA	2	IP PDH Raw	Snowflake Cloud DW (PDH)	IP PDH Foundational	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential
140	Blue Yonder Demand to ECA	3	IP PDH Foundational	Snowflake Cloud DW (PDH)	IP PDH Consumptional	Snowflake Cloud DW (PDH)	Demand Signal	NRT / Batch / On demand	Intel Confidential
141	Blue Yonder Demand to ECA	4	IP PDH Consumptional	Snowflake Cloud DW (PDH)	ECA-SnowFlake	Snowflake Cloud DW	Demand Signal	NRT / Batch / On demand	Intel Confidential
142	Blue Yonder Demand to ECA	5	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Build Planned Orders	NRT / Batch / On demand	Intel Confidential
143	Blue Yonder Demand to ECA	5	ECA-SnowFlake	Snowflake Cloud DW	Corp / IP S/4 HANA	SAP HANA	Distribution/Supply/Replenishment Planning	NRT / Batch / On demand	Intel Confidential
144	SAC Planning to S/4	1	SAP SAC	SAP HANA Cloud	ECA-SnowFlake	Snowflake Cloud DW	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
145	SAC Planning to S/4	2	ECA-SnowFlake	Snowflake Cloud DW	IF S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
146	SAC Planning to S/4	1	SAP SAC	SAP HANA Cloud	IF S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
147	SAC Planning to S/4	2	ECA-SnowFlake	Snowflake Cloud DW	Corp / IP S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
148	SAC Planning to S/4	1	SAP SAC	SAP HANA Cloud	Corp / IP S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
149	SAC Planning to S/4	2	ECA-SnowFlake	Snowflake Cloud DW	CFIN S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential
150	SAC Planning to S/4	1	SAP SAC	SAP HANA Cloud	CFIN S/4 HANA	SAP HANA	Forecast Spending/Forecast Splits/Actual Splits	Batch / On-demand	Intel Confidential

#	Flow Chain	Hop	Source App	Source DB	Target App	Target DB	Data Description	Frequency	Classification
151	SAP PAPM to S/4	1	SAP PAPM	SAP HANA Cloud	IF S/4 HANA	SAP HANA	Inventory Reserve Allocations	Batch / On-demand	Intel Confidential
152	SAP PAPM to S/4	1	SAP PAPM	SAP HANA Cloud	Corp / IP S/4 HANA	SAP HANA	Inventory Reserve Allocations	Batch / On-demand	Intel Confidential
153	IBP to ECA (Legacy Overlap)	1	SAP IBP	SAP HANA Cloud	IF PDH Raw	Snowflake Cloud DW (PDH)	Build Planned Orders	NRT / Batch / On demand	Intel Confidential
154	IBP to ECA (Legacy Overlap)	2	IF PDH Raw	Snowflake Cloud DW (PDH)	IF PDH Foundational	Snowflake Cloud DW (PDH)	Build Planned Orders	NRT / Batch / On demand	Intel Confidential
155	IBP to ECA (Legacy Overlap)	3	IF PDH Foundational	Snowflake Cloud DW (PDH)	IF PDH Consumptional	Snowflake Cloud DW (PDH)	Build Planned Orders	NRT / Batch / On demand	Intel Confidential
156	IBP to ECA (Legacy Overlap)	4	IF PDH Consumptional	Snowflake Cloud DW (PDH)	ECA-SnowFlake	Snowflake Cloud DW	Build Planned Orders	NRT / Batch / On demand	Intel Confidential
157	IBP to ECA (Legacy Overlap)	5	ECA-SnowFlake	Snowflake Cloud DW	SAP PAPM	SAP HANA Cloud	ASP & Sales Forecast	NRT / Batch / On demand	Intel Confidential
158	Ariba Procurement to S/4	1	SAP Ariba	SAP HANA Cloud	IF S/4 HANA	SAP HANA	Purchase Requisitions	Event-Driven	Intel Confidential
159	Ariba Procurement to S/4	1	SAP Ariba	SAP HANA Cloud	Corp / IP S/4 HANA	SAP HANA	Purchase Requisitions	Event-Driven	Intel Confidential
160	Data Products to Power BI	1	ECA-SnowFlake	Snowflake Cloud DW	Power BI (DARC)	Azure Analysis Services	Reporting Layer - Finance	Batch / On-demand	Intel Confidential
161	SideCar to SAP BOBJ	1	SideCar	S4/HANA - SideCar	SAP BOBJ	SAP HANA	—	—	Intel Confidential

4.2 Data Flow Diagrams

DATA ARCHITECTURE — Database-to-database data flows. Applications (blue) sit above their hosting databases (green cylinders). Thick arrows show data movement between databases.

4.2.1 ICOST — Current-State Data Flows

%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "15px", "fontFamily": "Segoe UI, Arial"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 35, "rankSpacing": 45}} }%% flowchart TB classDef appBox fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef dbCyl fill:#C8E6C9,stroke:#2E7D32,stroke-width:2px,color:#1B5E20 classDef dbCloud fill:#BBDEFB,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef dbData fill:#B2EBF2,stroke:#00838F,stroke-width:2px,color:#004D40 classDef eolBox fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C subgraph DS020CDACL_ADLS_Azure_Data_Lake[" "] direction TB DS020CDAA_ADLS["ADLS"]:::appBox DS020CDAA_FCA["FCA"]:::eolBox DS020CDAD_ADLS_Azure_Data_Lake[("🗄 ADLS (Azure Data Lake)")]:::dbCloud DS020CDAA_ADLS -.-> DS020CDAD_ADLS_Azure_Data_Lake DS020CDAA_FCA -.-> DS020CDAD_ADLS_Azure_Data_Lake end style DS020CDACL_ADLS_Azure_Data_Lake fill:#E8F5E9,stroke:#388E3C,stroke-width:1px subgraph DS020CDACL_Data_Bricks[" "] direction TB DS020CDAA_CFIN_S_4["CFIN S/4"]:::appBox DS020CDAD_Data_Bricks[("🗄 Data Bricks")]:::dbCyl DS020CDAA_CFIN_S_4 -.-> DS020CDAD_Data_Bricks end style DS020CDACL_Data_Bricks fill:#E3F2FD,stroke:#1976D2,stroke-width:1px subgraph DS020CDACL_Delta_Lake_Data_bricks[" "] direction TB DS020CDAA_DataBricks["DataBricks"]:::appBox DS020CDAD_Delta_Lake_Data_bricks[("🗄 Delta Lake (Data bricks)")]:::dbCloud DS020CDAA_DataBricks -.-> DS020CDAD_Delta_Lake_Data_bricks end style DS020CDACL_Delta_Lake_Data_bricks fill:#FFF3E0,stroke:#E65100,stroke-width:1px subgraph DS020CDACL_Google_Cloud[" "] direction TB DS020CDAA_APIGEE["APIGEE"]:::appBox DS020CDAD_Google_Cloud[("🗄 Google Cloud")]:::dbCyl DS020CDAA_APIGEE -.-> DS020CDAD_Google_Cloud end style DS020CDACL_Google_Cloud fill:#FFFDE7,stroke:#F57F17,stroke-width:1px subgraph DS020CDACL_Legacy_HANA[" "] direction TB DS020CDAA_BOBJ["BOBJ"]:::appBox DS020CDAA_BPC["BPC"]:::appBox DS020CDAA_ECC["ECC"]:::eolBox DS020CDAA_Finance_HANA["Finance HANA"]:::appBox DS020CDAA_Legacy_MDG["Legacy MDG"]:::appBox DS020CDAA_SAP_ECC["SAP ECC"]:::appBox DS020CDAA_SAP_PO["SAP PO"]:::appBox DS020CDAD_Legacy_HANA[("🗄 Legacy HANA")]:::dbData DS020CDAA_BOBJ -.-> DS020CDAD_Legacy_HANA DS020CDAA_BPC -.-> DS020CDAD_Legacy_HANA DS020CDAA_ECC -.-> DS020CDAD_Legacy_HANA DS020CDAA_Finance_HANA -.-> DS020CDAD_Legacy_HANA DS020CDAA_Legacy_MDG -.-> DS020CDAD_Legacy_HANA DS020CDAA_SAP_ECC -.-> DS020CDAD_Legacy_HANA DS020CDAA_SAP_PO -.-> DS020CDAD_Legacy_HANA end style DS020CDACL_Legacy_HANA fill:#FCE4EC,stroke:#C62828,stroke-width:1px subgraph DS020CDACL_Legacy_HANA_Cloud[" "] direction TB DS020CDAA_SAP_IBP["SAP IBP"]:::appBox DS020CDAD_Legacy_HANA_Cloud[("🗄 Legacy HANA Cloud")]:::dbData DS020CDAA_SAP_IBP -.-> DS020CDAD_Legacy_HANA_Cloud end style DS020CDACL_Legacy_HANA_Cloud fill:#E8EAF6,stroke:#283593,stroke-width:1px subgraph DS020CDACL_MS_SQL[" "] direction TB DS020CDAA_COMPASS["COMPASS"]:::appBox DS020CDAA_ICOST["ICOST"]:::appBox DS020CDAA_MyDeals["MyDeals"]:::appBox DS020CDAA_OneMPS["OneMPS"]:::appBox DS020CDAA_SDRA_Demand["SDRA Demand"]:::appBox DS020CDAA_SPAN["SPAN"]:::appBox DS020CDAA_SPEED_LEGACY["SPEED-LEGACY"]:::appBox DS020CDAA_SnOP["SnOP"]:::appBox DS020CDAA_Wafer_Starts["Wafer Starts"]:::appBox DS020CDAD_MS_SQL[("🗄 MS SQL")]:::dbCyl DS020CDAA_COMPASS -.-> DS020CDAD_MS_SQL DS020CDAA_ICOST -.-> DS020CDAD_MS_SQL DS020CDAA_MyDeals -.-> DS020CDAD_MS_SQL DS020CDAA_OneMPS -.-> DS020CDAD_MS_SQL DS020CDAA_SDRA_Demand -.-> DS020CDAD_MS_SQL DS020CDAA_SPAN -.-> DS020CDAD_MS_SQL DS020CDAA_SPEED_LEGACY -.-> DS020CDAD_MS_SQL DS020CDAA_SnOP -.-> DS020CDAD_MS_SQL DS020CDAA_Wafer_Starts -.-> DS020CDAD_MS_SQL end style DS020CDACL_MS_SQL fill:#F3E5F5,stroke:#7B1FA2,stroke-width:1px subgraph DS020CDACL_Oracle[" "] direction TB DS020CDAA_CIBR["CIBR"]:::eolBox DS020CDAA_EATS["EATS"]:::eolBox DS020CDAA_EDW["EDW"]:::appBox DS020CDAA_MARS["MARS"]:::eolBox DS020CDAA_MES_300["MES 300"]:::appBox DS020CDAA_WorkStream["WorkStream"]:::eolBox DS020CDAA_Workstream["Workstream"]:::eolBox DS020CDAA_XEUS["XEUS"]:::eolBox DS020CDAD_Oracle[("🗄 Oracle")]:::dbCyl DS020CDAA_CIBR -.-> DS020CDAD_Oracle DS020CDAA_EATS -.-> DS020CDAD_Oracle DS020CDAA_EDW -.-> DS020CDAD_Oracle DS020CDAA_MARS -.-> DS020CDAD_Oracle DS020CDAA_MES_300 -.-> DS020CDAD_Oracle DS020CDAA_WorkStream -.-> DS020CDAD_Oracle DS020CDAA_Workstream -.-> DS020CDAD_Oracle DS020CDAA_XEUS -.-> DS020CDAD_Oracle end style DS020CDACL_Oracle fill:#E0F2F1,stroke:#00695C,stroke-width:1px subgraph DS020CDACL_PEGA_Data[" "] direction TB DS020CDAA_PEGA["PEGA"]:::eolBox DS020CDAD_PEGA_Data[("🗄 PEGA Data")]:::dbCyl DS020CDAA_PEGA -.-> DS020CDAD_PEGA_Data end style DS020CDACL_PEGA_Data fill:#FBE9E7,stroke:#BF360C,stroke-width:1px subgraph DS020CDACL_S4_HANA[" "] direction TB DS020CDAA_Corp_IP_S_4["Corp / IP S/4"]:::appBox DS020CDAA_IF_S_4["IF S/4"]:::appBox DS020CDAD_S4_HANA[("🗄 S4/HANA")]:::dbData DS020CDAA_Corp_IP_S_4 -.-> DS020CDAD_S4_HANA DS020CDAA_IF_S_4 -.-> DS020CDAD_S4_HANA end style DS020CDACL_S4_HANA fill:#F1F8E9,stroke:#558B2F,stroke-width:1px subgraph DS020CDACL_S4_HANA_SideCar[" "] direction TB DS020CDAA_SideCar["SideCar"]:::appBox DS020CDAD_S4_HANA_SideCar[("🗄 S4/HANA (SideCar)")]:::dbData DS020CDAA_SideCar -.-> DS020CDAD_S4_HANA_SideCar end style DS020CDACL_S4_HANA_SideCar fill:#FFF8E1,stroke:#FF8F00,stroke-width:1px subgraph DS020CDACL_Snowflake_Cloud_DW[" "] direction TB DS020CDAA_SnowFlake["SnowFlake"]:::appBox DS020CDAD_Snowflake_Cloud_DW[("🗄 Snowflake Cloud DW")]:::dbCloud DS020CDAA_SnowFlake -.-> DS020CDAD_Snowflake_Cloud_DW end style DS020CDACL_Snowflake_Cloud_DW fill:#E1F5FE,stroke:#0277BD,stroke-width:1px DS020CDAD_Oracle ==>|"Direct"| DS020CDAD_MS_SQL DS020CDAD_MS_SQL ==>|"SAP PO"| DS020CDAD_Legacy_HANA DS020CDAD_MS_SQL ==>|"Direct"| DS020CDAD_Oracle DS020CDAD_Legacy_HANA ==>|"Direct"| DS020CDAD_Oracle DS020CDAD_Oracle ==>|"SAP PO"| DS020CDAD_Legacy_HANA DS020CDAD_Legacy_HANA ==>|"SLT"| DS020CDAD_S4_HANA_SideCar DS020CDAD_S4_HANA_SideCar ==>|"CIF"| DS020CDAD_ADLS_Azure_Data_Lake

🔍 View Diagram

==>|"Spark Snowflake Connector"| DS020CDAD_Snowflake_Cloud_DW DS020CDAD_S4_HANA ==>|"SLT"| DS020CDAD_S4_HANA_SideCar DS020CDAD_MS_SQL ==>|"Manual"| DS020CDAD_Data_Bricks DS020CDAD_ADLS_Azure_Data_Lake ==>|"Direct"| DS020CDAD_MS_SQL DS020CDAD_Legacy_HANA ==>|"APIGEE"| DS020CDAD_Google_Cloud DS020CDAD_Google_Cloud ==>|"APIGEE"| DS020CDAD_PEGA_Data DS020CDAD_Legacy_HANA_Cloud ==>|"Direct"| DS020CDAD_ADLS_Azure_Data_Lake DS020CDAD_Legacy_HANA ==>|"ETL"| DS020CDAD_Oracle DS020CDAD_Legacy_HANA ==>|"Denodo"| DS020CDAD_MS_SQL subgraph Legend["📐 DATA ARCHITECTURE LEGEND"] direction LR L_A["Application"]:::appBox L_D[("🗄️ On-Prem DB")]:::dbCyl L_DC[("🗄️ Cloud DB")]:::dbCloud L_DD[("🗄️ Data Platform")]:::dbData L_E["End-of-Life"]:::eolBox end style Legend fill:#F5F5F5,stroke:#999,stroke-width:1px

4.2.2 S/4 HANA — Future-State Data Flows

```
%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "15px", "fontFamily": "Segoe UI, Arial"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 35, "rankSpacing": 45}} }%% flowchart TB classDef appBox fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef dbCyl fill:#C8E6C9,stroke:#2E7D32,stroke-width:2px,color:#1B5E20 classDef dbCloud fill:#BBDEFB,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef dbData fill:#B2EBF2,stroke:#00838F,stroke-width:2px,color:#004D40 classDef eolBox fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C subgraph DS020FDACL_ADLS_Azure_Data_Lake[" "] direction TB DS020FDAA_ECA_ADLS["ECA-ADLS"]:::appBox DS020FDAD_ADLS_Azure_Data_Lake[("🗄 ADLS (Azure Data Lake)")]:::dbCloud DS020FDAA_ECA_ADLS -.-> DS020FDAD_ADLS_Azure_Data_Lake end style DS020FDACL_ADLS_Azure_Data_Lake fill:#E8F5E9,stroke:#388E3C,stroke-width:1px subgraph DS020FDACL_Azure_Analysis_Services[" "] direction TB DS020FDAA_Power_BI_DARC["Power BI (DARC)"]:::appBox DS020FDAD_Azure_Analysis_Services[("🗄 Azure Analysis Services")]:::dbCloud DS020FDAA_Power_BI_DARC -.-> DS020FDAD_Azure_Analysis_Services end style DS020FDACL_Azure_Analysis_Services fill:#E3F2FD,stroke:#1976D2,stroke-width:1px subgraph DS020FDACL_Azure_Data_Lake_ADLS[" "] direction TB DS020FDAD_Azure_Data_Lake_ADLS[("🗄 Azure Data Lake (ADLS)")]:::dbCloud end style DS020FDACL_Azure_Data_Lake_ADLS fill:#FFF3E0,stroke:#E65100,stroke-width:1px subgraph DS020FDACL_Delta_Lake_Data_bricks[" "] direction TB DS020FDAA_ECA_DataBricks["ECA-DataBricks"]:::appBox DS020FDAD_Delta_Lake_Data_bricks[("🗄 Delta Lake (Data bricks)")]:::dbCloud DS020FDAA_ECA_DataBricks -.-> DS020FDAD_Delta_Lake_Data_bricks end style DS020FDACL_Delta_Lake_Data_bricks fill:#FFFDE7,stroke:#F57F17,stroke-width:1px subgraph DS020FDACL_MS_SQL[" "] direction TB DS020FDAA_ATCR["ATCR"]:::appBox DS020FDAA_DMOCR["DMOCR"]:::appBox DS020FDAA_DXCR["DXCR"]:::appBox DS020FDAA_FCS["FCS"]:::eolBox DS020FDAA_PDM_Translator["PDM Translator"]:::appBox DS020FDAA_SCS["SCS"]:::eolBox DS020FDAA_SPEED["SPEED"]:::eolBox DS020FDAA_WSPW["WSPW"]:::appBox DS020FDAD_MS_SQL[("🗄 MS SQL")]:::dbCyl DS020FDAA_ATCR -.-> DS020FDAD_MS_SQL DS020FDAA_DMOCR -.-> DS020FDAD_MS_SQL DS020FDAA_DXCR -.-> DS020FDAD_MS_SQL DS020FDAA_FCS -.-> DS020FDAD_MS_SQL DS020FDAA_PDM_Translator -.-> DS020FDAD_MS_SQL DS020FDAA_SCS -.-> DS020FDAD_MS_SQL DS020FDAA_SPEED -.-> DS020FDAD_MS_SQL DS020FDAA_WSPW -.-> DS020FDAD_MS_SQL end style DS020FDACL_MS_SQL fill:#FCE4EC,stroke:#C62828,stroke-width:1px subgraph DS020FDACL_Oracle[" "] direction TB DS020FDAA_Capacity_Forecast_Data_Store["Capacity Forecast Data Store"]:::appBox DS020FDAA_ECM_Windchill["ECM (Windchill)"]:::appBox DS020FDAA_ICS_Phoenix["ICS (Phoenix)"]:::appBox DS020FDAA_MARS["MARS"]:::eolBox DS020FDAA_MES_300["MES 300"]:::appBox DS020FDAA_WorkStream["WorkStream"]:::eolBox DS020FDAA_XEUS["XEUS"]:::eolBox DS020FDAD_Oracle[("🗄 Oracle")]:::dbCyl DS020FDAA_Capacity_Forecast_Data_Store -.-> DS020FDAD_Oracle DS020FDAA_ECM_Windchill -.-> DS020FDAD_Oracle DS020FDAA_ICS_Phoenix -.-> DS020FDAD_Oracle DS020FDAA_MARS -.-> DS020FDAD_Oracle DS020FDAA_MES_300 -.-> DS020FDAD_Oracle DS020FDAA_WorkStream -.-> DS020FDAD_Oracle DS020FDAA_XEUS -.-> DS020FDAD_Oracle end style DS020FDACL_Oracle fill:#E8EAF6,stroke:#283593,stroke-width:1px subgraph DS020FDACL_Oracle_Apache_Cassandra[" "] direction TB DS020FDAA_PDF_SMH["PDF-SMH"]:::appBox DS020FDAD_Oracle_Apache_Cassandra[("🗄 Oracle & Apache Cassandra")]:::dbCyl DS020FDAA_PDF_SMH -.-> DS020FDAD_Oracle_Apache_Cassandra end style DS020FDACL_Oracle_Apache_Cassandra fill:#F3E5F5,stroke:#7B1FA2,stroke-width:1px subgraph DS020FDACL_PostgreSQL[" "] direction TB DS020FDAA_GraphiteConnect["GraphiteConnect"]:::appBox DS020FDAD_PostgreSQL[("🗄 PostgreSQL")]:::dbCyl DS020FDAA_GraphiteConnect -.-> DS020FDAD_PostgreSQL end style DS020FDACL_PostgreSQL fill:#E0F2F1,stroke:#00695C,stroke-width:1px subgraph DS020FDACL_S4_HANA_SideCar[" "] direction TB DS020FDAA_SideCar["SideCar"]:::appBox DS020FDAD_S4_HANA_SideCar[("🗄 S4/HANA - SideCar")]:::dbData DS020FDAA_SideCar -.-> DS020FDAD_S4_HANA_SideCar end style DS020FDACL_S4_HANA_SideCar fill:#FBE9E7,stroke:#BF360C,stroke-width:1px subgraph DS020FDACL_SAP_HANA[" "] direction TB DS020FDAA_CFIN_S_4_HANA["CFIN S/4 HANA"]:::appBox DS020FDAA_Corp_IP_S_4_HANA["Corp / IP S/4 HANA"]:::appBox DS020FDAA_IF_S_4_HANA["IF S/4 HANA"]:::appBox DS020FDAA_SAP_BOBJ["SAP BOBJ"]:::appBox DS020FDAA_SAP_S_4_MDG["SAP S/4 MDG"]:::appBox DS020FDAD_SAP_HANA[("🗄 SAP HANA")]:::dbData DS020FDAA_CFIN_S_4_HANA -.-> DS020FDAD_SAP_HANA DS020FDAA_Corp_IP_S_4_HANA -.-> DS020FDAD_SAP_HANA DS020FDAA_IF_S_4_HANA -.-> DS020FDAD_SAP_HANA DS020FDAA_SAP_BOBJ -.-> DS020FDAD_SAP_HANA DS020FDAA_SAP_S_4_MDG -.-> DS020FDAD_SAP_HANA end style DS020FDACL_SAP_HANA fill:#F1F8E9,stroke:#558B2F,stroke-width:1px subgraph DS020FDACL_SAP_HANA_Cloud[" "] direction TB DS020FDAA_SAP_Ariba["SAP Ariba"]:::appBox DS020FDAA_SAP_IBP["SAP IBP"]:::appBox DS020FDAA_SAP_PAPM["SAP PAPM"]:::appBox DS020FDAA_SAP_SAC["SAP SAC"]:::appBox DS020FDAD_SAP_HANA_Cloud[("🗄 SAP HANA Cloud")]:::dbData DS020FDAA_SAP_Ariba -.-> DS020FDAD_SAP_HANA_Cloud DS020FDAA_SAP_IBP -.-> DS020FDAD_SAP_HANA_Cloud DS020FDAA_SAP_PAPM -.-> DS020FDAD_SAP_HANA_Cloud DS020FDAA_SAP_SAC -.-> DS020FDAD_SAP_HANA_Cloud end style DS020FDACL_SAP_HANA_Cloud fill:#FFF8E1,stroke:#FF8F00,stroke-width:1px subgraph DS020FDACL_Snowflake_BY[" "] direction TB DS020FDAA_IF_Blue_Yonder["IF Blue Yonder"]:::appBox DS020FDAA_IP_Blue_Yonder["IP Blue Yonder"]:::appBox DS020FDAD_Snowflake_BY[("🗄 Snowflake BY")]:::dbCloud DS020FDAA_IF_Blue_Yonder -.-> DS020FDAD_Snowflake_BY DS020FDAA_IP_Blue_Yonder -.-> DS020FDAD_Snowflake_BY end style DS020FDACL_Snowflake_BY fill:#E1F5FE,stroke:#0277BD,stroke-width:1px subgraph DS020FDACL_Snowflake_Cloud_DW[" "] direction TB DS020FDAA_ECA_SnowFlake["ECA-SnowFlake"]:::appBox DS020FDAD_Snowflake_Cloud_DW[("🗄 Snowflake Cloud DW")]:::dbCloud DS020FDAA_ECA_SnowFlake -.-> DS020FDAD_Snowflake_Cloud_DW end style DS020FDACL_Snowflake_Cloud_DW fill:#E8F5E9,stroke:#388E3C,stroke-width:1px
```

👁 View Diagram

4.3 Data Lineage

Data lineage (source schema/object → target schema/object mappings) will be populated when tower architects provide validated schema details via the Input Portal.

4.4 RICEFW Data Objects

Data-driven RICEFW objects (Reports and Conversions) from the Object Inventory.

Object ID	Type	Description	Source	Target	Complexity
FPRC1493	Conversion	Conversion of WIP values as per Component structure in S/4 - IF	10. Object Complete		02.High
FPRC1491	Conversion	Conversion of WIP values as per Component structure in S/4 - Back End IF	10. Object Complete		02.High

4.5 Data Governance & Quality

Concern	Approach
Data Ownership	Per-entity owners listed in Section 3.1
Data Classification	Financial data classified as Intel Confidential
Data Retention	Per Intel corporate retention policies
Data Quality	Validated at source; reconciliation at target

5. Application Architecture (TOGAF “A”)

5.1 ICOST — Current-State Application Landscape

Overview

The ICOST architecture represents the **current / legacy** landscape for DS-020. Legacy and transitional product costing landscape. ICOST remains the primary costing engine during Release 3, with ECC as the book-of-record ERP.This view is generated from `R3_CurrentFlows.xlsx` (73 flow hops across 37 flow chains).

APPLICATION ARCHITECTURE — Architecture Diagram

> **Click any system node** to open its IAPM application page. **Legend**: Deployed · Developing · End-of-Life · No IAPM Match

%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "18px", "fontFamily": "Segoe UI, Arial, sans-serif"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 50, "rankSpacing": 60}} }%% flowchart TB %% -- ArchiMate 3.2 + Azure style classes -- classDef business fill:#FFFFB3,stroke:#F9A825,stroke-width:2px,color:#000 classDef app fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef data fill:#BBDEFB,stroke:#1565C0,stroke-width:1px,color:#0D47A1,stroke-dasharray: 5 5 classDef middleware fill:#FFE0B2,stroke:#E65100,stroke-width:2px,color:#BF360C classDef eol fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C classDef saas fill:#E1BEE7,stroke:#7B1FA2,stroke-width:2px,color:#4A148C classDef cloud fill:#BBDEFB,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef onprem fill:#C8E6C9,stroke:#2E7D32,stroke-width:2px,color:#1B5E20 subgraph DS020RCLN_Reporting[" Reporting"] direction LR DS020RC_BOBJ[" BOBJ"]:::app DS020RC_EDW[" EDW"]:::app DS020RC_FCA[" FCA
EOL"]:::eol DS020RC_PEGA[" PEGA
EOL"]:::eol end subgraph DS020RCLN_ECA_Platform[" ECA Platform"] direction LR DS020RC_ADLS[" ADLS"]:::app DS020RC_DataBricks[" DataBricks"]:::app DS020RC_EATS[" EATS
EOL"]:::eol DS020RC_SnowFlake[" SnowFlake"]:::app end subgraph DS020RCLN_Data_Warehouse_Legacy[" Data Warehouse (Legacy)"] direction LR DS020RC_Finance_HANA[" Finance HANA"]:::app end subgraph DS020RCLN_ERP_Systems[" ERP Systems"] direction LR DS020RC_CFIN_S_4[" CFIN S/4"]:::app DS020RC_Corp_IP_S_4[" Corp / IP S/4"]:::app DS020RC_ECC[" ECC
EOL"]:::eol DS020RC_IF_S_4[" IF S/4"]:::app DS020RC_Legacy_MDG[" Legacy MDG"]:::app DS020RC_SAP_ECC[" SAP ECC"]:::app end subgraph DS020RCLN_Cloud_Products_Legacy[" Cloud Products (Legacy)"] direction LR DS020RC_SAP_IBP[" SAP IBP"]:::app end subgraph DS020RCLN_Middleware_Integration[" Middleware & Integration"] direction LR DS020RC_APIGEE[" APIGEE"]:::app DS020RC_SAP_PO[" SAP PO"]:::app DS020RC_SideCar[" SideCar"]:::app end subgraph DS020RCLN_Boundary_Applications[" Boundary Applications"] direction LR DS020RC_BPC[" BPC"]:::app DS020RC_CIBR[" CIBR
EOL"]:::eol DS020RC_COMPASS[" COMPASS"]:::app DS020RC_ICOST[" ICOST"]:::app DS020RC_MARS[" MARS
EOL"]:::eol DS020RC_MES_300[" MES 300"]:::app DS020RC_MyDeals[" MyDeals"]:::app DS020RC_OneMPS[" OneMPS"]:::app DS020RC_SDRA_Demand[" SDRA Demand"]:::app DS020RC_SPAN[" SPAN"]:::app DS020RC_SPEED_LEGACY[" SPEED-LEGACY"]:::app DS020RC_SnOP[" SnOP"]:::app DS020RC_Wafer_Starts[" Wafer Starts"]:::app DS020RC_WorkStream[" WorkStream
EOL"]:::eol DS020RC_Workstream[" Workstream
EOL"]:::eol DS020RC_XEUS[" XEUS
EOL"]:::eol end DS020RC_MES_300 -->|"Direct"| DS020RC_XEUS DS020RC_XEUS -->|"Direct"| DS020RC_ICOST DS020RC_WorkStream -->|"Direct"| DS020RC_MARS DS020RC_MARS -->|"Direct"| DS020RC_ICOST DS020RC_XEUS -->|"Direct"| DS020RC_CIBR DS020RC_CIBR -->|"Direct"| DS020RC_ICOST DS020RC_Workstream -->|"Direct"| DS020RC_MARS DS020RC_MARS -->|"Direct"| DS020RC_CIBR DS020RC_EATS -->|"Direct"| DS020RC_ICOST DS020RC_SPEED_LEGACY -->|"SAP PO"| DS020RC_SAP_PO DS020RC_SAP_PO -->|"SAP PO"| DS020RC_SAP_ECC DS020RC_SPEED_LEGACY -->|"Direct"| DS020RC_EDW DS020RC_EDW -->|"Direct"| DS020RC_ICOST DS020RC_EDW -->|"Direct"| DS020RC_CIBR DS020RC_Legacy_MDG -->|"MDG"| DS020RC_SAP_ECC DS020RC_ECC -->|"Direct"| DS020RC_EDW DS020RC_CIBR -->|"Direct"| DS020RC_SAP_ECC DS020RC_CIBR -->|"Direct"| DS020RC_SPAN DS020RC_CIBR -->|"SAP PO"| DS020RC_SAP_PO DS020RC_SAP_ECC -->|"SLT"| DS020RC_SideCar DS020RC_SideCar -->|"CIF"| DS020RC_ADLS DS020RC_ADLS -->|"Autoloader"| DS020RC_DataBricks DS020RC_DataBricks -->|"Spark Snowflake Connector"| DS020RC_SnowFlake DS020RC_Corp_IP_S_4 -->|"SLT"| DS020RC_SideCar DS020RC_IF_S_4 -->|"SLT"| DS020RC_SideCar DS020RC_ICOST -->|"Manual"| DS020RC_CFIN_S_4 DS020RC_SAP_ECC -->|"Direct"| DS020RC_EDW DS020RC_FCA -->|"Direct"| DS020RC_ICOST DS020RC_SAP_ECC -->|"SLT"| DS020RC_Finance_HANA DS020RC_Finance_HANA -->|"APIGEE"| DS020RC_APIGEE DS020RC_APIGEE -->|"APIGEE"| DS020RC_PEGA DS020RC_Finance_HANA -->|"Direct"| DS020RC_BOBJ DS020RC_Finance_HANA -->|"SAP PO"| DS020RC_SAP_PO DS020RC_SAP_IBP -->|"Direct"| DS020RC_ADLS DS020RC_SAP_ECC -->|"ETL"| DS020RC_EDW DS020RC_COMPASS -->|"Denodo"| DS020RC_ICOST DS020RC_SDRA_Demand -->|"Denodo"| DS020RC_ICOST DS020RC_Wafer_Starts -->|"Denodo"| DS020RC_ICOST DS020RC_SPAN -->|"Denodo"| DS020RC_ICOST DS020RC_SnOP -->|"Denodo"| DS020RC_ICOST DS020RC_BPC -->|"Denodo"| DS020RC_ICOST DS020RC_OneMPS -->|"Denodo"| DS020RC_ICOST DS020RC_MyDeals -->|"Denodo"| DS020RC_ICOST click DS020RC_APIGEE href "https://iapm.intel.com/#/app/22790" "APIGEE -- IAPM #22790" _blank click DS020RC_CIBR href "https://iapm.intel.com/#/app/30886" "CIBR -- IAPM #30886" _blank click DS020RC_COMPASS href "https://iapm.intel.com/#/app/16439" "COMPASS -- IAPM #16439" _blank click DS020RC_EATS href "https://iapm.intel.com/#/app/119" "EATS -- IAPM #119" _blank click DS020RC_ECC href "https://iapm.intel.com/#/app/6844" "ECC -- IAPM #6844" _blank click DS020RC_EDW href "https://iapm.intel.com/#/app/4010" "EDW -- IAPM #4010" _blank click DS020RC_FCA href "https://iapm.intel.com/#/app/3915" "FCA -- IAPM #3915" _blank click DS020RC_ICOST href "https://iapm.intel.com/#/app/7440" "ICOST -- IAPM #7440" _blank click DS020RC_MARS href "https://iapm.intel.com/#/app/17581" "MARS -- IAPM #17581" _blank click DS020RC_OneMPS href "https://iapm.intel.com/#/app/19153" "OneMPS -- IAPM #19153" _blank click DS020RC_PEGA href "https://iapm.intel.com/#/app/15387" "PEGA -- IAPM #15387" _blank click DS020RC_SAP_ECC href "https://iapm.intel.com/#/app/8794" "SAP ECC -- IAPM #8794" _blank click DS020RC_SAP_IBP href "https://iapm.intel.com/#/app/18675" "SAP IBP -- IAPM #18675" _blank click DS020RC_SPAN href "https://iapm.intel.com/#/app/21159" "SPAN -- IAPM #21159" _blank click DS020RC_SPEED_LEGACY href "https://iapm.intel.com/#/app/4092" "SPEED-LEGACY -- IAPM #4092" _blank click DS020RC_SnowFlake href "https://iapm.intel.com/#/app/35811" "SnowFlake -- IAPM #35811" _blank click DS020RC_WorkStream href

View Diagram

"https://iapm.intel.com/#/app/4118" "Workstream -- IAPM #4118" _blank click DS020RC_XEUS href "https://iapm.intel.com/#/app/17553" "XEUS -- IAPM #17553" _blank style DS020RCLN_Reporting fill:#E8EAF6,stroke:#283593,stroke-width:2px style DS020RCLN_ECA_Platform fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px style DS020RCLN_Data_Warehouse_Legacy fill:#E0F2F1,stroke:#00695C,stroke-width:2px style DS020RCLN_ERP_Systems fill:#E3F2FD,stroke:#0078D4,stroke-width:2px style DS020RCLN_Cloud_Products_Legacy fill:#B3E5FC,stroke:#01579B,stroke-width:2px style DS020RCLN_Middleware_Integration fill:#FFF3E0,stroke:#E65100,stroke-width:2px style DS020RCLN_Boundary_Applications fill:#E8F5E9,stroke:#388E3C,stroke-width:2px subgraph Legend["📐 LEGEND"] direction LR L_APP["📦 Application"]:::app L_MW["🔗 Middleware"]:::middleware L_DE>"📄 Data Entity"]:::data L_EOL["⛔ End-of-Life"]:::eol end style Legend fill:#F5F5F5,stroke:#999,stroke-width:1px

ICOST Flow Narrative

#	Flow Chain	Path	Interface	Freq
1	ATM Cycle Times to ICOST	EATS → ICOST	Direct	Weekly
2	Auto GR in ECC	CIBR → SAP ECC	Direct	Daily
3	BPC to ICOST	BPC → ICOST	Denodo	Close Week
4	CIBR RM Inv to ECC	CIBR → SAP PO → SAP ECC	SAP PO (×2)	Event-Driven / Near Real-Time
5	CIBR to SPAN	CIBR → SPAN	Direct	Daily
6	COMPASS to ICOST	COMPASS → ICOST	Denodo	Daily
7	Corp/IP Inv Mvt to ECA	Corp / IP S/4 → SideCar → ADLS → DataBricks → SnowFlake	SLT → CIF → Autoloader → Spark Snowflake Connector	Batch / Near Real-Time / Real-Time/NRT
8	Corp/IP Master Data to ECA	Corp / IP S/4 → SideCar → ADLS → DataBricks → SnowFlake	SLT → CIF → Autoloader → Spark Snowflake Connector	Batch / Near Real-Time / Real-Time/NRT
9	ECC BOH to EDW	SAP ECC → EDW	ETL	Batch
10	ECC GL to EDW	SAP ECC → EDW	ETL	Batch
11	ECC Replication to ECA	SAP ECC → SideCar → ADLS → DataBricks → SnowFlake	SLT → CIF → Autoloader → Spark Snowflake Connector	Batch / Near Real-Time / Real-Time/NRT
12	ECC to EDW Finance Master Data	SAP ECC → EDW → ICOST	Direct (×2)	Batch
13	ECC to Finance HANA	SAP ECC → Finance HANA	SLT	Real-Time/NRT
14	FCA to ICOST	FCA → ICOST	Direct	Batch
15	Factory Spend to ICOST	ECC → EDW → ICOST	Direct (×2)	Daily
16	Finance HANA to BOBJ	Finance HANA → BOBJ	Direct	Batch
17	Finance Master Data to ICOST	Legacy MDG → SAP ECC → EDW → ICOST	MDG → Direct (×2)	Daily / Event-Driven
18	GL Posting to ECC/CFIN	ICOST → CFIN S/4	Manual	Batch
19	IBP Demand Planning (Legacy)	SAP IBP → ADLS → DataBricks → SnowFlake	Direct → Autoloader → Spark Snowflake Connector	Batch
20	IF Inv Mvt to ECA	IF S/4 → SideCar → ADLS → DataBricks → SnowFlake	SLT → CIF → Autoloader → Spark Snowflake Connector	Batch / Near Real-Time / Real-Time/NRT
21	IF Master Data to ECA	Corp / IP S/4 → SideCar → ADLS → DataBricks → SnowFlake	SLT → CIF → Autoloader → Spark Snowflake Connector	Batch / Near Real-Time / Real-Time/NRT
22	MES Route to ICOST	MES 300 → XEUS → ICOST	Direct (×2)	Daily / Near Real-Time
23	MyDeals to ICOST	MyDeals → ICOST	Denodo	Daily
24	OneMPS to ICOST	OneMPS → ICOST	Denodo	Daily
25	RM Std Cost Update to ECC	Finance HANA → SAP PO → SAP ECC	SAP PO (×2)	Event-Driven
26	RM Std Fluctuations Alert	Finance HANA → APIGEE → PEGA	APIGEE (×2)	Event-Driven
27	SDRA Demand to ICOST	SDRA Demand → ICOST	Denodo	Daily
28	SPAN to ICOST	SPAN → ICOST	Denodo	Daily
29	SPEED BOM to CIBR	SPEED-LEGACY → EDW → CIBR	Direct (×2)	Batch / Daily
30	SPEED BOM to ECC	SPEED-LEGACY → SAP PO → SAP ECC	SAP PO (×2)	Event-Driven
31	SPEED BOM to ICOST	SPEED-LEGACY → EDW → ICOST	Direct (×2)	Batch / Daily
32	SnOP to ICOST	SnOP → ICOST	Denodo	Daily
33	WH Inventory to CIBR	ECC → EDW → CIBR	Direct (×2)	Daily
34	WH Inventory to ICOST	ECC → EDW → ICOST	Direct (×2)	Daily
35	WIP to ICOST	MES 300 → XEUS → MARS → CIBR → ICOST	Direct (×6)	Daily / Every 4 hrs
36	Wafer Starts to ICOST	Wafer Starts → ICOST	Denodo	Daily

#	Flow Chain	Path	Interface	Freq
37	WorkStream Route to ICOST	WorkStream → MARS → ICOST	Direct (×2)	Daily / Near Real-Time

5.2 S/4 HANA — Future-State Application Landscape

Overview

The S/4 HANA architecture represents the **target** landscape for DS-020. Target S/4 HANA-based landscape with SAP PAPM for allocation, ECA lakehouse for analytics, and Power BI for self-service reporting.This view is generated from `R3_FutureFlows.xlsx` (104 flow hops across 22 flow chains).

APPLICATION ARCHITECTURE — Architecture Diagram

> **Click any system node** to open its IAPM application page. **Legend**: Deployed · Developing · End-of-Life · No IAPM Match

%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "18px", "fontFamily": "Segoe UI, Arial, sans-serif"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 50, "rankSpacing": 60}} }%% flowchart TB %% -- ArchiMate 3.2 + Azure style classes -- classDef business fill:#FFFFB3,stroke:#F9A825,stroke-width:2px,color:#000 classDef app fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef data fill:#BBDEFB,stroke:#1565C0,stroke-width:1px,color:#0D47A1,stroke-dasharray: 5 5 classDef middleware fill:#FFE0B2,stroke:#E65100,stroke-width:2px,color:#BF360C classDef eol fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C classDef saas fill:#E1BEE7,stroke:#7B1FA2,stroke-width:2px,color:#4A148C classDef cloud fill:#BBDEFB,stroke:#1565C0,stroke-width:2px,color:#0D47A1 classDef onprem fill:#C8E6C9,stroke:#2E7D32,stroke-width:2px,color:#1B5E20 subgraph DS020RFLN_Reporting[" Reporting"] direction LR DS020RF_Power_BI_DARC[" 📦 Power BI (DARC)"]:::app DS020RF_SAP_BOBJ[" 📦 SAP BOBJ"]:::app end subgraph DS020RFLN_Reporting_Legacy[" Reporting (Legacy)"] direction LR DS020RF_ATCR[" 📦 ATCR"]:::app DS020RF_DMOCR[" 📦 DMOCR"]:::app DS020RF_DXCR[" 📦 DXCR"]:::app DS020RF_FCS[" 📦 FCS *EOL*"]:::eol DS020RF_ICS_Phoenix[" 📦 ICS (Phoenix)"]:::app DS020RF_SCS[" 📦 SCS *EOL*"]:::eol DS020RF_WSPW[" 📦 WSPW"]:::app end subgraph DS020RFLN_ECA_Platform[" ECA Platform"] direction LR DS020RF_ECA_ADLS[" 📦 ECA-ADLS"]:::app DS020RF_ECA_DataBricks[" 📦 ECA-DataBricks"]:::app DS020RF_ECA_SnowFlake[" 📦 ECA-SnowFlake"]:::app DS020RF_IF_PDH_Raw[" 📦 IF PDH Raw"]:::app DS020RF_IP_PDH_Raw[" 📦 IP PDH Raw"]:::app DS020RF_SideCar[" 📦 SideCar"]:::app end subgraph DS020RFLN_ERP_Systems_Legacy[" ERP Systems (Legacy)"] direction LR DS020RF_CFIN_S_4_HANA[" 📦 CFIN S/4 HANA"]:::app DS020RF_Corp_IP_S_4_HANA[" 📦 Corp / IP S/4 HANA"]:::app DS020RF_IF_S_4_HANA[" 📦 IF S/4 HANA"]:::app DS020RF_SAP_S_4_MDG[" 📦 SAP S/4 MDG"]:::app end subgraph DS020RFLN_Cloud_Products[" Cloud Products"] direction LR DS020RF_IF_Blue_Yonder[" 📦 IF Blue Yonder"]:::app DS020RF_IP_Blue_Yonder[" 📦 IP Blue Yonder"]:::app DS020RF_SAP_Ariba[" 📦 SAP Ariba"]:::app DS020RF_SAP_IBP[" 📦 SAP IBP"]:::app DS020RF_SAP_PAPM[" 📦 SAP PAPM"]:::app DS020RF_SAP_SAC[" 📦 SAP SAC"]:::app end subgraph DS020RFLN_Middleware_Integration[" Middleware & Integration"] direction LR DS020RF_PDF_SMH[" 📦 PDF-SMH *DEV*"]:::app DS020RF_PDM_Translator[" 📦 PDM Translator"]:::app end subgraph DS020RFLN_Boundary_Applications[" Boundary Applications"] direction LR DS020RF_ECM_Windchill[" 📦 ECM (Windchill)"]:::app DS020RF_GraphiteConnect[" 📦 GraphiteConnect"]:::app DS020RF_MARS[" 📦 MARS *EOL*"]:::eol DS020RF_MES_300[" 📦 MES 300"]:::app DS020RF_SPEED[" 📦 SPEED *EOL*"]:::eol DS020RF_WorkStream[" 📦 WorkStream *EOL*"]:::eol DS020RF_XEUS[" 📦 XEUS *EOL*"]:::eol end subgraph DS020RFLN_Data_Warehouse_IE[" Data Warehouse (IE)"] direction LR DS020RF_Capacity_Forecast_Data_Store[" 📦 Capacity Forecast Data Store"]:::app end subgraph DS020RFLN_ECA_Azure_Platform_PDH[" ECA Azure Platform (PDH)"] direction LR DS020RF_IF_PDH_Consumptional[" 📦 IF PDH Consumptional"]:::app DS020RF_IF_PDH_Foundational[" 📦 IF PDH Foundational"]:::app DS020RF_IP_PDH_Consumptional[" 📦 IP PDH Consumptional"]:::app DS020RF_IP_PDH_Foundational[" 📦 IP PDH Foundational"]:::app end DS020RF_MES_300 -->|"Direct"| DS020RF_XEUS DS020RF_XEUS -->|"Direct"| DS020RF_PDF_SMH DS020RF_PDF_SMH -->|"EAI Connector"| DS020RF_IF_S_4_HANA DS020RF_IF_S_4_HANA -->|"SLT"| DS020RF_CFIN_S_4_HANA DS020RF_WorkStream -->|"Direct"| DS020RF_MARS DS020RF_MARS -->|"Direct"| DS020RF_PDF_SMH DS020RF_ECM_Windchill -->|"PDM Translator"| DS020RF_PDM_Translator DS020RF_PDM_Translator -->|"PDM Translator"| DS020RF_SAP_S_4_MDG DS020RF_SAP_S_4_MDG -->|"DRF (Data Replication Frame..."| DS020RF_IF_S_4_HANA DS020RF_SAP_S_4_MDG -->|"DRF (Data Replication Frame..."| DS020RF_Corp_IP_S_4_HANA DS020RF_SPEED -->|"PDM Translator"| DS020RF_PDM_Translator DS020RF_SPEED -->|"ADF Rest API / SFTP(Blob)"| DS020RF_ECA_ADLS DS020RF_ECA_ADLS -->|"Unity Catalog"| DS020RF_ECA_DataBricks DS020RF_ECA_DataBricks -->|"Snowflake Connector / Snowpipe"| DS020RF_ECA_SnowFlake DS020RF_GraphiteConnect -->|"MuleSoft & Reltio"| DS020RF_SAP_S_4_MDG DS020RF_IF_S_4_HANA -->|"SLT"| DS020RF_SideCar DS020RF_Corp_IP_S_4_HANA -->|"SLT"| DS020RF_SideCar DS020RF_CFIN_S_4_HANA -->|"SLT"| DS020RF_SideCar DS020RF_SideCar -->|"ADF Rest API / SFTP(Blob)"| DS020RF_ECA_ADLS DS020RF_FCS -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_Capacity_Forecast_Data_Store -->|"ADF / DB Unity Catalog / Th..."| DS020RF_ECA_ADLS DS020RF_ECA_SnowFlake -->|"MuleSoft/BODS"| DS020RF_IF_S_4_HANA DS020RF_ICS_Phoenix -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_ATCR -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_SCS -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_DXCR -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_DMOCR -->|"Direct"| DS020RF_Capacity_Forecast_Data_Store DS020RF_WSPW -->|"Direct"| DS020RF_ECA_SnowFlake DS020RF_IF_Blue_Yonder -->|"ADF / DB Unity Catalog / Co..."| DS020RF_IF_PDH_Raw DS020RF_IF_PDH_Raw -->|"ADF / DB Unity Catalog / Th..."| DS020RF_IF_PDH_Foundational DS020RF_IF_PDH_Foundational -->|"Unity Catalog"| DS020RF_IF_PDH_Consumptional DS020RF_IF_PDH_Consumptional -->|"Snowflake Connector / Snowpipe"| DS020RF_ECA_SnowFlake DS020RF_ECA_SnowFlake -->|"Remote Function Adapter / M..."| DS020RF_SAP_PAPM DS020RF_IP_Blue_Yonder -->|"ADF / DB Unity Catalog / Co..."| DS020RF_IP_PDH_Raw DS020RF_IP_PDH_Raw -->|"ADF / DB Unity Catalog / Th..."| DS020RF_IP_PDH_Foundational DS020RF_IP_PDH_Foundational -->|"Unity Catalog"| DS020RF_IP_PDH_Consumptional DS020RF_IP_PDH_Consumptional -->|"Snowflake Connector / Snowpipe"| DS020RF_ECA_SnowFlake DS020RF_ECA_SnowFlake -->|"MuleSoft/BODS"| DS020RF_Corp_IP_S_4_HANA DS020RF_SAP_SAC -->|"SAC Data Export Service (AP..."| DS020RF_ECA_SnowFlake DS020RF_SAP_SAC -->|"SAP Odata services with con..."| DS020RF_IF_S_4_HANA DS020RF_SAP_SAC -->|"SAP Odata services with con..."| DS020RF_Corp_IP_S_4_HANA DS020RF_ECA_SnowFlake -->|"MuleSoft/BODS"| DS020RF_CFIN_S_4_HANA DS020RF_SAP_SAC -->|"SAP

🔍 View Diagram

DS020RF_IF_S_4_HANA DS020RF_SAP_PAPM -->|"SAP Integration Suite / Sma..."| DS020RF_Corp_IP_S_4_HANA DS020RF_SAP_IBP -->|"ADF / DB Unity Catalog / Co..."| DS020RF_IF_PDH_Raw DS020RF_SAP_Ariba -->|"Apigee / MuleSoft"| DS020RF_IF_S_4_HANA DS020RF_SAP_Ariba -->|"Apigee / MuleSoft"| DS020RF_Corp_IP_S_4_HANA DS020RF_ECA_SnowFlake -->|"Snowflake Connector / Snowpipe"| DS020RF_Power_BI_DARC DS020RF_SideCar --> DS020RF_SAP_BOBJ click DS020RF_Capacity_Forecast_Data_Store href "https://iapm.intel.com/#/app/8751" "Capacity Forecast Data Store -- IAPM #8751" _blank click DS020RF_FCS href "https://iapm.intel.com/#/app/9297" "FCS -- IAPM #9297" _blank click DS020RF_GraphiteConnect href "https://iapm.intel.com/#/app/36398" "GraphiteConnect -- IAPM #36398" _blank click DS020RF_MARS href "https://iapm.intel.com/#/app/17581" "MARS -- IAPM #17581" _blank click DS020RF_PDF_SMH href "https://iapm.intel.com/#/app/41627" "PDF-SMH -- IAPM #41627" _blank click DS020RF_SAP_IBP href "https://iapm.intel.com/#/app/18675" "SAP IBP -- IAPM #18675" _blank click DS020RF_SAP_SAC href "https://iapm.intel.com/#/app/37401" "SAP SAC -- IAPM #37401" _blank click DS020RF_SCS href "https://iapm.intel.com/#/app/6145" "SCS -- IAPM #6145" _blank click DS020RF_SPEED href "https://iapm.intel.com/#/app/14378" "SPEED -- IAPM #14378" _blank click DS020RF_WSPW href "https://iapm.intel.com/#/app/4119" "WSPW -- IAPM #4119" _blank click DS020RF_WorkStream href "https://iapm.intel.com/#/app/4118" "WorkStream -- IAPM #4118" _blank click DS020RF_XEUS href "https://iapm.intel.com/#/app/17553" "XEUS -- IAPM #17553" _blank style DS020RFLN_Reporting fill:#E8EAF6,stroke:#283593,stroke-width:2px style DS020RFLN_Reporting_Legacy fill:#C5CAE9,stroke:#1A237E,stroke-width:2px style DS020RFLN_ECA_Platform fill:#F3E5F5,stroke:#7B1FA2,stroke-width:2px style DS020RFLN_ERP_Systems_Legacy fill:#BBDEFB,stroke:#1565C0,stroke-width:2px style DS020RFLN_Cloud_Products fill:#E1F5FE,stroke:#0277BD,stroke-width:2px style DS020RFLN_Middleware_Integration fill:#FFF3E0,stroke:#E65100,stroke-width:2px style DS020RFLN_Boundary_Applications fill:#E8F5E9,stroke:#388E3C,stroke-width:2px style DS020RFLN_Data_Warehouse_IE fill:#E8F5E9,stroke:#388E3C,stroke-width:2px style DS020RFLN_ECA_Azure_Platform_PDH fill:#E8F5E9,stroke:#388E3C,stroke-width:2px subgraph Legend["📐 LEGEND"] direction LR L_APP["📦 Application"]:::app L_MW["🔗 Middleware"]:::middleware L_DE>"📄 Data Entity"]:::data L_EOL["⛔ End-of-Life"]:::eol end style Legend fill:#F5F5F5,stroke:#999,stroke-width:1px

S/4 HANA Flow Narrative

#	Flow Chain	Path	Interface	Freq
1	Ariba Procurement to S/4	SAP Ariba → IF S/4 HANA → Corp / IP S/4 HANA	Apigee / MuleSoft (×2)	Event-Driven
2	Blue Yonder Demand to ECA	IF Blue Yonder → IF PDH Raw / IP PDH Raw → IF PDH Foundational / IP PDH Foundational → IF PDH Consumptional / IP PDH Consumptional → ECA-SnowFlake → SAP PAPM → IF S/4 HANA → Corp / IP S/4 HANA	ADF / DB Unity Catalog / Connectors /Third Party (e.g., APIs with Mule) (×4) → ADF / DB Unity Catalog / Third Party (e.g., Denodo) (×4) → Unity Catalog (×4) → Snowflake Connector / Snowpipe (×4) → Remote Function Adapter / MuleSoft / SAP Integration Suite (×2) → MuleSoft/BODS (×2)	NRT / Batch / On demand
3	Data Products to Power BI	ECA-SnowFlake → Power BI (DARC)	Snowflake Connector / Snowpipe	Batch / On-demand
4	ECM to S/4 via MDG	ECM (Windchill) → PDM Translator → SAP S/4 MDG → IF S/4 HANA → Corp / IP S/4 HANA	PDM Translator (×2) → DRF (Data Replication Framework) with Web Services (SOAP/File/Idoc/RFC) (×2)	Batch / On-demand
5	ERP to SideCar	IF S/4 HANA → SideCar	SLT (×3)	Trigger based (SLT)
6	Factory Rpt to ECA (ATCR)	ATCR → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
7	Factory Rpt to ECA (DMOCR)	DMOCR → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
8	Factory Rpt to ECA (DXCR)	DXCR → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
9	Factory Rpt to ECA (FCS)	FCS → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
10	Factory Rpt to ECA (ICS)	ICS (Phoenix) → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
11	Factory Rpt to ECA (SCS)	SCS → Capacity Forecast Data Store → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake → IF S/4 HANA	Direct → ADF / DB Unity Catalog / Third Party (e.g., Denodo) → Unity Catalog → Snowflake Connector / Snowpipe → MuleSoft/BODS	Batch / On-demand
12	GraphiteConnect Vendor MD	GraphiteConnect → SAP S/4 MDG → IF S/4 HANA → Corp / IP S/4 HANA	MuleSoft & Reltio → DRF (Data Replication Framework) with Web Services (SOAP/File/Idoc/RFC) (×2)	Batch / On-demand
13	IBP to ECA (Legacy Overlap)	SAP IBP → IF PDH Raw → IF PDH Foundational → IF PDH Consumptional → ECA-SnowFlake → SAP PAPM	ADF / DB Unity Catalog / Connectors /Third Party (e.g., APIs with Mule) (×2) → ADF / DB Unity Catalog / Third Party (e.g., Denodo) (×2) → Unity Catalog (×2) → Snowflake Connector / Snowpipe (×2) → Remote Function Adapter / MuleSoft / SAP Integration Suite	NRT / Batch / On demand
14	MES Routes to S/4	MES 300 → XEUS → PDF-SMH → IF S/4 HANA → CFIN S/4 HANA	Direct (×2) → EAI Connector → SLT	Batch / On-demand / Near Real-Time
15	SAC Planning to S/4	SAP SAC → ECA-SnowFlake → IF S/4 HANA → ECA-SnowFlake → Corp / IP S/4 HANA → ECA-SnowFlake → CFIN S/4 HANA → IF S/4 HANA → Corp / IP S/4 HANA → CFIN S/4 HANA	SAC Data Export Service (API) - Direct Write (Speed Layer in Snowflake / Use ADF / MuleSoft for DataBricks → SAP Odata services with connector → SAC Data Export Service (API) - Direct Write (Speed Layer in Snowflake / Use ADF / MuleSoft for DataBricks → SAP Odata services with connector → SAC Data Export Service (API) - Direct Write (Speed Layer in Snowflake / Use ADF / MuleSoft for DataBricks → SAP Odata services with connector → MuleSoft/BODS (×3)	Batch / On-demand
16	SAP PAPM to S/4	SAP PAPM → IF S/4 HANA → Corp / IP S/4 HANA	SAP Integration Suite / Smart Data Integration/BTP Destinations (HTTP) (×2)	Batch / On-demand
17	SPEED BOMs to ECA	SPEED → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake	ADF Rest API / SFTP(Blob) → Unity Catalog → Snowflake Connector / Snowpipe	Batch / On-demand

#	Flow Chain	Path	Interface	Freq
18	SPEED to S/4 via MDG	SPEED → PDM Translator → SAP S/4 MDG → IF S/4 HANA → Corp / IP S/4 HANA	PDM Translator (×2) → DRF (Data Replication Framework) with Web Services (SOAP/File/Idoc/RFC) (×2)	Batch / On-demand
19	SideCar to ECA	SideCar → ECA-ADLS → ECA-DataBricks → ECA-SnowFlake	ADF Rest API / SFTP(Blob) → Unity Catalog → Snowflake Connector / Snowpipe	NRT / Batch / On-demand
20	SideCar to SAP BOBJ	SideCar → SAP BOBJ	-	-
21	WSPW Direct to ECA	WSPW → ECA-SnowFlake → IF S/4 HANA	Direct → MuleSoft/BODS	Batch / On-demand
22	WorkStream Routes to S/4	WorkStream → MARS → PDF-SMH → IF S/4 HANA → CFIN S/4 HANA	Direct (×2) → EAI Connector → SLT	Batch / On-demand

5.3 Change Impact Summary

Change Type	Flow Chain	Detail
NEW	Ariba Procurement to S/4	Added in future state
NEW	Blue Yonder Demand to ECA	Added in future state
NEW	Data Products to Power BI	Added in future state
NEW	ECM to S/4 via MDG	Added in future state
NEW	ERP to SideCar	Added in future state
NEW	Factory Rpt to ECA (ATCR)	Added in future state
NEW	Factory Rpt to ECA (DMOCR)	Added in future state
NEW	Factory Rpt to ECA (DXCR)	Added in future state
NEW	Factory Rpt to ECA (FCS)	Added in future state
NEW	Factory Rpt to ECA (ICS)	Added in future state
NEW	Factory Rpt to ECA (SCS)	Added in future state
NEW	GraphiteConnect Vendor MD	Added in future state
NEW	IBP to ECA (Legacy Overlap)	Added in future state
NEW	MES Routes to S/4	Added in future state
NEW	SAC Planning to S/4	Added in future state
NEW	SAP PAPM to S/4	Added in future state
NEW	SPEED BOMs to ECA	Added in future state
NEW	SPEED to S/4 via MDG	Added in future state
NEW	SideCar to ECA	Added in future state
NEW	SideCar to SAP BOBJ	Added in future state
NEW	WSPW Direct to ECA	Added in future state
NEW	WorkStream Routes to S/4	Added in future state
REMOVED	ATM Cycle Times to ICOST	Not present in future state
REMOVED	Auto GR in ECC	Not present in future state
REMOVED	BPC to ICOST	Not present in future state
REMOVED	CIBR RM Inv to ECC	Not present in future state
REMOVED	CIBR to SPAN	Not present in future state
REMOVED	COMPASS to ICOST	Not present in future state
REMOVED	Corp/IP Inv Mvt to ECA	Not present in future state
REMOVED	Corp/IP Master Data to ECA	Not present in future state
REMOVED	ECC BOH to EDW	Not present in future state
REMOVED	ECC GL to EDW	Not present in future state
REMOVED	ECC Replication to ECA	Not present in future state
REMOVED	ECC to EDW Finance Master Data	Not present in future state
REMOVED	ECC to Finance HANA	Not present in future state
REMOVED	FCA to ICOST	Not present in future state
REMOVED	Factory Spend to ICOST	Not present in future state
REMOVED	Finance HANA to BOBJ	Not present in future state
REMOVED	Finance Master Data to ICOST	Not present in future state
REMOVED	GL Posting to ECC/CFIN	Not present in future state
REMOVED	IBP Demand Planning (Legacy)	Not present in future state

Change Type	Flow Chain	Detail
REMOVED	IF Inv Mvt to ECA	Not present in future state
REMOVED	IF Master Data to ECA	Not present in future state
REMOVED	MES Route to ICOST	Not present in future state
REMOVED	MyDeals to ICOST	Not present in future state
REMOVED	OneMPS to ICOST	Not present in future state
REMOVED	RM Std Cost Update to ECC	Not present in future state
REMOVED	RM Std Fluctuations Alert	Not present in future state
REMOVED	SDRA Demand to ICOST	Not present in future state
REMOVED	SPAN to ICOST	Not present in future state
REMOVED	SPEED BOM to CIBR	Not present in future state
REMOVED	SPEED BOM to ECC	Not present in future state
REMOVED	SPEED BOM to ICOST	Not present in future state
REMOVED	SnOP to ICOST	Not present in future state
REMOVED	WH Inventory to CIBR	Not present in future state
REMOVED	WH Inventory to ICOST	Not present in future state
REMOVED	WIP to ICOST	Not present in future state
REMOVED	Wafer Starts to ICOST	Not present in future state
REMOVED	WorkStream Route to ICOST	Not present in future state

Totals: 22 new - 37 removed - 0 modified - 0 unchanged

5.4 Component Overview

System Inventory

System	IAPM ID	Status
ADLS	-	N/A
APIGEE	22790	Deployed
ATCR	-	N/A
BOBJ	-	N/A
BPC	-	N/A
CFIN S/4	-	N/A
CFIN S/4 HANA	-	N/A
CIBR	30886	End of Life
COMPASS	16439	Deployed
Capacity Forecast Data Store	8751	Deployed
Corp / IP S/4	-	N/A
Corp / IP S/4 HANA	-	N/A
DMOCR	-	N/A
DXCR	-	N/A
DataBricks	-	N/A
EATS	119	End of Life
ECA-ADLS	-	N/A
ECA-DataBricks	-	N/A
ECA-SnowFlake	-	N/A
ECC	6844	End of Life
ECM (Windchill)	-	N/A
EDW	4010	Deployed
FCA	3915	End of Life
FCS	9297	End of Life
Finance HANA	-	N/A
GraphiteConnect	36398	Deployed
ICOST	7440	Deployed
ICS (Phoenix)	-	N/A
IF Blue Yonder	-	N/A
IF PDH Consumptional	-	N/A
IF PDH Foundational	-	N/A
IF PDH Raw	-	N/A
IF S/4	-	N/A
IF S/4 HANA	-	N/A
IP Blue Yonder	-	N/A
IP PDH Consumptional	-	N/A
IP PDH Foundational	-	N/A
IP PDH Raw	-	N/A
Legacy MDG	-	N/A
MARS	17581	End of Life

System	IAPM ID	Status
MES 300	-	N/A
MyDeals	-	N/A
OneMPS	19153	Deployed
PDF-SMH	41627	Developing
PDM Translator	-	N/A
PEGA	15387	End of Life
Power BI (DARC)	-	N/A
SAP Ariba	-	N/A
SAP BOBJ	-	N/A
SAP ECC	8794	Deployed
SAP IBP	18675	Deployed
SAP PAPM	-	N/A
SAP PO	-	N/A
SAP S/4 MDG	-	N/A
SAP SAC	37401	Deployed
SCS	6145	End of Life
SDRA Demand	-	N/A
SPAN	21159	Deployed
SPEED	14378	End of Life
SPEED-LEGACY	4092	Deployed
SideCar	-	N/A
SnOP	-	N/A
SnowFlake	35811	Deployed
WSPW	4119	Deployed
Wafer Starts	-	N/A
WorkStream	4118	End of Life
Workstream	4118	End of Life
XEUS	17553	End of Life

5.5 RICEFW Inventory

Object ID	Type	Description	Status	Source → Target	Middleware	Complexity
FPRI1704	Interface	Automated Tool MUP Excess Capacity calculation and associated PCOS/OCOS Split...	10. Object Complete		BODS	03.Medium
FPRI1439	Interface	Receive planned production quantities per production version from ECA to S/4 ...	10. Object Complete		APIGEE	03.Medium
FPRI1288	Interface	Activity Inbound interface from ECA to S4 IP	10. Object Complete	ECA → S/4	MuleSoft	03.Medium
FPRI1287	Interface	Production quantity update in WAC custom table from ECA to S4 IF	10. Object Complete	ECA → S/4	MuleSoft	03.Medium
FPRI1273	Interface	Activity Quantity Inbound interface from ECA to S4 IF	10. Object Complete	ECA → S/4	MuleSoft	03.Medium
FPRI0704	Interface	IF-IP Integration Actual Cost - Inbound Interface	10. Object Complete	OpenText → S/4	SFT	02.High
FPRI0703	Interface	IF-IP Integration Actual Cost - Outbound Interface	10. Object Complete	S/4 → OpenText	SFT	02.High
FPRI0554	Interface	SKF Interface to get file from ECA and send to S4 via BODS - IF	10. Object Complete	ECA → S/4	MuleSoft	02.High
FPRI0545	Interface	IF-IP Integration - Interface to send Cost Idoc from S4 If to S4 IP	10. Object Complete	S/4 → S/4	SFT	03.Medium
FPRI0544	Interface	IF-IP Integration - Interface to receive Cost Idoc from S4 If to S4 IP	10. Object Complete	S/4 → S/4	SFT	03.Medium
FPRE1620_IP	Enhancement	Implement OSS Note 2358961 to allow COGS split based on Aux CCS at time of de...	99. Rejected/Cancelled/On Hold		NA	03.Medium
FPRE1620_IF	Enhancement	Implement OSS Note 2358961 to allow COGS split based on Aux CCS at time of de...	99. Rejected/Cancelled/On Hold		NA	04.Low
FPRE1438	Enhancement	Update mixing ratio for Procurement alternative for Cross site transfer based...	10. Object Complete		NA	03.Medium
FPRE1419	Enhancement	Update Procurement alternatives based on production version & PIR for cross s...	10. Object Complete		NA	03.Medium
FPRE1328	Enhancement	Legal Valuation standard cost calculation enhancement	99. Rejected/Cancelled/On Hold		NA	03.Medium
FPRE0702	Enhancement	Calculation of variance to be loaded for Group Actual Costing	10. Object Complete		NA	03.Medium
FPRE0701_IP	Enhancement	Mixed Costing ratio auto update	10. Object Complete		NA	03.Medium
FPRE0701_IF	Enhancement	Mixed Costing ratio auto update	10. Object Complete		NA	04.Low
FPRE0700_IP	Enhancement	Representative material ID – Q2-Q8 Forecast	10. Object Complete		NA	03.Medium
FPRE0700_IF	Enhancement	Representative material ID – Q2-Q8 Forecast	10. Object Complete		NA	04.Low
FPRE0699	Enhancement	Enhancement for Excess Capacity – Fixed Spending Adjustment	10. Object Complete		NA	02.High
FPRE0698	Enhancement	Legal Valuation standard cost calculation enhancement	10. Object Complete		NA	04.Low
FPRE0551	Enhancement	SKF Actual Driver volume update from actual activity confirmation Automation	10. Object Complete		NA	03.Medium
FPRE0550	Enhancement	Enhancement to update additive cost in IP based on Idoc of IF cost	10. Object Complete		NA	03.Medium
FPRE0549	Enhancement	Enhancement to a) update Cost and Production volume in custom table, b) calcu...	10. Object Complete		NA	03.Medium
FPRC1493	Conversion	Conversion of WIP values as per Component structure in S/4 - IP	10. Object Complete		NA	02.High
FPRC1491	Conversion	Conversion of WIP values as per Component structure in S/4 - Back End IF	10. Object Complete		NA	02.High

Summary: 10 Interfaces, 2 Conversions, 15 Enhancements

5.6 Integration Patterns

#	Pattern	Flow Chain	Middleware	Protocol	Auth
1	Point to Point	MES Route to ICOST	Direct (No Middleware)	—	—
2	Point to Point	WorkStream Route to ICOST	Direct (No Middleware)	—	—
3	Point to Point	WIP to ICOST	Direct (No Middleware)	—	—
4	Point to Point	ATM Cycle Times to ICOST	Direct (No Middleware)	—	—
5	Real time - SOAP / Event-driven IDOCS / ETL - Batch	SPEED BOM to ECC	Direct (No Middleware)	—	—
6	Point to Point	SPEED BOM to ICOST	Direct (No Middleware)	—	—
7	Point to Point	SPEED BOM to CIBR	Direct (No Middleware)	—	—
8	Event-driven IDOCS	Finance Master Data to ICOST	Direct (No Middleware)	—	—
9	Point to Point	Finance Master Data to ICOST	Direct (No Middleware)	—	—
10	Point to Point	WH Inventory to ICOST	Direct (No Middleware)	—	—
11	Point to Point	WH Inventory to CIBR	Direct (No Middleware)	—	—
12	Point to Point	Auto GR in ECC	Direct (No Middleware)	—	—
13	Point to Point	CIBR to SPAN	Direct (No Middleware)	—	—
14	Point to Point	Factory Spend to ICOST	Direct (No Middleware)	—	—
15	Real time - SOAP / Event-driven IDOCS / ETL - Batch	CIBR RM Inv to ECC	Direct (No Middleware)	—	—
16	Real time replication - Change Data Capture	ECC Replication to ECA	Direct (No Middleware)	—	—
17	Batch ETL via ADF	ECC Replication to ECA	Direct (No Middleware)	—	—
18	Micro batch ingestion via Databricks Auto Loader	ECC Replication to ECA	Direct (No Middleware)	—	—
19	Batch data load from lakehouse to snowflake	ECC Replication to ECA	Direct (No Middleware)	—	—
20	Real time replication - Change Data Capture	Corp/IP Inv Mvt to ECA	Direct (No Middleware)	—	—
21	Batch ETL via ADF	Corp/IP Inv Mvt to ECA	Direct (No Middleware)	—	—
22	Micro batch ingestion via Databricks Auto Loader	Corp/IP Inv Mvt to ECA	Direct (No Middleware)	—	—
23	Batch data load from lakehouse to snowflake	Corp/IP Inv Mvt to ECA	Direct (No Middleware)	—	—
24	Real time replication - Change Data Capture	IF Inv Mvt to ECA	Direct (No Middleware)	—	—
25	Batch ETL via ADF	IF Inv Mvt to ECA	Direct (No Middleware)	—	—
26	Micro batch ingestion via Databricks Auto Loader	IF Inv Mvt to ECA	Direct (No Middleware)	—	—
27	Batch data load from lakehouse to snowflake	IF Inv Mvt to ECA	Direct (No Middleware)	—	—
28	Real time replication - Change Data Capture	Corp/IP Master Data to ECA	Direct (No Middleware)	—	—
29	Batch ETL via ADF	Corp/IP Master Data to ECA	Direct (No Middleware)	—	—
30	Micro batch ingestion via Databricks Auto Loader	Corp/IP Master Data to ECA	Direct (No Middleware)	—	—
31	Batch data load from lakehouse to snowflake	Corp/IP Master Data to ECA	Direct (No Middleware)	—	—
32	Real time replication - Change Data Capture	IF Master Data to ECA	Direct (No Middleware)	—	—
33	Batch ETL via ADF	IF Master Data to ECA	Direct (No Middleware)	—	—
34	Micro batch ingestion via Databricks Auto Loader	IF Master Data to ECA	Direct (No Middleware)	—	—
35	Batch data load from lakehouse to snowflake	IF Master Data to ECA	Direct (No Middleware)	—	—
36	Manual Integration	GL Posting to ECC/CFIN	Direct (No Middleware)	—	—
37	Point to Point	ECC to EDW Finance Master Data	Direct (No Middleware)	—	—
38	Point to Point	FCA to ICOST	Direct (No Middleware)	—	—
39	Real time replication - Change Data Capture	ECC to Finance HANA	Direct (No Middleware)	—	—
40	API Based data exposure (REST/SOAP)	RM Std Fluctuations Alert	Direct (No Middleware)	—	—
41	Synchronous API Call	RM Std Fluctuations Alert	Direct (No Middleware)	—	—

#	Pattern	Flow Chain	Middleware	Protocol	Auth
42	Point to Point	Finance HANA to BOBJ	Direct (No Middleware)	—	—
43	Real time - SOAP / Event-driven IDOCS / ETL - Batch	RM Std Cost Update to ECC	Direct (No Middleware)	—	—
44	Batch export via. File Transfer	IBP Demand Planning (Legacy)	Direct (No Middleware)	—	—
45	Micro batch ingestion via Databricks Auto Loader	IBP Demand Planning (Legacy)	Direct (No Middleware)	—	—
46	Batch data load from lakehouse to snowflake	IBP Demand Planning (Legacy)	Direct (No Middleware)	—	—
47	Batch export via. File Transfer	ECC GL to EDW	Direct (No Middleware)	—	—
48	Batch export via. File Transfer	ECC BOH to EDW	Direct (No Middleware)	—	—
49	Data Virtualization plus ETL	COMPASS to ICOST	Direct (No Middleware)	—	—
50	Data Virtualization plus ETL	SDRA Demand to ICOST	Direct (No Middleware)	—	—
51	Data Virtualization plus ETL	Wafer Starts to ICOST	Direct (No Middleware)	—	—
52	Data Virtualization plus ETL	SPAN to ICOST	Direct (No Middleware)	—	—
53	Data Virtualization plus ETL	SnOP to ICOST	Direct (No Middleware)	—	—
54	Data Virtualization plus ETL	BPC to ICOST	Direct (No Middleware)	—	—
55	Data Virtualization plus ETL	OneMPS to ICOST	Direct (No Middleware)	—	—
56	Data Virtualization plus ETL	MyDeals to ICOST	Direct (No Middleware)	—	—
57	Point to Point	MES Routes to S/4	Direct (No Middleware)	—	—
58	Point-to-Point	MES Routes to S/4	Direct (No Middleware)	—	—
59	Point to Point	WorkStream Routes to S/4	Direct (No Middleware)	—	—
60	Point-to-Point	WorkStream Routes to S/4	Direct (No Middleware)	—	—
61	Point-to-Point	ECM to S/4 via MDG	Direct (No Middleware)	—	—
62	Point-to-Point	SPEED to S/4 via MDG	Direct (No Middleware)	—	—
63	Point-to-Point	SPEED BOMs to ECA	Direct (No Middleware)	—	—
64	Point-to-Point	GraphiteConnect Vendor MD	Direct (No Middleware)	—	—
65	Point-to-Point	ERP to SideCar	Direct (No Middleware)	—	—
66	Point-to-Point	SideCar to ECA	Direct (No Middleware)	—	—
67	Point-to-Point	Factory Rpt to ECA (FCS)	Direct (No Middleware)	—	—
68	Point-to-Point	Factory Rpt to ECA (ICS)	Direct (No Middleware)	—	—
69	Point-to-Point	Factory Rpt to ECA (ATCR)	Direct (No Middleware)	—	—
70	Point-to-Point	Factory Rpt to ECA (SCS)	Direct (No Middleware)	—	—
71	Point-to-Point	Factory Rpt to ECA (DXCR)	Direct (No Middleware)	—	—
72	Point-to-Point	Factory Rpt to ECA (DMOCR)	Direct (No Middleware)	—	—
73	Point-to-Point	WSPW Direct to ECA	Direct (No Middleware)	—	—
74	Point-to-Point	Blue Yonder Demand to ECA	Direct (No Middleware)	—	—
75	Point-to-Point	SAC Planning to S/4	Direct (No Middleware)	—	—
76	Point-to-Point	SAP PAPM to S/4	Direct (No Middleware)	—	—
77	Point-to-Point	IBP to ECA (Legacy Overlap)	Direct (No Middleware)	—	—
78	Point-to-Point	Ariba Procurement to S/4	Direct (No Middleware)	—	—
79	Point-to-Point	Data Products to Power BI	Direct (No Middleware)	—	—
80	Point-to-Point	SideCar to SAP BOBJ	Direct (No Middleware)	—	—

6. Technology Architecture (TOGAF “T”)

6.1 Platform & Infrastructure

> **TECHNOLOGY / PLATFORM ARCHITECTURE** — Platforms (green) host applications (blue). Thick arrows show platform-to-platform integration flows.

6.1.1 ICOST — Current-State Platform Architecture

```
%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "14px", "fontFamily": "Segoe UI, Arial"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 40, "rankSpacing": 50}} }%% flowchart TB classDef appBox fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef platBox fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 classDef eolBox fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C subgraph DS020CPLP_ECA_Azure_Platform["☁️ ECA Azure Platform"] direction LR DS020CPLA_ADLS["ADLS"]:::appBox DS020CPLA_DataBricks["DataBricks"]:::appBox DS020CPLA_SnowFlake["SnowFlake"]:::appBox end style DS020CPLP_ECA_Azure_Platform fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C subgraph DS020CPLP_Google_Cloud_Platform["☁️ Google Cloud Platform"] direction LR DS020CPLA_APIGEE["APIGEE"]:::appBox end style DS020CPLP_Google_Cloud_Platform fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C subgraph DS020CPLP_Legacy_Azure_Platform["☁️ Legacy Azure Platform"] direction LR DS020CPLA_FCA["FCA"]:::eolBox end style DS020CPLP_Legacy_Azure_Platform fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C subgraph DS020CPLP_Linux_Server_Platform["🖥️ Linux Server Platform"] direction LR DS020CPLA_CIBR["CIBR"]:::eolBox DS020CPLA_EDW["EDW"]:::appBox DS020CPLA_MARS["MARS"]:::eolBox DS020CPLA_MES_300["MES 300"]:::appBox DS020CPLA_WorkStream["WorkStream"]:::eolBox DS020CPLA_Workstream["Workstream"]:::eolBox DS020CPLA_XEUS["XEUS"]:::eolBox end style DS020CPLP_Linux_Server_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020CPLP_MS_Windows_Server_Platform["🖥️ MS Windows Server Platform"] direction LR DS020CPLA_COMPASS["COMPASS"]:::appBox DS020CPLA_EATS["EATS"]:::eolBox DS020CPLA_ICOST["ICOST"]:::appBox DS020CPLA_MyDeals["MyDeals"]:::appBox DS020CPLA_OneMPS["OneMPS"]:::appBox DS020CPLA_SDRA_Demand["SDRA Demand"]:::appBox DS020CPLA_SPAN["SPAN"]:::appBox DS020CPLA_SPEED_LEGACY["SPEED-LEGACY"]:::appBox DS020CPLA_SnOP["SnOP"]:::appBox DS020CPLA_Wafer_Starts["Wafer Starts"]:::appBox end style DS020CPLP_MS_Windows_Server_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020CPLP_PEGA_Cloud_Platform["☁️ PEGA Cloud Platform"] direction LR DS020CPLA_PEGA["PEGA"]:::eolBox end style DS020CPLP_PEGA_Cloud_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020CPLP_S4_HANA_Netweaver["🖥️ S4/HANA Netweaver"] direction LR DS020CPLA_CFIN_S_4["CFIN S/4"]:::appBox DS020CPLA_Corp_IP_S_4["Corp / IP S/4"]:::appBox DS020CPLA_IF_S_4["IF S/4"]:::appBox end style DS020CPLP_S4_HANA_Netweaver fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020CPLP_S4_HANA_Netweaver_SideCar["🖥️ S4/HANA Netweaver (SideCar)"] direction LR DS020CPLA_SideCar["SideCar"]:::appBox end style DS020CPLP_S4_HANA_Netweaver_SideCar fill:#B2EBF2,stroke:#00838F,stroke-width:3px,color:#004D40 subgraph DS020CPLP_SAP_HANA_Cloud["☁️ SAP HANA Cloud"] direction LR DS020CPLA_SAP_IBP["SAP IBP"]:::appBox end style DS020CPLP_SAP_HANA_Cloud fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020CPLP_SAP_Netweaver["🖥️ SAP Netweaver"] direction LR DS020CPLA_BOBJ["BOBJ"]:::appBox DS020CPLA_BPC["BPC"]:::appBox DS020CPLA_ECC["ECC"]:::eolBox DS020CPLA_Finance_HANA["Finance HANA"]:::appBox DS020CPLA_Legacy_MDG["Legacy MDG"]:::appBox DS020CPLA_SAP_ECC["SAP ECC"]:::appBox DS020CPLA_SAP_PO["SAP PO"]:::appBox end style DS020CPLP_SAP_Netweaver fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 DS020CPLP_Linux_Server_Platform ==>|"Direct"| DS020CPLP_MS_Windows_Server_Platform DS020CPLP_MS_Windows_Server_Platform ==>|"SAP PO"| DS020CPLP_SAP_Netweaver DS020CPLP_MS_Windows_Server_Platform ==>|"Direct"| DS020CPLP_Linux_Server_Platform DS020CPLP_SAP_Netweaver ==>|"Direct"| DS020CPLP_Linux_Server_Platform DS020CPLP_Linux_Server_Platform ==>|"Direct"| DS020CPLP_SAP_Netweaver DS020CPLP_Linux_Server_Platform ==>|"SAP PO"| DS020CPLP_SAP_Netweaver DS020CPLP_SAP_Netweaver ==>|"SLT"| DS020CPLP_S4_HANA_Netweaver_SideCar DS020CPLP_S4_HANA_Netweaver_SideCar ==>|"CIF"| DS020CPLP_ECA_Azure_Platform DS020CPLP_S4_HANA_Netweaver ==>|"SLT"| DS020CPLP_S4_HANA_Netweaver_SideCar DS020CPLP_MS_Windows_Server_Platform ==>|"Manual"| DS020CPLP_S4_HANA_Netweaver DS020CPLP_Legacy_Azure_Platform ==>|"Direct"| DS020CPLP_MS_Windows_Server_Platform DS020CPLP_SAP_Netweaver ==>|"APIGEE"| DS020CPLP_Google_Cloud_Platform DS020CPLP_Google_Cloud_Platform ==>|"APIGEE"| DS020CPLP_PEGA_Cloud_Platform DS020CPLP_SAP_HANA_Cloud ==>|"Direct"| DS020CPLP_ECA_Azure_Platform DS020CPLP_SAP_Netweaver ==>|"ETL"| DS020CPLP_Linux_Server_Platform DS020CPLP_SAP_Netweaver ==>|"Denodo"| DS020CPLP_MS_Windows_Server_Platform subgraph DS020CPLLegend["📐 PLATFORM LEGEND"] direction LR DS020CPLLC["☁️ Cloud"] DS020CPLLS["🌐 SaaS"] DS020CPLLO["🏢 On-Prem"] DS020CPLLD["💾 Data Platform"] DS020CPLLM["🔗 Middleware"] end style DS020CPLLegend fill:#F5F5F5,stroke:#999,stroke-width:1px style DS020CPLLC fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C style DS020CPLLS fill:#E1BEE7,stroke:#7B1FA2,stroke-width:3px,color:#4A148C style DS020CPLLO fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 style DS020CPLLD fill:#B2EBF2,stroke:#00838F,stroke-width:3px,color:#004D40 style DS020CPLLM fill:#FFE0B2,stroke:#E65100,stroke-width:3px,color:#BF360C
```

👁 View Diagram

Legend: 🖥️ Platform · 📦 Application · ⛔ End-of-Life · 📋 Unassigned

6.1.2 S/4 HANA — Future-State Platform Architecture

%%{init: {"theme": "base", "securityLevel": "loose", "themeVariables": {"fontSize": "14px", "fontFamily": "Segoe UI, Arial"}, "flowchart": {"useMaxWidth": false, "htmlLabels": true, "nodeSpacing": 40, "rankSpacing": 50}} }%% flowchart TB classDef appBox fill:#CCE5FF,stroke:#0078D4,stroke-width:2px,color:#003A6C classDef platBox fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 classDef eolBox fill:#FFCDD2,stroke:#C62828,stroke-width:2px,color:#B71C1C subgraph DS020FPLP_Blue_Yonder_Cloud_SaaS["☁️ Blue Yonder Cloud SaaS"] direction LR DS020FPLA_IF_Blue_Yonder["IF Blue Yonder"]:::appBox DS020FPLA_IP_Blue_Yonder["IP Blue Yonder"]:::appBox end style DS020FPLP_Blue_Yonder_Cloud_SaaS fill:#E1BEE7,stroke:#7B1FA2,stroke-width:3px,color:#4A148C subgraph DS020FPLP_ECA_Azure_Platform["☁️ ECA Azure Platform"] direction LR DS020FPLA_ECA_ADLS["ECA-ADLS"]:::appBox DS020FPLA_ECA_DataBricks["ECA-DataBricks"]:::appBox DS020FPLA_ECA_SnowFlake["ECA-SnowFlake"]:::appBox end style DS020FPLP_ECA_Azure_Platform fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C subgraph DS020FPLP_ECA_Azure_Platform_PDH["☁️ ECA Azure Platform (PDH)"] direction LR DS020FPLA_IF_PDH_Consumptional["IF PDH Consumptional"]:::appBox DS020FPLA_IF_PDH_Foundational["IF PDH Foundational"]:::appBox DS020FPLA_IF_PDH_Raw["IF PDH Raw"]:::appBox DS020FPLA_IP_PDH_Consumptional["IP PDH Consumptional"]:::appBox DS020FPLA_IP_PDH_Foundational["IP PDH Foundational"]:::appBox DS020FPLA_IP_PDH_Raw["IP PDH Raw"]:::appBox end style DS020FPLP_ECA_Azure_Platform_PDH fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C subgraph DS020FPLP_ECA_Platform["🖥️ ECA Platform"] direction LR end style DS020FPLP_ECA_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_GraphiteConnect_Cloud_SaaS["☁️ GraphiteConnect Cloud SaaS"] direction LR DS020FPLA_GraphiteConnect["GraphiteConnect"]:::appBox end style DS020FPLP_GraphiteConnect_Cloud_SaaS fill:#E1BEE7,stroke:#7B1FA2,stroke-width:3px,color:#4A148C subgraph DS020FPLP_Linux_Server_Platform["🖥️ Linux Server Platform"] direction LR DS020FPLA_Capacity_Forecast_Data_Store["Capacity Forecast Data Store"]:::appBox DS020FPLA_ECM_Windchill["ECM (Windchill)"]:::appBox DS020FPLA_ICS_Phoenix["ICS (Phoenix)"]:::appBox DS020FPLA_MARS["MARS"]:::eolBox DS020FPLA_MES_300["MES 300"]:::appBox DS020FPLA_PDF_SMH["PDF-SMH"]:::appBox DS020FPLA_WorkStream["WorkStream"]:::eolBox DS020FPLA_XEUS["XEUS"]:::eolBox end style DS020FPLP_Linux_Server_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_MS_Windows_Server_Platform["🖥️ MS Windows Server Platform"] direction LR DS020FPLA_ATCR["ATCR"]:::appBox DS020FPLA_DMOCR["DMOCR"]:::appBox DS020FPLA_DXCR["DXCR"]:::appBox DS020FPLA_FCS["FCS"]:::eolBox DS020FPLA_PDM_Translator["PDM Translator"]:::appBox DS020FPLA_SCS["SCS"]:::eolBox DS020FPLA_SPEED["SPEED"]:::eolBox DS020FPLA_WSPW["WSPW"]:::appBox end style DS020FPLP_MS_Windows_Server_Platform fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_Microsoft_Power_BI_SaaS["☁️ Microsoft Power BI SaaS"] direction LR DS020FPLA_Power_BI_DARC["Power BI (DARC)"]:::appBox end style DS020FPLP_Microsoft_Power_BI_SaaS fill:#E1BEE7,stroke:#7B1FA2,stroke-width:3px,color:#4A148C subgraph DS020FPLP_S4_HANA_Netweaver_SideCar["🖥️ S4/HANA Netweaver (SideCar)"] direction LR DS020FPLA_SideCar["SideCar"]:::appBox end style DS020FPLP_S4_HANA_Netweaver_SideCar fill:#B2EBF2,stroke:#00838F,stroke-width:3px,color:#004D40 subgraph DS020FPLP_SAP_BusinessObjects_On_Premise["🖥️ SAP BusinessObjects On-Premise"] direction LR DS020FPLA_SAP_BOBJ["SAP BOBJ"]:::appBox end style DS020FPLP_SAP_BusinessObjects_On_Premise fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_SAP_HANA_Cloud["☁️ SAP HANA Cloud"] direction LR DS020FPLA_SAP_Ariba["SAP Ariba"]:::appBox DS020FPLA_SAP_IBP["SAP IBP"]:::appBox DS020FPLA_SAP_PAPM["SAP PAPM"]:::appBox DS020FPLA_SAP_SAC["SAP SAC"]:::appBox end style DS020FPLP_SAP_HANA_Cloud fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_SAP_MDG_On_Premise["🖥️ SAP MDG On-Premise"] direction LR DS020FPLA_SAP_S_4_MDG["SAP S/4 MDG"]:::appBox end style DS020FPLP_SAP_MDG_On_Premise fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_SAP_S_4HANA_Central_Finance["🖥️ SAP S/4HANA Central Finance"] direction LR end style DS020FPLP_SAP_S_4HANA_Central_Finance fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_SAP_S_4HANA_On_Premise["🖥️ SAP S/4HANA On-Premise"] direction LR DS020FPLA_CFIN_S_4_HANA["CFIN S/4 HANA"]:::appBox DS020FPLA_Corp_IP_S_4_HANA["Corp / IP S/4 HANA"]:::appBox DS020FPLA_IF_S_4_HANA["IF S/4 HANA"]:::appBox end style DS020FPLP_SAP_S_4HANA_On_Premise fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 subgraph DS020FPLP_Snowflake_on_ECA_Cloud["☁️ Snowflake on ECA Cloud"] direction LR end style DS020FPLP_Snowflake_on_ECA_Cloud fill:#B2EBF2,stroke:#00838F,stroke-width:3px,color:#004D40 DS020FPLP_Linux_Server_Platform ==>|"EAI Connector"| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_Linux_Server_Platform ==>|"PDM Translator"| DS020FPLP_MS_Windows_Server_Platform DS020FPLP_MS_Windows_Server_Platform ==>|"PDM Translator"| DS020FPLP_SAP_MDG_On_Premise DS020FPLP_SAP_MDG_On_Premise ==>|"DRF (Data Replication Frame...)"| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_MS_Windows_Server_Platform ==>|"ADF Rest API / SFTP(Blob)"| DS020FPLP_ECA_Azure_Platform DS020FPLP_GraphiteConnect_Cloud_SaaS ==>|"MuleSoft & Reltio"| DS020FPLP_SAP_MDG_On_Premise DS020FPLP_SAP_S_4HANA_On_Premise ==>|"SLT"| DS020FPLP_S4_HANA_Netweaver_SideCar DS020FPLP_SAP_S_4HANA_Central_Finance ==>|"SLT"| DS020FPLP_S4_HANA_Netweaver_SideCar DS020FPLP_S4_HANA_Netweaver_SideCar ==>|"ADF Rest API / SFTP(Blob)"| DS020FPLP_ECA_Azure_Platform DS020FPLP_MS_Windows_Server_Platform ==>|"Direct"| DS020FPLP_Linux_Server_Platform DS020FPLP_Linux_Server_Platform ==>|"ADF / DB Unity Catalog / Th...."| DS020FPLP_ECA_Azure_Platform DS020FPLP_ECA_Azure_Platform ==>|"MuleSoft/BODS"| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_MS_Windows_Server_Platform ==>|"Direct"| DS020FPLP_ECA_Azure_Platform

View Diagram

Legend: 🖥️ Platform · 📦 Application · ⛔ End-of-Life · 📋 Unassigned

Platform Inventory

DS020FPLP_ECA_Azure_Platform_PDH ==>|"Snowflake Connector / Snowpipe"| DS020FPLP_ECA_Platform DS020FPLP_Snowflake_on_ECA_Cloud ==>|"Remote Function Adapter / M..."| DS020FPLP_ECA_Azure_Platform_PDH DS020FPLP_Snowflake_on_ECA_Cloud ==>|"Remote Function Adapter / M..."| DS020FPLP_ECA_Platform DS020FPLP_Snowflake_on_ECA_Cloud ==>|"Blue Yonder"| DS020FPLP_Blue_Yonder DS020FPLP_Snowflake_on_ECA_Cloud ==>|"MuleSoft/BODS"| DS020FPLP_ECA_Azure_Platform_PDH DS020FPLP_Snowflake_on_ECA_Cloud ==>|"MuleSoft/BODS"| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_SAP_HANA_Cloud ==>|"SAC Data Export Service (AP..."| DS020FPLP_ECA_Azure_Platform DS020FPLP_SAP_HANA_Cloud ==>|"SAP Odata services with con..."| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_SAP_HANA_Cloud ==>|"SAP Integration Suite / Sma..."| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_SAP_HANA_Cloud ==>|"ADF / DB Unity Catalog / Co..."| DS020FPLP_ECA_Azure_Platform_PDH DS020FPLP_Snowflake_on_ECA_Cloud ==>|"Remote Function Adapter / M..."| DS020FPLP_SAP_HANA_Cloud DS020FPLP_SAP_HANA_Cloud ==>|"Apigee / MuleSoft"| DS020FPLP_SAP_S_4HANA_On_Premise DS020FPLP_ECA_Azure_Platform ==>|"Snowflake Connector / Snowpipe"| DS020FPLP_Microsoft_Power_BI_SaaS DS020FPLP_S4_HANA_Netweaver_SideCar ==> DS020FPLP_SAP_BusinessObjects_On_Premise subgraph DS020FPLLegend["📐 PLATFORM LEGEND"]direction LR DS020FPLLC["☁️ Cloud"] DS020FPLLS["🔮 SaaS"] DS020FPLLO["🏢 On-Prem"] DS020FPLLD["🗄️ Data Platform"] DS020FPLLM["🔗 Middleware"] end style DS020FPLLegend fill:#F5F5F5,stroke:#999,stroke-width:1px style DS020FPLLC fill:#BBDEFB,stroke:#0078D4,stroke-width:3px,color:#003A6C style DS020FPLLS fill:#E1BEE7,stroke:#7B1FA2,stroke-width:3px,color:#4A148C style DS020FPLLO fill:#C8E6C9,stroke:#2E7D32,stroke-width:3px,color:#1B5E20 style DS020FPLLD fill:#B2EBF2,stroke:#00838F,stroke-width:3px,color:#004D40 style DS020FPLLM fill:#FFE0B2,stroke:#E65100,stroke-width:3px,color:#BF360C

#	Platform	Type	Systems Using	Environment
1	Blue Yonder Cloud SaaS	Cloud / SaaS	Blue Yonder	DEV,QAS,PRD
2	ECA Azure Platform	Cloud / SaaS	ADLS, DataBricks, Snowflake, ECA-ADLS, ECA-DataBricks, ECA-Snowflake	DEV,QAS,PRD
3	ECA Azure Platform (PDH)	Cloud / SaaS	IF PDH Raw, IF PDH Foundational, IF PDH Consumptional, SAP PAPM, IP PDH Raw, IP PDH Foundational, IP PDH Consumptional, IF S/4 HANA	DEV,QAS,PRD
4	ECA Platform	On-Premise	ECA-SnowFlake, SAP PAPM	DEV,QAS,PRD
5	ECA Cloud Platform	Cloud / SaaS	IP PDH	DEV,QAS,PRD
6	GraphiteConnect Cloud SaaS	Cloud / SaaS	GraphiteConnect	DEV,QAS,PRD
7	Legacy Azure Platform	Cloud / SaaS	FCA	DEV,QAS,PRD
8	Linux Server Platform	On-Premise	MES 300, XEUS, WorkStream, MARS, CIBR, Workstream, EDW, PDF-SMH, ECM (Windchill), Capacity Forecast Data Store, ICS (Phoenix)	DEV,QAS,PRD
9	MS Windows Server Platform	On-Premise	ICOST, EATS, SPEED-LEGACY, SPAN, COMPASS, SDRA Demand, Wafer Starts, SnOP, OneMPS, MyDeals, PDM Translator, FCS, ATCR, SCS, DXCR, DMOCR, WSPW	DEV,QAS,PRD
10	Microsoft Power BI SaaS	Cloud / SaaS	Power BI (DARC)	DEV,QAS,PRD
11	PEGA Cloud Platform	Cloud / SaaS	PEGA	DEV,QAS,PRD
12	S4/HANA Netweaver	On-Premise	Corp / IP S/4, IF S/4, CFIN S/4	DEV,QAS,PRD
13	S4/HANA Netweaver (SideCar)	On-Premise	SideCar	DEV,QAS,PRD
14	SAP BusinessObjects On-Premise	On-Premise	SAP BOBJ	DEV,QAS,PRD
15	SAP HANA Cloud	Cloud / SaaS	SAP IBP, SAP SAC, SAP PAPM, SAP Ariba	DEV,QAS,PRD
16	SAP MDG On-Premise	On-Premise	SAP S/4 MDG	DEV,QAS,PRD
17	SAP Netweaver	On-Premise	SAP PO, SAP ECC, Legacy MDG, Finance HANA, BOBJ, BPC	DEV,QAS,PRD
18	SAP S/4HANA Central Finance	On-Premise	CFIN S/4 HANA	DEV,QAS,PRD
19	SAP S/4HANA On-Premise	On-Premise	IF S/4 HANA, CFIN S/4 HANA, Corp / IP S/4 HANA	DEV,QAS,PRD
20	Snowflake on ECA Cloud	Cloud / SaaS	ECA-SnowFlake	DEV,QAS,PRD

6.2 SAP Development Object Status

SAP development object status will be auto-populated when SAP OData/ADT API access is provisioned.

6.3 NFRs & Design Principles

Category	Requirement	Target / SLA	Priority
Performance	Month-end batch costing/closing completes within SLA window	< 4 hours end-to-end batch window	High
Availability	S/4 HANA finance modules available during business hours	99.9% (Mon-Fri 06:00-22:00 PST)	High
Scalability	Support 2x transaction volume growth over 3-year horizon	Handle 500K+ journal entries/day	Medium
Recoverability	RPO/RTO for financial systems meets audit requirements	RPO < 1 hour, RTO < 4 hours	High
Data Volume	Support growing data volumes from legacy migration + BAU	50M+ records in material ledger	Medium
Latency	Near-real-time posting for financial transactions	< 5 seconds for online postings	Medium
Concurrency	Support concurrent month-end users across time zones	200+ concurrent finance users	Medium

6.4 Security & Governance

Concern	Approach	Standard / Policy	Owner
Authentication	Single Sign-On (SSO) via Intel corporate Azure AD identity	Intel IT Security Policy - Identity Management	IT Security
Authorization	Role-based access control (RBAC) with SAP authorization objects	Intel SAP Security Standards - Role Design	SAP Security Team
Data Classification	All financial/operational data classified per Intel Data Classification Standard	Intel Data Classification Policy	Data Governance
Data Encryption (at rest)	AES-256 encryption for SAP HANA database and file storage	Intel Encryption Standard	Infrastructure Security
Data Encryption (in transit)	TLS 1.3 for all system-to-system and user-to-system communication	Intel Network Security Policy	Network Engineering
Network Segmentation	SAP systems in dedicated network zones with firewall controls	Intel Network Architecture Standard	Network Security
API Security	OAuth 2.0 / certificate-based authentication for all API integrations	Intel API Security Guidelines	Integration Architecture
Audit Logging	Comprehensive audit trail for all data changes and user actions (SAP Security Audit Log)	SOX Compliance / Intel Audit Policy	Internal Audit
Certificate Management	Automated certificate lifecycle management for system-to-system trust	Intel PKI Standard	Certificate Authority Team
Compliance	SOX controls, export control (EAR/ITAR) screening, data privacy (GDPR)	Intel Corporate Compliance Framework	Compliance Office

7. Project Context

7.1 Project Roadmap & Go-Live Plan

ID	Description	FS	TDD	Build	FUT	Status
FPRI1704	Automated Tool MUP Excess Capacity calculation and associated PCOS/OCOS Split...	2026-02-18 00:00:00 (100%)	2026-02-20 00:00:00 (100%)	2026-02-20 00:00:00 (100%)	2026-03-04 00:00:00 (100%)	3. Off Track
FPRI1439	Receive planned production quantities per production version from ECA to S/4 ...	2025-07-16 00:00:00 (100%)	2025-10-03 00:00:00 (100%)	2025-10-03 00:00:00 (100%)	2025-11-05 00:00:00 (100%)	4. Completed
FPRI1288	Activity Inbound interface from ECA to S4 IP	2025-04-18 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2026-02-04 00:00:00 (100%)	4. Completed
FPRI1287	Production quantity update in WAC custom table from ECA to S4 IF	2025-04-18 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2026-02-04 00:00:00 (100%)	4. Completed
FPRI1273	Activity Quantity Inbound interface from ECA to S4 IF	2025-04-18 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2026-02-04 00:00:00 (100%)	4. Completed
FPRI0704	IF-IP Integration Actual Cost - Inbound Interface	2025-02-21 00:00:00 (100%)	2025-04-11 00:00:00 (100%)	2025-04-11 00:00:00 (100%)	2025-06-11 00:00:00 (100%)	3. Off Track
FPRI0703	IF-IP Integration Actual Cost - Outbound Interface	2025-02-21 00:00:00 (100%)	2025-04-11 00:00:00 (100%)	2025-04-11 00:00:00 (100%)	2025-09-10 00:00:00 (100%)	3. Off Track
FPRI0554	SKF Interface to get file from ECA and send to S4 via BODS - IF	2025-03-21 00:00:00 (100%)	2025-05-15 00:00:00 (100%)	2025-05-15 00:00:00 (100%)	2026-02-04 00:00:00 (100%)	4. Completed
FPRI0545	IF-IP Integration - Interface to send Cost Idoc from S4 If to S4 IP	2024-09-20 00:00:00 (100%)	2025-03-28 00:00:00 (100%)	2025-03-28 00:00:00 (100%)	2025-04-18 00:00:00 (100%)	
FPRI0544	IF-IP Integration - Interface to receive Cost Idoc from S4 If to S4 IP	2024-09-20 00:00:00 (100%)	2025-03-27 00:00:00 (100%)	2025-03-27 00:00:00 (100%)	2025-04-18 00:00:00 (100%)	1. On Track
FPRE1620_IP	Implement OSS Note 2358961 to allow COGS split based on Aux CCS at time of de...	—	—	—	—	
FPRE1620_IF	Implement OSS Note 2358961 to allow COGS split based on Aux CCS at time of de...	—	—	—	—	
FPRE1438	Update mixing ratio for Procurement alternative for Cross site transfer based...	2025-07-16 00:00:00 (100%)	2025-09-05 00:00:00 (100%)	2025-09-05 00:00:00 (100%)	2025-12-03 00:00:00 (100%)	1. On Track
FPRE1419	Update Procurement alternatives based on production version & PIR for cross s...	2025-06-11 00:00:00 (100%)	2025-10-03 00:00:00 (100%)	2025-10-03 00:00:00 (100%)	2025-12-03 00:00:00 (100%)	4. Completed
FPRE1328	Legal Valuation standard cost calculation enhancement	2025-02-21 00:00:00 (100%)	2025-04-04 00:00:00 (100%)	2025-04-04 00:00:00 (100%)	—	1. On Track
FPRE0702	Calculation of variance to be loaded for Group Actual Costing	2025-02-21 00:00:00 (100%)	2025-04-04 00:00:00 (100%)	2025-04-04 00:00:00 (100%)	2025-08-13 00:00:00 (100%)	1. On Track
FPRE0701_IP	Mixed Costing ratio auto update	2025-01-24 00:00:00 (100%)	2025-05-30 00:00:00 (100%)	2025-05-30 00:00:00 (100%)	2025-07-16 00:00:00 (100%)	
FPRE0701_IF	Mixed Costing ratio auto update	2025-01-24 00:00:00 (100%)	2025-05-30 00:00:00 (100%)	2025-05-30 00:00:00 (100%)	2025-07-16 00:00:00 (100%)	
FPRE0700_IP	Representative material ID – Q2-Q8 Forecast	2025-01-24 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-07-16 00:00:00 (100%)	2. At Risk
FPRE0700_IF	Representative material ID – Q2-Q8 Forecast	2025-01-24 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-05-23 00:00:00 (100%)	2025-06-11 00:00:00 (100%)	

... and 7 more objects (see full Object Tracker)

7.2 RAID Log

RAID items will be auto-populated from the Smartsheet RAID log when matched to this capability.

7.3 Recommendations & Next Steps

#	Category	Recommendation	Priority	Owner	Target Date	Status
1	Architecture	Complete extended flow attributes (Data Entity, Integration Pattern, Tech Platform) in Flows tab for full BDAT coverage	High	Tower Architect	2026-Q2	Open
2	Integration	Validate integration patterns and middleware for high-complexity flows across 42 systems (ATCR, CFIN S/4 HANA, Capacity Forecast Data Store, Corp / IP S/4 HANA, DMOCR...)	High	Integration Architect	2026-Q2	Open
3	Data	Define data ownership and classification for all 22 flow chains to satisfy Data Architecture (TOGAF D) requirements	Medium	Data Architect	2026-Q3	Open
4	Testing	Develop integration test scenarios covering all 22 flow chains for FUT/SIT readiness	High	Test Lead	2026-Q3	Open
5	Business Architecture	Review and validate Business Architecture process steps against latest Signavio/BIC process models	Medium	Business Analyst	2026-Q2	Open
6	Security	Complete security review for API integrations and data flows per Intel Security Architecture standards	Medium	Security Architect	2026-Q3	Open

---

DS-020 — Architecture Document (TOGAF BDAT) · Finance Plan To Report · Generated: April 2026