






default
Version Control
Database Explorer
DDL
postgres@localhost 1
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
1 ALTER TABLE passengers
2 DROP CONSTRAINT IF EXISTS check_passenger_age;
3
4 ALTER TABLE passengers 17 ms
5 ADD CONSTRAINT check_passenger_age
6 CHECK (date_of_birth <= DATE '2016-10-11');
7
Files
default C:\Users\A
Scratches and Cor
Services
Database
postgres@localhost
console_3 17 ms
console_1
console_2 14 ms
console
[2026-10-11 19:30:52:281] Connected
[2026-10-11 19:30:52:288] postgres> ALTER TABLE passengers
DROP CONSTRAINT IF EXISTS check_passenger_age
[2026-10-11 19:30:52:298] completed in 10 ms
[2026-10-11 19:30:57:907] postgres.public> ALTER TABLE passengers
ADD CONSTRAINT check_passenger_age
CHECK (date_of_birth <= DATE '2016-10-11')
[2026-10-11 19:30:57:911] completed in 4 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
6:44 CRLF UTF-8 4 spaces
Trial
Поиск
РУС
19:31
11.10.2026



default
Version Control
Database Explorer
DDL
postgres@localhost 1
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
1 ALTER TABLE passengers
2 DROP CONSTRAINT IF EXISTS check_passenger_age;
3
4 ALTER TABLE passengers
5 ADD CONSTRAINT check_passenger_age
6 CHECK (date_of_birth <= DATE '2016-10-11');
7
8
9 ALTER TABLE booking
10 DROP CONSTRAINT IF EXISTS check_booking_price;
11
12 ALTER TABLE booking
13 ADD CONSTRAINT check_booking_price
14 CHECK (ticket_price BETWEEN 0 AND 50000);
15
16
17 ALTER TABLE baggage
18 DROP CONSTRAINT IF EXISTS check_baggage_weight;
Services
Database
postgres@localhost
console_3 13 ms
console_1
console_2 14 ms
console
CHECK (date_of_birth <= DATE '2016-10-11')
[2026-10-11 19:30:57:911] completed in 4 ms
[2026-10-11 19:32:14:816] postgres.public> ALTER TABLE booking
DROP CONSTRAINT IF EXISTS check_booking_price
[2026-10-11 19:32:14:819] completed in 3 ms
[2026-10-11 19:32:24:516] postgres.public> ALTER TABLE booking
ADD CONSTRAINT check_booking_price
CHECK (ticket_price BETWEEN 0 AND 50000)
[2026-10-11 19:32:24:521] completed in 5 ms
[2026-10-11 19:34:46:911] postgres.public> ALTER TABLE baggage
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
22:39 CRLF UTF-8 4 spaces
Trial
Поиск
ENG
19:36
11.10.2026



default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres
1 of 3
public
Database Objects
virtual views
Server Objects
default C:\Users\A
Scratches and Cor
ADD CONSTRAINT check_booking_price
CHECK (ticket_price BETWEEN 0 AND 50000);
ALTER TABLE baggage
DROP CONSTRAINT IF EXISTS check_baggage_weight;
ALTER TABLE baggage 13 ms
ADD CONSTRAINT check_baggage_weight
CHECK (weight_in_kg BETWEEN 1 AND 23);
Services
Database
postgres@localhost
console_3 13 ms
console_1
console_2 14 ms
console
[2026-10-11 19:34:46:911] postgres.public> ALTER TABLE baggage
DROP CONSTRAINT IF EXISTS check_baggage_weight
[2026-10-11 19:34:46:914] completed in 3 ms
[2026-10-11 19:34:51:051] postgres.public> ALTER TABLE baggage
ADD CONSTRAINT check_baggage_weight
CHECK (weight_in_kg BETWEEN 1 AND 23)
[2026-10-11 19:34:51:053] completed in 2 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles
postgres@localhost
console_3 [postgres@localhost]
22:39
CRLF
UTF-8
4 spaces
Trial
Поиск
ENG
19:36
11.10.2026



default
Version Control
Database Explorer
DDL
postgres@localhost 1
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
CHECK (weight_in_kg BETWEEN 1 AND 23);
ALTER TABLE airport
DROP CONSTRAINT IF EXISTS check_airport_name_length;
ALTER TABLE airport 14 ms
ADD CONSTRAINT check_airport_name_length
CHECK (LENGTH(airport_name) >= 10);
Files
default C:\Users\A
Scratches and Cor
Services
Database
postgres@localhost
console_3 14 ms
console_1
console_2 14 ms
console
completed in 2 ms
[2026-10-11 19:36:45:478] postgres.public> ALTER TABLE airport
DROP CONSTRAINT IF EXISTS check_airport_name_length
[2026-10-11 19:36:45:481] completed in 3 ms
[2026-10-11 19:36:49:298] postgres.public> ALTER TABLE airport
ADD CONSTRAINT check_airport_name_length
CHECK (LENGTH(airport_name) >= 10)
[2026-10-11 19:36:49:301] completed in 3 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
30:36 CRLF UTF-8 4 spaces
Trial
Поиск
ENG
19:36
11.10.2026



default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres
1 of 3
public
Database Objects
virtual views
Server Objects
default C:\Users\A
Scratches and Cor
ALTER TABLE airline
DROP CONSTRAINT IF EXISTS uq_airline_code;
ALTER TABLE airline 16 ms
ADD CONSTRAINT uq_airline_code
UNIQUE (airline_code);
Services
Database
postgres@localhost
console_3 16 ms
console_1
console_2 14 ms
console
[2026-10-11 19:37:53:237] postgres.public> ALTER TABLE airline
DROP CONSTRAINT IF EXISTS uq_airline_code
[2026-10-11 19:37:53:245] completed in 8 ms
[2026-10-11 19:37:57:311] postgres.public> ALTER TABLE airline
ADD CONSTRAINT uq_airline_code
UNIQUE (airline_code)
[2026-10-11 19:37:57:316] completed in 5 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
38:23 CRLF UTF-8 4 spaces
Trial
Поиск
ENG
19:38
11.10.2026



default
Version Control
Database Explorer
DDL
postgres@localhost 1
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
31
32
33 ALTER TABLE airline
34 DROP CONSTRAINT IF EXISTS uq_airline_code;
35
36 ALTER TABLE airline
37 ADD CONSTRAINT uq_airline_code
38 UNIQUE (airline_code);
39
40 ALTER TABLE passengers
41 DROP CONSTRAINT IF EXISTS uq_passport;
42
43 ALTER TABLE passengers 13 ms
44 ADD CONSTRAINT uq_passport
45 UNIQUE (passport_number);
46
47
48
Services
Database
postgres@localhost
console_3 13 ms
console_1
console_2 14 ms
console
ADD CONSTRAINT uq_airline_code
UNIQUE (airline_code)
[2026-10-11 19:37:57:316] completed in 5 ms
[2026-10-11 19:38:55:769] postgres.public> ALTER TABLE passengers
DROP CONSTRAINT IF EXISTS uq_passport
[2026-10-11 19:38:55:772] completed in 3 ms
[2026-10-11 19:39:00:954] postgres.public> ALTER TABLE passengers
ADD CONSTRAINT uq_passport
UNIQUE (passport_number)
[2026-10-11 19:39:00:958] completed in 4 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
45:26 CRLF UTF-8 4 spaces
Trial
Поиск
ENG
19:39
11.10.2026



default
Version Control
Database Explorer
postgres@localhost
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
ADD CONSTRAINT uq_passport
UNIQUE (passport_number);
ALTER TABLE boarding_pass
DROP CONSTRAINT IF EXISTS uq_boarding_booking_seat;
ALTER TABLE boarding_pass
ADD CONSTRAINT uq_boarding_booking_seat
UNIQUE (booking_id, seat);
ALTER TABLE booking_flight
DROP CONSTRAINT IF EXISTS uq_booking_flight_pair;
ALTER TABLE booking_flight 22 ms
ADD CONSTRAINT uq_booking_flight_pair
UNIQUE (booking_id, flight_id);
Services
Database
postgres@localhost
console_3 22 ms
console_1
console_2 14 ms
console
UNIQUE (booking_id, seat)
[2026-10-11 19:39:52:049] completed in 6 ms
[2026-10-11 19:40:52:323] postgres.public> ALTER TABLE booking_flight
DROP CONSTRAINT IF EXISTS uq_booking_flight_pair
[2026-10-11 19:40:52:329] completed in 6 ms
[2026-10-11 19:40:56:208] postgres.public> ALTER TABLE booking_flight
ADD CONSTRAINT uq_booking_flight_pair
UNIQUE (booking_id, flight_id)
[2026-10-11 19:40:56:213] completed in 5 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles
postgres@localhost
console_3 [postgres@localhost]
59:32
CRLF
UTF-8
4 spaces
Trial
Поиск
ENG
19:41
11.10.2026



default
Version Control
Database Explorer
postgres@localhost
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
ADD CONSTRAINT uq_baggage_check_booking_passenger
UNIQUE (booking_id, passenger_id);
ALTER TABLE security_check
DROP CONSTRAINT IF EXISTS uq_security_check_passenger;
ALTER TABLE security_check
ADD CONSTRAINT uq_security_check_passenger
UNIQUE (passenger_id, security_check_id);
ALTER TABLE flights
DROP CONSTRAINT IF EXISTS uq_flight_departure;
ALTER TABLE flights 17 ms
ADD CONSTRAINT uq_flight_departure
UNIQUE (flight_id, sch_departure_time);
Services
Database
postgres@localhost
console_3 17 ms
console_1
console_2 14 ms
console
UNIQUE (passenger_id, security_check_id)
[2026-10-11 19:42:54:033] completed in 4 ms
[2026-10-11 19:43:19:557] postgres.public> ALTER TABLE flights
DROP CONSTRAINT IF EXISTS uq_flight_departure
[2026-10-11 19:43:19:563] completed in 6 ms
[2026-10-11 19:43:23:483] postgres.public> ALTER TABLE flights
ADD CONSTRAINT uq_flight_departure
UNIQUE (flight_id, sch_departure_time)
[2026-10-11 19:43:23:487] completed in 4 ms
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles
postgres@localhost
console_3 [postgres@localhost]
80:40
CRLF
UTF-8
4 spaces
Trial
Поиск
КАЗ
19:45
11.10.2026



default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres
1 of 3
public
Database Objects
virtual views
Server Objects
default C:\Users\A
Scratches and Cor
78 ALTER TABLE flights
79 ADD CONSTRAINT uq_flight_departure
80 UNIQUE (flight_id, sch_departure_time);
81
82 SELECT
83 conrelid::regclass AS table_name,
84 conname AS constraint_name
85 FROM pg_constraint
86 WHERE contype = 'u'
87 AND connamespace = 'public'::regnamespace
88 ORDER BY table_name, constraint_name;
Services
Output
Result 23
CSV
Database
postgres@localhost
console_3 26 ms
console_1
console_2 14 ms
console
table_name
constraint_name
1 airline uq_airline_code
2 airport uq_airport_name_id
3 baggage_check uq_baggage_check_booking_passenger
4 baggage uq_baggage_booking
5 boarding_pass uq_boarding_booking_seat
6 booking_flight uq_booking_flight_pair
7 flights uq_flight_departure
8 passengers uq_passport
9 security_check uq_security_check_passenger
9 rows
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
85:19 CRLF UTF-8 4 spaces
Trial
Поиск
КАЗ
19:48
11.10.2026


default
Version Control
Database Explorer
DDL
postgres@localhost 1
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
87 AND connamespace = 'public'::regnamespace
88 ORDER BY table_name, constraint_name;
89
90 ALTER TABLE passengers 26 ms
91 ADD CONSTRAINT check_gender_age
92 CHECK (
93 (LOWER(gender) IN ('male', 'm')
94 AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years')
95 OR
96 (LOWER(gender) IN ('female', 'f')
97 AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years')
98 );
99
100
101
Services
Tx
Database
postgres@localhost
console_3 26 ms
console_1
console_2 14 ms
console
Output
Result 23
AND connamespace = 'public'::regnamespace
ORDER BY table_name, constraint_name
[2026-10-11 19:47:04:835] 9 rows retrieved starting from 1 in 400 ms (execution: 8 ms, fetching: 392 ms)
[2026-10-11 19:47:50:772] postgres.public> ALTER TABLE passengers
ADD CONSTRAINT check_gender_age
CHECK (
(LOWER(gender) IN ('male', 'm')
AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years')
OR
(LOWER(gender) IN ('female', 'f')
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years')
)
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
98:3 CRLF UTF-8 4 spaces
Trial
Поиск
КАЗ
19:48
11.10.2026


default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
default C:\Users\A
Scratches and Cor
ADD CONSTRAINT check_gender_age
);
ALTER TABLE passengers 23 ms
ADD CONSTRAINT check_citizenship_age
CHECK (
(country_of_citizenship = 'Kazakhstan'
AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years')
OR
(country_of_citizenship = 'France'
AND date_of_birth <= CURRENT_DATE - INTERVAL '17 years')
OR
(country_of_citizenship NOT IN ('Kazakhstan', 'France')
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years')
);
Services
Output
Result 23
[2026-10-11 19:47:50:781] completed in 9 ms
[2026-10-11 19:49:10:791] postgres.public> ALTER TABLE passengers
ADD CONSTRAINT check_citizenship_age
CHECK (
(country_of_citizenship = 'Kazakhstan'
AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years')
OR
(country_of_citizenship = 'France'
AND date_of_birth <= CURRENT_DATE - INTERVAL '17 years')
OR
(country_of_citizenship NOT IN ('Kazakhstan', 'France')
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years')
Database
postgres@localhost
console_3 23 ms
console_1
console_2 14 ms
console
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
111:3 CRLF UTF-8 4 spaces
Trial
Поиск
КАЗ
19:49
11.10.2026


default
Version Control
Database Explorer
postgres@localhost
postgres 1 of 3
public
Database Objects
virtual views 1
Server Objects
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Tx: Auto
Playground
postgres.public
Files
default C:\Users\A
Scratches and Cor
ELSE 10
END;
ALTER TABLE booking
ADD CONSTRAINT check_ticket_discount
CHECK (
(created_at > '2024-01-01' AND ticket_discount = 5)
OR
(created_at <= '2024-01-01' AND ticket_discount = 10)
);
SELECT booking_id, created_at, ticket_discount 384 ms
FROM booking;
Services
Database
postgres@localhost
console_3 384 ms
console_1
console_2 14 ms
console
Output
postgres.public.booking
SET ticket_discount =
CASE
WHEN created_at > '2024-01-01' THEN 5
ELSE 10
END
[2026-10-11 19:50:40:826] 1 row affected in 4 ms
[2026-10-11 19:50:47:638] postgres.public> ALTER TABLE booking
ADD CONSTRAINT check_ticket_discount
CHECK (
(created_at > '2024-01-01' AND ticket_discount = 5)
OR
(created_at <= '2024-01-01' AND ticket_discount = 10)
)
[2026-10-11 19:50:47:644] completed in 6 ms
[2026-10-11 19:51:34:847] postgres.public> SELECT booking_id, created_at, ticket_discount
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles > postgres@localhost > console_3 [postgres@localhost]
129:3 CRLF UTF-8 4 spaces
Trial
Поиск
КАЗ
19:52
11.10.2026


default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres
1 of 3
public
Database Objects
virtual views
Server Objects
default C:\Users\A
Scratches and Cor
booking_platform,
created_at,
updated_at,
ticket_price,
ticket_discount
)
SELECT
(SELECT COALESCE(MAX(booking_id), 0) + 1 FROM booking),
flight_id,
passenger_id,
booking_platform 'Online',
created_at CURRENT_TIMESTAMP,
updated_at CURRENT_TIMESTAMP,
ticket_price 15000,
ticket_discount 5
FROM booking
ORDER BY booking_id
LIMIT 1;
SELECT booking_id, status 358 ms
FROM booking
Services
Output
postgres.public.booking
DDL
CSV
Database
postgres@localhost
console_3 358 ms
console_1
console_2 14 ms
booking_id
status
1 2 Confirmed
2 1 Confirmed
2 rows
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles
postgres@localhost
console_3 [postgres@localhost]
159:26
CRLF
UTF-8
4 spaces
Trial
Поиск
РУС
19:55
11.10.2026


default
Version Control
Database Explorer
console [postgres@localhost]
console_1 [postgres@localhost]
console_3 [postgres@localhost]
Files
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres
1 of 3
public
Database Objects
virtual views
Server Objects
default C:\Users\A
Scratches and Cor
FROM booking
ORDER BY booking_id DESC;
ALTER TABLE booking
ALTER COLUMN created_at SET DEFAULT CURRENT_TIMESTAMP;
SELECT column_name, column_default 394 ms
FROM information_schema.columns
WHERE table_name = 'booking'
AND column_name = 'created_at';
Services
Output
postgres.information_schema.columns
DDL
CSV
Database
postgres@localhost
console_3 394 ms
console_1
console_2 14 ms
column_name
column_default
1
created_at
CURRENT_TIMESTAMP
1 row
Активация Windows
Чтобы активировать Windows, перейдите в раздел "Параметры".
Database Consoles
postgres@localhost
console_3 [postgres@localhost]
166:32
CRLF
UTF-8
4 spaces
Trial
Поиск
РУС
19:56
11.10.2026