Unbalanced Files / Claim Difference

Purpose

The purpose of this process is to ensure that there are no issues with the file claim counts received from vendors.

Business Impact

Server(s)	DBP_EDINET.CORP.AGP.ADS\EDINET1P
Customers	N/A
Agents	N/A

Helpful Links

Reload imbalanced ICP claims WIP

ATL101B_1D00_PREADJ_FILE_LOAD_SANITY_CHECK

1. **Is the file's RUNID active?**
   Cross reference PEGA dashboard to look for the RUNID in progress.
2. **The unbalanced suddenly disappeared?**
   This means that the unbalanced file you saw was currently in progress, and when you checked again it was no longer in progress.
3. **What if I see a lot of imbalanced files?**
   Engage COPS SME, raise an INC ticket when you see 2 or more files imbalanced. Most likely a SWAT will be needed if multiple RUNIDS or multiple files are impacted.

General Info:

Priority	SLA	Technical SME	Internal Notifications	External Notifications	Advanced Technical Escalation	Technology Used
1	hourly	Taylor Hodges	COPS SMES		ICP - dl-CM-Program-Team CIFT - dl-Mushu	Microsoft SQL server - DBP_EDINET.CORP.AGP.ADS\EDINET1P Oracle SQL server - ICP1P Database for Oracle Tableu Dashboard https://tableauprod.elevancehealth.com/#/site/EntTab/views/COPSMonitoring/GBDCLAIMSLOADPROGRESS?:iid=1

Step-By-Step Instructions

Step	Explanation

1	TNVNDR vendor ONLY	**Ignore this step if not TNVNDR vendor - This vendor is different than the rest. This vendor discards claims to another table, and it lo**

Action 1: Run the below queries to confirm if files are balanced.

Run the first query to check the file name. Then insert that file name into the second query provided be

```
-- Run this query to get the filenames and the claim difference in each file.
--Change lines 15 and 16 according to the day you are researching.
--Look at the RUNID for the date load and only use files that were loaded within a runID for the day yo
select sl.filename as [File Load to T837StatusLog]
,sum(sl.claimcnt) as [T837StatusLog Claim Count]
,etl.output_File_NM as [File loaded to JC DB]
,MAX(etl.FILE_CLM_CNT) as [JC DB File_CLM_CNT]
, amgpstatusflg
,(MAX(etl.FILE_CLM_CNT) - sum(sl.claimcnt)) as [ClaimDiff]
,sl.Runid
,VENDOR_ID
from [EDINETCLAIM]..T837StatusLog sl(nolock)
inner join edinetclaim_jc.cift.ETLEdinetInputFileLog etl(nolock) on etl.input_file_nm = sl.filename
left join edinetclaim_process..KEYWORD_RUNID k on k.RUNID = sl.RunID
where sl.amgpstatusflg IN ('E','C')
--where sl.amgpstatusflg IN ('C')
and sl.amgpstartdttm > CAST (GETDATE()-1 AS DATE)
and etl.RCD_INSERT_DT > CAST (GETDATE()-1 AS DATE)
and k.RUNID is not null
group by sl.FileName, etl.output_File_NM, amgpstatusflg, sl.RunID, VENDOR_ID
having sum(sl.claimcnt) <> MAX(etl.FILE_CLM_CNT)
order by 1

-- Take the file names from the first query and put them into the below query.
select Filename, Count(*) as [Discarded Claims]
from edinetclaim..AUDIT_DISCARDED_CLAIMS
where Filename in ('EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303.7608183.837_IN_OTHER.x12')
Group BY Filename
```

- If the Claimdiff column in the first query matches the Discarded Claims count in the second query, the file is balanced, and no escalation

Results | Messages

	File Load to T837StatusLog	T837StatusLog Claim Count	File loaded to JC DB	JC DB File_CLM_CNT	amgpstatusflg	ClaimDiff	Runid	VENDOR_ID
1	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303....	287	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303...	1844	C	1557	241214001	TNVNDR
2	EyeQuVisn_TNXXEncCare_20241201_1.txt.va10plvopt303....	283	EyeQuVisn_TNXXEncCare_20241201_1.txt.va10plvopt303...	1641	C	1358	241214001	TNVNDR
3	TCareTransTNXXEncCare_20220714_1441a_PROD_CO.txt...	2	TCareTransTNXXEncCare_20220714_1441a_PROD_CO.txt...	1849	C	1847	241214001	TNVNDR
4	TCareTransTNXXEncCare_20240711_1.txt.va10plvopt303.7...	22	TCareTransTNXXEncCare_20240711_1.txt.va10plvopt303....	1081	C	1059	241214001	TNVNDR
5	TCareTransTNXXEncCare_20240718_1.txt.va10plvopt303.7...	57	TCareTransTNXXEncCare_20240718_1.txt.va10plvopt303....	1730	C	1673	241214001	TNVNDR
6	TCareTransTNXXEncCare_20240725_1.txt.va10plvopt303.7...	73	TCareTransTNXXEncCare_20240725_1.txt.va10plvopt303....	598	C	525	241214001	TNVNDR
7	TCareTransTNXXEncCare_20240801_1.txt.va10plvopt303.7...	54	TCareTransTNXXEncCare_20240801_1.txt.va10plvopt303....	555	C	501	241214001	TNVNDR
8	TCareTransTNXXEncCare_20240808_1.txt.va10plvopt303.7...	165	TCareTransTNXXEncCare_20240808_1.txt.va10plvopt303....	958	C	793	241214001	TNVNDR
9	TCareTransTNXXEncCare_20240815_1.txt.va10plvopt303.7...	173	TCareTransTNXXEncCare_20240815_1.txt.va10plvopt303....	1039	C	866	241214001	TNVNDR
10	TCareTransTNXXEncCare_20240822_1.txt.va10plvopt303.7...	133	TCareTransTNXXEncCare_20240822_1.txt.va10plvopt303....	633	C	500	241214001	TNVNDR
11	TCareTransTNXXEncCare_20240829_1.txt.va10plvopt303.7...	144	TCareTransTNXXEncCare_20240829_1.txt.va10plvopt303....	595	C	451	241214001	TNVNDR
12	TCareTransTNXXEncCare_20240905_1.txt.va10plvopt303.7...	204	TCareTransTNXXEncCare_20240905_1.txt.va10plvopt303....	1516	C	1312	241214001	TNVNDR
13	TCareTransTNXXEncCare_20240912_1.txt.va10plvopt303.7...	238	TCareTransTNXXEncCare_20240912_1.txt.va10plvopt303....	991	C	753	241214001	TNVNDR
14	TCareTransTNXXEncCare_20240919_1.txt.va10plvopt303.7...	274	TCareTransTNXXEncCare_20240919_1.txt.va10plvopt303....	1157	C	883	241214001	TNVNDR

	Filename	(No column name)
1	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt3...	1557

2	**Monitor unbalanced files in Tableau dashboard**	**Action 1:** Access the dashboard: https://tableauprod.elevancehealth.com/#/site/EntTab/views/COPSMonitoring/GBDCLAIMSLOADPROGRE **Action 2:** Monitor the unbalanced files table at the bottom of the dashboard. If there are any files unbalanced from a RUN ID that is already c **UNBALANCED FILES** FILE LOAD TO T837STATUSLOG: 202411151635040176.x223.va10plvopt303.7581034.TN_IDD_TRUE.x12.va10plvopt303.7581050.CIFT_TN_IDD_ACC.x12 FILE LOADED TO JC DB: 202411151635040176.x223.va10plvopt303.7581034.TN_IDD_TRUE.x12.va10plvopt303.7581050.CIFT_T

3	**Data Gathering for unbalanced files**	**Action 1:** Run the below query in DBP_EDINET.CORP.AGP.ADS\EDINET1P to get the list of files that are unbalanced for today.
		
		Query for unbalanced files
		
		`select distinct sl.filename as 'File Load to SL'`
		`,sum(sl.claimcnt) as 'SL Claim Count'`
		`,etl.output_File_NM as 'File loaded to JC DB'`
		`,etl.FILE_CLM_CNT as 'JC DB File_CLM_CNT'`
		`,(etl.FILE_CLM_CNT - sum(sl.claimcnt)) as 'ClaimDiff'`
		`,sl.amgpstatusflg as 'SL Complete (C) InComplete (I)'`
		`,case`
		`when sum(sl.claimcnt) < etl.FILE_CLM_CNT  then 'Error'`
		`Else 'Ok'`
		`End as 'ProcessStatus'`
		`,sl.Runid`
		`,VENDOR_ID`
		`from EDINETCLAIM..T837StatusLog sl(nolock)`
		`inner join edinetclaim_jc.cift.ETLEdinetInputFileLog etl on etl.input_file_nm = sl.filename`
		`where sl.amgpstatusflg <> 'E'`
		`and sl.amgpstartdttm > CAST (GETDATE() AS DATE)`
		`--and sl.amgpstartdttm between '2023-11-11 00:00:00' and '2023-11-12 00:00:00'`
		`group by sl.FileName, sl.ClaimCnt, etl.output_File_NM, etl.FILE_CLM_CNT, amgpstatusflg, RunID, VENDOR_I`
		`order by 'ProcessStatus',VENDOR_ID, sl.RunID, sl.FileName asc`
		
		• When a file is unbalanced, you will see a number in **ClaimDiff**, **SLComplete(C) InComplete(I)** will be **C**, and **ProcessStatus** will be **Err**
		
		Action 2: Take the file names of the unbalanced files and run it in the below query.
		
		`-- run query in EDINETCLAIM`
		`-- Put the file name from query in step 3 between the parenthesis.`
		`-- Keep _CLM-%' at the end`
		`-- remove the .x12 extension`
		`-- Remove the parenthesis so the query and file looks like below`
		`-- Select * from T837Statuslog cs (nolock) where cs.FileName like '%TCareTransTNXXEncCare_20250130_1.tx`
		
		`Select * from EDINETCLAIM..T837Statuslog cs (nolock) where cs.FileName like '%(Enter File name here - r`
		
		Action 3: If the number of the results from the second query match the claim diff in query 1 then the file is balanced.
		
		Action 4: If there are no results or they do not match, proceed to step 6.

4	**Duplicate Claims Check**	**Action 1:** Check if the count from above query is a negative number in the 'ClaimDiff' data element.
		
		Action 2: If a negative number, run this query and replace "yourinitials" with your initials (e.g. JQ for Jen Quint):
		
		`SELECT ID INTO #temp_yourinitials_research FROM EDINETCLAIM..T837StatusLog (NOLOCK) WHERE FILENAME = 'i`
		`SELECT * FROM EDINETCLAIM..T837ClaimStatus (NOLOCK) WHERE SLID IN (SELECT * FROM #temp_yourinitials_res`
		
		Action 3: If nothing appears in query, run the following query:
		
		`SELECT TPClmNbr, COUNT(*) FROM EDINETCLAIM..T837ClaimStatus(NOLOCK)`
		`WHERE SLID IN (SELECT * FROM #temp_yourinitials_research)`
		`GROUP BY TPClmNbr HAVING COUNT(*) > 1;`
		
		Action 4: Save result set to Excel Spreadsheet created in step 2.
		
		Action 5: Escalate IMMEDIATELY to On-Call and CIFT/ICP.

5	**Wait 2-3 Hours**	If CFT303E has completed and no Run IDs are active, proceed to Step 5. **Action 1:** Wait a couple hours to see if the impacted Run ID will go active again. **Action 2:** If Run ID went active again, refresh the dashboard provided in step 1 to see if file balanced. **Action 3:** Proceed to step 5 if file still hasn't balanced.
6	**Escalate unbalanced files to dev teams**	**Action 1:** Email the dev teams the file(s) that are unbalanced. If it is one file, you can use body like below, if it is multiple files, it is best to sen Make sure this has not been addressed already today. Check for any emails sent out. Make sure to put mention of this in the daily and weekly passdown report. If you do not understand the instructions, please email COPS SMEs first before sending this report out to CIFT team. • **From:** GBD IT Env Ops • **To:** DL-Team-CIFT-Developers dl-Mushu <dl-Mushu@anthem.com> • **CC:** DL-GBD IT Env Ops • **Subject line:** Missing (X) Claim(s) in Status Log Table • **Message Body:** Hello, We are missing (#) claim(s) in the Status Log table for the below file: File name: Vendor: RunID: Can you please assist us?

Detailed Instructions Useful for Training:

Step	Explanation

1	**Monitor for unbalanced files through a front-end process**	During the new day claims processing we receive files which contain claims from different kinds of vendors. It is our job to monitor the claims and report if we see errored claims/ claim differences in the status log table. Use the below tableau dashboard linkhttps://tableauprod.elevancehealth.com/#/site/EntTab/views/COPSMonitoring/GBDCLAIMSLOADPROC We are checking to see if there are any unbalanced files in the bottom table. If the RUNID is complete and there are errors that means there a If there are any unbalanced files from a RUNID that has already completed escalate to the appropriate team for triage. 240904009 46 2 GNRC 9/4/2024 11:54:02 AM **UNBALANCED FILES**
2	**Data Gathering for unbalanced files**	We gather data running the below query as it is easy to copy and paste the information to a spreadsheet or directly into an email body. Run the below query in EDINET1P. It can be run on Master. This query will show specific results for files loading for today. When a file is imbalanced you will see a number in **ClaimDiff**, **SLComplete(C) InComplete(I)** will be **C**, and **ProcessStatus** will be in **Error**. This is telling us that there is a claim difference from what we expected to load vs what we actually loaded, and that file has already ran and c

File loaded to JC DB	JC DB File_CLM_CNT	ClaimDiff	SL Complete (C) InComplete (I)	ProcessStatus	Runid	VENDOR_ID
20241115163504017 6.x223.va10plvopt303.7581034.TN_IDD_TRUE.x12.va10plvopt303.7581050.CIFT_TN_IDD_ACC.x12	596	1	C	Error	241116009	AVA
AGP_EDI_647_1111202412040336500 0.PROF837P.va10plvopt303.7575864.837_IN_OTHER.x12	10670	10669	C	Error	241111010	WLPEDI

Unbalanced claims query

```
select distinct sl.filename as 'File Load to SL'

,sum(sl.claimcnt) as 'SL Claim Count'

,etl.output_File_NM as 'File loaded to JC DB'

,etl.FILE_CLM_CNT as 'JC DB File_CLM_CNT'

,(etl.FILE_CLM_CNT - sum(sl.claimcnt)) as 'ClaimDiff'

,sl.amgpstatusflg as 'SL Complete (C) InComplete (I)'

,case

when sum(sl.claimcnt) < etl.FILE_CLM_CNT  then 'Error'

Else 'Ok'


End as 'ProcessStatus'

,sl.Runid

,VENDOR_ID

from [EDINETCLAIM]..T837StatusLog sl(nolock)

inner join edinetclaim_jc.cift.ETLEdinetInputFileLog etl on etl.input_file_nm = sl.filename

where sl.amgpstatusflg <> 'E'

and sl.amgpstartdttm > CAST (GETDATE() AS DATE)

--and sl.amgpstartdttm between '2023-11-11 00:00:00' and '2023-11-12 00:00:00'

group by sl.FileName, sl.ClaimCnt, etl.output_File_NM, etl.FILE_CLM_CNT, amgpstatusflg, RunID, VENDOR_I

order by 'ProcessStatus',VENDOR_ID, sl.RunID, sl.FileName asc
```

The results will show completely loaded files, in progress files, and files that loaded but did not load all the claims.

	File Load to SL	SL Claim Count	File loaded to JC DB	JC DB File_CLM_CNT	ClaimDiff	SL Complete (C) InComplete (I)	ProcessStatus	Runid	VENDOR_ID
1	20241115163504017 6.x223.va10plvopt303.7581034.TN_ID...	595	20241115163504017 6.x223.va10plvopt303.7581034.TN_ID...	596	1	C	Error	241116009	AVA
2	AGP_EDI_647_1111202412040336500 0.PROF837P.va10pl...	1	AGP_EDI_647_1111202412040336500 0.PROF837P.va10pl...	10670	10669	C	Error	241111010	WLPEDI
3	20241115163350069 1.x222.va10plvopt303.7581038.837_IN...	89	20241115163350069 1.x222.va10plvopt303.7581038.837_IN...	89	0	C	Ok	241116009	AVA
4	20241115163600052 4.x223.va10plvopt303.7581044.837_IN...	112	20241115163600052 4.x223.va10plvopt303.7581044.837_IN...	112	0	C	Ok	241116009	AVA
5	20241115163614049 0.x223.va10plvopt303.7581045.837_IN...	31	20241115163614049 0.x223.va10plvopt303.7581045.837_IN...	31	0	C	Ok	241116009	AVA
6	20241115163712010 2.x223.va10plvopt303.7581046.837_IN...	1777	20241115163712010 2.x223.va10plvopt303.7581046.837_IN...	1777	0	C	Ok	241116009	AVA
7	20241115163855082 4.x223.TN.X12.va10plvopt303.7581049...	56	20241115163855082 4.x223.TN.X12.va10plvopt303.7581049...	56	0	C	Ok	241116009	AVA

How to read the query

Columns

File Load to SL

File load to SL column shows us the files that are loading to the status log table on EDINETCLAIM in EDINET1P.

SL Claim Count

SL Claim count column shows us the claim count that has loaded to the status log table.

File Loaded to JC Database

File loaded to JC DB column shows us the file name that came through OTVM. For every file we receive through OTVM, there will be a recor

JC DB File_CLM_CNT

the JC DB File_CLM_CNT column shows us the expected claim count we need to load. This claim count came straight out of OTVM. We nee

ClaimDiff

The ClaimDiff column shows us the difference of claims loaded to status log vs the claim count from the JC DB.

SL Complete (C) InComplete (I)

This column shows us whether or not a load is marked as C or I. If a RunID is in progress we will see this status as I. If it is complete it will be

ProcessStatus

This column shows us whether or not the file has errors or it is ok. If its errored it could be unbalanced or in progress. If it is ok then there is n

RunID

This column shows us what RunID that file is loading through.

Vendor_ID

This column shows us what vendor the file type is.

Action 2: Take the file names of the unbalanced files and run it in the below query.

- We take this action because some of the files go through an ICP process that will take the individual claim and load that claim unde
- You need to take the original file name and remove the **.x12** extension and place your edited file name inbetween the parenthesis s
- Without having perfect format you will not get the results needed.

```
-- Run query in EDINETCLAIM
-- Enter the file name from query in step 3 between the parenthesis without the .x12 extension. Remove
-- Select * from T837Statuslog cs (nolock) where cs.FileName like '%TCareTransTNXXEncCare_20250130_1.tx

Select * from T837Statuslog cs (nolock) where cs.FileName like '%(Enter File name here remove paraenthe
```

- The first query shows that we have an unbalance of 30 claim diff. with the file we are investigating in this scenario.
- the second query shows us those claims that were unbalanced in the first file, are actually balanced because there are 30 results, tl

t	File loaded to JC DB	JC DB File_CLM_CNT	amgpstatusflg	ClaimDiff	Runid	VENDOR_ID
	20250129044119004O.x222.va10plvopt303.7651745.837_IN_OTHER.x12	6270	C	30	250129007	AVA
	AGP_EDI_051_01292025110916251000.PROF837P.va10plvopt303.7651638.837_IN_OTHER.x12	39748	C	26	250129007	WLPEDI

SQLQuery3.sql - DB...S\AL08340 (13552))* | SQLQuery2.sql - DB...

```
1  Select * from T837Statuslog cs (nolo
```

116 %

Results | Messages

	ID	RunID	AmgpStatusFlg	AmgpStatusPgmID
1	171975489	250129009	C	837P
2	171975493	250129009	C	837P
3	171975500	250129009	C	837P
4	171975502	250129009	C	837P
5	171975527	250129009	C	837P
6	171975532	250129009	C	837P
7	171975537	250129009	C	837P
8	171975542	250129009	C	837P
9	171975419	250129009	C	837P
10	171975424	250129009	C	837P
11	171975427	250129009	C	837P
12	171975432	250129009	C	837P
13	171975437	250129009	C	837P
14	171975440	250129009	C	837P
15	171975468	250129009	C	837P
16	171975473	250129009	C	837P
17	171975477	250129009	C	837P
18	171975483	250129009	C	837P
19	171975508	250129009	C	837P
20	171975513	250129009	C	837P
21	171975518	250129009	C	837P
22	171975523	250129009	C	837P
23	171975443	250129009	C	837P
24	171975447	250129009	C	837P
25	171975452	250129009	C	837P
26	171975458	250129009	C	837P
27	171975462	250129009	C	837P
28	171975405	250129009	C	837P
29	171975412	250129009	C	837P
30	171975417	250129009	C	837P

Action 3: If the number of the results from the second query match the claim diff in query 1 then the file is balanced.

Action 4: If there are no results, or they do no match put the results proceed to step 3.

3 **Identify imbalanced file**

When we have identified the unbalanced claims, we need to make sure to send that information over to our developer teams, ICP and CIFT.

Contact	Snow Assignment Group
ICP: dl-CM-Program-Team <dl-CM-Program-Team@amerigroup.com>	GBD CM ICP Support
CIFT dl-Mushu <dl-Mushu@anthem.com>	CIFT Pre-Adjudication Support

sandescalation

dl-CM-Program-Team contains about 29 recipients.

We've found some ways to make your message more accessible. Review accessibility issues

Send

From: atlasops@anthem.com

To: dl-COPS-GBD_ClaimsIT_Operation; dl-CM-Program-Team;

Cc: AtlasOps;

Bcc:

Subject: Missing claim in status log table

Good afternoon,

We are missing a claim in the status log table for the below file.

File name: AGP_EDI_859_02292024030226638000.PROF837P.va22plvedi001.7308847.837_IN_OTHER.x12
Vendor: WLPEDI
RUNID: 240229007

Could you please assist?

Thank you,

ICP and CIFT team may ask what type of files are they? ICP or Legacy?
Files loaded by ICP will have the below naming conventions

File name pattern	File extension
20	.x222.va
20	.x222.VA
AGP_EDI	.PROF837P



Any other naming convention is going to be loaded through the legacy process. If you have any doubts on whether ICP loads the file or if its l

Scroll to the right of the results to the column ICPWorkObjectID if there are results there then it is indeed an ICP load.

ICP Loaded Vs Not ICP loaded	

ICPWorkObjectID	FileID
CLM-138653950	7575864
CLM-138654870	7575864
CLM-138653951	7575864
CLM-138655184	7575864
CLM-138655182	7575864
CLM-138653956	7575864

ICPWorkObjectID	F

Identify ICP files query

```
Select *

from edinetclaim.dbo.T837ClaimStatus CS (Nolock)

Join edinetclaim.dbo.t837statuslog sl (NOLOCK) on sl.id = cs.slid

Where SL.Filename = ('Insert file name') and sl.runid = (insert run ID)
```

4	TNVNDRvendor(WIP)

TNVNDR vendor - This vendor is different than the rest. This vendor discards claims to another table and it looks like imbalances. F

Action 1: Run the below queries to confirm if files are balanced.

```
Run the first query to check the file name. Then insert that file name into the second query provided be
Below the first query gave us two results, but we only want to TNVNDR file.
Make sure to pay attention to what files you are working with and check the RUNID column to confirm date
If you have imbalanced files for 1/18, but are looking at a run ID that loaded 1/17 then the 1/17 is not
```

	File Load to T837StatusLog	T837StatusLog Claim Count	File loaded to JC DB	JC DB File_CLM_CNT	amgpstatusflg	ClaimDiff	Runid	VENDOR_ID
1	AGP_EDI_410_0116202514073303600 0.PROF837P.va10pl...	20685	AGP_EDI_410_0116202514073303600 0.PROF837P.va10plvopt3...	20986	C	301	250116012	WLPEDI
2	TCareTransTNXXEncCare_20250117_1.txt.va10plvopt303.76...	176	TCareTransTNXXEncCare_20250117_1.txt.va10plvopt303.7640588...	424	C	248	250117002	TNVNDR

```
-- Run this query to get the filenames and the claim difference in each file.
--Change lines 15 and 16 according to the day you are researching.
--Look at the RUNID for the date load and only use files that were loaded within a runID for the day yo
select sl.filename as [File Load to T837StatusLog]
,sum(sl.claimcnt) as [T837StatusLog Claim Count]
,etl.output_File_NM as [File loaded to JC DB]
,MAX(etl.FILE_CLM_CNT) as [JC DB File_CLM_CNT]
, amgpstatusflg
,(MAX(etl.FILE_CLM_CNT) - sum(sl.claimcnt)) as [ClaimDiff]
,sl.Runid
,VENDOR_ID
from [EDINETCLAIM]..T837StatusLog sl(nolock)
inner join edinetclaim_jc.cift.ETLEdinetInputFileLog etl(nolock) on etl.input_file_nm = sl.filename
left join edinetclaim_process..KEYWORD_RUNID k on k.RUNID = sl.RunID
where sl.amgpstatusflg IN ('E','C')
--where sl.amgpstatusflg IN ('C')
and sl.amgpstartdttm > CAST (GETDATE()-2 AS DATE)
and etl.RCD_INSERT_DT > CAST (GETDATE()-2 AS DATE)
and k.RUNID is not null
group by sl.FileName, etl.output_File_NM, amgpstatusflg, sl.RunID, VENDOR_ID
having sum(sl.claimcnt) <> MAX(etl.FILE_CLM_CNT)
order by 1

-- Take the file names from the first query and put them into the below query.
select Filename, Count(*) as [Discarded Claims]
from edinetclaim..AUDIT_DISCARDED_CLAIMS
where Filename in ('EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303.7608183.837_IN_OTHER.x12')
Group BY Filename
```

- If the Claimdiff column in the first query matches the Discarded Claims count in the second query, the file is balanced and no escalation

Results | Messages

	File Load to T837StatusLog	T837StatusLog Claim Count	File loaded to JC DB	JC DB File_CLM_CNT	amgpstatusflg	ClaimDiff	Runid	VENDOR_ID
1	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303....	287	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt303...	1844	C	1557	241214001	TNVNDR
2	EyeQuVisn_TNXXEncCare_20241201_1.txt.va10plvopt303....	283	EyeQuVisn_TNXXEncCare_20241201_1.txt.va10plvopt303...	1641	C	1358	241214001	TNVNDR
3	TCareTransTNXXEncCare_20220714_1441a_PROD_CO.txt...	2	TCareTransTNXXEncCare_20220714_1441a_PROD_CO.txt...	1849	C	1847	241214001	TNVNDR
4	TCareTransTNXXEncCare_20240711_1.txt.va10plvopt303.7...	22	TCareTransTNXXEncCare_20240711_1.txt.va10plvopt303....	1081	C	1059	241214001	TNVNDR
5	TCareTransTNXXEncCare_20240718_1.txt.va10plvopt303.7...	57	TCareTransTNXXEncCare_20240718_1.txt.va10plvopt303....	1730	C	1673	241214001	TNVNDR
6	TCareTransTNXXEncCare_20240725_1.txt.va10plvopt303.7...	73	TCareTransTNXXEncCare_20240725_1.txt.va10plvopt303....	598	C	525	241214001	TNVNDR
7	TCareTransTNXXEncCare_20240801_1.txt.va10plvopt303.7...	54	TCareTransTNXXEncCare_20240801_1.txt.va10plvopt303....	555	C	501	241214001	TNVNDR
8	TCareTransTNXXEncCare_20240808_1.txt.va10plvopt303.7...	165	TCareTransTNXXEncCare_20240808_1.txt.va10plvopt303....	958	C	793	241214001	TNVNDR
9	TCareTransTNXXEncCare_20240815_1.txt.va10plvopt303.7...	173	TCareTransTNXXEncCare_20240815_1.txt.va10plvopt303....	1039	C	866	241214001	TNVNDR
10	TCareTransTNXXEncCare_20240822_1.txt.va10plvopt303.7...	133	TCareTransTNXXEncCare_20240822_1.txt.va10plvopt303....	633	C	500	241214001	TNVNDR
11	TCareTransTNXXEncCare_20240829_1.txt.va10plvopt303.7...	144	TCareTransTNXXEncCare_20240829_1.txt.va10plvopt303....	595	C	451	241214001	TNVNDR
12	TCareTransTNXXEncCare_20240905_1.txt.va10plvopt303.7...	204	TCareTransTNXXEncCare_20240905_1.txt.va10plvopt303....	1516	C	1312	241214001	TNVNDR
13	TCareTransTNXXEncCare_20240912_1.txt.va10plvopt303.7...	238	TCareTransTNXXEncCare_20240912_1.txt.va10plvopt303....	991	C	753	241214001	TNVNDR
14	TCareTransTNXXEncCare_20240919_1.txt.va10plvopt303.7...	274	TCareTransTNXXEncCare_20240919_1.txt.va10plvopt303....	1157	C	883	241214001	TNVNDR

	Filename	(No column name)
1	EyeQuVisn_TNXXEncCare_20241101_1.txt.va10plvopt3...	1557