ATL101A_3D00_COPS_KPI_SANITY_CHECKS

Steps 04, 06, 08, and 10 will automatically set themselves to Completed Normally on Failure. Failure instructions must still be followed before resolving the INC tickets.

1. Purpose:

This Job group is created for Statistical Process Control and creates alerts for some of the KPIs.

2. General Info:

Priority	3
Process location	
Calendar	Daily step 4 - 10 Mon - Sat
Scheduled Start Time	8:00AM
SLA	
Internal Notifications - Initial	COPS SME On-call
Customer Notification - Secondary	N/A
Broadcast distribution list - Final	N/A

3. Pre-Requisites

4. Job Steps

Steps	Explanation	Dependancy	Command	Procedure	Failure Instruction

This job step is now ADHOC. **ATL101A_0002_ZERO_PAID_SANITY_CHECK**	Checks whether the Zero paid claim count KPI is within its normal range.	10:00AM	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM CREATE TABLE #temptable (ROW_ID INT IDENTITY (1,1), not_null_cnt int, paid_zero INT, insertdate datetime) INSERT into #temptable select top 3 count(ClmPaidAmt) as not_null_cnt, sum(case when ClmPaidAmt = 0.0 then 1 else 0 end) as paid_zero, cast(InsertDate as date) from t837claimstatus(nolock) where InsertDate < GETDATE() and statuscurrentlocation = 'F1' and statuscd = 65 and InsertDate not in (select InsertDate from cops_kpi_hist where rate_diff >0) group by cast(InsertDate as date) having count(ClmPaidAmt) >0 order by cast(InsertDate as date) desc update #temptable set not_null_cnt = d.totalclaimsloaded from #temptable t inner join dailyrollup_hist d on t.insertdate = d.insertdate declare @CURRENT_RATE numeric(6,4)= (SELECT CONVERT(NUMERIC(10,2), paid_zero)/CONVERT(NUMERIC(10,2),not_null_cnt) FROM #temptable WHERE ROW_ID = 1); insert into cops_kpi_hist (kpi_type, low_bound, high_bound, rate, insertdate, vendor) values ('Paid_zero', '0.0376', '0.0564', @CURRENT_RATE, GETDATE()-2, 'ALL') SELECT CASE WHEN rate not between low_bound and high_bound THEN 'Alert: PAID ZERO rate: ' + CONVERT(VARCHAR,rate) + ' is out of safety average: ' + CONVERT(VARCHAR, low_bound) + ' - ' + CONVERT(VARCHAR, high_bound) ELSE 'Everything looks fine.' END AS SanityCheck FROM cops_kpi_hist where kpi_type = 'Paid_zero' and insertdate = CONVERT(DATE, GETDATE()-2) drop table #temptable "	**See Failure Instruction Details section.** In addition to the instructions at the above link, if job fails with output indicating the zero paid rate is zero (not near zero, but actually zero), confirm if **CLA007A** completed before this check ran. If it had not completed, then that is why this check job reported a rate of 0. This job step can be set to **Completed Normally** in that case. If instead **CLA007A** had completed before this check ran and it still yielded a rate of 0, then this would be cause to escalate to COPS on call.
This job step is now ADHOC. **ATL101A_0003_ZERO_PAID_RESULTS**	Runs a query to get a report summarizing the most significant items regarding the KPI of the above step.	10:00AM **ATL101A_0002_ZERO_PAID_SANITY_CHECK** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM select top 10 GRGR_ID, count(*) PaidZeroCount from edinetclaim..t837claimstatus (nolock) where insertdate between convert (date, getdate() -1) and convert (date, getdate()) and statuscurrentlocation = 'F1' and statuscd = 65 and ClmPaidAmt = 0 group by GRGR_ID order by PaidZeroCount desc "	**See Failure Instruction Details section.**

ATL101A_0004_END_CLAIM_SANITY_CHECK_RJ	Checks whether the rejected claim count KPI is within its normal range.	7:15PM **CLA303Y_0040_Insert rollup in to history** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM declare @ClaimsRejected_Pctg NUMERIC(6,4)= (SELECT CONVERT(NUMERIC(10,2), ClaimsRejected) /TotalClaimsLoaded FROM Dailyrollup_Hist WHERE Insertdate = CONVERT(DATE, GETDATE())); insert into cops_kpi_hist (kpi_type,low_bound,high_bound, rate,insertdate,vendor) values ('Rejection', '0.0217', '0.0263', @ClaimsRejected_Pctg, GETDATE(),'ALL') SELECT CASE WHEN ISNULL(rate_diff,0) <> 0 THEN 'Alert: rejection rate: ' + convert(varchar,rate) + ' not within acceptable range: ' + convert(varchar,low_bound) + ' - ' + convert(varchar, high_bound) ELSE 'Everything looks fine.' END AS SanityCheck FROM cops_kpi_hist where kpi_type = 'Rejection' and insertdate = CONVERT(DATE, GETDATE()) "	**See Failure Instruction Details section.**
ATL101A_0005_END_CLAIM_RJ_RESULTS	Runs a query to get a report summarizing the most significant items regarding the KPI of the above step.	7:15PM **ATL101A_0004_END_CLAIM_SANITY_CHECK_RJ** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM SELECT top 10 CS.GRGR_ID, cs.StatusCD, RejectRuleID, ISNULL (STC.RULE_DESCRIPTION, HIP.ReasonDesc) RejectionReason, COUNT(1) TotalClaimsRejected FROM edinetclaim..T837ClaimStatus cs (nolock) LEFT JOIN EDINETCLAIM.dbo.STC12_277CA_CROSSWALK STC (nolock) ON STC.STATUSCD = CS.StatusCD AND STC.REJECT_RULE_ID = CS.RejectRuleID LEFT JOIN EDINETCLAIM.dbo.HIPAA_Status_Code HIP (nolock) ON HIP.StatusCode = CS.StatusCD WHERE InsertDate > CONVERT (DATE, GETDATE()) AND ClmRoutingFlag = 'R1' GROUP BY CS.GRGR_ID, cs.StatusCD, RejectRuleID, ISNULL (STC.RULE_DESCRIPTION, HIP.ReasonDesc) ORDER BY 5 DESC "	**See Failure Instruction Details section.**

ATL101A_0006_END_CLAIM_SANITY_CHECK_DN	Checks whether the denied claim count KPI is within its normal range.	7:15PM **CLA303Y_0040_Insert rollup in to history** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM select ClmInfoId into #tmp from t837claimstatus nolock where insertdate between cast (GETDATE() as date) and cast (GETDATE()+1 as date); select ci.*into #T837claiminfo from #tmp cs (nolock) inner join EDINETCLAIM_PROCESS.dbo.T837claiminfo ci (nolock) on ci.clminfoid = cs.clminfoid; declare @Xclude_Claims NUMERIC(6,0)= (select count(*) from #T837claiminfo where override_expl_code = 'MCD'); declare @DeniedClaims_Pctg NUMERIC(6,4)= (SELECT CONVERT(NUMERIC(10,2), DeniedClaims - @Xclude_Claims) /TotalClaimsLoaded FROM Dailyrollup_Hist WHERE Insertdate = CONVERT(DATE, GETDATE())); insert into cops_kpi_hist (kpi_type,low_bound,high_bound, rate,insertdate,vendor) values ('Denial', '0.0068', '0.0092', @DeniedClaims_Pctg, GETDATE(),'ALL') SELECT CASE WHEN ISNULL(rate_diff,0) <> 0 THEN 'Alert: denial rate: ' + convert(varchar,rate) + ' not within acceptable range: ' + convert(varchar,low_bound) + ' - ' + convert(varchar, high_bound) ELSE 'Everything looks fine.' END AS SanityCheck FROM cops_kpi_hist where kpi_type = 'Denial' and insertdate = CONVERT(DATE, GETDATE()) "	**See Failure Instruction Details section.**
ATL101A_0007_END_CLAIM_DN_RESULTS	Runs a query to get a report summarizing the most significant items regarding the KPI of the above step.	7:15PM **ATL101A_0006_END_CLAIM_SANITY_CHECK_DN** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM SELECT top 10 CS.GRGR_ID, ci. Override_Expl_Code, Override_Identifier, COUNT(1) TotalClaimsDenied FROM edinetclaim..T837ClaimStatus cs (nolock) INNER JOIN EDINETCLAIM_PROCESS..T837ClaimInfo CI (nolock) ON CI. ClmInfoId = cs.ClmInfoId WHERE CS.InsertDate > CONVERT (DATE, GETDATE()) AND Override_Identifier <> '' and override_expl_code <> 'MCD' GROUP BY CS.GRGR_ID, ci. Override_Expl_Code, Override_Identifier ORDER BY 4 DESC "	**See Failure Instruction Details section.**

ATL101A_0008_END_CLAIM_SANITY_CHECK_SVL_DN	Checks whether the service line denial count KPI is within its normal range.	7:15PM **CLA303Y_0040_Insert rollup in to history** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM select ClmInfold into #tmp from t837claimstatus nolock where insertdate between cast (GETDATE() as date) and cast (GETDATE()+1 as date); select sl.*into #T837SvcLine from #tmp cs (nolock) inner join EDINETCLAIM_PROCESS.dbo.t837svcline sl (nolock) on sl.clminfoid = cs.clminfoid; declare @Xclude_Claims NUMERIC(6,0)= (select count(*) from #T837SvcLine where override_expl_code = 'ZV1' or override_expl_code = 'ZV8' or override_expl_code = 'ZE7' or override_expl_code = 'ZE8' or override_expl_code = 'MCL'); declare @SvclineDeniedClaims_Pctg NUMERIC(6,4)= (SELECT CONVERT(NUMERIC(10,2), (SvclineDeniedClaims - @Xclude_Claims)) /TotalClaimsLoaded FROM Dailyrollup_Hist WHERE Insertdate = CONVERT(DATE, GETDATE())); insert into cops_kpi_hist (kpi_type,low_bound,high_bound, rate,insertdate, vendor) values ('SvlDenied', '0.0138', '0.0238' , @SvclineDeniedClaims_Pctg, GETDATE(), 'ALL') SELECT CASE WHEN ISNULL(rate_diff,0) <> 0 THEN 'Alert: svl denial rate: ' + convert(varchar,rate) + ' not within acceptable range: ' + convert(varchar,low_bound) + ' - ' + convert(varchar, high_bound) ELSE 'Everything looks fine.' END AS SanityCheck FROM cops_kpi_hist where kpi_type = 'SvlDenied' and insertdate = CONVERT(DATE, GETDATE()) "	**See Failure Instruction Details section.**
ATL101A_0009_END_CLAIM_SVL_DN_RESULTS	Runs a query to get a report summarizing the most significant items regarding the KPI of the above step.	7:15PM **ATL101A_0008_END_CLAIM_SANITY_CHECK_SVL_DN** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM select ClmInfold, GRGR_ID into #tmp from edinetclaim..t837claimstatus (nolock) where insertdate > convert(date, getdate()); select sl.*into #T837Svl from #tmp cs (nolock) inner join EDINETCLAIM_process.dbo.t837svcline sl (nolock) on sl.clminfoid = cs.clminfoid where override_expl_code not in ('ZV1','ZV8','ZE7','ZE8','MCL',''); select top 20 cs.GRGR_ID, svl.Override_Expl_Code, count(*) SVLDeniedCount from #T837Svl svl (nolock) join #tmp cs (nolock) on cs.clminfoid = svl.clminfoid group by GRGR_ID, override_expl_code order by SVLDeniedCount desc "	**See Failure Instruction Details section.**

ATL101A_0010_END_CLAIM_SANITY_CHECK_XC	Checks whether the claims pended to XC count KPI is within its normal range.	7:15PM **CLA303Y_0040_Insert rollup in to history** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM declare @Claims_pended_to_XC_Pctg NUMERIC(6,4)= (SELECT CONVERT(NUMERIC(10,2), Claims_pended_to_XC) /TotalClaimsLoaded FROM Dailyrollup_Hist WHERE Insertdate = CONVERT(DATE, GETDATE())); insert into cops_kpi_hist (kpi_type,low_bound,high_bound, rate,insertdate,vendor) values ('XC_rate', '0.0135', '0.0203', @Claims_pended_to_XC_Pctg, GETDATE(),'ALL') SELECT CASE WHEN ISNULL(rate_diff,0) <> 0 THEN 'Alert: XC rate: ' + convert(varchar,rate) + ' not within acceptable range: ' + convert(varchar,low_bound) + ' - ' + convert(varchar, high_bound) ELSE 'Everything looks fine.' END AS SanityCheck FROM cops_kpi_hist where kpi_type = 'XC_rate' and insertdate = CONVERT(DATE, GETDATE()) "	**See Failure Instruction Details section.**
ATL101A_0011_END_CLAIM_XC_RESULTS	Runs a query to get a report summarizing the most significant items regarding the KPI of the above step.	7:15PM **ATL101A_0010_END_CLAIM_SANITY_CHECK_XC** = **Completed Normally**	SQLCMD	/b -S <EDINET_SERVER.1964> -U <APP_EDINETCLAIM_USER.1951> -P <APP_EDINETCLAIM_PWD.1950> -Q "USE EDINETCLAIM SELECT top 10 TradingPartnerCD, ClmType, COUNT(1) MemberXCCount FROM EDINETCLAIM_PROCESS.dbo.T837ClaimStatus cs (nolock) WHERE cs.InsertDate > CAST (GETDATE() AS date) AND cs.ClmRoutingFlag LIKE 'F%' AND (cs.AssignedMemID IS NULL OR cs.AssignedMemID = '') GROUP BY TradingPartnerCD, ClmType ORDER BY 3 DESC SELECT top 10 GRGR_ID, TradingPartnerCD, COUNT(1) ProviderXCCount FROM edinetclaim..T837ClaimStatus CS (nolock) WHERE cs.InsertDate > CAST (GETDATE() AS date) AND cs.ClmRoutingFlag LIKE 'F%' AND (cs.assignedProvID IS NULL OR cs.assignedProvID = '') and ISNULL(cs.AssignedMemID,'') <> '' GROUP BY GRGR_ID, TradingPartnerCD ORDER BY 3 DESC "	**See Failure Instruction Details section.**

Failure Instruction Details

Job Step	Failure	Action to be taken
Any Step	**Completed Abnormally** with any SQL error in output, such as deadlock or login failure, as well as any network errors. Disregard SQL warnings.	Rerun job step

Any step with a name containing **_SANITY_CHECK**	**Completed Abnormally** with an alert in output stating that the rate is not within the acceptable range. Example:  	• Step is automatically set to Completed Normally on failure. • Check the status of datamove CFT302B_0001 and determine which set of queries need to be run for their corresponding sanity check failure. • Send an email with the report for the failed KPI with the information. • Both sets of queries to run before/during data move or after can be found in this runbook below. • Only the queries to run during/before datamove can be found in quotes within the parameters of the corresponding **_RESULTS** job step. • If a failure was received but no queries are pulling results please report that in the email for that sanity check.
Any step with a name ending in **_RESULTS**	**Timed Out** *Please check preferably before 11 PM	Check to see if respective Sanity check KPI is **Timed Out**. • If respective sanity check KPI is **Timed Out** or was **Completed Normally** naturally, then no actions need to be taken. • If KPI sanity check was set to **Completed Normally*** or is in **Completed Abnormally** status, override dependencies on results job.

Whenever there is ATL101A tidal job alert with any alert outside the acceptable range, run the appropriate query from below based on which tidal job step has failed (Rejection/Denial/SVL DN/XC Rate/Paid Zero). Once you have the results of the 'Summary' query, send out the email as shown below.

Emails for ATL101A Alerts

For Paid Zero/Rejection/Denial/SVL DN (Tidal step 0002, 0004, 0006, 0008 respectively)

Subject line: SPC Alert Triggered for **<Alert_Type> - <Alert_Date>**

To: Schuler, Tiffany <tiffany.schuler@amerigroup.com>; Munn, Victoria L. <victoria.munn@amerigroup.com>; Leininger, Deb; Abernathy, Keith <keith.abernathy@anthem.com>; Steele-Hinton, Tomiko tomiko.steele-hinton@elevancehealth.com; Jasper, Kevin kevin.jasper@elevancehealth.com

Johnson, Annette J (WI) <Annette.J.Johnson@anthem.com>; Catlett, Cheryl <Cheryl.Catlett@anthem.com>; Lukens, Graham <Graham.Lukens@anthem.com>; Leschinsky, Heather <heather.leschinsky@healthybluene.com>

Cc: DL-GBDIT-COPS <DL-GBDIT-COPS@elevancehealth.com>; dl-Mushu <dl-Mushu@anthem.com>; dl-OSCOPS-GBD_ClaimsIT_Operation <dl-OSCOPS-GBD_ClaimsIT_Operation@anthem.com>

Body of email: Insert results of the appropriate query; as well as which alert fired. If attaching a sheet, mention that is will be in the excel sheet. Include screens of each section.

Good afternoon,

We received alerts for **Paid Zero, Rejection, Denial, and SVL DN** being out of range. Please see attached spread sheet, and navigate to the tab for each one.

If there is anything else we can assist you with, please let us know.

SPC Alert Triggered on 12/17/2021

Radhakrishnan, Murali Krishnan

To Sanders, Ralph; Hartman, Sheri L.; Munn, Victoria L.; Abernathy, Keith; Walters, Latasha; Johnson, Annette J (WI); Catlett, Cheryl; Gatson, Joyce R.; Leininger, Deb

Cc **dl-COPS-GBD_ClaimsIT_Operation**; **dl-OSCOPS-GBD_ClaimsIT_Operation**; Trice, Vivian B.

SPC Findings - 20211217.xlsx
4 MB

Please find below the top 10 rejection reasons.

Rejection:

GRGR_ID	StatusCD	RejectRuleID	RejectionReason	TotalClaim
FLMCD000	562	79	Rendering Provider NPI must be registered with the state	1440
TXMCD000	562	27	rejected claim because both billing provider NPI and taxonomy present but not valid against the State of Texas master file	574
TXMCD000	562	28	rejected claim because both rendering provider NPI and taxonomy present but not valid against the State of Texas master file	462
FLMCD000	562	78	Billing Provider NPI must be registered with the state	382
NCMCD000	562	128	Submitted billing provider NPI is not registered with submitted Taxonomy	359
IAMCD000	535	13	Claims with Frequency Code of 2 or 3 cannot be submitted with Patient Status code other than 30	338
NCMCD000	562	127	Billing provider NPI Taxonomy is missing	263
NULL	33	NULL	Subscriber and subscriber id not found.	250
GAMCD000	562	76	A valid Attending, Referring or Ordering Provider NPI is required to be registered with the state.	202
MDMCD000	562	341	Reject Claims for Invalid or Blank Rendering Provider NPI	178

Here are the top 10 markets for Provider XC.

GRGR_ID	TradingPartnerCD	ProviderXCCount
WAMCD000	141849741	9724
FLMCD000	141849741	5772
FLMCR000	141849741	4626
VAMCDWP0	ANTHEM	4521
OHMCRWP0	ANTHEM	3402
VASUPWP0	ANTHEM	2988
GASUPWP0	ANTHEM	2842
INMCDWP0	ANTHEM	2773
IAMCD000	141849741	2765
CASUPWP0	ANTHEM	2733

For XC Rate (Tidal step 0010)

Subject line: SPC Alert Triggered for XC Rate - <Failure Date>

To: Schuler, Tiffany <tiffany.schuler@amerigroup.com>; Munn, Victoria L. <victoria.munn@amerigroup.com>; Leininger, Deb; Abernathy, Keith <keith.abernathy@anthem.com>; Steele-Hinton, Tomiko tomiko.steele-hinton@elevancehealth.com; J asper, Kevin kevin.jasper@elevancehealth.com; Johnson, Annette J (WI) <Annette.J.Johnson@anthem.com>; Catlett, Cheryl <Cheryl.Catlett@anthem.com>; Lukens, Graham <Graham.Lukens@anthem.com>; Dozier, Alexis <Alexis.Dozier@anthem.com>; Gatson, Joyce R. <joyce.gatson@amerigroup.com>; Hepp, Kevin <kevin.hepp@anthem.com>; Leschinsky, Heather <heather.leschinsky@healthybluene.com>

Cc: dl-OSCOPS-GBD_ClaimsIT_Operation <dl-OSCOPS-GBD_ClaimsIT_Operation@anthem.com>; dl-Mushu <dl-Mushu@anthem.com>; **DL-GBDIT-COPS <DL-GBDIT-COPS@elevancehealth.com>**

Body of email: Insert results of the appropriate query and mention the type of alert. If adding an excel, mention that as well. Include screen of your results.

Queries for ATL101A Alerts

The below queries are the same queries that the **_RESULTS** job steps are using. They are provided here in case you need to run them yourself.

You can use the following queries for KPI Alerts instead of the **_RESULTS** job step output if it works better for you to do so. You can run the details query and put it in excel and save it location. We do not have to share it with the stakeholder unless they ask for the claim numbers. So just sending the summary information should be enough. We do not have to send everything.

SPC_SANITY_CHECK_QUERIES.sql - you can download all the SPC queries from this shared link

Please send ONLY the following using the summary query.

- **Top 10 zero paid GRGR_IDs**
- **Top 10 rejections with highest counts.**
- **Top 10 Claim level denials with highest counts**
- **Top 20 Line level denials with highest counts**
- **Top 10 GRGR_ID, TradingPartnerCode for Provider XC**

We should not be having lot of claims for Member XC.

Zero Paid Claims Summary

```
--Run in EDINETCLAIM

select top 10 GRGR_ID, count(*) PaidZeroCount from edinetclaim..t837claimstatus (nolock)

where insertdate between convert(date, getdate() -1) and convert(date, getdate())
and statuscurrentlocation = 'F1'
and statuscd = 65
and ClmPaidAmt = 0
group by GRGR_ID
order by PaidZeroCount desc
```

For the below queries, please run them only after Tidal job step `CLA303Y_0055_Insert_SPC_DATA` has `Completed Normally`.

For Failure ATL101A_0004_END_CLAIM_SANITY_CHECK_RJ

Rejected Claims Summary

```
-- Run query in EDINETCLAIM
   SELECT top 10 CS.GRGR_ID, cs.StatusCD, RejectRuleID, ISNULL(STC.RULE_DESCRIPTION, HIP.ReasonDesc)
RejectionReason, COUNT(1) TotalClaimsRejected
FROM edinetclaim..T837ClaimStatus cs (nolock)
LEFT JOIN EDINETCLAIM.dbo.STC12_277CA_CROSSWALK STC (nolock) ON STC.STATUSCD = CS.StatusCD AND STC.
REJECT_RULE_ID = CS.RejectRuleID
LEFT JOIN EDINETCLAIM.dbo.HIPAA_Status_Code HIP (nolock) ON HIP.StatusCode = CS.StatusCD
WHERE InsertDate > CONVERT(DATE, GETDATE()) AND ClmRoutingFlag = 'R1'
GROUP BY CS.GRGR_ID, cs.StatusCD, RejectRuleID, ISNULL(STC.RULE_DESCRIPTION, HIP.ReasonDesc)
ORDER BY 5 DESC
```

Why do we have two queries for the sanity checks below?

For the below steps that have 2 queries you will run one or other based on the status of datamove.

Datamove is actively moving data from the edinetclaim_process database to the edinetclaim database Hence the datamove name.

If the queries can not get ran before datamove starts the delete statements, the queries may not give result. This is why a second query for each failure was created so that data can still be collected and sent out from the edinetclaim database once datamove is complete.

- If you can run the queries before/during datamove you will get results faster.
- the queries to run after datamove will run a little bit longer but not by much and requires you to edit the dates in the queries to pull results.
- If a job fails and you are not getting results from either query please report it in the email you send, as well as escalate to COPS SME.

For failure ATL101A_0006_END_CLAIM_SANITY_CHECK_DN

Claim-Level Denials Summary - Can Run before/during CFT302B_0001

```
-- Run query in EDINETCLAIM
   SELECT top 10 CS.GRGR_ID, ci.Override_Expl_Code, Override_Identifier, COUNT(1) TotalClaimsDenied
FROM edinetclaim..T837ClaimStatus cs (nolock)
INNER JOIN EDINETCLAIM_PROCESS..T837ClaimInfo CI (nolock) ON CI.ClmInfoId = cs.ClmInfoId
WHERE CS.InsertDate > CONVERT(DATE, GETDATE()) AND Override_Identifier <> '' and  override_expl_code <>
'MCD'
GROUP BY CS.GRGR_ID, ci.Override_Expl_Code, Override_Identifier
ORDER BY 4 DESC
```

Claim-Level Denials Summary - Only run when CFT302B_0001 is complete

```
--Run query in EDINETCLAIM
--edit line 6 insert date for the day you need the data for. EXAMPLE: If today is the 4th '2025-10-04 00:
00:00' and '2025-10-05 00:00:00'
SELECT top 10 CS.GRGR_ID, ci.Override_Expl_Code, Override_Identifier, COUNT(1) TotalClaimsDenied
FROM edinetclaim..T837ClaimStatus cs (nolock)
INNER JOIN edinetclaim..T837ClaimInfo CI (nolock) ON CI.ClmInfoId = cs.ClmInfoId
WHERE CS.InsertDate between 'yyyy-mm-dd 00:00:00' and 'yyyy-mm-dd 00:00:00' AND Override_Identifier <> ''
and  override_expl_code <> 'MCD'
GROUP BY CS.GRGR_ID, ci.Override_Expl_Code, Override_Identifier
ORDER BY 4 DESC
```

for failure ATL101A_0008_END_CLAIM_SANITY_CHECK_SVL_DN

Service Line Denials Summary - Can Run before/during CFT302B_0001

```
--Run query in EDINETCLAIM_PROCESS

select ClmInfoId, GRGR_ID into #tmp from edinetclaim..t837claimstatus (nolock)

where insertdate > convert(date, getdate());

select sl.*into #T837Svl from #tmp cs (nolock) inner join
EDINETCLAIM_process.dbo.t837svcline sl (nolock) on sl.clminfoid = cs.clminfoid
where override_expl_code not in ('ZV1','ZV8','ZE7','ZE8','MCL','');

select top 20 cs.GRGR_ID, svl.Override_Expl_Code, count(*) SVLDeniedCount from #T837Svl svl(nolock)
join #tmp cs (nolock) on cs.clminfoid = svl.clminfoid
group by GRGR_ID, override_expl_code
order by SVLDeniedCount desc
```

Service Line Denials Summary - Only run when CFT302B_0001 is complete

```
-- Run query in EDINETCLAIM
----edit line 4 insert date for the day you need the data for. EXAMPLE: If today is the 4th '2025-10-04
00:00:00' and '2025-10-05 00:00:00'
select ClmInfoId, GRGR_ID into #tmp from edinetclaim..t837claimstatus (nolock)
where insertdate between 'yyyy-mm-dd 00:00:00' and 'yyyy-mm-dd 00:00:00'

select sl.*into #T837Svl from #tmp cs (nolock) inner join
EDINETCLAIM.dbo.t837svcline sl (nolock) on sl.clminfoid = cs.clminfoid
where override_expl_code not in ('ZV1','ZV8','ZE7','ZE8','MCL','');

select top 20 cs.GRGR_ID, svl.Override_Expl_Code, count(*) SVLDeniedCount from #T837Svl svl(nolock)
join #tmp cs (nolock) on cs.clminfoid = svl.clminfoid
group by GRGR_ID, override_expl_code
order by SVLDeniedCount desc
```

For failure ATL101A_0010_END_CLAIM_SANITY_CHECK_XC

Member and Provider XC Summary - Can run before/during CFT302B_0001

```
--Run query in EDINETCLAIM
--You can run both of these queries together. You will get two result sets, with the top one being Member
XC summary and the bottom one being Provider XC summary
   SELECT top 10 TradingPartnerCD, ClmType, COUNT(1) MemberXCCount
FROM EDINETCLAIM_PROCESS.dbo.T837ClaimStatus cs (nolock)
WHERE cs.InsertDate > CAST(GETDATE() AS date)
AND cs.ClmRoutingFlag LIKE 'F%' AND (cs.AssignedMemID IS NULL
              OR cs.AssignedMemID = '')
GROUP BY TradingPartnerCD, ClmType
ORDER BY 3 DESC


SELECT top 10 GRGR_ID, TradingPartnerCD, COUNT(1) ProviderXCCount
FROM
edinetclaim..T837ClaimStatus CS (nolock)
WHERE  cs.InsertDate > CAST(GETDATE() AS date)
              AND cs.ClmRoutingFlag LIKE 'F%'
              AND (cs.assignedProvID IS NULL
              OR cs.assignedProvID = '')
              and ISNULL(cs.AssignedMemID,'') <> ''
GROUP BY GRGR_ID, TradingPartnerCD
ORDER BY 3 DESC
```

Member and Provider XC Summary - Only run only when CFT302B_0001 is complete

```
-- Run query in EDINETCLAIM
--You can run both of these queries together. You will get two result sets, with the top one being Member
XC summary and the bottom one being Provider XC summary
--edit line 6 insert date for the day you need the data for. EXAMPLE: If today is the 4th '2025-10-04 00:
00:00' and '2025-10-05 00:00:00'
   SELECT top 10 TradingPartnerCD, ClmType, COUNT(1) MemberXCCount
FROM EDINETCLAIM.dbo.T837ClaimStatus cs (nolock)
WHERE cs.InsertDate between '2025-10-04 00:00:00' and '2025-10-05 00:00:00'
AND cs.ClmRoutingFlag LIKE 'F%' AND (cs.AssignedMemID IS NULL
              OR cs.AssignedMemID = '')
GROUP BY TradingPartnerCD, ClmType
ORDER BY 3 DESC


SELECT top 10 GRGR_ID, TradingPartnerCD, COUNT(1) ProviderXCCount
FROM
edinetclaim..T837ClaimStatus CS (nolock)
WHERE  cs.InsertDate > CAST(GETDATE() AS date)
              AND cs.ClmRoutingFlag LIKE 'F%'
              AND (cs.assignedProvID IS NULL
              OR cs.assignedProvID = '')
              and ISNULL(cs.AssignedMemID,'') <> ''
GROUP BY GRGR_ID, TradingPartnerCD
ORDER BY 3 DESC
```