DataDog Monitoring

Purpose

The purpose of this page is to explain how to access and monitor our databases through datadog.

Business Impact

Server(s)	zpltaglis-edinet1p.us.ad.wellpoint.com
Customers	
Agents	

Helpful Links

1. **Question 1**
   Answer
2. **Question 2**
   Answer
3. **Question 3**
   Answer

KT Session Date:	
KT Recording Link:	

Disclaimer

It is your responsibility to ensure you have reviewed the recording if you were not present for the KT. Not having necessary access within a time manner will not be an accepted excuse.

General Info:

Priority	SLA	Technical SME	Internal Notifications	External Notifications	Advanced Technical Escalation	Technology Used

Immediate Triaging Instructions

Step	Explanation

1	Accessing Database monitoring on Datadog	

1. Use the link to open Datadog https://app.datadoghq.com/account/login/id/lfileh2m03xguwlr
2. Click on Go to search bar in the top right area of the page, then type in Database Monitoring



3. Choose the database you would like to monitor. In our case we are choosing **zpltaglis-edinet1p** for claims processing



2	Monitoring the database activeconnections	

Monitor Key Metrics: Pay attention to metrics specific to your database engine. Some common database metrics to monitor include:

1. **Connection Metrics**:
   - **Active Connections**: Ensure the number of active connections is within expected limits. Spikes might indicate a bottleneck could mean an application failure.
2. **Performance Metrics**:
   - **Query Latency**: Monitor the response times for queries. Consistently high latency could indicate indexes are missing or ine
   - **Throughput**: Track the number of transactions or queries per second to ensure the database can handle the load effective
3. **Resource Utilization**:
   - **CPU and Memory Usage**: These should stay within normal operating ranges. High CPU usage might mean the database i
   - **Disk I/O**: High disk read/write rates can signal that the database is I/O-bound, potentially due to insufficient memory or poo
4. **Error Rates**:
   - Monitor for application errors or failed transactions. A spike in errors can highlight connectivity issues, permission problems
5. **Locking and Blocking**:
   - Track the number of locks and blocked sessions. High locking or long lock duration indicates contention issues that need a
6. **Deadlocks**:
   - Watch for recurring deadlocks which might suggest transactional issues or poor schema design. Occurs when two or more

1. You can monitor active connections in many different ways, even by application, by filtering **Active Connections by (see screenshot b**



2. Spikes of activity like in the middle of below screenshots could be determined as higher than normal activity and should be reviewed.





3. On the right side of the page there is a **refresh button**, as well as an option to look at **database activity from different times of the day.**



3	**Monitoring the Database blocking Connections**	1. You can monitor blocking connections separately from active connections by switching the drop down like below  2. Filter your blocking connections the same way shown in previous steps, If you would like to see certain time frames of activity. 3. Look for unusual patterns or sudden spikes in metrics such as CPU usage, memory consumption, or request latency that might indicate blc 4. Consider the time frame your view is selected on and report consistent blocking to developer teams involved and SQL DBAs.

In-Depth Process Learning:

Step		Explanation
1	**Step Name**	1. Action a. Rationale: b. Expected Result: c. Common Pitfalls: 2. Action a. Rationale: b. Expected Result: c. Common Pitfalls:
2	**Step Name**	1. Action a. Rationale: b. Expected Result: c. Common Pitfalls: 2. Action a. Rationale: b. Expected Result: c. Common Pitfalls:
3	**Step Name**	1. Action a. Rationale: b. Expected Result: c. Common Pitfalls: 2. Action a. Rationale: b. Expected Result: c. Common Pitfalls: