

```
import pandas as pd
```

```
from google.colab import files
uploaded = files.upload()
```

...

Choose Files House Price Prediction Dataset.csv

House Price Prediction Dataset.csv(text/csv) - 91297 bytes, last modified: 17/2/2026 - 100% done

Saving House Price Prediction Dataset.csv to House Price Prediction Dataset.csv

```
df = pd.read_csv("House Price Prediction Dataset.csv")
df.head()
```

	Id	Area	Bedrooms	Bathrooms	Floors	YearBuilt	Location	Condition	Garage	Price
0	1	1360	5	4	3	1970	Downtown	Excellent	No	149919
1	2	4272	5	4	3	1958	Downtown	Excellent	No	424998
2	3	3592	2	2	3	1938	Downtown	Good	No	266746
3	4	966	4	2	2	1902	Suburban	Fair	Yes	244020
4	5	4926	1	4	2	1975	Downtown	Fair	Yes	636056



▶ df.info()

... <class 'pandas.core.frame.DataFrame'>

RangeIndex: 2000 entries, 0 to 1999

Data columns (total 10 columns):

#	Column	Non-Null Count	Dtype
---	--------	----------------	-------

---	-----	-----	-----
-----	-------	-------	-------

0	Id	2000 non-null	int64
---	----	---------------	-------

1	Area	2000 non-null	int64
---	------	---------------	-------

2	Bedrooms	2000 non-null	int64
---	----------	---------------	-------

3	Bathrooms	2000 non-null	int64
---	-----------	---------------	-------

4	Floors	2000 non-null	int64
---	--------	---------------	-------

5	YearBuilt	2000 non-null	int64
---	-----------	---------------	-------

6	Location	2000 non-null	object
---	----------	---------------	--------

7	Condition	2000 non-null	object
---	-----------	---------------	--------

8	Garage	2000 non-null	object
---	--------	---------------	--------

9	Price	2000 non-null	int64
---	-------	---------------	-------

dtypes: int64(7), object(3)

memory usage: 156.4+ KB



```
df.isnull().sum()
```

...

0

Id

0

Area

0

Bedrooms

0

Bathrooms

0

Floors

0

YearBuilt

0

Location

0

Condition

0

Garage

0

Price

0

dtype: int64

17]
✓ Os

```
df = df.dropna()
```


19]
✓ Os


▶ `df.describe()`

...	Id	Area	Bedrooms	Bathrooms	Floors	YearBuilt	Price	
count	2000.000000	2000.000000	2000.000000	2000.000000	2000.000000	2000.000000	2000.000000	
mean	1000.500000	2786.209500	3.003500	2.55250	1.993500	1961.446000	537676.855000	
std	577.494589	1295.146799	1.424606	1.10899	0.809188	35.926695	276428.845719	
min	1.000000	501.000000	1.000000	1.00000	1.000000	1900.000000	50005.000000	
25%	500.750000	1653.000000	2.000000	2.00000	1.000000	1930.000000	300098.000000	
50%	1000.500000	2833.000000	3.000000	3.00000	2.000000	1961.000000	539254.000000	
75%	1500.250000	3887.500000	4.000000	4.00000	3.000000	1993.000000	780086.000000	
max	2000.000000	4999.000000	5.000000	4.00000	3.000000	2023.000000	999656.000000	

```
df.hist(figsize=(10,8))  
plt.show()
```

...





df.corr(numeric_only=True)

	Id	Area	Bedrooms	Bathrooms	Floors	YearBuilt	Price
Id	1.000000	-0.012966	-0.016393	-0.025433	-0.002025	0.008840	-0.025643
Area	-0.012966	1.000000	0.047523	0.021881	0.017749	-0.011609	0.001542
Bedrooms	-0.016393	0.047523	1.000000	-0.011990	0.010435	-0.014125	-0.003471
Bathrooms	-0.025433	0.021881	-0.011990	1.000000	0.029089	-0.000839	-0.015737
Floors	-0.002025	0.017749	0.010435	0.029089	1.000000	-0.006474	0.055890
YearBuilt	0.008840	-0.011609	-0.014125	-0.000839	-0.006474	1.000000	0.004845
Price	-0.025643	0.001542	-0.003471	-0.015737	0.055890	0.004845	1.000000

[25]
✓ 0s

```
model = LinearRegression()  
model.fit(X_train, y_train)
```

...

LinearRegression 1 2
LinearRegression()

[26]

✓ 0s



```
pred = model.predict(X_test)
```

```
print("R2 Score =", r2_score(y_test, pred))
```

... R2 Score = -4.861401332245663e-05