

GASTROINTESTINAL CANCER RESEARCH ALLIANCE

Protocol GICA-2025-18: A Randomized Phase III Trial of Nivolumab + FOLFOX
Versus FOLFOX in Gastric/GEJ Adenocarcinoma

Section 7: Schedule of Assessments

Assessment	Screening Day -28 to -1	C1D1 ±3d	C1D15 ±3d	C2D1 ±3d	C2D15 ±3d	C3D1 ±3d	C3D15 ±3d	C4-C6 D1	C4-C6 D15	EOT ±7d	M9 FU ±14d	M12 FU ±14d
ADMINISTRATIVE												
Informed Consent	X											
Inclusion/Exclusion Criteria	X											
Medical History & Demographics	X											
Randomization		X										
CLINICAL ASSESSMENTS												
Physical Examination	X	X	X	X	X	X	X	X		X		
Vital Signs		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X		
ECOG/Karnofsky Performance Status	X	X	X	X	X	X	X	X		X		
Weight	X	X	X	X	X	X	X	X		X		
Height	X											
LABORATORY ASSESSMENTS												
Complete Blood Count (CBC)		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X		
Comprehensive Metabolic Panel		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X		
Liver Function Tests		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X		
Serum Pregnancy Test	X	X								X		
Urinalysis	X	X	X	X	X	X	X	X		X		
CARDIAC ASSESSMENTS												
12-Lead ECG	X	X	X	X	X	X	X	X		X		
SAFETY MONITORING												
Adverse Event Assessment		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X	X	X
Concomitant Medications		X	X ^A	X	X ^A	X	X ^A	X	X ^A	X	X	X
STUDY TREATMENT												
Investigational Product Dispensing		X ^A	X ^A	X ^A	X ^A	X ^A	X ^A	X ^A	X ^A			
Drug Accountability/Compliance			X ^A	X ^A	X ^A	X ^A	X ^A	X ^A	X ^A			
Standard Therapy Administration	X	X	X	X	X	X	X	X		X		

Assessment	Screening Day -28 to -1	C1D1 ±3d	C1D15 ^a ±3d	C2D1 ±3d	C2D15 ^a ±3d	C3D1 ±3d	C3D15 ±3d	C4-C6 D1	C4-C6 ^b D15	EOT ±7d	M9 FU ±14d	M12 FU ±14d
PATIENT-REPORTED OUTCOMES												
EORTC QLQ-C30	X			X	X			X		X		X
EQ-5D-5L	X			X	X			X		X		X
FACT-G (GI)	X			X	X			X		X		X
IMAGING/TUMOR ASSESSMENT												
CT Chest/Abdomen/Pelvis	X									X		X
PET-CT	X									X		
MRI Liver	X									X		
TUMOR MARKERS												
CEA	X	X	X	X	X	X	X	X		X		
CA 19-9	X	X	X	X	X	X	X	X		X		
AFP (if applicable)	X	X	X	X	X	X	X	X		X		
ENDOSCOPY												
EGD/Colonoscopy	X											

Legend: X = Required for all patients; X^A = Required for Arm A only

Arm A (Nivolumab + FOLFOX): Visits on Days 1, 15 of each 28-day cycle for 6 months

Arm B (FOLFOX): Visits on Days 1 of each 28-day cycle for 6 months

^a **Screening:** All assessments must be completed within 28 days prior to C1D1. Screening may require 1-2 visits.

^b **Treatment Phase:** 28-day cycles. Arm A: Days 1, 15; Arm B: Days 1.

^c **Labs:** CBC includes WBC with differential, hemoglobin, hematocrit, platelets, ANC.

^d **CMP:** Includes sodium, potassium, chloride, bicarbonate, BUN, creatinine, glucose, calcium.

^e **EOT Visit:** End of treatment visit 30-42 days after last dose or at early discontinuation.

^f **Follow-Up:** Month 9 and 12 visits for disease recurrence and survival monitoring.

^g **Adverse Events:** Assessed continuously from first dose through 30 days after last dose.

^h **Imaging:** CT scans at screening, EOT, and Month 12 follow-up per RECIST 1.1.