Results

This report presents antibiotic consumption of 38 NACNET sites and 28 SACNET sites for the year 2024. Total bed strength and bed occupancy of the sites is given in Table 1.

Table 1: NACNET and SACNET sites Bed Occupancy and Bed strength Rates

S. No.	Site Code	Bed Strength	Bed Occupancy Rate
1	NAC 1	3200	100%
2	NAC 2	1296	82%
3	NAC 3	1017	79%
4	NAC 4	1055	100%
5	NAC 5	1431	61%
6	NAC 6	888	64%
7	NAC 7	2461	19%
8	NAC 8	2873	100%
9	NAC 9	3695	100%
10	NAC 10	1832	79%
11	NAC 11	2776	87%
12	NAC 12	596	64%
13	NAC 13	1513	100%
14	NAC 14	873	90%
15	NAC 15	1665	66%
16	NAC 16	3667	82%
17	NAC 17	1267	100%
18	NAC 18	1413	100%
19	NAC 19	2518	100%
20	NAC 20	2316	68%
21	NAC 21	2080	87%
22	NAC 22	2191	57%
23	NAC 23	1167	84%
24	NAC 24	782	72%
25	NAC 25	1340	63%
26	NAC 26	2000	65%
27	NAC 27	167	100%
28	NAC 28	770	70%
29	NAC 29	960	75%
30	NAC 30	2300	60%
31	NAC 31	1383	62%
32	NAC 32	2560	100%
33	NAC 33	2400	100%
34	NAC 34	800	60%
35	NAC 35	650	100%
36	NAC 36	1491	74%
37	NAC 37	876	100%
38	NAC 39	413	60%

G-SACNET SITES*			
1	GJ1	3200	100%
2	GJ2	650	82%
3	GJ3	750	79%
4	GJ4	770	100%
5	GJ5	790	61%
6	GJ6	770	64%
7	GJ7	850	19%
8	GJ8	1513	100%
9	GJ9	330	100%
10	GJ10	354	79%
11	GJ11	1000	87%
12	GJ12	770	64%
13	GJ13	330	100%
14	GJ14	846	90%
15	GJ15	330	66%
16	GJ16	1678	82%
17	GJ17	1618	100%
18	GJ18	800	100%
19	GJ19	330	100%
K-SACNET SITES*			
1	KL1	3695	87%
2	KL2	1051	57%
3	KL3	2094	84%
4	KL4	480	72%
5	KL5	300	63%
6	KL6	600	65%
7	KL7	300	100%
8	KL8	1436	70%
9	KL9	556	75%
10	KL10	3513	60%
11	KL11	850	62%
Total Beds		**87960**	

**NOTE: G-SACNET sites include 2 NACNET sites & K-SACNET sites include 1 NACNET site.*

Bed strength of the sites ranged from 167 to 3695 and Bed occupancy ranged from 19% to 100%. For the computation of consolidated antibiotic consumption, a Bed Occupancy of 100% has been assumed for the sake of uniformity.

Figure 4b: Annual antibiotic consumption of G-SACNET sites (n=18)




Figure 4c: Annual antibiotic consumption of K-SACNET sites (n=12)





Figure 7a: Category-wise antibiotic consumption at NACNET sites (n=35)



AWaRe category-wise antibiotic consumption

Access category consumption has been recorded at 42% as against WHO's recommendation of 70% or above at National level (8). Consumption from **Reserve** and **Not Recommended** categories has been recorded at 2% and 3% respectively.

Figure 10: WHO AWaRe category- wise antibiotic consumption during 2024

