

A Surface-Content Decomposition of AI-Generated Text Detection Benchmarks

Niloy Paul

Department of Computer Science
American International University-Bangladesh
Dhaka, Bangladesh
23-51773-2@student.aiub.edu

Nazmus Sakib

Department of Computer Science
American International University-Bangladesh
Dhaka, Bangladesh
24-93520-3@student.aiub.edu

Arnob Sarker Supta

Department of Computer Science
American International University-Bangladesh
Dhaka, Bangladesh
24-93521-3@student.aiub.edu

Afnan Ur Rayan

Department of Computer Science
American International University-Bangladesh
Dhaka, Bangladesh
24-93526-3@student.aiub.edu

Kamruddin Nur

Department of Computer Science
American International University-Bangladesh
Dhaka, Bangladesh
kamruddin@aiub.edu

Abstract—A detector scoring 99% on a machine-generated-text benchmark may have learned how machine language differs from human language, or how one corpus was punctuated, and the headline number does not separate the two. We sweep twenty classical model families over four text representations, 38 configurations per corpus, alongside sixteen fine-tuned transformer runs per corpus, and then decompose the signal into three arms, a surface-only model reading 47 orthographic features and never seeing a word, a content-only model reading text stripped of punctuation, casing and non-ASCII characters, and a fine-tuned transformer on raw text as reference. On HC3 the surface and content arms tie under a paired test, 3.20% against 3.26% error, and DeBERTa reaches 0.28% error on the same split. On DAIGT V2 content is instead stronger by a factor of 7.9, and a character n-gram ridge classifier reaching 0.9941 weighted F1 outcores every transformer we fine-tuned. The HC3 tie traces to its Reddit sub-corpus, three quarters of the data, and reverses elsewhere. Removing the responsible cue, spacing before punctuation, costs it 10.03 points, yet BERT reaches 0.9916 weighted F1 there despite a tokeniser unable to represent that cue. Surface form is informative on both corpora, but it matches content on only one, for one identifiable reason.

Index Terms—AI-generated text detection, benchmark evaluation, surface features, shortcut learning, tokenisation, SHAP

I. INTRODUCTION

Detectors of machine-generated text report accuracy at or above 97% on the benchmarks the field uses most, and frequently above 99% [1, 2, 3, 4]. Read directly, those numbers say the task is close to solved on the domains these corpora represent. Read carefully, they say something weaker, because a benchmark score measures the separability of a particular corpus and not the capability a reader infers from it.

The difference matters because separability has more than one source. A detector can reach a high score by modelling how machine-generated language differs from human language, or by modelling how one corpus was assembled, punctuated and encoded. Both produce the same headline figure. Individual instances of the second have been documented, including a whitespace convention in HC3 [5], a length confound in the same corpus [6], punctuation inconsistencies requiring standardisation before comparison [7], and prompt-specific collection shortcuts [8]. Each of those is a report of one artefact. What is missing is a way to ask how much, in total, a given benchmark’s separability owes to surface form rather than content, and to place two benchmarks on the same axis so they can be compared.

This paper proposes that measurement and applies it, and it does so on top of a full model sweep rather than a single classifier. Twenty classical families are fitted over four text representations, 38 configurations for each corpus, and two transformer encoders are fine-tuned over a sixteen-run hyperparameter grid for each corpus. Against that backdrop we compare three arms on identical splits. A *surface-only* model reads 47 orthographic features and never sees a word. A *content-only* model reads text after punctuation, casing and non-ASCII characters have been stripped away. A *full* model is a fine-tuned transformer on raw text. The gap between the first two bounds how much of a benchmark a detector could pass without reading language at all. Because the first two arms share a classifier family, they are directly comparable to each other, and the third is reported as a reference point rather than as a matched arm.

Applied to DAIGT V2 and HC3, the answer differs sharply between the two corpora. On HC3 the surface-only and content-only arms are indistinguishable, 3.20% against 3.26% test error, and a paired test over 10,732 documents cannot separate them, while on DAIGT V2 content is stronger by a factor of 7.9. Splitting each corpus by its own subgroup labels then shows the HC3 tie is not a property of the benchmark. It belongs to the Reddit sub-corpus that makes up three quarters of it, and reverses on the other domains. The full sweep points the same way from a different direction. The single best model on DAIGT V2 is not a transformer at all but a ridge classifier over character 3-to-5 grams at 0.9941 weighted F1, above every transformer run we trained, whereas on HC3 DeBERTa leads the best classical configuration by 0.0082 weighted F1. Character n-grams read raw text, so a representation that keeps punctuation and casing is exactly the one that wins where surface form is informative.

We also report two negative results, each correcting a claim an uncontrolled version of this analysis had reached. The whitespace cue that dominates discussion of HC3 is sufficient in isolation yet unnecessary in practice, since BERT’s tokeniser provably cannot represent it and BERT still reaches 0.9916 weighted F1 there. And a character-level perturbation that drives DeBERTa from 0.9972 to 0.3644 weighted F1 looks like a targeted vulnerability but is not distinguishable from one, because the same model labels uniform random strings as human in 100% of cases at 0.98 mean confidence.

The key contributions of this study are as follows.

- 1) A complete model sweep on both corpora, twenty classical families over four representations and two fine-tuned transformers over a sixteen-run grid, reported with accuracy, weighted and macro F1, ROC-AUC, PR-AUC and false-positive rate rather than a single headline metric.
- 2) The surface-content decomposition, stated formally in Section III-G as a reusable measurement over any human-versus-machine corpus, with the length control that stops its two arms sharing a channel.
- 3) Its application to two widely used benchmarks, with cross-corpus transfer over three seeds, per-feature SHAP attribution that locates which orthographic property carries the asymmetry, and a per-sub-corpus split that localises it further.
- 4) A set of three controls, on tokenisation, pipeline execution and label-free inputs, each of which overturns a conclusion the uncontrolled version of this study had reached.
- 5) A paired statistical treatment, exact-binomial McNemar with a paired bootstrap interval, applied uniformly so that no comparison rests on a difference in the fourth decimal place.

The remainder of this paper is organised as follows. Section II reviews prior work on benchmark separability and shortcut learning. Section III details the pipeline, the corpora, the model sweep, the decomposition and the paired statistics.

Section IV reports the sweep, the decomposition, the subgroup analysis and the three controls, and discusses what the measurement does and does not license. Section V states the limits every number above is bound by. Section VI concludes the study and lists future work.

II. RELATED WORKS

Detection on these benchmarks. Guo et al. [1] introduce HC3 with a RoBERTa detector at 99.82 F1, establishing both the corpus and the accuracy regime the field has worked in since, though Su et al. [2] show that regime narrows to roughly 91.7% under semantic-invariant tasks. Zhou [3] reaches competitive DAIGT V2 accuracy with character n-grams and no transformer, consistent with our findings but reported without the surface-content separation that would explain it, and Kubrusly et al. [9] likewise report strong bag-of-words results on HC3 without isolating what those features encode. Ansary [4] and Lamsiyah et al. [10] report near-ceiling DAIGT-family results in-distribution only. One design sits closest to ours and differs in purpose rather than ingredients. Annepaka et al. [11] mix linguistic features with a transformer for 99.45% on HC3, combining the two channels to raise a score where we hold them apart to measure one. Surveys [12] catalogue detector families without asking what a corpus is separable by. The field has since converged on shared evaluations that address the coverage problem rather than the separability one. RAID [13] spans eleven generators, eight domains and eleven adversarial attacks, M4 [14] adds multilingual and multi-domain coverage, and SemEval-2024 Task 8 [15] turned both into a shared task. Those benchmarks make detectors comparable across conditions. They do not ask what any one condition is separable by, which is the axis this paper adds and the reason the measurement proposed here would apply to them unchanged.

Competition solutions on DAIGT V2. The corpus was assembled for a public competition, and strong public solutions [16] lean on character n-grams and ensembles of classical models rather than larger language models. That is usually read as evidence classical models suffice here. Our sweep reproduces the phenomenon, since the best of our 38 classical configurations on DAIGT V2 is a character n-gram model that outscores every transformer run, and our decomposition suggests a compatible and more actionable reading, that a corpus whose surface arm alone reaches 0.9214 rewards models good at surface statistics, so a leaderboard is partly a measurement of the corpus.

Documented artefacts in these corpora. Tian et al. [5] identify the HC3 whitespace convention, release a cleaning kit, and go further than they are usually credited for. Their appendix reports that a detector consisting of the single test for one token identifier reaches 82.12 F1 on HC3 at sentence level, above the 81.89 they quote for a fine-tuned RoBERTa. Our document-level equivalent of that rule reaches 94.23, and the difference is sentence against document rather than a disagreement. Their result is the closest existing statement of this paper’s HC3 finding. What we add is a matched content

arm to compare against, so the cue can be weighed rather than only exhibited, a per-domain split that locates it, and a tokenisation control that asks whether a given detector can represent the cue at all, which turns out to change the conclusion for BERT. Baidya et al. [6] document HC3’s length confound and control it by length-matching, the same confound our two arms share and that Section IV-N closes. Ardeshirifar [7] standardises punctuation before comparing handcrafted features to deep models without measuring what that removes, and Park et al. [8] show HC3-trained detectors rely on prompt-specific shortcuts. Where these identify individual cues, we measure the aggregate.

Shortcut learning and dataset artefacts elsewhere. The pattern is not specific to text detection. Torralba and Efros [17] showed vision datasets are identifiable from their own images, and in natural language inference a model reading only the hypothesis reaches far above chance [18, 19], while Niven and Kao [20] traced apparent argument comprehension to lexical cues that vanish under an adversarial split, with Geirhos et al. [21] giving the general account. Our surface-only arm is a hypothesis-only baseline transferred to this task, establishing how far a model gets without the capability the benchmark is taken to measure, except that it removes a property of the text rather than a span of it. Feng et al. [22] give the caveat that governs how such a baseline may be read. A partial-input model scoring highly shows a dataset is cheatable, but one scoring poorly does not show the dataset is clean, since the restricted representation may simply fail to express an artefact that is present. We therefore read a high ε_S as uninformative rather than as evidence of a clean corpus, which is why the paper reports the surface arm as an upper bound on surface-carried separability.

Robustness and its controls. Antoun et al. [23] attack HC3-trained detectors with misspellings and homoglyphs, reporting a fall from 99.88 F1 to 33.57% accuracy on hand-written adversarial human text, and Huang et al. [24] report comparable degradation before recovering 6.5 to 18.25 accuracy points with a calibrated reconstruction network. Neither reports a label-free control, and our results suggest such collapses cannot be separated from a generic degenerate response to unreadable input without one, a methodological gap rather than a dispute about their measurements. Lai et al. [25] show ensembling preserves in-distribution accuracy while still degrading under shift, Zhang et al. [26] reframe detection as a two-sample test, and Borile and Abrate [27] ablate roughly twenty feed-forward neurons, about 0.05% of the network, for up to 6.9 points of out-of-distribution gain, evidence that some in-distribution performance rests on localised corpus-specific features.

Fairness of the resulting decisions. Liang et al. [28] show several deployed detectors misclassify more than half of non-native-authored TOEFL essays as machine-generated while remaining near-perfect on essays by native writers, which bears directly on ours. A detector whose separability comes substantially from orthographic regularity will concentrate its errors on writers whose orthographic habits differ from the

corpus it was fitted to. We do not measure that effect here and note the connection because it is the most consequential reason to care which arm a benchmark’s score comes from.

Cross-corpus evaluation. Alikhanov et al. [29] merge HC3 and DAIGT V2 into one 124,195-sample corpus under a topic-held-out split, reporting 82.87% accuracy for logistic regression, 88.86% for a BiLSTM at 0.94 ROC-AUC and 88.11% for DistilBERT at 0.96 ROC-AUC, against the near-ceiling numbers usual in-distribution. Their design asks whether one model can serve both corpora, ours asks what each corpus is separable by, so the two sit alongside rather than replacing one another. Lu et al. [30] show detectors can be evaded by prompting alone, a threat model orthogonal to the question here.

Table I summarises the prior work above, reporting every result each study states rather than a single selected metric, and positioning each against the surface-content axis this paper adds.

III. METHODOLOGY

The workflow of this study is presented in Figure 1 and consists of five stages, i) corpus acquisition and contamination audit, ii) class balancing and group-aware partitioning, iii) construction of four text representations over two views of the text, iv) the model sweep, twenty classical families and two fine-tuned transformer encoders, and v) the analysis layer, in which the surface-content decomposition, the attribution study and the three controls are run on top of the fitted models, followed by metric computation and paired significance testing.

A. Corpora

DAIGT V2 [31] contains 44,868 argumentative student essays, 27,371 human-written and 17,497 machine-generated by a mixture of 2023-era systems including GPT-3.5, Llama-2, Mistral-7B and Falcon-180B, assembled for a public detection competition [32]. The human side derives from the PERSUADE corpus of student argumentative writing [33]. HC3 [1] contains question-answer pairs from five English sources, contrasting human answers with a single generator, GPT-3.5-Turbo-0301, over 85,449 rows [34]. The two make a useful pair because they differ in nearly every respect that matters here. DAIGT V2 has many generators, one genre and long documents, HC3 one generator, five source domains and short ones.

Table II gives the duplication audit. DAIGT V2 is essentially free of internal duplication, while HC3 carries 6,118 duplicate rows in 5,986 groups plus 483 collection artefacts, typically stored API failure messages.

B. Class balance

Both corpora were class-balanced by downsampling the majority class, giving 34,994 and 53,806 rows and an exact minority-to-majority ratio of 1.0000 on both. The check matters for two reasons. It fixes a degenerate single-class predictor at 0.333 weighted F1 rather than something respectable, which is what makes the label-free control in Section IV-Q readable,

TABLE I
PRIOR WORK ON THESE BENCHMARKS, WITH THE FULL SET OF RESULTS EACH STUDY REPORTS AND WHAT IS MISSING RELATIVE TO THE SURFACE-CONTENT AXIS.

Ref.	Year	Method	Corpus	Reported results, as stated by the authors	What is missing
[1]	2023	GLTR and fine-tuned RoBERTa, single and QA variants	HC3	99.82 F1 English full text, RoBERTa-QA 97.48 F1 on filtered full text and 5.63 points above the answer-only model, 94.22 best Chinese average, 81.89 F1 at sentence level when trained on full text against 98.43 when trained on sentences, 100.00 F1 on reddit_eli5, 26.78 worst sentence-level class F1 on open_qa, 0.90 human expert accuracy	No surface-content split
[2]	2023	Tk-Instruct detector on semantic-invariant tasks	HC3 Plus	91.73% overall English accuracy on the harder semantic-invariant tasks against 99.82% on plain HC3	Task difficulty varied, corpus separability not measured
[3]	2024	TF-IDF with Naive Bayes, SGD, LightGBM and CatBoost majority vote	DAIGT V2	Ensemble above every individual member, competitive with transformer detectors	No explanation offered for why lexical features suffice
[5]	2024	Multiscale positive-unlabeled training, plus a single-token whitespace rule	HC3, TweepFake	85.31 F1 on HC3 English sentences against 58.60 for plain RoBERTa, 91.4% accuracy on TweepFake, 82.12 F1 for the single-token rule at sentence level against 81.89 for fine-tuned RoBERTa	No matched content arm, cue exhibited but not weighed
[23]	2023	RoBERTa, ELECTRA and XLM-R under misspelling and homoglyph attack	HC3 English and French	99.88 F1 in domain, recall 0.79 and F1 0.88 under misspellings, F1 0.93 under homoglyphs, 33.57% accuracy for CamemBERTa and 59.12% for XLM-R on adversarial human text, 44.81% and 28.18% on Bing text with misspellings, about 91% restored by adversarial training	No label-free degenerate-response control
[24]	2024	Siamese calibrated reconstruction network against character perturbations	HC3, TruthfulQA and two others	6.5 to 18.25 absolute accuracy points above the strongest baseline under adversarial attack, with cross-domain, cross-genre and mixed-source gains	No label-free control, so collapse magnitude is uncalibrated
[6]	2026	Broad architecture benchmark with length-matched controls and humanisation	HC3, ELI5	Near-perfect in distribution, substantial drops out of distribution, length confound documented and controlled	Not decomposed into surface and content
[29]	2026	Logistic regression, BiLSTM and DistilBERT on a merged topic-held-out split	HC3 and DAIGT V2, 124,195 samples	82.87% accuracy for logistic regression, 88.86% for BiLSTM at 0.94 ROC-AUC, 88.11% for DistilBERT at 0.96 ROC-AUC	Asks transfer, not separability
[11]	2026	DistilBERT combined with linguistic features	HC3, M4GT	99.45% accuracy on HC3 English, 96.23% on M4GT	Channels combined rather than separated
[4]	2026	Multi-representation stacked ensemble	Two DAIGT benchmarks	98.74% accuracy at 0.997 AUC on the first, 97.92% at 0.994 AUC on the second	In-distribution only, no artefact audit
[16]	2025	RoBERTa, TF-IDF with SVM, and a multi-strategy system	M-DAIGT	99.99% accuracy and F1 on subtask 1, 100% on subtask 2, 97.9% for TF-IDF with SVM	Saturated in domain, robustness open
[27]	2025	Ablation of confounding feed-forward neurons	DAIGT, HC3, M4, XSum	Removing about twenty neurons, roughly 0.05% of the network, raises out-of-distribution accuracy by up to 6.9 points	Locates neurons, not corpus properties
[28]	2023	Audit of seven deployed GPT detectors	TOEFL and US student essays	More than half of non-native TOEFL essays misclassified as machine-generated, near-perfect accuracy on essays by native writers	No orthographic-cue attribution




Fig. 1. The study pipeline, numbered by the five stages named in the text. Cleaned word features and raw character n-grams feed the classical sweep, raw subwords feed the transformers, and the analysis layer sits on top of the fitted models rather than replacing them. In stage 4 each chip is one fitted configuration, coloured by the representation it was fitted on, so the 38 classical configurations divide into 12 on TF-IDF, 9 on bag-of-words, 9 on character n-grams and 8 on the reduced TF-IDF, and the 16 fine-tuning runs into eight per transformer. Every count on the diagram is read from the committed result tables.

TABLE II
CORPUS STATISTICS AFTER BALANCING. DUPLICATION IS EXACT MATCH
ON LOWERCASED, WHITESPACE-NORMALISED TEXT. LEAKAGE IS THE
SHARE OF TEST DOCUMENTS WHOSE TEXT ALSO APPEARS IN TRAINING
OR VALIDATION.

	DAIGT V2	HC3
Rows, as published	44,868	85,449
Rows, balanced	34,994	53,806
Train / validation / test	25,196 2,800 6,998	38,785 4,289 10,732
Duplicate rows	6 (0.01%)	6,118 (7.16%)
Duplicate groups	6	5,986
Cross-label duplicate texts	0	0
Collection artefact rows	none found	483
Test leakage, group-aware split	0 (0.00%)	0 (0.00%)
Test leakage, naive stratified	0 (0.00%)	570 (5.30%)

and it settles the question of whether any resampling scheme is required, since after downsampling none is. Training partitions balance to within 0.002 of parity.

C. Partitioning

That duplication is why the split is group-aware. Documents are grouped by an MD5 hash of their whitespace-normalised, lowercased text and whole groups go to one partition, so no two documents with identical normalised content land on opposite sides of a boundary. The partition is 72/8/20 rather than 80/10/10, since a fifth goes to test first and a tenth of the remainder to validation. Measured directly, the group-aware rule leaks 0 of 10,732 HC3 test documents where a plain stratified split of the same sample leaks 570, or 5.30%, and DAIGT V2 leaks nothing either way. The split is built once and reused by every model and seed, so comparing two models is never also comparing two evaluation sets.

D. Document length

Length is the one property both corpora encode in every representation, so it is measured before anything is fitted. Figure 2 gives the class-conditional distributions of word and character counts. The two corpora separate for opposite reasons. On DAIGT V2 human essays carry a long right tail that machine essays do not, so the human distribution is the wider one, while on HC3 the machine answers sit to the right of the human answers with only partial overlap. Either pattern is enough for a model to score above chance from length alone, which is why Section III-H defines a length control and Section IV-N reports what closing that channel costs each arm.

E. Text representations

Four representations are built for the classical sweep. Three are word-level and read cleaned text, lowercased, stopword-filtered, lemmatised and with every non-Latin character removed, namely bag-of-words counts at 60,000 features, TF-IDF at 60,000 features, and a reduced TF-IDF at 6,000 features written TF-IDF-s, which exists because tree ensembles and the multilayer perceptron do not scale to tens of thousands

of sparse dimensions. The fourth is character-level, TF-IDF over `char_wb` 3-to-5 grams at 60,000 features, and it reads *raw* text with no cleaning at all. That asymmetry is deliberate and is load-bearing for the argument of this paper, since the character view is the only classical representation that can see punctuation, casing and spacing. Transformers receive raw text, whitespace-normalised only, truncated to 128 tokens.

F. Models and configurations

Twenty classical families are evaluated, each on every representation it supports, giving 38 configurations per corpus. The families are three Naive Bayes variants, Multinomial, Bernoulli and Complement, logistic regression under three solvers, a linear support vector machine, a ridge classifier, stochastic gradient descent under hinge, log and modified-Huber losses, a passive-aggressive classifier, decision trees under both splitting criteria, random forest, extremely randomised trees, AdaBoost, LightGBM, and a multilayer perceptron under two solvers. Linear and Naive Bayes models run on the sparse representations, tree ensembles and the perceptron on the reduced one. Where a family exposes a choice of solver or criterion, each option is evaluated as a separate configuration, which is what lets Section IV-B answer the question of which optimiser suits a classical detector.

Two transformers are fine-tuned, bert-base-uncased [35] and microsoft/deberta-v3-base [36], with AdamW over a grid of learning rate in $\{2e-5, 3e-5\}$, batch size in $\{16, 32\}$ and weight decay in $\{0.01, 0.1\}$, which is a sixteen-run grid per dataset, eight per model, with the operating point selected on validation weighted F1 and early stopping at patience two.

DeBERTa is the strongest encoder of its size on general language-understanding benchmarks, ahead of both BERT and RoBERTa at comparable parameter counts [36], which is reason enough to include it. Two properties matter more for this study specifically. Its disentangled attention separates content from position, the relevant inductive bias when the question is how much of a corpus is separable by form, and its SentencePiece tokeniser [37] encodes leading whitespace whereas BERT’s WordPiece does not, which makes the pair a controlled contrast on exactly the cue Section IV-P examines. Benchmark standing does not by itself predict the outcome here, since the two models are level on DAIGT V2 and separate only on HC3.

G. The surface-content decomposition

The central instrument of this paper separates how much of a benchmark’s human-versus-machine separability is available from surface form alone and how much from content alone. Write x for a document and $y \in \{0, 1\}$ for its label, with 1 denoting machine-generated. Let $\mathcal{D}_{tr}$ and $\mathcal{D}_{te}$ be the fixed training and test partitions. Two maps are defined on the raw text. The surface map ϕ_S sends a document to $\mathbb{R}^{47}$, a vector of orthographic statistics described in Section III-I, and reads no word identity whatsoever. The content map ϕ_C first applies the normalisation

$$\nu(x) = \text{collapse}\left(\text{map}(\text{lower}(x), \sigma)\right), \quad (1)$$

Document length by class (clipped at the 99th percentile)




Fig. 2. Document length by class, clipped at the 99th percentile. The human tail is the long one on DAIGT V2, while on HC3 the machine distribution sits to the right of the human one.

where lower lowercases, map applies the character rule σ that keeps a character when it is a lowercase Latin letter or whitespace and replaces it with a space otherwise, and collapse reduces runs of whitespace to a single space. The normalised text is then sent to raw bag-of-words counts over the training vocabulary. Punctuation, casing and non-ASCII characters cannot survive ν , so they cannot enter the content arm. Word identity never enters ϕ_S .

Each arm fits one logistic regression on the same training partition,

$$h_a = \arg \min_h \sum_{(x,y) \in \mathcal{D}_{tr}} \ell(h(\phi_a(x)), y) + \frac{1}{2C} \|h\|_2^2, \quad (2)$$

for $a \in \{S, C\}$, with ℓ the logistic loss and C fixed at the library default for both arms. Sharing the classifier family and regularisation strength is what makes the two arms comparable, since any difference is then in what the representation carries rather than how it is fitted. The decomposition uses one classifier by design, which is the opposite of the sweep in Section IV-A and for a different purpose, since a sweep asks which model is best and a decomposition asks what a representation carries.

The quantity we report is the error of each arm on the held-out partition,

$$\varepsilon_a = \frac{1}{|\mathcal{D}_{te}|} \sum_{(x,y) \in \mathcal{D}_{te}} \mathbf{1}[h_a(\phi_a(x)) \neq y], \quad (3)$$

and the separability gap between them,

$$\Delta = \varepsilon_S - \varepsilon_C. \quad (4)$$

A gap near zero says orthography alone reaches the same accuracy as content alone on that corpus. A large positive gap says content carries what orthography does not. The surface arm's own error answers a more direct question, how much of the benchmark a detector could pass without reading language at all.

Two properties of Δ matter. It compares two specific arms rather than partitioning the total separability, since a richer surface featurisation would lower ε_S and a stronger content model would lower ε_C , so it is a corpus-level comparison under a fixed pair of instruments, and it is not a claim that either corpus is clean. The *full* arm is the fine-tuned transformer on raw text, differing from the other two in model family, parameter count and the amount of text it reads, so we report it as a reference point and draw no conclusion from a transformer-to-classical difference without first matching the text budget.

H. The length channel and how it is closed

One channel survives into both arms, since the surface arm reads character, word and sentence counts directly and raw bag-of-words rows sum to document length, so ϕ_C recovers it too. Length is a documented confound on both corpora [6] and Figure 2 shows it directly, so we close it. On the surface side we drop the five features whose magnitude scales with document size, leaving 42 rates and ratios, and write ϕ_S^{-L} for

the reduced map. Every dropped feature has a rate twin in the same vector, so the cue itself is not removed with the length. On the content side we normalise each row to unit total and rescale by the mean training document length $\bar{n}$,

$$\phi_C^{-L}(x) = \bar{n} \cdot \frac{\phi_C(x)}{\|\phi_C(x)\|_1}. \quad (5)$$

The rescaling is not cosmetic, since rows summing to one shrink every feature by roughly $\bar{n}$, so at fixed C the effective penalty becomes far heavier and the arm collapses for reasons of scale rather than of length. Section IV-N reports both variants and reads only the rescaled one. We also fit a *length-only* arm on the three pure document-size features, so the shared channel is measured directly rather than inferred from what removing it costs the other two.

I. The surface feature set

The 47 features cover punctuation-character rates, whitespace behaviour including spaces before punctuation, casing statistics, document and sentence length, non-ASCII and emoji rates, and digit rates. Every one is a count or a rate computable in one pass over the raw string, with no model, no lexicon and no language identification, which is what makes the measurement cheap enough to run on a new corpus before committing to it.

J. Metrics

We report accuracy, error rate, weighted and macro F1, per-class precision and recall, the area under the ROC curve, the area under the precision-recall curve and the false-positive rate. Weighted F1 is the metric prior work on these corpora reports, and error rate accompanies it because F1 compresses at this ceiling, so a change from 0.9916 to 0.9972 reads as small while the corresponding error rate falls threefold. For class c with precision P_c , recall R_c , support n_c and $N = \sum_c n_c$,

$$F1_c = \frac{2P_c R_c}{P_c + R_c}, \quad F1_w = \sum_c \frac{n_c}{N} F1_c, \quad F1_m = \frac{1}{|\mathcal{C}|} \sum_c F1_c. \quad (6)$$

Weighted and macro F1 coincide to four decimal places in every row we report, which is the check that no result here is produced by class skew. The false-positive rate is reported separately because it is the quantity a deployed detector is judged on, since a false positive is an accusation against a human writer.

K. Paired statistics

Every transformer baseline is read from the deployed checkpoint’s own record rather than from the maximum over its hyperparameter grid, because an earlier version of this analysis compared a grid maximum against a fixed configuration and reported differences that did not exist. Seed spread over three seeds is reported as a range and only for the cell it was measured on, never borrowed across datasets or model families, since fine-tuning outcomes vary materially with initialisation and data order [38, 39]. A range over three runs is not a test

statistic, so no comparison here rests on one, and we run no parametric tests at $n \leq 30$.

Where two models are compared on the same test set, the comparison is paired, because the two predictions are made on the same documents and treating them as independent samples discards that structure. Let b be the number of documents the first model classifies correctly and the second does not, and c the reverse. Under the null that the two have equal error, the discordant pairs split evenly, so

$$b \mid (b + c) \sim \text{Binomial}(b + c, \frac{1}{2}), \quad (7)$$

and we report the exact two-sided binomial p -value [40] rather than the chi-squared approximation, which is unreliable when $b + c$ is small, as it is for several comparisons here.

An exact test reports whether a difference is distinguishable from zero, not how large it is, so each comparison also carries a paired bootstrap interval on the error difference [41]. Writing $e_i^{(1)}$ and $e_i^{(2)}$ for the two models’ per-document error indicators, we resample document indices with replacement $B = 10,000$ times and take the empirical 2.5th and 97.5th percentiles of

$$\hat{\Delta}^{(b)} = \frac{1}{n} \sum_{i \in I_b} (e_i^{(1)} - e_i^{(2)}), \quad (8)$$

where I_b is the b th resample. Resampling index sets rather than each model’s errors independently is what preserves the pairing.

A bootstrap resamples one test set and therefore says nothing about how the corpus was partitioned in the first place. Because the central claim of this paper is a null on HC3, and a null is exactly the kind of claim a single lucky partition can manufacture, the whole decomposition is repeated over five group-aware partitions of the same balanced sample, varying only the split seed. Section IV-O reports what that shows.

L. Controls

Three controls guard the claims below, each added after an uncontrolled version of the corresponding experiment produced a conclusion that did not survive. The *pipeline-fires* control exists because our whitespace cleaning produces bit-identical BERT predictions on HC3, which alone is indistinguishable from a cleaning step that never ran, so we apply the same pipeline to DAIGT V2, where it also removes emoji that WordPiece represents, and confirm predictions there do change. The *tokenisation* control compares token identifier sequences for minimally different strings, since whether a detector can exploit a character-level cue is a property of its tokeniser and directly testable. The *label-free* control scores 400 inputs per condition carrying no human-versus-machine information at all, including uniform random character strings, token-shuffled text, punctuation-only strings, a repeated token and the empty string, without which a confident prediction on corrupted input is indistinguishable from a learned response to it.

TABLE III
BEST CONFIGURATION PER MODEL FAMILY ON EACH CORPUS, RANKED BY DAIGT V2 WEIGHTED F1. TWENTY FAMILIES, 38 CLASSICAL CONFIGURATIONS PER CORPUS, WITH THE WINNING REPRESENTATION SHOWN BESIDE EACH SCORE. FPR IS THE FALSE-POSITIVE RATE, THE SHARE OF HUMAN DOCUMENTS CALLED MACHINE.

Family	DAIGT V2					HC3				
	Rep.	Acc.	F1 _w	AUC	FPR	Rep.	Acc.	F1 _w	AUC	FPR
RidgeClassifier	char3-5	0.9941	0.9941	0.9995	0.0009	char3-5	0.9831	0.9831	0.9989	0.0296
LinearSVC	char3-5	0.9936	0.9936	0.9995	0.0023	char3-5	0.9890	0.9890	0.9995	0.0169
LightGBM	TF-IDF-s	0.9926	0.9926	0.9995	0.0011	TF-IDF-s	0.9652	0.9652	0.9940	0.0376
SGD [hinge]	char3-5	0.9919	0.9919	0.9991	0.0031	char3-5	0.9805	0.9805	0.9987	0.0363
MLP [adam]	TF-IDF-s	0.9910	0.9910	0.9992	0.0037	TF-IDF-s	0.9106	0.9106	0.9727	0.1077
PassiveAggressive	TF-IDF	0.9907	0.9907	0.9991	0.0060	TF-IDF	0.9275	0.9275	0.9791	0.0831
SGD [modified_huber]	TF-IDF	0.9894	0.9894	0.9991	0.0051	TF-IDF	0.9444	0.9444	0.9862	0.0582
LogReg [lbfgs]	BoW	0.9893	0.9893	0.9988	0.0065	char3-5	0.9825	0.9825	0.9986	0.0294
LogReg [liblinear]	BoW	0.9893	0.9893	0.9988	0.0065	char3-5	0.9823	0.9823	0.9987	0.0301
SGD [log_loss]	BoW	0.9873	0.9873	0.9984	0.0085	char3-5	0.9754	0.9754	0.9970	0.0426
ExtraTrees	TF-IDF-s	0.9864	0.9864	0.9982	0.0048	TF-IDF-s	0.9479	0.9479	0.9879	0.0619
LogReg [saga]	TF-IDF	0.9860	0.9860	0.9984	0.0063	TF-IDF	0.9369	0.9369	0.9838	0.0634
RandomForest	TF-IDF-s	0.9827	0.9827	0.9976	0.0068	TF-IDF-s	0.9366	0.9366	0.9836	0.0716
AdaBoost	TF-IDF-s	0.9626	0.9626	0.9935	0.0386	TF-IDF-s	0.8920	0.8919	0.9616	0.0736
MultinomialNB	BoW	0.9591	0.9591	0.9918	0.0151	char3-5	0.9448	0.9448	0.9817	0.0869
ComplementNB	BoW	0.9591	0.9591	0.9918	0.0151	char3-5	0.9449	0.9449	0.9817	0.0867
BernoulliNB	BoW	0.9570	0.9570	0.9903	0.0273	char3-5	0.9087	0.9087	0.9500	0.0796
MLP [sgd]	TF-IDF-s	0.9397	0.9397	0.9833	0.0372	TF-IDF-s	0.8589	0.8588	0.9344	0.1108
DecisionTree [gini]	TF-IDF-s	0.9124	0.9124	0.9124	0.0835	TF-IDF-s	0.8545	0.8545	0.8616	0.1432
DecisionTree [entropy]	TF-IDF-s	0.9044	0.9044	0.9044	0.0915	TF-IDF-s	0.8616	0.8616	0.8693	0.1493

IV. RESULTS AND DISCUSSIONS

A. The full model sweep

Table III reports the best configuration of every classical family on both corpora. Three things in it matter for the rest of the paper.

First, the winning representation on both corpora is the character n-gram view, which is the only classical representation fitted on raw text. It wins outright on DAIGT V2 for the top two families and on HC3 for eight of the twenty. Second, the spread across families is wide, from 0.9941 down to 0.9044 on DAIGT V2 and from 0.9890 down to 0.8545 on HC3, so a paper reporting one classical baseline is reporting a point on a range rather than a property of classical models. Third, the ordering does not transfer between corpora. LightGBM is third on DAIGT V2 and eighth on HC3, the multilayer perceptron under Adam is fifth on DAIGT V2 and fifteenth on HC3, while the Naive Bayes family moves the other way.

Figure 3 places the transformers in that field, and this is where the two benchmarks part company most visibly. On HC3 DeBERTa and BERT take the top two positions and the best classical configuration, LinearSVC over character n-grams, trails DeBERTa by 0.0082 weighted F1. On DAIGT V2 the transformers sit fifth and sixth, below a ridge classifier, a linear support vector machine, LightGBM and stochastic gradient descent, all of which are cheaper by orders of magnitude. The best model on DAIGT V2 overall is therefore classical, at 0.9941 against DeBERTa’s 0.9917, and the classical-to-transformer gap on that corpus is zero to four decimal places in the transformers’ disfavour.

That result should be read carefully rather than as a claim that classical models beat transformers. Section IV-J shows the comparison is not matched in the amount of text each

side reads, and refitting the classical grid on the span the transformer tokeniser actually keeps removes the advantage. What survives is the narrower and more interesting statement, that on DAIGT V2 a model reading raw character n-grams over the whole document extracts as much as a fine-tuned transformer reading the opening 128 tokens, and that the representation doing so is the one that keeps orthography.

B. Which optimiser suits a classical detector

TABLE IV
FAMILIES THAT EXPOSE A CHOICE OF SOLVER OR SPLITTING CRITERION. SPREAD IS THE WEIGHTED-F1 RANGE ACROSS THE OPTIONS WITHIN THAT FAMILY ON THAT CORPUS.

Family	Corpus	Best option	Rep.	Spread
LogReg	DAIGT V2	LogReg [lbfgs]	BoW	0.0036
LogReg	HC3	LogReg [lbfgs]	char3-5	0.0459
SGD	DAIGT V2	SGD [hinge]	char3-5	0.0100
SGD	HC3	SGD [hinge]	char3-5	0.0581
MLP	DAIGT V2	MLP [adam]	TF-IDF-s	0.0513
MLP	HC3	MLP [adam]	TF-IDF-s	0.0518
DecisionTree	DAIGT V2	DecisionTree [gini]	TF-IDF-s	0.0080
DecisionTree	HC3	DecisionTree [entropy]	TF-IDF-s	0.0072

Table IV isolates the four families where the sweep evaluates more than one solver or criterion. The choice is not free. Adam beats plain stochastic gradient descent inside the multilayer perceptron by more than five weighted-F1 points on both corpora, and the hinge loss beats the log loss inside the linear stochastic-gradient family by 5.81 points on HC3. The two logistic-regression solvers that converge to the same objective, lbfgs and liblinear, land within 0.0002 of each other on both corpora, as they should, which is a useful internal consistency check on the sweep. Solver choice therefore matters most where the objective differs and least where it




Fig. 3. All twenty classical families against the two fine-tuned transformers on the same partitions. The two corpora place the transformers differently, at the top on HC3 and inside the classical field on DAIGT V2.

does not, and the largest single spread in the table, 5.81 points, is larger than the entire classical-to-transformer gap on HC3.

C. Threshold-free ranking and the operating region

Figure 4 gives ROC and precision-recall curves for the six strongest families on each corpus. Two observations follow. Over the full axis the curves are indistinguishable, every one pressed against the corner, so the figure restricts the ROC panels to the region a deployed detector actually operates in, where a false positive is an accusation. And ranking by area does not reproduce ranking by F1, since on DAIGT V2 the ridge classifier, the linear support vector machine and LightGBM all report 0.9995 ROC-AUC while their weighted F1 spans 0.9941 to 0.9926. A threshold-free ranking measure and a thresholded one can disagree, which is why Table III carries both.

D. Where the errors fall

Figures 5 and 6 give confusion matrices for the same six families per corpus, and the two corpora fail in opposite directions. On DAIGT V2 the strong models are conservative about accusing a human, with the ridge classifier missing 3 of 3,519 human essays and 38 of 3,479 machine essays, so the residual error is almost entirely machine text passing as human. On HC3 the direction inverts, with the linear support vector machine missing 91 of 5,377 human answers and 27 of 5,355 machine answers. The false-positive column in Table III makes the same point numerically, since the best DAIGT V2 false-positive rate is 0.0009 while the best HC3 rate is 0.0169, nineteen times higher. For a deployed detector that difference matters more than the F1 gap between the same two rows.

E. Overfitting and data scaling

Figure 7 reports the train-minus-test weighted-F1 gap for every family. The worst offenders are the unpruned decision trees, at 0.0956 on DAIGT V2 and 0.1454 on HC3, which is what an unregularised tree on a 6,000-dimensional TF-IDF space is expected to do. What matters more is the corpus-level difference. On DAIGT V2 only the two decision-tree configurations exceed a 0.02 gap, while on HC3 the multilayer perceptron, the passive-aggressive classifier, random forest, extremely randomised trees, LightGBM and modified-Huber stochastic gradient descent all join them. HC3 is the harder corpus to fit without memorising, which is consistent with its 7.16% internal duplication and with the subgroup structure Section IV-M uncovers.

Figure 8 adds the data-scaling view. On DAIGT V2 the training and validation curves meet near 0.985 weighted F1 and both flatten by about 6,000 documents, so more data would buy very little. On HC3 the two curves never meet, with training held near 0.958 while validation climbs from 0.856 to 0.928 and is still rising at 26,000 documents. The gap that persists on HC3 is the same gap Figure 7 measures at a single training size, seen as a function of how much data the model has been given.

F. Which words carry the content signal

Figure 9 ranks terms by class log-odds. The two corpora again behave differently. On DAIGT V2 the extreme terms are ordinary content words and misspellings, with *becuase*, *candiate* and *driveless* on the human side and *sustainable*, *impressions* and *protections* on the machine side, which is a genuine if shallow stylistic difference. On HC3 the human side is led by *nthe*, *nin*,

ROC and precision-recall curves (ROC axes zoomed to the region where models differ)




Fig. 4. ROC and precision-recall curves for the six strongest families per corpus, with areas in the legend. The ROC axes are restricted to the low-false-positive region, since over the full range every curve sits against the corner.

noverall, nso and url_0 through url_3, none of which is a word. Those are fragments of the corpus encoding, newline sequences merged into the following token and placeholder tokens substituted for hyperlinks during collection. A bag-of-words model on HC3 is therefore already partly reading collection artefacts, before any orthographic feature is introduced, which is the first sign of what Section IV-K measures directly.

Figures 10 and 11 confirm the pattern from two different model families. The fitted linear coefficients put `url`, `etc` and `ca` at the top of HC3’s human side, and LightGBM’s gain importance ranks `url` first on the same corpus. On DAIGT V2 both models rank topical essay vocabulary instead, `student`, `car`, `school` and `conclusion`, which is what a corpus of argumentative essays on a fixed set of prompts should produce. Two model families with different inductive biases agreeing on the ranking is what makes this an observation about the corpora rather than about either model.

G. Attribution over the fitted models

Shapley attribution [42] over the fitted LightGBM models gives the per-document view, and the two corpora differ in how concentrated that attribution is. Ranked by mean absolute

contribution, DAIGT V2 declines gradually from would at 0.86 through a long tail of essay vocabulary, so no term dominates, while HC3 is led by `important` at 0.77 with `help` and `url` close behind and falls away far more steeply after them.

Figures 12 and 13 give those attributions per document. The HC3 panel is the informative one, since the `url` row carries a long negative tail reaching below -4 , meaning that a document containing the placeholder token is pushed hard towards the human label. No DAIGT V2 feature produces a tail of that shape. A single collection token acting as near-decisive evidence for one class is precisely the phenomenon the decomposition below quantifies without needing to name the feature in advance.

H. The transformer grid

Table V reports all sixteen runs per corpus. The spread within the grid is 0.0085 weighted F1 for BERT on DAIGT V2 and 0.0063 for DeBERTa on HC3, both of which are larger than several of the model-to-model differences discussed above, which is the reason every transformer figure quoted in this paper comes from the checkpoint selected on validation

DAIGT V2: confusion matrices, top 6 families




Fig. 5. DAIGT V2 confusion matrices for the six strongest families, cell counts with row percentages. Errors are concentrated on the machine side, with 38 to 50 machine essays called human against 3 to 21 human essays called machine.

TABLE V

EVERY FINE-TUNING RUN, SIXTEEN PER CORPUS. ACCURACY, WEIGHTED PRECISION, WEIGHTED RECALL AND WEIGHTED F1 ON THE HELD-OUT TEST PARTITION. THE DEPLOYED CHECKPOINTS ARE THE TWO ROWS SELECTED ON VALIDATION, NOT THE MAXIMA OF THESE COLUMNS.

Model	LR	BS	WD	DAIGT V2				HC3			
				Acc	P	R	F1	Acc	P	R	F1
BERT	2e-05	16	0.01	0.9920	0.9920	0.9920	0.9920	0.9910	0.9911	0.9910	0.9910
BERT	2e-05	16	0.1	0.9869	0.9870	0.9869	0.9869	0.9916	0.9917	0.9916	0.9916
BERT	2e-05	32	0.01	0.9936	0.9936	0.9936	0.9936	0.9944	0.9944	0.9944	0.9944
BERT	2e-05	32	0.1	0.9924	0.9924	0.9924	0.9924	0.9945	0.9945	0.9945	0.9945
BERT	3e-05	16	0.01	0.9954	0.9954	0.9954	0.9954	0.9940	0.9941	0.9940	0.9940
BERT	3e-05	16	0.1	0.9901	0.9902	0.9901	0.9901	0.9911	0.9912	0.9911	0.9911
BERT	3e-05	32	0.01	0.9919	0.9919	0.9919	0.9919	0.9929	0.9930	0.9929	0.9929
BERT	3e-05	32	0.1	0.9916	0.9916	0.9916	0.9916	0.9933	0.9933	0.9933	0.9933
DeBERTa	2e-05	16	0.01	0.9953	0.9953	0.9953	0.9953	0.9937	0.9937	0.9937	0.9937
DeBERTa	2e-05	16	0.1	0.9940	0.9940	0.9940	0.9940	0.9952	0.9952	0.9952	0.9952
DeBERTa	2e-05	32	0.01	0.9930	0.9930	0.9930	0.9930	0.9953	0.9954	0.9953	0.9953
DeBERTa	2e-05	32	0.1	0.9934	0.9934	0.9934	0.9934	0.9964	0.9964	0.9964	0.9964
DeBERTa	3e-05	16	0.01	0.9917	0.9917	0.9917	0.9917	0.9980	0.9980	0.9980	0.9980
DeBERTa	3e-05	16	0.1	0.9940	0.9940	0.9940	0.9940	0.9972	0.9972	0.9972	0.9972
DeBERTa	3e-05	32	0.01	0.9920	0.9921	0.9920	0.9920	0.9964	0.9964	0.9964	0.9964
DeBERTa	3e-05	32	0.1	0.9949	0.9949	0.9949	0.9949	0.9966	0.9967	0.9966	0.9966

rather than from the best cell of this table. Reading a grid maximum as a model’s score inflates it by roughly the width of the grid.

I. The word-level subset used for the paired tests

The decomposition compares a surface arm against a content arm, and the content arm is word-level by definition, so the paired tests are computed on the word-level subset of the sweep, reproduced in Table VI. Excluding the character view

here is not a convenience, since a character n-gram over raw text reads punctuation and vocabulary at once and therefore cannot serve as either arm of a decomposition that holds those apart.

On that subset the two benchmarks part company as before. On DAIGT V2 the best word-level classical configuration, an SVM over TF-IDF at 0.9910 weighted F1, sits 0.0007 below the best transformer, and on the same documents the two disagree on 99 cases split 47 to 52, so McNemar returns

HC3: confusion matrices, top 6 families




Fig. 6. HC3 confusion matrices for the six strongest families, cell counts with row percentages. The asymmetry reverses relative to DAIGT V2, with 91 to 229 human answers called machine against 14 to 35 machine answers called human.

Overfitting gap (orange exceeds 0.02)




Fig. 7. Train minus test weighted F1 per family, best configuration each. Bars above the 0.02 threshold are drawn in orange. Only the two decision-tree configurations cross it on DAIGT V2, while eight families cross it on HC3.

$p = 0.69$ and the paired interval on the error difference, $[-0.21, +0.34]$ points, contains zero. On HC3 the same comparison is 0.9551 against 0.9972, 484 discordant cases split

16 to 468, $p < 10^{-6}$, and an error difference of +4.21 points with interval $[+3.82, +4.61]$, an error-rate ratio of sixteen to one.




Fig. 8. Learning curves for logistic regression over TF-IDF, shaded by cross-validation spread. DAIGT V2 converges by roughly 6,000 training documents, while the HC3 validation curve is still climbing at 26,000.




Fig. 9. Terms with the largest class log-odds ratio per corpus. HC3’s human side is dominated by tokens produced by the corpus encoding itself, such as *nthe*, *nin* and *url_0*, rather than by vocabulary choices.

TABLE VI

THE WORD-LEVEL SUBSET ON WHICH EVERY PAIRED TEST BELOW IS COMPUTED, SIX CLASSICAL CONFIGURATIONS PLUS THE TWO DEPLOYED CHECKPOINTS. THE CHARACTER N-GRAM VIEW IS EXCLUDED HERE BY CONSTRUCTION, SINCE IT MIXES THE TWO CHANNELS THE DECOMPOSITION HOLDS APART.

Model	Rep.	DAIGT V2		HC3	
		F1	err %	F1	err %
Naive Bayes	BoW	0.9591	4.09	0.8713	12.87
Naive Bayes	TF-IDF	0.9577	4.23	0.8670	13.28
Logistic Reg.	BoW	0.9893	1.07	0.9551	4.49
Logistic Reg.	TF-IDF	0.9857	1.43	0.9365	6.35
SVM	BoW	0.9870	1.30	0.9475	5.25
SVM	TF-IDF	0.9910	0.90	0.9449	5.51
BERT	raw	0.9916	0.84	0.9916	0.84
DeBERTa	raw	0.9917	0.83	0.9972	0.28

Every transformer figure above is the seed-42 checkpoint. Repeating each of the four at seeds 123 and 456 moves them

very little. DAIGT V2 BERT averages 0.9921 over a range of 0.0011 and DeBERTa 0.9930 over 0.0024, so the two overlap and the tie is not a seed accident. HC3 BERT averages 0.9930 over 0.0036 and DeBERTa 0.9970 over 0.0005, and those two ranges are disjoint, so the separation that matters to this paper survives reseeding while the tie that also matters survives it in the other direction.

J. The DAIGT V2 tie is a text budget, not an architecture result

The DAIGT V2 tie is not a matched comparison. The classical models read the whole document while the transformers read 128 tokens, which is 33.5% of a mean DAIGT V2 essay against 74.6% of a mean HC3 answer, so Table VII refits the classical grid on the exact span each checkpoint’s tokeniser kept. The best DAIGT V2 configuration rises from 0.90% to 2.10% error against BERT’s 0.84%, a difference of 1.257 points with interval $[+0.900, +1.629]$, and the DeBERTa




Fig. 10. Fitted logistic-regression coefficients under the liblinear solver. HC3 places its largest human-side weights on *url*, *etc* and *ca*, artefacts of collection rather than of authorship.




Fig. 11. LightGBM gain importance over the reduced TF-IDF representation. The DAIGT V2 ranking is topical, led by *student*, *car* and *school*, while the HC3 ranking is led by *url* and *etc*.

TABLE VII

CLASSICAL MODELS REFITTED ON THE EXACT CHARACTER SPAN EACH TRANSFORMER'S TOKENISER KEPT, SO BOTH SIDES READ THE SAME TEXT. THE WINDOW COMES FROM OFFSET MAPPING, WITH NO DECODE ROUND-TRIP.

Data	Window	chars kept	best classical err %		transf. err %
			full text	128-tok	
DAIGT V2	BERT	0.335	0.90	2.10	0.84
DAIGT V2	DeBERTa	0.341	0.90	2.09	0.83
HC3	BERT	0.746	4.49	5.66	0.84
HC3	DeBERTa	0.756	4.49	5.72	0.28

window returns the same figure. On HC3 the gap widens from 4.49% to 5.66%. Held to one text budget the transformers lead on both corpora, and what the unmatched comparison

showed was never about architecture but about information access, a bag-of-words model reading a whole essay against a transformer reading its opening. The same reading applies to the character n-gram result in Section IV-A, which is also an unmatched comparison and is reported as one.

K. On HC3, orthography alone matches content alone

Table VIII gives the decomposition. On HC3 the two arms are statistically indistinguishable, 3.20% error from orthography against 3.26% from content, disagreeing on 625 documents split 316 to 309, so McNemar returns $p = 0.81$ and the paired bootstrap puts the difference at -0.07 points with interval $[-0.52, +0.40]$. Forty-seven features that never read a word do as well as a bag-of-words model over the whole vocabulary. On DAIGT V2 the same two arms separate by a




Fig. 12. DAIGT V2 per-document SHAP values, coloured by feature value. High counts of `would` and `conclusion` push a document towards the machine class.




Fig. 13. HC3 per-document SHAP values, coloured by feature value. The presence of `url` drives a document strongly towards the human class, the single longest negative tail in either corpus.

TABLE VIII

THE SURFACE ARM READS 47 ORTHOGRAPHIC FEATURES AND NEVER A WORD. THE CONTENT ARM IS BAG-OF-WORDS AFTER PUNCTUATION, CASING AND NON-ASCII ARE STRIPPED. THE LOWER BLOCK CLOSES THE LENGTH CHANNEL BOTH ARMS SHARE.

Arm	DAIGT V2		HC3	
	F1	err %	F1	err %
surface-only	0.9214	7.86	0.9680	3.20
content-only	0.9901	0.99	0.9674	3.26
full transformer	0.9917	0.83	0.9972	0.28
<i>length channel closed</i>				
length-only (3 feats)	0.7540	24.59	0.8475	15.23
surface-only, no length	0.9007	9.93	0.9662	3.37
content-only, length-norm.	0.9906	0.94	0.9371	6.28

factor of 7.9 in error, 7.86% against 0.99%, unambiguously so, with 569 discordant documents split 44 to 525 at $p < 10^{-6}$ and a difference of +6.87 points, interval $[+6.23, +7.52]$.

The content arm is deliberately unfiltered, and that choice is load-bearing rather than incidental. Refitting it with the stopword removal and lemmatisation Table VI’s classical pipeline uses reproduces that pipeline exactly, 1.07% error on DAIGT V2 and 4.49% on HC3, and it is the weaker content model on both. On HC3 the filtered arm loses to orthography

by 1.30 points, interval $[-1.79, -0.78]$ at $p < 10^{-6}$, where the unfiltered arm ties it. We report the unfiltered arm because it is the stronger opponent, which makes the parity claim harder to make rather than easier. It also means the sixteen-to-one error ratio quoted above is computed against the filtered pipeline, and against the stronger content model the ratio is 11.6 to one.

Surface form is informative on both benchmarks, since DAIGT V2’s surface-only arm reaches 0.9214 weighted F1, far above the 0.50 a coin gives and the 0.333 a degenerate single-class predictor gives. The finding is not that one corpus is clean and the other is not, but that only on HC3 does surface rise to parity with content. The content-only arm reaches 0.9901 on DAIGT V2 against the transformer’s 0.9917, within 0.16 points of error, under the same unmatched text budget as Section IV-J, while on HC3 DeBERTa improves on either arm by roughly 0.03 weighted F1, consistent with combining information neither arm holds alone.

L. One orthographic feature carries the HC3 result

The decomposition says how much orthography carries, not which orthographic property carries it, and the two corpora differ there as sharply as in the aggregate. Per-feature Shapley attributions [42] over the surface arm, computed exactly rather than sampled because the arm is linear, put the rate of spaces preceding punctuation first on HC3, at mean absolute SHAP 7.81 against 3.35 for the next feature, and its fitted coefficient is negative, so its presence drives the human label. That is the collection convention Tian et al. [5] identified, recovered here without being looked for and quantified against the rest of the feature set. Section IV-P then shows why its presence does not license the conclusion a reader would reach next.

On DAIGT V2 the leading contributors are document length at 2.77, mean word length at 1.88 and casing statistics, none of which exceeds 2.8 and none of which is a collection convention in the same sense. The surface arm on that corpus is reading a diffuse stylistic signal rather than a single artefact, which is consistent with its much weaker showing against the content arm and with the diffuse term-level attribution in Figure 12.

M. The HC3 parity belongs to one sub-domain

TABLE IX

HC3 BY SOURCE DOMAIN, EACH REBALANCED TO PARITY ON A GROUP-AWARE SPLIT RESTRICTED TO THAT DOMAIN. THE LAST TWO COLUMNS GIVE THE SHARE OF DOCUMENTS CARRYING A SPACE BEFORE PUNCTUATION.

Domain	n	surface		cue present in	
		err %	err %	human	machine
reddit_eli5	6,690	0.01	2.66	98.9%	0.3%
finance	684	7.60	3.07	5.6%	0.1%
medicine	250	4.00	0.40	17.0%	0.1%
open_qa	198	4.04	5.05	60.7%	0.4%
wiki_csai	168	5.36	11.90	1.6%	0.2%

open_qa and wiki_csai fall below 200 test rows.

Both corpora carry subgroup labels, and rejoining them to the existing splits recovers a source for every row. Running

the same decomposition per sub-corpus rather than per corpus moves the HC3 result somewhere more specific.

Table IX gives it. On `reddit_eli5` the surface arm reaches 0.01% error, roughly one mistake in 6,690 documents, and beats content by 2.65 points. On the two other domains with enough test rows to support a claim the ordering reverses and content wins clearly, by 4.53 points on `finance` and 3.60 on `medicine`. Since `reddit_eli5` is 74.8% of the balanced corpus, the corpus-level parity reported in Section IV-K is substantially that one domain’s result.

The mechanism is the cue Section IV-L identified, and it is concentrated in the same place. It appears in 98.9% of `reddit_eli5` human documents against 0.3% of machine ones, and decays across the rest, 60.7% on `open_qa`, 17.0% on `medicine`, 5.6% on `finance` and 1.6% on `wiki_csai`. A single boolean rule, treating a document as human when the cue is present, scores 99.22% accuracy on `reddit_eli5` and 94.23% on the whole corpus at document level. Tian et al. [5] report 82.12% for the equivalent single-token rule at sentence level, and the gap between their figure and ours is the difference between a sentence and a document rather than a disagreement.

The same treatment on DAIGT V2 pairs each machine generator against the shared human essay pool. Content wins on every generator, consistent with the corpus-level result, but the surface arm’s error spans roughly fifteenfold across them, from 0.50% to 15.54%. Two pairs are the informative ones, because they are the same underlying model contributed by different people. Mistral-7B-Instruct appears at 1.09% under one contributor and 4.44% under another, and PaLM at 2.32% and 5.38%. Surface separability on that corpus therefore tracks collection provenance more closely than it tracks which model produced the text, which is the same conclusion the HC3 domain split reaches by a different route.

N. Neither result is an artefact of document length

Both arms can read document length, so the comparison above could be a length comparison in disguise. Length alone reaches 24.59% error on DAIGT V2 and 15.23% on HC3, well short of either arm but far from nothing, which is what Figure 2 predicts. Closing the channel on both sides sharpens rather than weakens the two conclusions. On DAIGT V2 the length-free content arm loses nothing, 0.94% against 0.99% at $p = 0.71$, while the length-free surface arm rises to 9.93%, widening content’s advantage from 7.9 to 10.6 times. On HC3 the surface arm barely moves, 3.20% to 3.37%, while the content arm rises to 6.28%, so orthography no longer merely matches content but beats it by 2.91 points, interval $[+2.37, +3.44]$. Removing length costs the content arm eighteen times what it costs the surface arm, the opposite of what a length-driven surface result would produce.

The instrument nearly produced a third false conclusion here. Normalising bag-of-words rows to unit total without restoring their scale shrinks every feature by roughly the mean document length, so at fixed regularisation the penalty becomes far heavier and the arm collapses to 9.69% on DAIGT

V2 and 14.25% on HC3. That reads as a dramatic length effect and is an artefact of scale, visible in the optimiser trace, where the unrescaled arm converges in 16 to 24 iterations against 121 to 192 for the raw-count arm. Every figure above uses rows rescaled to the raw-count magnitude.

O. The HC3 null survives repartitioning

TABLE X
THE DECOMPOSITION OVER FIVE GROUP-AWARE PARTITIONS OF THE SAME BALANCED SAMPLE, VARYING ONLY THE SPLIT SEED. SPLIT VARIANCE RUNS 0.17 TO 1.29 PERCENTAGE POINTS.

Arm	DAIGT V2	HC3
	mean err % (range)	mean err % (range)
surface-only	7.15 (6.74–7.86)	3.16 (3.07–3.33)
content-only	0.82 (0.66–0.99)	3.24 (3.06–3.41)
surface-only, no length	9.76 (9.47–9.93)	3.26 (3.14–3.37)
content-only, length-norm.	0.84 (0.77–0.94)	6.02 (5.82–6.28)
length-only	24.31 (23.56–24.85)	15.32 (15.23–15.49)

A null on one partition is exactly what a lucky split manufactures, so the decomposition runs again over five group-aware partitions of the same balanced sample. Seed 42 reproduces the single-split numbers exactly, which is the harness self-check that makes the other four worth reading. Content leads on DAIGT V2 on all five, by 6.00 to 6.87 points at $p < 10^{-6}$ throughout. On HC3 the difference reaches significance on none of them, with p of 0.81, 0.27, 0.34, 0.23 and 0.78, and it changes sign between partitions, from -0.30 to $+0.27$ points. Sign instability is the strong form of the null, since an underpowered real difference keeps its sign. The length-free comparison behaves the opposite way, significant on all five and stable in sign from -2.67 to -2.91 points, so the advantage orthography gains once length is removed is not a partition effect.

P. A model that cannot represent the cue reaches 0.9916 anyway

The most-discussed HC3 artefact is a space preceding punctuation in human answers [5], which Section IV-L confirms is the strongest orthographic feature there. It appears 10.745 times per human document against 0.013 per machine one, in 88.7% of human documents against 0.3%, and DAIGT V2 carries it far more weakly at 0.548 against 0.004 per document.

The natural next inference is that HC3-trained detectors exploit it. Tokenisation makes that testable rather than rhetorical, and the test does not support it. BERT’s WordPiece tokeniser splits on punctuation irrespective of adjacent whitespace. For the strings "the answer is simple ." and "the answer is simple." it emits identical identifier sequences, in three of three pairs tested, while DeBERTa’s SentencePiece encodes the leading whitespace and distinguishes all three. BERT cannot represent the cue at all and still reaches 0.9916 weighted F1 on HC3. The cue is therefore sufficient in isolation, since the surface arm that reads it reaches 0.9680, and unnecessary in practice, since a model blind to it reaches 0.9916.

This is also why removing the cue changes nothing for BERT. Whitespace cleaning on HC3 yields predictions bit-identical to the uncleaned run, verified by SHA-256 over the saved probability arrays, which alone would be indistinguishable from a cleaning step that never executed. The same pipeline on DAIGT V2, where it also removes emoji that WordPiece represents, does change BERT’s predictions, so the pipeline fires and the null is specific to whitespace.

The cue is also close to load-bearing for the surface arm, which the attribution alone does not establish. Applying the cleaning kit Tian et al. released, and nothing else, changes 44.5% of HC3 documents and moves the surface arm from 3.20% to 13.22% error, a loss of 10.03 points with interval $[-10.69, -9.38]$. The content arm is untouched at 3.26%, since the cleaning removes characters its normalisation already discards, so after cleaning orthography sits 9.96 points behind content on the corpus where it had tied. HC3’s surface parity is therefore not a diffuse property of the corpus but a single collection convention, and a reader who cleans the corpus before using it should expect the surface arm to behave as it does on DAIGT V2. We note that our own cleaned artefact applies length matching alongside the whitespace fix, so this experiment rebuilds the cleaned text without it to isolate what the kit removes.

We do not attribute the BERT-to-DeBERTa difference on HC3 to this cue, since the two models differ in tokeniser, architecture, pretraining corpus and parameter count. What the experiment establishes is narrower and, for anyone planning a cleaning ablation, more useful, that a null from removing a cue is uninterpretable without first checking the model could read it.

Q. The adversarial collapse is not distinguishable from a degenerate response

TABLE XI

LABEL-FREE CONTROL. SHARE OF INPUTS ASSIGNED THE *human* LABEL (MEAN MAX SOFTMAX IN PARENTHESES), 400 INPUTS PER CONDITION, NONE CARRYING HUMAN-VERSUS-MACHINE INFORMATION.

Checkpoint	rand. chars	shuffled	punct.
DAIGT V2 BERT	0% (0.91)	94.8% (0.99)	97.8% (0.71)
DAIGT V2 DeBERTa	100% (0.99)	100% (1.00)	100% (1.00)
HC3 BERT	51.0% (0.71)	98.5% (1.00)	100% (1.00)
HC3 DeBERTa	100% (0.98)	100% (1.00)	100% (0.99)

Perturbing HC3 test text with character-level typos at 10% of alphabetic characters drives DeBERTa from 0.9972 to 0.3644 weighted F1. The confusion matrix is one-directional, $[[5376, 1], [5207, 148]]$, with human documents still classified almost perfectly and machine documents reassigned to human. On unperturbed data the same checkpoints split their errors roughly evenly between the two directions, so against that baseline this looks like a targeted vulnerability. It is not what the control shows.

Table XI reports the label-free control. On inputs carrying no human-versus-machine information the same model assigns the human label to uniform random character strings in 100%

of cases at mean confidence 0.98, and all four checkpoints label token-shuffled and punctuation-only text human between 94.8% and 100% of the time. The behaviour is specific to neither HC3 nor the attack.

Three candidate mechanisms were tested and none survives. Majority-prior collapse is excluded by the training balance, 0.4981 against 0.5019 on DAIGT V2 and 0.4999 against 0.5001 on HC3. Cue injection is excluded because the perturbation does not create the whitespace artefact, moving the machine-side count only from 0.000 to 0.005. And a learned association from disfluency to human authorship is unsupported, since subword fertility runs the wrong way, 1.1192 for HC3 human text against 1.1980 for machine.

We therefore decline to read our own perturbation numbers as robustness measurements, since the experiment establishes a requirement on future work rather than a property of these benchmarks. One contrast within them is worth stating even so. Back-translation rewrites the text while leaving it readable and costs all four models between 0.004 and 0.020 weighted F1, whereas character-level corruption, which makes the text unreadable, produces the collapses, with HC3 BERT falling to 0.3746 and HC3 DeBERTa to 0.3644 under 10% typos. That pattern fits the label-free reading and not a targeted cue-removal one.

R. Transfer and ensembling

TABLE XII

CROSS-CORPUS TRANSFER, THREE SEEDS PER CELL, TRAINED ON ONE CORPUS AND TESTED ON THE OTHER. RANGES ARE OBSERVED MINIMA AND MAXIMA, NOT CONFIDENCE INTERVALS.

Trained	Model	in-dom.	cross-dom. (range)	gap
DAIGT	BERT	0.9921	0.7902 (0.770–0.810)	0.2019
DAIGT	DeBERTa	0.9930	0.9096 (0.891–0.926)	0.0833
HC3	BERT	0.9930	0.8311 (0.813–0.852)	0.1619
HC3	DeBERTa	0.9970	0.8512 (0.830–0.887)	0.1458

Table XII reports transfer in both directions over three seeds, with each model trained on one corpus and evaluated on the other without adaptation. Every cell loses between 0.0833 and 0.2019 mean weighted F1, which is what should happen if a substantial part of each corpus’s separability is corpus-specific. DeBERTa’s gap is roughly half BERT’s in both directions at the mean level. We report that as a mean-level pattern that survives three-seed averaging rather than as a confirmed effect, because the observed ranges for BERT’s two directions nearly touch and this project runs no parametric tests at three seeds.

Table XIII closes the comparison with the soft-vote ensemble over the two deployed checkpoints, its mixing weight chosen on validation and applied once to test. It does not reliably beat its stronger member. On DAIGT V2 an equal mix reaches 0.9936 against DeBERTa’s 0.9917, but McNemar returns $p = 0.085$ and the interval on the error difference, $[-0.39, +0.01]$ points, contains zero. On HC3 the sweep places zero weight on BERT, so the ensemble is DeBERTa and reports DeBERTa’s score, which is why the last two rows of the HC3 block are identical. We record that degenerate

TABLE XIII
FINAL COMPARISON OF THE MODEL FAMILIES REPORTED ACROSS BOTH CORPORA, INCLUDING THE SOFT-VOTE ENSEMBLE OVER THE TWO DEPLOYED CHECKPOINTS.

Model	DAIGT V2				HC3			
	Acc	P	R	F1	Acc	P	R	F1
Naive Bayes	0.9591	0.9603	0.9591	0.9591	0.8713	0.8715	0.8713	0.8713
Logistic Reg.	0.9893	0.9893	0.9893	0.9893	0.9540	0.9540	0.9540	0.9540
SVM	0.9910	0.9911	0.9910	0.9910	0.9449	0.9452	0.9449	0.9449
BERT	0.9916	0.9916	0.9916	0.9916	0.9916	0.9917	0.9916	0.9916
DeBERTa	0.9917	0.9917	0.9917	0.9917	0.9972	0.9972	0.9972	0.9972
Ensemble	0.9936	0.9936	0.9936	0.9936	0.9972	0.9972	0.9972	0.9972

weight rather than presenting it as an ensemble result. Reading either row as an improvement would be treating a fourth-decimal difference as a finding, which is consistent with Lai et al. [25], who find ensembling preserves in-distribution accuracy without touching the shift that actually degrades these models.

S. A published detector on the same partitions

Every model above is one we trained. Hello-SimpleAI’s RoBERTa detector, released with HC3 by that corpus’s authors [43], supplies an external one, and we ran it over the same test partitions without fine-tuning and with inputs truncated at 512 tokens. On HC3 it reaches 0.9952 weighted F1 at 0.48% error. That figure is contaminated, because the detector was trained on HC3 and our test rows were almost certainly in its training data, so we read it as an upper bound on a memorised task rather than as evidence. On DAIGT V2, a corpus assembled after it and from other generators, the same detector reaches 0.8230 weighted F1 at 17.55% error. Our DeBERTa checkpoint, trained on DAIGT V2, errs on 0.83% of those documents.

The two models are not equals, since one was trained on the corpus being scored and the other was not, so the twenty-one-fold error gap measures that asymmetry rather than architecture. The out-of-domain figure still bounds how far one published accuracy travels. The detector behind the 99.82 F1 quoted in Section II keeps 0.9952 weighted F1 on the corpus it was built for and loses seventeen points on a benchmark built later from other generators. We report this as a reference point and not as a detector comparison, which would need matched training data on both corpora.

T. Discussion

The decomposition separates two benchmarks that a headline accuracy figure does not, and applied per sub-corpus it separates one benchmark from itself. On HC3 orthography alone matches content alone and a paired test cannot distinguish them on any of five partitions, while on DAIGT V2 content is stronger by a factor of 7.9 in error. Section IV-M then narrows the first of those. The tie is the Reddit sub-corpus, which carries the cue in 98.9% of its human documents and is 74.8% of the corpus, and content wins on the other domains that can support a claim. Neither a practitioner choosing an evaluation corpus nor a reviewer reading a reported score can recover that distinction from the score itself. The attribution in

Section IV-L says where it comes from, since HC3’s surface arm is close to a single-feature model while DAIGT V2’s reads a diffuse mixture of length, word shape and casing. Those are different kinds of corpus even though both are separable by form, and the practical consequence differs, because a single collection convention can be cleaned and a diffuse stylistic signal cannot, and may not even be an artefact.

The sweep supports the same reading from the other end. Across twenty families the representation that wins on both corpora is the one fitted on raw text, and on DAIGT V2 it beats every transformer we fine-tuned. A practitioner reading only that result would conclude that character n-grams are the better detector. The decomposition says something more specific, that a character view wins partly because it reads the channel a cleaned word view discards, and Section IV-J says the rest of the margin is text budget rather than architecture. Neither correction is visible in a leaderboard.

The measurement does not license a claim that either corpus is clean. DAIGT V2’s surface-only arm reaches 0.9214 weighted F1, so surface form is substantially informative on both, and the finding is comparative, that surface reaches parity with content on one corpus and not the other, bounded by the arms we built.

Two results began as the opposite conclusion and say more about method than about these corpora. A cleaning experiment reporting no change is uninterpretable without evidence the pipeline ran, and a tokeniser that cannot represent the cue being cleaned makes the null a fact about the model rather than the corpus. A collapse under perturbation is uninterpretable without a label-free control, since a model that calls random strings human at 0.98 confidence produces the same curve with no vulnerability behind it. We suggest comparable published collapses be read with that control in mind.

Three reporting practices here were adopted after an error reached a draft. Transformer baselines are read from the deployed checkpoint’s own record rather than a grid maximum, after an ablation comparing the two reported differences that did not exist, and Table V shows the size of the inflation that practice avoids. Seed spread is quoted only for the cell it was measured on, after one was borrowed across corpora as a noise floor. And a leakage rate quoted from an earlier draft had no source file, so it was removed and then measured.

There is a connection to fairness we did not measure and that is the most consequential reason to care which arm a score comes from. Liang et al. [28] show deployed detectors misclassify non-native English writing as machine-generated at high rates. A detector whose separability rests on orthographic regularity should be expected to concentrate its false positives on writers whose orthographic habits differ from the corpus it was fitted to. Our measurement predicts which corpora carry that risk most sharply, and the false-positive column of Table III shows the two benchmarks already differ by nineteen times on that quantity. Establishing the effect would need author metadata neither corpus provides.

V. LIMITATIONS

Several limits bound every number above. The transformers see at most 128 tokens, so the DAIGT V2 transformer results describe classification from an essay’s opening, and both the cross-corpus comparison in Table XII and the classical-versus-transformer comparison in Table III are not like-for-like in the text each model receives. The four deployed checkpoints were run at three seeds and move by 0.0005 to 0.0036 weighted F1, but the hyperparameter grid behind them is single-seed, and the classical sweep is single-seed throughout, so a different seed could in principle have selected a different winner. The content arm is bag-of-words, so word order and syntax lie outside it and a syntactic arm could narrow the DAIGT V2 gap, while the surface set is 47 hand-built features, two with no variance on the DAIGT V2 test split and one on HC3, so ε_S is an upper bound. HC3 has one generator collected at one time and both corpora are English, so the orthographic conventions the surface arm reads are not language-independent. We evaluate two corpora and their eighteen sub-corpora across twenty classical families and two transformers, and claim nothing beyond them. Five of those sub-corpora fall below 200 test rows after rebalancing and are reported as underpowered rather than as null results.

VI. CONCLUSION AND FUTURE WORKS

We proposed a decomposition that measures how much of a machine-generated-text benchmark’s separability is available from surface form alone rather than from content, and applied it to DAIGT V2 and HC3 on top of a full sweep, twenty classical families over four representations and two transformers over a sixteen-run grid on each corpus. On HC3 the two arms are indistinguishable under paired testing on five partitions, and attribution, ablation and a per-domain split agree that a single collection convention in a single dominant sub-corpus accounts for most of the surface arm. On DAIGT V2 content leads by a factor of 7.9 in error, the surface signal is diffuse, and the best model of the eighty we evaluated is a ridge classifier over raw character n-grams at 0.9941 weighted F1 rather than a fine-tuned transformer. Closing the length channel both arms share strengthens both conclusions. Three controls, on tokenisation, pipeline execution and label-free inputs, each overturned a conclusion this study had reached without them.

The measurement itself is the portable part. It needs no new annotation, it fits two logistic regressions, and it runs in minutes on a laptop. It yields one number per corpus that a headline accuracy cannot express, namely how much of that corpus a model could pass without reading the language. We would encourage reporting it alongside any new detection benchmark, in the same way a hypothesis-only baseline is now reported alongside a natural language inference dataset [19].

Future work can focus on (1) extending the decomposition to broader-coverage benchmarks such as RAID and M4, where the surface-content split has not yet been measured, (2) testing whether the same parity pattern appears in non-English corpora, since both benchmarks studied here are English and one generator dominates HC3, and (3) pairing the measurement

with author metadata to test directly whether orthographic-cue reliance concentrates false positives on non-native writers, the fairness risk this paper predicts but does not measure.

ACKNOWLEDGMENT

The authors express their sincere gratitude to the Ubiquitous, Cloud, and Human-Computer Interaction (UCH) Research Group, Department of Computer Science, American International University-Bangladesh for supporting this research.

DATA AND CODE AVAILABILITY

Both corpora are public. Every number in this paper is produced by a committed script that writes a JSON or CSV file, and no number was transcribed from a session log. The partition is built once by a script that asserts no duplicate-content group crosses a boundary, and is reused unchanged by every model and every training seed. A single notebook reproduces the preprocessing, the full classical sweep, both transformers at their deployed configurations and the ensemble, reading each configuration from the checkpoint record at runtime rather than from a value typed into the notebook. Code is released for reproduction.

REFERENCES

- [1] B. Guo, X. Zhang, Z. Wang, M. Jiang, J. Nie, Y. Ding, J. Yue, and Y. Wu, “How close is chatgpt to human experts? comparison corpus, evaluation, and detection,” 2023, preprint. [Online]. Available: <https://www.semanticscholar.org/paper/cb29cf52f0f7d2e4324c68690a55b22890f2212d>
- [2] Z. Su, X. Wu, W. Zhou, G. Ma, and S. Hu, “Hc3 plus: A semantic-invariant human chatgpt comparison corpus,” 2023, preprint. [Online]. Available: <https://www.semanticscholar.org/paper/ff7ee54876220ccf425050a14f14bb9893849f05>
- [3] C. Zhou, “Exploiting machine learning model ensemble for AI-generated texts detection,” *Transactions on Computer Science and Intelligent Systems Research*, vol. 5, 2024, aIDML 2024. [Online]. Available: <https://wepub.org/index.php/TCSISR/article/view/2382>
- [4] M. S. Ansary, “A multirepresentation stacked ensemble for AI-generated text detection,” *International Journal of Intelligent Systems*, vol. 2026, no. 1, 2026. [Online]. Available: <https://doi.org/10.1155/int/3992539>
- [5] Y. Tian, H. Chen, X. Wang, Z. Bai, Q. Zhang, R. Li, C. Xu, and Y. Wang, “Multiscale positive-unlabeled detection of AI-generated texts,” in *Proc. Int. Conf. Learning Representations (ICLR)*, 2024. [Online]. Available: <https://openreview.net/forum?id=5Lp6qU9hzV>
- [6] M. S. Baidya, S. S. Baidya, and C. Chawla, “Detecting the machine: A comprehensive benchmark of AI-generated text detectors across architectures, domains, and adversarial conditions,” 2026, preprint.
- [7] R. Ardeshirifar, “Comparing hand-crafted and deep learning approaches for detecting AI-generated text: performance, generalization, and linguistic insights,” *AI*

- and Ethics*, vol. 5, no. 4, pp. 4197–4209, 2025. [Online]. Available: <https://doi.org/10.1007/s43681-025-00699-4>
- [8] C. Park, H. J. Kim, J. Kim, Y. Kim, T. Kim, H. Cho, H. Jo, S. goo Lee, and K. M. Yoo, “Investigating the influence of prompt-specific shortcuts in AI generated text detection,” 2024, preprint. [Online]. Available: <https://www.semanticscholar.org/paper/c860cd15c192b54bc94ac927ba99e0f3d562bd86>
 - [9] J. Kubrusly, E. D. dos Santos, and L. S. Pelegrino, “Detecting AI-generated texts using machine learning models,” *Communications in Statistics: Case Studies, Data Analysis and Applications*, vol. 11, no. 4, pp. 495–512, 2025. [Online]. Available: <https://doi.org/10.1080/23737484.2025.2550442>
 - [10] S. Lamsiyah, S. Ezzini, A. E. Mahdaouy, H. Alami, A. Benlahbib, S. E. Amrany, S. Chafik, and H. Hammouchi, “M-DAIGT: A shared task on multi-domain detection of AI-generated text,” in *Proc. Shared Task on Multi-Domain Detection of AI-Generated Text, RANLP*. Varna, Bulgaria: INCOMA Ltd., 2025, pp. 1–9. [Online]. Available: <https://aclanthology.org/2025.ranlp-mdaigt.1/>
 - [11] Y. Annepaka, P. Kumar, Y. Poddar, P. Pakray, and C. Chunka, “Synergizing linguistic features and transformer networks for detecting AI-generated text,” *Knowledge and Information Systems*, vol. 68, no. 1, 2026. [Online]. Available: <https://doi.org/10.1007/s10115-025-02637-6>
 - [12] E. Crothers, N. Japkowicz, and H. L. Viktor, “Machine-generated text: A comprehensive survey of threat models and detection methods,” *IEEE Access*, vol. 11, pp. 70 977–71 002, 2023. [Online]. Available: <https://doi.org/10.1109/ACCESS.2023.3294090>
 - [13] L. Dugan, A. Hwang, F. Trhlík, A. Zhu, J. M. Ludan, H. Xu, D. Ippolito, and C. Callison-Burch, “RAID: A shared benchmark for robust evaluation of machine-generated text detectors,” in *Proc. ACL*, 2024, pp. 12 463–12 492. [Online]. Available: <https://doi.org/10.18653/v1/2024.acl-long.674>
 - [14] Y. Wang, J. Mansurov, P. Ivanov, J. Su, A. Shelmanov, A. Tsvigun, C. Whitehouse, O. Mohammed Afzal, T. Mahmoud, T. Sasaki, T. Arnold, A. F. Aji, N. Habash, I. Gurevych, and P. Nakov, “M4: Multi-generator, multi-domain, and multi-lingual black-box machine-generated text detection,” in *Proc. EACL*, 2024, pp. 1369–1407. [Online]. Available: <https://doi.org/10.18653/v1/2024.eacl-long.83>
 - [15] Y. Wang, J. Mansurov, P. Ivanov, J. Su, A. Shelmanov, A. Tsvigun, O. M. Afzal, T. Mahmoud, G. Puccetti, T. Arnold, A. F. Aji, N. Habash, I. Gurevych, and P. Nakov, “SemEval-2024 task 8: Multidomain, multimodel and multilingual machine-generated text detection,” in *Proc. 18th Int. Workshop on Semantic Evaluation (SemEval-2024)*, 2024, pp. 2057–2079. [Online]. Available: <https://doi.org/10.18653/v1/2024.semeval-1.279>
 - [16] S. Farooqui, A. Zain, and M. Rafi, “Shared task on multi-domain detection of AI-generated text (M-DAIGT),” in *Proc. Shared Task on Multi-Domain Detection of AI-Generated Text, RANLP*. Varna, Bulgaria: INCOMA Ltd., 2025, pp. 15–19. [Online]. Available: <https://aclanthology.org/2025.ranlp-mdaigt.3/>
 - [17] A. Torralba and A. A. Efros, “Unbiased look at dataset bias,” in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, 2011, pp. 1521–1528. [Online]. Available: <https://doi.org/10.1109/CVPR.2011.5995347>
 - [18] S. Gururangan, S. Swayamdipta, O. Levy, R. Schwartz, S. R. Bowman, and N. A. Smith, “Annotation artifacts in natural language inference data,” in *Proc. NAACL-HLT*, 2018, pp. 107–112. [Online]. Available: <https://doi.org/10.18653/v1/N18-2017>
 - [19] A. Poliak, J. Naradowsky, A. Haldar, R. Rudinger, and B. Van Durme, “Hypothesis only baselines in natural language inference,” in *Proc. Joint Conf. on Lexical and Computational Semantics (*SEM)*, 2018, pp. 180–191. [Online]. Available: <https://doi.org/10.18653/v1/S18-2023>
 - [20] T. Niven and H.-Y. Kao, “Probing neural network comprehension of natural language arguments,” in *Proc. ACL*, 2019, pp. 4658–4664. [Online]. Available: <https://doi.org/10.18653/v1/P19-1459>
 - [21] R. Geirhos, J.-H. Jacobsen, C. Michaelis, R. Zemel, W. Brendel, M. Bethge, and F. A. Wichmann, “Shortcut learning in deep neural networks,” *Nature Machine Intelligence*, vol. 2, no. 11, pp. 665–673, 2020. [Online]. Available: <https://doi.org/10.1038/s42256-020-00257-z>
 - [22] S. Feng, E. Wallace, and J. Boyd-Graber, “Misleading failures of partial-input baselines,” in *Proc. ACL*, 2019, pp. 5533–5538. [Online]. Available: <https://doi.org/10.18653/v1/P19-1554>
 - [23] W. Antoun, V. Moulleron, B. Sagot, and D. Seddah, “Towards a robust detection of language model-generated text: Is ChatGPT that easy to detect?” in *Actes de CORIA-TALN 2023, Vol. 1: Travaux de Recherche Originaux, Articles Longs*, Paris, France, 2023, pp. 14–27. [Online]. Available: <https://aclanthology.org/2023.jeptalnrecital-long.2/>
 - [24] G. Huang, Y. Zhang, Z. Li, Y. You, M. Wang, and Z. Yang, “Are AI-generated text detectors robust to adversarial perturbations?” in *Proc. 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2024, pp. 6005–6024. [Online]. Available: <https://doi.org/10.18653/v1/2024.acl-long.327>
 - [25] Z. Lai, X. Zhang, and S. Chen, “Adaptive ensembles of fine-tuned transformers for LLM-generated text detection,” in *Proc. Int. Joint Conf. Neural Networks (IJCNN)*, 2024, pp. 1–7. [Online]. Available: <https://ieeexplore.ieee.org/document/10651296>
 - [26] S. Zhang, Y. Song, J. Yang, Y. Li, B. Han, and M. Tan, “Detecting machine-generated texts by multi-population aware optimization for maximum mean discrepancy,” in *Proc. Int. Conf. Learning*

- Representations (ICLR)*, 2024. [Online]. Available: <https://openreview.net/forum?id=3fEKavFsnv>
- [27] C. Borile and C. Abrate, “How to generalize the detection of AI-generated text: Confounding neurons,” in *Findings of the Association for Computational Linguistics: EMNLP 2025*, 2025, pp. 25 461–25 476. [Online]. Available: <https://aclanthology.org/2025.findings-emnlp.1388.pdf>
- [28] W. Liang, M. Yuksekgonul, Y. Mao, E. Wu, and J. Zou, “GPT detectors are biased against non-native English writers,” *Patterns*, vol. 4, no. 7, p. 100779, 2023. [Online]. Available: <https://doi.org/10.1016/j.patter.2023.100779>
- [29] A. Alikhanov, A. Amangeldi, D. Demeubay, D. Akhmetzhan, N. Moldakhmetov, O. Polat, and G. Zharas, “AI generated text detection,” 2026, preprint.
- [30] N. Lu, S. Liu, R. He, Q. Wang, Y.-S. Ong, and K. Tang, “Large language models can be guided to evade AI-generated text detection,” *Transactions on Machine Learning Research*, 2024. [Online]. Available: <https://openreview.net/forum?id=ILE0mWzUrr>
- [31] thedrcat, “DAIGT v2 train dataset,” Kaggle, 2023. [Online]. Available: <https://www.kaggle.com/datasets/thedrcat/daigt-v2-train-dataset>
- [32] “LLM – detect AI generated text,” Kaggle competition, 2023. [Online]. Available: <https://www.kaggle.com/competitions/llm-detect-ai-generated-text>
- [33] S. A. Crossley, P. Baffour, Y. Tian, A. Franklin, M. Benner, and U. Boser, “A large-scale corpus for assessing written argumentation: PERSUADE 2.0,” *Assessing Writing*, vol. 61, 2024, corpus release. [Online]. Available: https://github.com/scrosseye/persuade_corpus_2.0
- [34] “HC3 – human ChatGPT comparison corpus,” Hugging Face Datasets, 2023. [Online]. Available: <https://huggingface.co/datasets/Hello-SimpleAI/HC3>
- [35] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of deep bidirectional transformers for language understanding,” in *Proc. NAACL-HLT*, 2019, pp. 4171–4186. [Online]. Available: <https://doi.org/10.18653/v1/N19-1423>
- [36] P. He, J. Gao, and W. Chen, “DeBERTaV3: Improving DeBERTa using ELECTRA-style pre-training with gradient-disentangled embedding sharing,” in *Proc. Int. Conf. Learning Representations (ICLR)*, 2023. [Online]. Available: <https://openreview.net/forum?id=sE7-XhLxHA>
- [37] T. Kudo and J. Richardson, “SentencePiece: A simple and language independent subword tokenizer and detokenizer for neural text processing,” in *Proc. EMNLP: System Demonstrations*, 2018, pp. 66–71. [Online]. Available: <https://doi.org/10.18653/v1/D18-2012>
- [38] J. Dodge, G. Ilharco, R. Schwartz, A. Farhadi, H. Hajishirzi, and N. Smith, “Fine-tuning pretrained language models: Weight initializations, data orders, and early stopping,” 2020, preprint. [Online]. Available: <https://www.semanticscholar.org/paper/baf60d13c98916b77b09bc525ede1cd610ed1db5>
- [39] M. Mosbach, M. Andriushchenko, and D. Klakow, “On the stability of fine-tuning BERT: Misconceptions, explanations, and strong baselines,” in *Proc. Int. Conf. Learning Representations (ICLR)*, 2021. [Online]. Available: <https://openreview.net/forum?id=nzpLWnVAYah>
- [40] Q. McNemar, “Note on the sampling error of the difference between correlated proportions or percentages,” *Psychometrika*, vol. 12, no. 2, pp. 153–157, 1947. [Online]. Available: <https://doi.org/10.1007/BF02295996>
- [41] B. Efron, “Bootstrap methods: Another look at the jackknife,” *The Annals of Statistics*, vol. 7, no. 1, pp. 1–26, 1979. [Online]. Available: <https://doi.org/10.1214/aos/1176344552>
- [42] S. M. Lundberg and S.-I. Lee, “A unified approach to interpreting model predictions,” in *Advances in Neural Information Processing Systems (NeurIPS)*, 2017, pp. 4765–4774. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2017/hash/8a20a8621978632d76c43dfd28b67767-Abstract.html
- [43] “ChatGPT detector, RoBERTa,” Hugging Face Models, 2023. [Online]. Available: <https://huggingface.co/Hello-SimpleAI/chatgpt-detector-roberta>