TEXORA · SESSIONAL NOTES · STUDY SHEET

Waist Band, Pocket Facing, Fly Piece and Pocket Bag of Trouser

Dimensioning the trouser's secondary pieces from the leg patterns: waistband length from the waist check, pocket bag and shell facing, fly piece and shield — each verified by walking against its parent piece.

TE-3108 · APPAREL MANUFACTURING TECHNOLOGY-II SESSIONAL · STUDY 5 · LEVEL 3 TERM 1

1. Aim and place of the study

Aim: to draft and finish the trouser's secondary pieces — waistband, pocket bag and pocket facing, fly piece and fly shield — each dimensioned from the Study 3/4 leg pieces and checked by walking against them.

2. Materials, machine settings and specimens

Materials: Studies 3–4 pieces, pattern paper, ruler, curve, notcher. **Key dimensions from the chart (size M):** waist 82; waistband width 4 cm; pocket opening (slanted front pocket) about 16 cm; standard zip length for this size 18 cm.

Trouser measurement chart used throughout TE-3108 (men's basic trouser, garment values in cm): waist S 77 · **M 82** · L 87 · XL 92 (grade 5); hip 97 · **102** · 107 · 112 (grade 5); outseam (incl. waistband) 102 · **104** · 106 · 107; inseam 76 · **78** · 80 · 81; thigh 60 · **62** · 64 · 66 (grade 2); knee 44 · **46** · 48 · 50 (grade 2); hem (bottom) width 38 · **40** · 42 · 44 (grade 2); front rise 25 · **26** · 27 · 28. Size M is the working size unless the study states otherwise. Seam allowances, as in TE-2207/TE-2208: **1 cm** general, **1.5 cm** at side seams, waistband and other adjustment seams, **2.5 cm** at hems. The shirt values of TE-2207/2208 (size M chest 107, length 73, shoulder 46, sleeve 61.5, collar 40; grades 5/2/2/1.5/2 cm) are used unchanged wherever a shirt is the specimen.

3. The pieces and their dimensions

PIECE	DIMENSION DERIVATION	CUT AND NOTES
Waistband	Length = waist 82 + extension (underlap/overlap for the button) 4	Cut 1 shell + 1 fusible interlining; grain along the length; notch the centre back and side-

	+ allowances 2 × 1.5 = **89 cm** net construction: drafted 86 + extension; width = 4 finished → cut width 4 × 2 + 1 + 1 = **10 cm** if cut as one folded piece, with separate interlining piece.	seam positions from the leg pieces.
Pocket bag	Depth about 28 cm from the waist (hand depth + security), width about 18 cm at the top following the slanted opening of 16 cm on the front piece.	Cut 2 pairs in pocketing; the bag's top edge is caught into the waistband seam and its front edge into the side/fly construction per style.
Pocket facing	A strip of shell fabric about 5 cm wide following the pocket opening curve, applied to the bag so no pocketing shows at the opening.	Cut 2 shell; its curve is traced from the front piece's pocket opening, not drawn freehand.
Fly piece (fly facing)	Width about 5 cm, length = zip 18 + 3 = about 21 cm, shaped at the bottom to the fork curve.	Cut as an extension of the right front (grown-on) or separate piece per the pattern system; interlining where specified.
Fly shield (under-fly)	Width about 6 cm, same length family as the fly piece, bottom rounded.	Cut 1 (left side); protects skin/clothing from the zip and carries the buttonhole or bartack of the fly.

4. Checks

- Waistband walking check: band length between its side-seam notches must equal the sum of the leg pieces' waist (front quarters + back quarters after darts = 82 around) — Study 3's waist check completed in cloth terms.
- Pocket facing curve laid on the front piece: identical curve, no step at either end.
- Fly piece bottom curve laid on the fork curve of the front: follows it within 0.2 cm.
- All pieces carry the information block (style, piece, size M, cut quantity, fabric: shell / pocketing / interlining).

Precautions

- Trace curves from the leg pieces themselves; a 'similar' freehand curve sews as a pucker.
- Interlining pieces are cut without the fold allowances of their partners — copy the net shape, not the cut shape.

- Mark the waistband's centre-back notch before separating it; an 89 cm strip has no other landmark.

Practice (viva preparation)

Answer in your own words; brief model answers follow.

1. Derive the waistband cut length and width for size L (waist 87) using this study's allowances.
2. Why is the pocket facing cut in shell fabric while the bag is cut in pocketing?
3. The waistband walks 1.2 cm short against the leg pieces. Name two pattern-stage causes.

Answer key

1. Length = 87 + 4 extension + 2 × 1.5 allowances = 94 cm. Width unchanged: 10 cm cut as a folded piece (4 finished).
2. The facing is the part of the bag visible at the pocket opening; it must match the garment. The hidden bag uses lighter, smoother pocketing to reduce bulk and cost.
3. The back dart intake was made larger than drafted (eating waist length), or the band was measured between wrong notches / cut short in length. Both are found by the walking check before cutting cloth.

5. A note on the pocket opening

The slanted front-pocket opening of this course's trouser is set at about 16 cm on the front piece, angled from the waist (about 4 cm from the centre front along the waist) to the side seam (about 12 cm below the waist). The facing follows exactly this line, and the bag is drafted so that, with the opening closed, the bag hangs about 28 cm deep and clear of the fly stitching. In making (Study 8) the opening is stabilised with a stay tape or a line of stitching before the bag is attached, because a slanted (bias-leaning) opening stretches in handling and a stretched opening gapes on the finished trouser — a fault whose pattern-stage prevention is the correctly traced facing of this study.
