

# North East University Bangladesh

Department of Computer Science and Engineering



## Four Legged Walking Robot

BY

Sakib Saleh

Reg Id: 160203020009

BSc(Engg) in CSE

4<sup>th</sup> year 3<sup>rd</sup> semester

**Supervised By**

Noushad Sojib

Head

Department of Computer Science and Engineering

25<sup>th</sup> June, 2020

# Four Legged Walking Robot



A Project submitted to the Department of Computer Science and Engineering, North East University Bangladesh, in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science and Engineering

**BY**

Sakib Saleh

Reg Id: 160203020009

BSc(Engg) in CSE

4<sup>th</sup> year 3<sup>rd</sup> semester

**Supervised By**

Noushad Sojib

head

Department of Computer Science and Engineering

25<sup>th</sup> June, 2020

## **Recommendation Letter from Thesis Supervisor**

These Students, Sakib Saleh, whose project entitled “Four Legged Walking Robot ”, is under my supervision and agrees to submit for examination.

Signature of the Supervisor:

---

Noushad Sojib

Head

Department of Computer Science and Engineering

North East University Bangladesh

## **Qualification Form of BSc(Engg) Degree**

Student Name: Sakib Saleh

Project Title: Four Legged Walking Robot

This is to certify that the thesis is submitted by the student named above in June, 2020. It is qualified and approved by the following persons and committee.

**Head of the Dept.**

Noushad Sojib

**Supervisor**

Noushad Sojib

Head

Department of Computer Science and Engineering

# Contents

<b>1</b>		<b>2</b>
1.1	Introduction . . . . .	2
1.1.1	Purpose . . . . .	2
1.1.2	Known four legged robots . . . . .	3
<b>2</b>		<b>4</b>
2.1	Kinematics . . . . .	4
2.1.1	Forward Kinematics . . . . .	4
2.1.2	Inverse Kinematics . . . . .	4
2.1.3	Use of Forward Kinematics on my project . . . . .	6
2.1.4	Use of Inverse kinematics on my project . . . . .	7
<b>3</b>		<b>8</b>
3.1	Software and Hardware components of this project . . . . .	8
3.1.1	Software Part . . . . .	8
3.1.2	Hardware part . . . . .	8
<b>4</b>		<b>9</b>
4.1	Project Details . . . . .	9
4.1.1	Robot Design First Part . . . . .	9
4.1.2	Robot Design Second Part . . . . .	10
4.1.3	Leg movements control . . . . .	11
<b>5</b>		<b>13</b>
5.1	Hardware Part . . . . .	13
5.1.1	Android application for this robot . . . . .	13
<b>6</b>		<b>14</b>
6.1	Challenges . . . . .	14
6.1.1	Connecting v-rep with java netbeans . . . . .	14
6.1.2	Design the robot . . . . .	14

6.1.3	Balance problem of the robot . . . . .	14
<b>7</b>	<b>conclusion</b>	<b>16</b>

# List of Figures

1.1	Image of Mini Cheetah . . . . .	2
2.1	Simulated leg . . . . .	6
2.2	GUI to control one leg . . . . .	6
2.3	Inverse Kinematics implementation . . . . .	7
4.1	Full body of the robot . . . . .	9
4.2	Second design . . . . .	10
4.3	Right sides legs movement . . . . .	11
4.4	both sides legs movements . . . . .	12
5.1	. . . . .	13
6.1	balance problem of the robot . . . . .	15

## Abstract

In this project I will build a simple four legged robot which will be able to walk. And every legs of this robot will have two degrees of freedom(2DOF). First of all I will simulate the dummy robot on v-rep simulator. After complete the simulation on v-rep and if it's able to walk on plain surface. Then I will work on hardware part. In hardware part I will implement the same method that I have already applied on the dummy robot on v-rep simulator.



# Chapter 1

## 1.1 Introduction

Four legged robot is a type of mobile robot which use articulated limbs, such as leg mechanism to provide motion. Legged robots often imitate animals such as human or animal. There is an example of a four legged robot given below.

Mini cheetah Which is developed by MIT




Figure 1.1: Image of Mini Cheetah

### 1.1.1 Purpose

Legged robot can be used in rescue mission. Legged robots are mobile robots that use mechanical limbs for movement, they are similar to wheeled robots,

but their locomotion methods are more complicated compared to their wheeled counterparts, they perform much better than wheeled robots on uneven terrain. So it can easily complete a task which is tough for wheeled robot or human.

### **1.1.2 Known four legged robots**

- MIT Cheetah
- MIT Mini Cheetah
- Spot Boston Dynamics
- Doggo

These are the famous four legged robot, and those are developed by Massachusetts Institute of Technology, Boston University and Stanford University

# Chapter 2

## 2.1 Kinematics

Kinematics is a branch of classical mechanics that describes the motion of points, bodies (objects), and systems of bodies (groups of objects) without considering the forces that cause them to move. Kinematics, as a field of study, is often referred to as the "geometry of motion" and is occasionally seen as a branch of mathematics.

### 2.1.1 Forward Kinematics

Forward kinematics refers to the use of the kinematic equations of a robot to compute the position of the end-effector from specified values for the joint parameters. The kinematics equations of the robot are used in robotics, computer games, and animation.

Forward Kinematics Equation for 2DOF(two Degree of freedom) leg

$$x = l1 \cos \theta1 + l2 \cos(\theta1 + \theta2) \quad (2.1)$$

$$y = l1 \sin \theta1 + l2 \sin(\theta1 + \theta2) \quad (2.2)$$

### 2.1.2 Inverse Kinematics

Inverse kinematics is an example of the kinematic analysis of a constrained system of rigid bodies, or kinematic chain. The kinematic equations of a robot can be used to define the loop equations of a complex articulated system. These loop equations are non-linear constraints on the configuration parameters of the system. Inverse Kinematics Equation for 2DOF(two Degree of freedom) leg

$$r = (x * x) + (y * y) \quad (2.3)$$

$$\alpha = \tan \text{inverse} \frac{y}{x} \quad (2.4)$$

$$\beta = \cos \text{inverse}(((r * r) + (l1 * l1) - (l2 * l2)) / (2 * r * l1)) \quad (2.5)$$

$$Joint1 = \alpha - \beta \quad (2.6)$$

$$joint2 = \cos \text{inverse}(((x * x) + (y * y) - (l1 * l1) - (l2 * l2)) / (2 * l1 * l2)) \quad (2.7)$$

### 2.1.3 Use of Forward Kinematics on my project

First of all I have create a 2dof leg on v-rep simulator, then i write a java code to implement the forward kinematics on this leg by using graphical user interface.By using forward kinematics i can move this leg to x axis and y axis.

leg design on v-rep simulator




Figure 2.1: Simulated leg

Graphical user interface to control a leg




Figure 2.2: GUI to control one leg

#### 2.1.4 Use of Inverse kinematics on my project

After completing the implementation of forward kinematics on the simulated leg then I have write a java code to implement the inverse kinematics on this leg.

### Implement Inverse Kinematics on the leg




Figure 2.3: Inverse Kinematics implementation

# Chapter 3

## 3.1 Software and Hardware components of this project

### 3.1.1 Software Part

- netbeans
- V-rep simulator

These are the software i have used in my project, for the java code implementation i have used netbeans. And for the structural design of this robot I have used v-rep simulator.

### 3.1.2 Hardware part

- Arduino
- lipo battery
- Servo motor
- Jumper wire
- wire
- pvc board
- And other accessories

I haven't start work on hardware part yet. These are the components that I'm going to use in hardware part.

# Chapter 4

## 4.1 Project Details

After completed the implementation of forward and inverse kinematics on one leg then i have started to design the full body of the robot on v-rep.

### 4.1.1 Robot Design First Part

This is the main part of simulation. fist design was for one leg then i have design the full body of this robot.

this is the first design of the robot with full body




Figure 4.1: Full body of the robot



### 4.1.2 Robot Design Second Part

There was some problem in first design. So that I have created another design to avoid those problems which I have faced on first design. This design is more efficient than the previous design.

this is the second design of the robot




Figure 4.2: Second design

### 4.1.3 Leg movements control

After complete the design of the robot I have start to implement forward and inverse kinematics on every legs.

This figure is showing the movement of right side's legs




Figure 4.3: Right sides legs movement

Figure 8 is showing the movements of all legs of the robot. Every leg can be control individually.

This figure is showing the movement of both side's legs




Figure 4.4: both sides legs movements

# Chapter 5

## 5.1 Hardware Part

Till now I have applied inverse and forward kinematics in a leg of the physical robot, and it's worked perfectly.

### 5.1.1 Android application for this robot

Actually i have build a android application for this robot. By this application we will be able to control this robot, and we can send any command to this robot.

Android Application



Figure 5.1:

# Chapter 6

## 6.1 Challenges

That was not so easy to do design a robot on v-rep simulator cause it was new to me and I have never worked on legged robot. This is the first time that I'm working on legged robot.

### 6.1.1 Connecting v-rep with java netbeans

I have face a lot of problem in this part. It took 10-15 days to connect v-rep simulator with java program. Actually I implemented all the code in wrong way. And did not add package of coppelia in java. When i implement the first program on v-rep that was so exiting, And then i realized that it's not that hard actually.

### 6.1.2 Design the robot

This part was interesting I have randomly create many structure before build the actual design of the robot. But I have faced a lot of problem when I start the build process of the robot. Because the measurement of the robot has to be perfect unless it won't work.

### 6.1.3 Balance problem of the robot

One of the major problem was to make this robot stable and make it perfectly balanced. And the image of that robot is given bellow

This figure is showing that the robot was not stable on the ground




Figure 6.1: balance problem of the robot

# Chapter 7

## conclusion

Actually i am working on this robot almost eight months,But for some reasons i haven't completed it in time.And right now lab facilities is not available so i could not able to completed it.But still now i am working on it,hopefully i will be able to completed it in few days.

# Bibliography

- [1] <https://www.rosroboticslearning.com/inverse-kinematics>
- [2] <https://oscarliang.com/inverse-kinematics-and-trigonometry-basics/>
- [3] <http://www.cs.cmu.edu/15464-s13/lectures/lecture6/IK.pdf>
- [4] <https://www.rosroboticslearning.com/forward-kinematics>
- [5] <https://en.wikipedia.org/wiki/Kinematics>
- [6] <https://www.bostondynamics.com/spot>
- [7] <http://news.mit.edu/2019/mit-mini-cheetah-first-four-legged-robot-to-backflip-0304>
- [8] <https://www.quanser.com/products/2-dof-robot/>
- [9] <https://www.hindawi.com/journals/sv/2017/2762169/>
- [10] <https://ieeexplore.ieee.org/document/8588551/>
- [11] <https://www.intorobotics.com/robotic-arm-kits-for-your-next-project/>