


M.Sc. Engg. (CSE) Thesis

**Agentic Graph Reasoning: Autonomous Knowledge Graph
Navigation for Fact Verification and Hallucination
Mitigation in Large Language Models**

Submitted by
Md. Sakif Khan
0421052099

Supervised by
Dr. Sadia Sharmin



Submitted to
Department of Computer Science and Engineering
Bangladesh University of Engineering and Technology
Dhaka, Bangladesh

in partial fulfillment of the requirements for the degree of
Master of Science in Computer Science and Engineering

June 2026

Candidate’s Declaration

I, do, hereby, certify that the work presented in this thesis, titled, “Agentic Graph Reasoning: Autonomous Knowledge Graph Navigation for Fact Verification and Hallucination Mitigation in Large Language Models”, is the outcome of the investigation and research carried out by me under the supervision of Dr. Sadia Sharmin, Associate Professor, Department of CSE, BUET.

I also declare that neither this thesis nor any part thereof has been submitted anywhere else for the award of any degree, diploma or other qualifications.

Md. Sakif Khan

0421052099

The thesis titled “**Agentic Graph Reasoning: Autonomous Knowledge Graph Navigation for Fact Verification and Hallucination Mitigation in Large Language Models**”, submitted by Md. Sakif Khan, Student ID 0421052099, Session April 2021, to the Department of Computer Science and Engineering, Bangladesh University of Engineering and Technology, has been accepted as satisfactory in partial fulfilment of the requirements for the degree of Master of Science in Computer Science and Engineering and approved as to its style and contents on June 6, 2026.

Board of Examiners

- | | | |
|----|--|--------------------------|
| 1. | <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Dr. Sadia Sharmin
Associate Professor
Department of CSE, BUET, Dhaka | Chairman
(Supervisor) |
| 2. | <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Dr. Tanzima Hashem
Professor and Head
Department of CSE, BUET, Dhaka | Member
(Ex-Officio) |
| 3. | <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Dr. M. Kaykobad
Professor
Department of CSE, BUET, Dhaka | Member |
| 4. | <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Dr. Abu Sayed Md. Latiful Hoque
Professor
Department of CSE, BUET, Dhaka | Member |
| 5. | <hr style="border: 0; border-top: 1px solid black; margin-bottom: 5px;"/> Dr. Honorable External Examiner
Professor
Department of CSE
University of External, Dhaka | Member
(External) |

Acknowledgement

I am thankful to

Finally,

Dhaka

June 6, 2026

Md. Sakif Khan

0421052099

Contents

Candidate’s Declaration	i
Board of Examiners	ii
Acknowledgement	iii
List of Figures	xi
List of Tables	xii
List of Algorithms	xv
Abstract	xvi
1 Introduction	1
1.1 Hallucination in Large Language Models	1
1.1.1 Where Hallucination Originates: Training Data, Model, and Prompt . .	1
1.1.2 Why Multi-Hop Questions Are the Hard Case	2
1.2 From Retrieval Augmentation to Graph-Structured Grounding	2
1.2.1 Vector Retrieval and Its Structural Blind Spot	2
1.2.2 Knowledge Graphs and Static GraphRAG	3
1.2.3 Agentic Retrieval: Reasoning as Navigation	3
1.3 Limitations of Existing Agentic KGQA Systems	4
1.3.1 No Check on What the Final Answer Asserts	4
1.3.2 Unquantified Contribution of Individual Agentic Mechanisms	4
1.3.3 Accuracy Reported Without Cost	4
1.4 Problem Statement	5
1.5 Research Questions	5
1.5.1 RQ1: Does Agentic Navigation Improve Multi-Hop Factual Accuracy?	5
1.5.2 RQ2: What Does Pre-Generation Verification Contribute Beyond Graph Navigation?	5
1.5.3 RQ3: Which Components Contribute What, at What Token Cost? . . .	5
1.6 Our Contribution	6

1.6.1	The AGR Framework and Its Verification Layer	6
1.6.2	A Component-Level Ablation of Agentic Mechanisms	6
1.6.3	Stratum-Dependent Decomposition: When Planning Hurts	6
1.6.4	The Echo Attractor as a Named Failure Mode	6
1.6.5	Quantified Benchmark Defect Rates for WebQSP and CWQ	6
1.6.6	An Evaluation Protocol with Pre-Registered Thresholds	7
1.7	Scope and Delimitations	7
1.8	Thesis Organization	7
2	Background and Preliminaries	8
2.1	Knowledge Graphs	8
2.1.1	Triples, Entities, and Relations	8
2.1.2	Freebase: MIDs, Schema, and Mediator Nodes	8
2.1.3	Property Graphs, Neo4j, and Cypher	9
2.2	Knowledge Graph Question Answering	9
2.2.1	Multi-Hop Questions and Constraint Satisfaction	9
2.2.2	Evaluation Conventions: Hits@1 and F1	10
2.3	Large Language Models as Reasoning Engines	10
2.3.1	In-Context Learning and Chain-of-Thought Prompting	10
2.3.2	Tool Use and the ReAct Loop	10
2.3.3	A Working Definition of Hallucination for This Thesis	11
2.4	Retrieval-Augmented Generation	11
2.4.1	Dense Retrieval and Sentence Embeddings	11
2.4.2	Graph-Based Retrieval	11
2.5	Search over Graphs	12
2.5.1	Best-First and Beam Search	12
2.5.2	Backtracking and Dead-End Detection	12
2.5.3	Relation to Monte Carlo Tree Search: A Terminological Clarification	12
2.6	Statistical Tools Used in This Thesis	13
3	Related Work	14
3.1	Static Graph-Augmented Generation	14
3.1.1	GraphRAG and Query-Focused Summarization	14
3.1.2	HippoRAG and Memory-Structured Retrieval	14
3.2	Path-Retrieval and Semantic-Parsing KGQA	15
3.2.1	Reasoning-on-Graphs	15
3.2.2	StructGPT and KG-Agent	15
3.3	Agentic Graph Exploration	16
3.3.1	Think-on-Graph	16

3.3.2	Plan-on-Graph	16
3.3.3	Generate-on-Graph and Reasoning with Trees	16
3.3.4	KBQA-o1 and Genuine Tree Search	17
3.4	Verification and Self-Correction in Language Models	17
3.4.1	Chain-of-Verification	17
3.4.2	Ontology-Guided and Self-Correcting Graph RAG	18
3.5	Measuring Factuality	18
3.5.1	Claim-Decomposition Metrics	18
3.5.2	Factuality Benchmarks and Their Limits	18
3.6	Comparative Summary of Agentic KGQA Systems	18
3.7	Positioning of This Work	20
4	The Knowledge Environment	22
4.1	Design Goals	22
4.1.1	Decoupling the Graph Source from the Question Sets	22
4.1.2	Why a Curated Subgraph Rather Than LLM-Extracted Triples	22
4.2	Source Data	23
4.2.1	The Freebase Snapshot	23
4.2.2	WebQSP and ComplexWebQuestions as Question Sets	23
4.3	Graph Construction	24
4.3.1	Union of Per-Question Subgraphs from the RoG Distribution	24
4.3.2	Relation Filtering and Noise Removal	24
4.3.3	Treatment of Mediator Nodes and Its Effect on Hop Counts	25
4.4	Graph Store Construction	25
4.4.1	Property-Graph Schema	25
4.4.2	Bulk Import into Neo4j	26
4.4.3	Graph Statistics	26
4.5	The Vector Index	26
4.5.1	Entity Embeddings	26
4.5.2	Relation-Vocabulary Embeddings	27
4.5.3	Scope: Linking and Candidate Ranking, Never Ground Truth	27
4.6	Entity Resolution and Surface-Form Linking	27
4.6.1	The Exact, Lexical, and Vector Cascade	27
4.6.2	Threshold Selection on Development Data	28
4.7	Environment Validation Gate	28
4.7.1	Answer-Reachability Protocol	28
4.7.2	Coverage Results and the Induced Accuracy Ceiling	29
4.7.3	Analysis of Linking Misses and Gate Failures	29
4.7.4	What the Environment Cannot Express	30

5	The AGR Framework: Architecture and Navigation	31
5.1	Architectural Overview	31
5.1.1	The Controlled-Agent Pattern	31
5.1.2	The State Machine	32
5.2	The Graph Tool API	33
5.2.1	Rationale: Constrained Tools Instead of Free-Form Cypher	33
5.2.2	The Five Operations	33
5.2.3	Mediator Traversal and Relation-Agnostic Adjacency	34
5.3	Agent State	34
5.4	The Planner	35
5.4.1	Decomposition into Ordered Sub-Objectives	35
5.4.2	Plan Validation and Degenerate-Plan Handling	36
5.5	The Explorer	36
5.5.1	Frontier Construction and the Single Scoring Pass	36
5.5.2	The Hybrid Scoring Function	37
5.6	The Evaluator and Routing Policy	38
5.6.1	Sub-Objective Completion Judgment	38
5.6.2	The Groundedness Filter on Resolutions	38
5.6.3	Backtracking Triggers and the Backtrack Stack	38
5.6.4	Routing	39
5.7	The Answerer	40
5.8	Budgets and Termination Guarantees	40
5.9	Instrumentation and Reproducibility	41
5.10	Design Validation on the Development Set	41
5.11	The Complete Navigation Algorithm	43
6	The Structural Verification Layer	44
6.1	Motivation: Verifying Before Emitting, Not After	44
6.2	Claim Decomposition of the Draft Answer	45
6.3	Two-Stage Claim Checking	46
6.3.1	The Structural Check	46
6.3.2	The Entailment Check	47
6.3.3	Why the Structural Check Runs First	48
6.4	Repair Policies for Unsupported Claims	48
6.4.1	Targeted Re-Exploration Under Remaining Budget	48
6.4.2	Answer Rewriting and Hedging	49
6.4.3	Iteration Cap and the Draft-Only Fallback	50
6.5	Entity Filtering of the Final Answer	50
6.6	Output Contract: Answer Paired with Supporting Triples	52

6.7	A Worked Example	53
6.8	Failure Modes by Construction: Wrongful Rejection and Wrongful Acceptance	54
7	Experimental Setup	57
7.1	Mapping Experiments to Research Questions	57
7.1.1	Pre-Registration and the No-Tuning Policy	58
7.1.2	Metrics Proposed but Not Run	58
7.2	Test Sets	59
7.2.1	WebQSP and ComplexWebQuestions	59
7.2.2	Stratified Sampling, Seeds, and Published Question IDs	59
7.2.3	Hop-Count Stratification and the Accuracy Ceiling	60
7.3	Backbone Model Selection and Qualification	60
7.3.1	Trajectory Stability Under Temperature-Zero Decoding	61
7.3.2	Response Caching as the Reproducibility Backstop	62
7.4	Baseline Systems	62
7.4.1	No-Retrieval LLM (Parametric-Memory Control)	62
7.4.2	Vector-RAG over Verbalised Triples	63
7.4.3	Static GraphRAG	63
7.4.4	Think-on-Graph (Agentic Baseline)	63
7.4.5	Variables Held Constant Across All Systems	64
7.4.6	Baseline Certification Protocol	64
7.5	Metrics	64
7.5.1	Answer Accuracy: Hits@1 and F1	64
7.5.2	Accounting for Hedges and Abstentions	65
7.5.3	Two-Tier Groundedness and Hallucination Rate	65
7.5.4	Efficiency: Tokens, LLM Calls, and Wall-Clock Latency	66
7.6	The Groundedness Judge and Its Validation	66
7.6.1	Independence of the Judge from the Answering System	66
7.6.2	Human Annotation Protocol	66
7.6.3	Agreement Between Judge and Human Annotator	67
7.7	Gold-Answer Quality Control	68
7.7.1	The Gold-Noise Problem in WebQSP and CWQ	68
7.7.2	Consensus Pre-Pass and Per-Item Adjudication	68
7.7.3	Two Evidence Signatures of Label Error	68
7.7.4	Census-Based Exclusions and the Dual-Reporting Policy	69
7.8	Ablation Conditions	70
7.9	Hyperparameter Selection on the Development Set	70
7.9.1	Development Set Construction and Coverage	70
7.9.2	The α - τ Sweep Protocol	71

7.10	Implementation, Environment, and Reproducibility	71
8	Results	72
8.1	Development-Set Tuning Outcomes	72
8.2	Main Results on WebQSP	73
8.3	Main Results on ComplexWebQuestions	75
8.4	Accuracy Broken Down by Hop Count	75
8.5	Groundedness and Hallucination Rate Across Systems	77
8.5.1	Tier 1: Structural Hallucination Is a Property of the Paradigm	77
8.5.2	Tier 2: A Narrow Band and an Underpowered Comparison	78
8.6	Efficiency and Cost	78
8.6.1	Token and Call Budgets per System	78
8.6.2	The Accuracy–Cost Frontier	79
8.7	Ablation Study	79
8.7.1	Without the Planner: A Stratum-Dependent Effect	80
8.7.2	Without Backtracking	81
8.7.3	Without the Verification Layer	81
8.7.4	Embedding-Only Scoring	81
8.7.5	Paired Significance Testing and Statistical Power	82
8.8	Findings Against RQ1, RQ2, and RQ3	82
9	Error Analysis and Discussion	84
9.1	Annotation Protocol and the Failure Taxonomy	84
9.1.1	Category and Subtype Schema	84
9.1.2	Population, Not Sample	85
9.2	Distribution of Failure Categories Across Datasets	85
9.2.1	The Shape Flip, and What It Is Not	85
9.2.2	Hedging Where It Should	86
9.3	Decomposition, Drafting, and Answer-Selection Errors	87
9.3.1	The Entity-Extraction Bug	87
9.3.2	Right Candidate Retrieved, Wrong One Drafted	88
9.3.3	Failing to Commit: Six Cases of Hedging on a Verified Fact	88
9.3.4	Context-Stripping: When Decomposition Discards the Question	89
9.4	Relation-Selection and Navigation Errors	90
9.4.1	The Evaluator Abandons a Good Relation	90
9.5	Verifier Rejection and Acceptance Errors	91
9.5.1	Defining the Error Polarities	91
9.5.2	Wrongly Rejected: Semantically Correct, Structurally Unmatched	91
9.5.3	Wrongly Accepted: One Specimen and a Boundary Case	92

9.5.4	A Rate for One Polarity, and a Blank for the Other	92
9.6	Knowledge-Graph Gaps: Literals, Temporal Qualifiers, and Ordinals	93
9.7	The Echo Attractor: Answering with the Topic or an Intermediate Entity	94
9.8	Benchmark Defects: Gold Noise and Ambiguous Questions	94
9.8.1	The Confirmed Defects	95
9.8.2	Where Bad Gold Comes From: Flattened Multi-Valued Relations	96
9.9	Discussion	96
9.9.1	What Agency Buys, and What It Costs	96
9.9.2	When Verification Helps and When It Over-Hedges	97
9.9.3	Threats to Validity	97
10	Conclusion	99
10.1	Summary of Contributions	99
10.2	Limitations	101
10.3	Future Work	102
10.3.1	Repairs the Census Earned	102
10.3.2	Logging Accepted Claims to Make Wrongful Acceptance Measurable	102
10.3.3	Adaptive Decomposition Gating	102
10.3.4	Semantic-Level Verification	103
10.3.5	A Set-Intersection Operator for Compound Questions	103
10.3.6	Ordinal and Literal-Value Support	103
10.3.7	Path Fidelity Against Gold SPARQL Relation Chains	103
10.3.8	Beyond This Environment	104
10.4	Closing Remark	104
	References	105
	Index	110
A	Prompt Templates	111
B	Tool API Specification and Cypher Templates	112
C	Sampled Question IDs and Run Manifests	113
D	Annotation Instructions and Label Schema	114
E	Implementation Notes	115

List of Figures

5.1	The AGR state machine. Two cycles exist: Explorer $\leftrightarrow$ Evaluator for iterative search, and Verifier $\rightarrow$ Explorer for verification-driven re-exploration. Both are bounded by the budgets of Section 5.8 rather than by the graph structure.	32
-----	--	----

List of Tables

3.1	Mechanism comparison of the six closest prior systems. No system performs claim-level verification of the final answer against retrieved triples before responding.	19
3.2	Reported evaluation settings and Hits@1 as published. These figures are <i>not</i> directly comparable to one another: backbones differ, some papers evaluate on sampled subsets, and the backbone accounts for much of the variation.	20
4.1	The knowledge environment as constructed and imported.	26
4.2	Entity resolution over all topic-entity mentions in both test sets. A mention counts as resolved only when the returned node’s name equals the mention exactly.	28
4.3	Environment coverage over the full test sets, at a bound of four raw hops. The reachability column is the Hits@1 ceiling for every system evaluated in this thesis.	29
5.1	The graph tool API. All operations are deterministic parameterised Cypher; none consults an embedding except <code>search_entity</code> , which delegates to the resolver of Section 4.6.	33
5.2	The agent state. Fields marked <i>append-only</i> accumulate across node executions through reducers; all others are overwritten by whichever node returns them.	35
5.3	Budget configuration. The configuration is hashed and the hash recorded in every run record, so results can always be attributed to the configuration that produced them.	40
5.4	Root causes of failure in the first end-to-end run, and the mechanism each one motivated. Every fix is described in the section indicated.	42
6.1	The complete attribution census: every development-set question whose answer differed between claim checking and its ablation, at $\alpha = 0.7$, $\tau = 0.20$. Three questions, one run per condition. “Pre-fix” is the original design in which the rewrite call regenerated the entity list; “post-fix” is deterministic filtering.	51
7.1	The two certified test samples. The unreachable stratum is retained deliberately; the ceiling is the share of questions with at least one gold answer reachable within four hops, and is the upper bound on Hits@1 for every system evaluated here.	60

7.2	Gold-label adjudication. Rows and distinct questions are separate units because the pass emits one row per consensus answer. Exclusions are the union of <code>gold_wrong</code> and <code>ambiguous_question</code> questions.	69
8.1	The development-set sweep, $n = 80$. Hits, hedges, and wrong answers partition the set. <code>Verify</code> indicates claim verification enabled; the two draft-only rows disable it. All rows are from the sweep as run, before the answer-entity filter of Section 6.5 was corrected; the frozen condition's post-correction figures are given in the text.	73
8.2	Main results, $n = 400$ per dataset. Brackets are 95% bootstrap intervals. P and R are mean per-question precision and recall; Hedge is the share of questions on which the system asserted nothing. The Hits@1 ceilings are 97.0% and 99.2% (Table 7.1).	74
8.3	Paired McNemar tests, AGR against each baseline, on per-question correctness over the same 400 questions. Every comparison rejects.	75
8.4	Hits@1 and F1 per hop stratum. Stratum sizes are those of Table 7.1. WebQSP's h3plus has $n = 4$ and is not interpreted.	76
8.5	Two-tier groundedness. Tier 1 is deterministic over every asserted entity in all 4,000 records; Tier 2 is a language-model entailment judgement over a stratified sample of 60 assertions per system per dataset, validated at $\kappa = 0.6995$ (Section 7.6).	77
8.6	Cost per question. Latency is computed over cold-cache records only. Clip rate is the share of questions on which the shared 25-call budget was exhausted mid-search.	79
8.7	Ablation conditions on stratified halves. The reference row is the frozen system restricted to the same questions, at zero additional cost. Latency is unmeasured for no-verifier because every record in that condition is a full cache replay. . . .	80
8.8	Component attribution, RQ3. $\Delta F1$ is <i>ablated minus reference</i> , so positive means removing the component improved F1. Only the planner condition reaches significance.	82
9.1	Census provenance. Stage D is the main reading over the full-matrix failures; Stage A is the separate reading of the questions where removing the planner flipped a failure into a success (Section 8.7); the single migrated row is a Stage D finding later promoted to a formal benchmark-defect exclusion (Section 9.8). . . .	85
9.2	The merged failure histogram, $n = 259$. Wrong and hedge are kept separate. Generated by <code>scripts/synthesize_census.py</code> over the three label sources of Table 9.1. . . .	86

9.3	The entity-extraction bug. In each case the drafted answer text names every gold value correctly and the scored entity list holds only the sentence's grammatical subject.	87
-----	--	----

List of Algorithms

1	AGR navigation (verification layer abstracted; see Chapter 6)	43
2	Structural verification of a draft	47

Abstract

Write your thesis abstract here.

These are some dummy text used as page fillers only.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Cras et ultricies massa. Nulla a sapien lobortis, dignissim nibh in, aliquet mauris. Integer at dictum metus. Quisque in tortor congue ipsum ultricies tristique. Maecenas ut tortor dapibus, sagittis enim at, tincidunt massa. Ut sollicitudin sagittis ipsum, ac tincidunt quam gravida ac. Nullam quis faucibus purus. Aliquam vel pretium turpis. Aliquam a quam non ex interdum sagittis id vitae quam. Nullam sodales ligula malesuada maximus consequat. Proin a justo eget lacus vulputate maximus luctus vitae enim. Aliquam libero turpis, pharetra a tincidunt ac, pulvinar sit amet urna. Pellentesque eget rutrum diam, in faucibus sapien. Aenean sit amet est felis. Aliquam dolor eros, porttitor quis volutpat eget, posuere a ligula. Proin id velit ac lorem finibus pellentesque.

Maecenas vitae interdum mi. Aenean commodo nisl massa, at pharetra libero cursus vitae. In hac habitasse platea dictumst. Suspendisse iaculis euismod dui, et cursus diam. Nullam euismod, est ut dapibus condimentum, lorem eros suscipit risus, sit amet hendrerit justo tortor nec lorem. Morbi et mi eget erat bibendum porta. Ut tristique ultricies commodo. Nullam iaculis ligula sed lacinia ornare.

Sed ultricies cursus nisi at vestibulum. Aenean laoreet viverra efficitur. Ut eget sapien lorem. Mauris malesuada, augue in pulvinar consectetur, ex tortor tristique ligula, sit amet faucibus metus lectus interdum nisl. Nam eget turpis vitae ligula pulvinar bibendum a ut ipsum. Mauris fringilla lacinia malesuada. Fusce id orci velit. Donec tristique rhoncus urna, a hendrerit arcu vehicula imperdiet. Integer tristique erat at gravida condimentum. Sed ornare cursus quam, eget tincidunt enim bibendum sed. Aliquam elementum ligula scelerisque leo sagittis, quis convallis elit dictum. Donec sit amet orci aliquam, ultricies sapien nec, gravida nisi. Etiam et pulvinar diam, et pellentesque arcu. Nulla interdum metus sed aliquet consequat.

Proin in mi id nulla interdum aliquet ac quis arcu. Duis blandit sapien commodo turpis hendrerit pharetra. Phasellus sit amet justo orci. Proin mattis nisl dictum viverra fringilla. Interdum et malesuada fames ac ante ipsum primis in faucibus. Curabitur facilisis euismod augue vestibulum tincidunt. Nullam nulla quam, volutpat vitae efficitur eget, porta sit amet nunc. Phasellus pharetra est eget urna ornare volutpat. Aenean ultrices, libero eget porttitor fringilla, purus tortor accumsan neque, sit amet viverra felis tortor eget justo. Nunc id metus a purus tempus euismod condimentum non lacus. Nam vitae diam aliquam, facilisis diam quis, pharetra nunc. Nulla eget vestibulum tellus, ut cursus tellus. Vestibulum euismod pellentesque sodales.

Maecenas at mi interdum, faucibus lorem sed, hendrerit nisi. In vitae augue consequat diam commodo porta sit amet eu purus. Mauris mattis condimentum feugiat. Nulla commodo molestie risus vitae maximus. Proin hendrerit neque malesuada urna laoreet convallis. Etiam a diam pulvinar, auctor sem ac, hendrerit risus. Ut urna urna, venenatis ac tellus non, scelerisque tristique ligula. Vestibulum sollicitudin vel leo malesuada accumsan. Donec sit amet erat diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Vivamus odio dui, scelerisque et lorem egestas, posuere ullamcorper nunc. Integer varius nunc nec velit tincidunt commodo. Mauris rhoncus ultrices sapien non suscipit.

End of dummy text.

Chapter 1

Introduction

Large language models answer factual questions fluently and, often enough, incorrectly. The failure is not random noise: it is systematic, confident, and hard to detect from the output alone, because a fabricated answer is written in the same register as a correct one. Where the answer requires composing several facts rather than recalling one, the failure rate rises sharply. This thesis is about closing that gap by giving a language model a symbolic knowledge graph to walk through, and by checking what it is about to assert before it asserts it.

This chapter motivates the problem, surveys briefly why the obvious remedies are incomplete, states the problem and research questions the thesis addresses, summarises the contributions, and sets out the organisation of the remainder of the document.

1.1 Hallucination in Large Language Models

A *hallucination* is a generated statement that is fluent, syntactically well formed, and not supported by any source the model can point to — frequently one that is simply false. Huang et al. [1] survey the phenomenon at length and treat it as an intrinsic consequence of how these models are built rather than an incidental defect to be patched away. That framing matters for this thesis: if hallucination were a bug, the response would be to fix it; because it is structural, the response must be architectural.

1.1.1 Where Hallucination Originates: Training Data, Model, and Prompt

It is useful to separate three loci at which a hallucination can originate, because they admit very different interventions.

The first is the *training data*. A model trained on a corpus containing errors, staleness, or under-representation of a domain will reproduce those defects. Correcting them means curating the corpus and retraining, which is outside the reach of anyone who is not the model’s producer.

The second is the *model* itself — its parameterisation and decoding procedure. Knowledge is stored diffusely across weights with no explicit index, so the model has no reliable internal signal distinguishing a fact it has memorised from a plausible continuation it is constructing. Interventions here mean changing the architecture or the training objective, again largely out of reach.

The third is the *prompt*, and this is the locus this thesis addresses. If the context supplied alongside the question contains the facts required to answer it, the model need not fall back on parametric recall. Structured context can override defects inherited from training data without touching the model. This is the premise behind retrieval augmentation [2], and it is the premise behind the present work; the contribution lies in *how* that context is assembled and in *what is checked* before the answer is emitted.

1.1.2 Why Multi-Hop Questions Are the Hard Case

Single-fact questions are comparatively benign. “Where was Ada Lovelace born?” requires one lookup, and either the model knows it or it does not.

Multi-hop questions — “Who directed the film that won Best Picture in 1998?” — require composing an ordered chain of lookups, each conditioned on the previous result. Two properties make these the hard case. First, errors compound: a wrong resolution at the first hop is not usually detected downstream, and the remainder of the chain proceeds confidently from a false premise. Second, the intermediate results are exactly what a question-level correctness check cannot see. A system that answers correctly by accident and a system that answers correctly by sound reasoning are indistinguishable from the final string alone.

Multi-hop questions also frequently carry *constraints* — temporal, categorical, or ordinal — that must be satisfied jointly rather than sequentially, and dropping a constraint silently is among the most common ways such questions are answered wrongly rather than not at all.

1.2 From Retrieval Augmentation to Graph-Structured Grounding

1.2.1 Vector Retrieval and Its Structural Blind Spot

Retrieval-Augmented Generation [2] attaches the model to an external corpus: the question is embedded, semantically similar passages are retrieved by vector similarity, and the model answers from them. Where the answer resides in a single retrievable passage, this works well.

Its weakness is structural. Vector retrieval treats a corpus as flat chunks of text and ranks them by similarity to the question. For a multi-hop question the similarity signal is misleading, because

the passage containing the *intermediate* entity may bear little lexical or semantic resemblance to the original question — the system does not yet know which entity to look for. Relationships between entities, which are precisely what a compositional question traverses, are not represented at all; they are at best implicit in adjacency within a retrieved chunk. Surveys of the intersection between graphs and language models identify this as the central limitation of flat retrieval [3].

1.2.2 Knowledge Graphs and Static GraphRAG

A *knowledge graph* makes relationships explicit. Facts are stored as typed edges between identified entities, so composing facts becomes traversal rather than inference over prose. GraphRAG [4] exploits this by building a graph over a corpus and retrieving structured context rather than passages, and related systems extend the idea to long-term memory [5] and to temporally-qualified facts [6].

These systems nonetheless retrieve *statically*: a subgraph around the linked entities is fetched in one shot and handed to the model. The retrieval step does not know what the reasoning step will need, because it happens first and only once. For a question whose second hop depends on the answer to its first, a fixed-radius neighbourhood is either too small to contain the answer or so large that the relevant edges are buried among thousands of irrelevant ones.

1.2.3 Agentic Retrieval: Reasoning as Navigation

The natural response is to interleave retrieval with reasoning: let the model take one step, observe what it found, and decide where to look next. Retrieval becomes *navigation*, and the system becomes an agent operating on the graph rather than a pipeline reading from it. Think-on-Graph [7] established the pattern with LLM-guided beam search over the graph; Plan-on-Graph [8] added sub-objective decomposition and reflection-driven backtracking; Reasoning-on-Graphs [9] generates grounded relation paths as explicit plans; and further systems add tool abstractions [10], handle incomplete graphs [11], or generalise across structured sources [12]. Recent surveys treat this convergence of language models and knowledge graphs as a distinct research programme [13, 14].

Agentic navigation is the right shape for the problem, and this thesis adopts it. The question is what remains unsolved once it is adopted.

1.3 Limitations of Existing Agentic KGQA Systems

1.3.1 No Check on What the Final Answer Asserts

Agentic systems ground their answers in a traversed subgraph, and this thesis’s own measurements confirm that they do so effectively: entities they assert do exist in the graph, and are reachable along the paths they walked (Section 8.5). The deficit is not fabrication.

The deficit is *precision*. Every system surveyed in Chapter 3 emits whatever its final generation call produces from the traversed context, with no check that each asserted entity actually answers the question that was asked. An entity can be present in the retrieved subgraph, correctly retrieved, and still be the wrong answer — an intermediate node from the reasoning chain, a container when a member was requested, or one of several plausible neighbours selected arbitrarily. It can also be one of many entities asserted where the question admits few, which inflates recall at the cost of precision. Both failures are invisible to a system that verifies retrieval but never verifies assertion; they surface as a measurable precision gap against a system that does check (Section 8.2).

Chain-of-Verification [15] and multi-agent debate [16] establish that post-hoc self-checking reduces factual error in free-form generation, and a self-correcting agentic graph pipeline has been demonstrated in a clinical setting [17]. What is missing is a claim-level check against the retrieved triples performed *before* the answer is emitted, inside a graph-navigating agent.

1.3.2 Unquantified Contribution of Individual Agentic Mechanisms

Agentic systems are assemblies of mechanisms — decomposition, scoring, backtracking, self-correction — and are reported as wholes. When such a system outperforms a static baseline, the literature rarely establishes which mechanism produced the gain, or whether some mechanisms contribute nothing. Without that attribution, subsequent work inherits the entire assembly on faith and its cost along with it. Component-level ablation is the standard remedy and is conspicuously underused in this specific literature.

1.3.3 Accuracy Reported Without Cost

Navigation is expensive. Each exploration step costs at least one model call, and agentic systems routinely consume an order of magnitude more tokens per question than a single-shot baseline. Accuracy tables that omit this make agentic methods look uniformly preferable when the honest picture is a trade-off, and the trade-off is exactly what a practitioner deciding whether to deploy such a system needs to see.

1.4 Problem Statement

This thesis addresses the following problem. Given a natural-language question q and a knowledge graph $G = (E, R, T)$ with entities E , relation types R , and triples $T \subseteq E \times R \times E$, produce an answer set $A \subseteq E$ together with a supporting triple set $S \subseteq T$, such that every entity in A is justified by S , and S consists only of triples the system actually traversed in reaching A . Three properties distinguish this from standard knowledge graph question answering. The output is a *pair*, not an answer alone: the supporting triples are part of the contract, which makes the reasoning auditable rather than asserted. The support must be *traversed*, not merely retrievable after the fact, which forecloses post-hoc justification of an answer arrived at some other way. And the justification is checked *before* the answer is emitted, so that unsupported content can be removed or hedged rather than merely flagged.

1.5 Research Questions

1.5.1 RQ1: Does Agentic Navigation Improve Multi-Hop Factual Accuracy?

Does interleaving retrieval with reasoning over a knowledge graph produce more accurate answers than static retrieval, and does the advantage grow with the number of hops a question requires? Answering this needs a no-retrieval control, since the standard benchmarks predate current models and may be partly memorised.

1.5.2 RQ2: What Does Pre-Generation Verification Contribute Beyond Graph Navigation?

Given a system that already navigates the graph, what does a claim-level check against traversed triples add? The question is posed as *what does it contribute*, not *does it reduce hallucination*, because the answer turns out to have several parts that a yes-or-no framing would obscure (Section 8.8).

1.5.3 RQ3: Which Components Contribute What, at What Token Cost?

Decomposition, backtracking, verification, and learned candidate scoring each cost model calls. Which of them measurably improve accuracy or groundedness, by how much, and at what price in tokens and latency?

1.6 Our Contribution

1.6.1 The AGR Framework and Its Verification Layer

We present Agentic Graph Reasoning (AGR), a knowledge-graph question-answering framework built as an explicit state machine over a constrained, deterministic graph tool API, and carrying a *Structural Verification Layer* that decomposes the draft answer into atomic claims and checks each against the traversed subgraph before the answer is emitted. Unsupported claims trigger either targeted re-exploration or removal from the answer. The system returns the answer paired with its supporting triples.

1.6.2 A Component-Level Ablation of Agentic Mechanisms

We ablate the planner, the backtracking mechanism, the verification layer, and the learned component of candidate scoring, reporting accuracy, groundedness, and token cost for each condition with paired significance testing. This addresses the attribution gap identified in Section 1.3.

1.6.3 Stratum-Dependent Decomposition: When Planning Hurts

Question decomposition is treated in the literature as straightforwardly beneficial. We find it is not: removing the planner *improves* accuracy on the shallower benchmark while trending toward harming it on the deeper one. The asymmetry, not the pooled average, is the result.

1.6.4 The Echo Attractor as a Named Failure Mode

We identify and characterise a recurring failure in which multiple independent systems converge on the same wrong answer — typically the question’s own topic entity, an intermediate node from the reasoning chain, or a coarser-granularity container. Because it is shared across systems, it is invisible to any evaluation that treats systems as independent.

1.6.5 Quantified Benchmark Defect Rates for WebQSP and CWQ

We quantify label defects in the two standard benchmarks through a consensus pre-pass followed by per-item adjudication, and separate two kinds of label error that have opposite evidence signatures. We report results both with and without the affected items.

1.6.6 An Evaluation Protocol with Pre-Registered Thresholds

Decision thresholds — the judge-agreement bar, the baseline-certification diagnostic, and the scoring hyperparameters — were fixed before test data was touched, and we report outcomes against them including where a threshold was narrowly missed.

1.7 Scope and Delimitations

The knowledge environment is a static, curated subset of Freebase [18]; the thesis does not address graph construction from unstructured text, knowledge-base completion, or temporal evolution of facts. Questions are English and factoid, drawn from WebQSP [19] and ComplexWebQuestions [20]; long-form generation and conversational settings are out of scope. All systems share one backbone model, held constant so that architectural differences are not confounded with model capability; the thesis therefore reports how these architectures compare on a single backbone, not how they scale across backbones. Finally, the system is a research prototype evaluated offline: latency is reported as a cost measure, not as evidence of production readiness.

1.8 Thesis Organization

Chapter 2 establishes the background required for the technical chapters: knowledge graphs and their Freebase-specific idiosyncrasies, knowledge graph question answering and its evaluation conventions, language models as reasoning engines, retrieval augmentation, graph search, and the statistical tools used throughout. Chapter 3 surveys prior work and positions AGR against it, culminating in a comparison of agentic knowledge graph question answering systems that both identifies the gap this thesis addresses and justifies the choice of baselines.

Chapter 4 describes the construction and validation of the knowledge environment, including the answer-reachability gate that bounds the accuracy attainable in it. Chapter 5 specifies the AGR framework: the tool API, the state machine, the planner, the scoring function, the backtracking policy, and the budgets that guarantee termination. Chapter 6 treats the Structural Verification Layer in detail, as the thesis’s principal architectural contribution.

Chapter 7 sets out the experimental design — test sets, baselines, metrics, judge validation, gold-answer quality control, and the pre-registration policy. Chapter 8 reports results and answers the three research questions. Chapter 9 analyses the failures that remain, including the benchmark defects and the shared-attractor pattern, and discusses threats to validity. Chapter 10 summarises the contributions, states the limitations, and identifies future work.

Chapter 2

Background and Preliminaries

This chapter establishes the concepts and notation the technical chapters assume. It is deliberately compact: only material actually used later is included, and standard results are stated rather than derived.

2.1 Knowledge Graphs

2.1.1 Triples, Entities, and Relations

A *knowledge graph* $G = (E, R, T)$ consists of a set of entities E , a set of relation types R , and a set of triples $T \subseteq E \times R \times E$. A triple (h, r, t) asserts that relation r holds from head entity h to tail entity t — for example, (Ada Lovelace, place_of_birth, London). Relations are directed and typed, and both directions carry meaning: the inverse of place_of_birth is a legitimate but distinct relation.

Two properties matter for what follows. Triples are *atomic*: each asserts exactly one fact, so a claim can be checked against the graph by testing for the existence of specific edges. And they are *composable*: a chain $(e_0, r_1, e_1), (e_1, r_2, e_2), \dots$ expresses a multi-step relationship that no single triple states, which is what makes a knowledge graph the natural substrate for multi-hop questions.

2.1.2 Freebase: MIDs, Schema, and Mediator Nodes

Freebase [18] is a large collaboratively-built knowledge base, frozen since 2016, and the substrate for the standard knowledge graph question answering benchmarks. Three of its characteristics affect any system built on it.

Entities are identified by opaque *machine identifiers* (MIDs) such as m.02mjmr, with human-readable names attached as a separate property. Names are neither unique nor stable, so entity

identity and entity surface form must be handled separately.

Relations are namespaced paths such as `people.person.place_of_birth`, encoding domain, type, and property. The vocabulary is large — tens of thousands of relation types — and includes many that carry no factual content, such as internal type and key predicates.

Most consequentially, Freebase represents n -ary facts through *mediator* or *compound value type* (CVT) nodes. A fact with more than two participants — an actor playing a particular character in a particular film — is not a single edge but an anonymous intermediate node linking the participants. A relationship a user would describe as one hop is therefore two edges in the graph. Any system reporting hop counts over Freebase must state how it treats these nodes, since the choice changes every depth measurement; systems that ignore them lose the facts they encode [11].

2.1.3 Property Graphs, Neo4j, and Cypher

The triple model above is the RDF view. An alternative is the *property graph* model, in which nodes and edges are both typed and may carry arbitrary key–value properties. This is the model implemented by Neo4j [21] and queried by Cypher [22], a declarative language whose `MATCH` clause expresses graph patterns directly. A triple store maps onto it naturally: entities become nodes carrying their MID and name, and relations become typed edges. Traversal patterns that would require recursive joins in a relational schema are expressed as literal path patterns, which is the practical reason for choosing a graph store here.

2.2 Knowledge Graph Question Answering

2.2.1 Multi-Hop Questions and Constraint Satisfaction

Knowledge graph question answering (KGQA) takes a natural-language question and a graph, and returns the entity or entities that answer it. A question is *k-hop* if answering it requires traversing k edges from the entities named in the question — its *topic entities* — to the answer. Beyond hop count, questions vary in *constraints*: conditions that filter candidates rather than extending the chain. “Which of Tolstoy’s novels was published after 1875?” is one hop plus a temporal constraint. Constraints must be satisfied jointly with the chain, and a system that traverses correctly while silently dropping a constraint returns a superset of the answer — a failure that hop-count analysis alone does not expose.

Two families of approach have historically divided this field. *Semantic parsing* methods translate the question into a formal query (SPARQL or equivalent) and execute it, giving exact and interpretable results but requiring the parse to be exactly right [19, 23]. *Information retrieval* methods retrieve a relevant subgraph and rank candidate answers within it, degrading more

gracefully but sacrificing transparency. The agentic systems considered in this thesis are closer to the second family, but recover much of the first family’s transparency by logging the traversal itself.

2.2.2 Evaluation Conventions: Hits@1 and F1

Two metrics are conventional. *Hits@1* is the proportion of questions for which the system’s top-ranked answer appears in the gold answer set; it is a per-question binary correctness measure and the headline number in most of this literature.

Because many questions admit multiple correct answers, Hits@1 alone rewards a system that names one correct entity and ignores the rest. *F1* therefore complements it, computed per question between the predicted answer set A and the gold set A^* :

$$P = \frac{|A \cap A^*|}{|A|}, \quad R = \frac{|A \cap A^*|}{|A^*|}, \quad F_1 = \frac{2PR}{P + R},$$

and averaged over questions. The distinction between P and R is load-bearing in this thesis: a system that asserts many entities can achieve high recall while its precision falls, and Section 1.3 argues that precisely this failure goes unmeasured when only Hits@1 is reported.

2.3 Large Language Models as Reasoning Engines

2.3.1 In-Context Learning and Chain-of-Thought Prompting

Sufficiently large language models perform tasks specified entirely in their prompt, without gradient updates — *in-context learning* [24]. Prompting the model to produce intermediate reasoning steps before its final answer, *chain-of-thought* prompting [25], substantially improves performance on multi-step problems. Both are used here: the agent’s planner, scorer, evaluator, and verifier are all prompted components of a single frozen model, and no component is fine-tuned. This matters for comparability, since several systems surveyed in Chapter 3 are fine-tuned and therefore not directly comparable to prompting methods.

2.3.2 Tool Use and the ReAct Loop

A language model can be given *tools*: named operations it may invoke, whose results re-enter its context [26]. The *ReAct* pattern [27] interleaves reasoning and action in a loop — the model reasons about what to do, acts, observes the result, and reasons again — which is the control structure underlying agentic graph navigation. Where the tools are graph operations, each

iteration extends a traversal, and the sequence of tool calls is a complete record of how the answer was reached.

2.3.3 A Working Definition of Hallucination for This Thesis

“Hallucination” is used loosely in the literature. This thesis adopts a narrow, operational definition tied to the knowledge environment: an asserted entity is *ungrounded* if it does not exist in the graph, or exists but is not reachable from the question’s topic entities within the traversal budget. A claim is *unsupported* if the traversed triples do not entail it.

Two consequences of this definition should be stated plainly. It is relative to the environment: an entity absent from the graph is ungrounded even if true in the world. And groundedness is not correctness — an answer can be perfectly grounded, every entity real and reachable, and still be the wrong answer to the question. Chapter 8 shows that this gap is not hypothetical, and Section 1.3 is built on it.

2.4 Retrieval-Augmented Generation

2.4.1 Dense Retrieval and Sentence Embeddings

Dense retrieval encodes queries and documents into a shared vector space and retrieves by nearest neighbour, capturing semantic similarity where lexical matching fails [28]. Sentence-level encoders such as Sentence-BERT [29] produce embeddings suitable for direct cosine comparison. In this thesis, embeddings serve two bounded purposes — linking question phrases to graph entities, and pre-ranking relation candidates during exploration. They never establish that a fact is true; that role belongs exclusively to the symbolic triples.

2.4.2 Graph-Based Retrieval

Graph-based retrieval replaces flat passages with structured context [4, 5]. The retrieved unit is a subgraph rather than a document, which preserves relationships explicitly. The distinction that matters for this thesis is not graph versus vector but *static versus interleaved*: whether retrieval happens once before reasoning begins, or repeatedly as reasoning proceeds.

2.5 Search over Graphs

2.5.1 Best-First and Beam Search

Best-first search maintains a frontier of candidate nodes ordered by a heuristic estimate of promise and expands the most promising first [30, 31]. *Beam search* bounds the frontier to the b highest-scoring candidates at each depth, trading completeness for a fixed memory and computation budget. With an expensive scoring function — here, a language model call — the beam width is also the principal cost control.

2.5.2 Backtracking and Dead-End Detection

Bounded search commits to choices that may prove wrong. *Backtracking* recovers by abandoning the current branch and resuming from a previously unexplored alternative, which requires maintaining a stack of such alternatives and a trigger condition for when to pop it. Trigger conditions and the stack discipline used here are specified in Section 5.6.

2.5.3 Relation to Monte Carlo Tree Search: A Terminological Clarification

The original proposal for this work described its navigation strategy as “inspired by Monte Carlo Tree Search”. That description is withdrawn here, and the reason is worth stating explicitly.

Monte Carlo Tree Search [32, 33] is defined by four phases: selection, expansion, *simulation* (a rollout to a terminal state), and *backpropagation* of the rollout’s value to the ancestors of the expanded node. The two phases that give MCTS its statistical character are simulation and backpropagation, which together let node values be estimated from sampled outcomes rather than from a fixed heuristic.

The method used in this thesis has neither. There are no rollouts, and no value is propagated back up the search tree; each candidate is scored once, by a fixed function combining embedding similarity with a language-model judgement, and that score is never revised in light of what is found later. What the method is, is *guided best-first search with a bounded beam and backtracking*. It is described that way throughout.

The contrast is not hypothetical. Genuine tree search has been applied to this exact task: KBQA-01 [34] drives an agentic knowledge base question answering process with full MCTS — policy and reward models, rollouts, and value backpropagation — over Freebase, and Reasoning with Trees [35] likewise builds an explicit search tree. That those systems exist is precisely why the terminology matters here: describing a single-pass scoring heuristic as MCTS-inspired would invite comparison with machinery this framework does not implement.

2.6 Statistical Tools Used in This Thesis

Three tools recur, each chosen for a specific property of the data.

Bootstrap confidence intervals [36] quantify sampling uncertainty by resampling the evaluated questions with replacement and recomputing the metric; the 2.5th and 97.5th percentiles of the resulting distribution give a 95% interval. They are used because the test sets are samples, and because they require no distributional assumption about metrics such as per-question F1.

McNemar’s test [37] assesses whether two systems differ in accuracy when both are evaluated on the *same* questions. It considers only the discordant pairs — questions one system answers correctly and the other does not — and tests whether the split between the two discordant counts departs from chance. Paired testing is essential here because all systems are run on identical question samples, so an unpaired test would discard the pairing and lose power.

Cohen’s κ [38] measures agreement between two annotators on a categorical judgement, correcting for agreement expected by chance:

$$\kappa = \frac{p_o - p_e}{1 - p_e},$$

where p_o is observed agreement and p_e is the agreement expected if both annotators labelled independently at their observed marginal rates. It is used to validate the automatic groundedness judge against human annotation. Conventional interpretation follows Landis and Koch [39], on whose scale values between 0.61 and 0.80 denote substantial agreement.

Chapter 3

Related Work

This chapter surveys the work AGR builds on and competes with. It proceeds from static graph-augmented generation, through path-retrieval and agentic exploration, to verification and factuality measurement, and closes with a structured comparison of the six closest systems. That comparison serves two purposes: it locates the gap this thesis addresses, and it justifies the choice of baselines in Section 7.4.

3.1 Static Graph-Augmented Generation

3.1.1 GraphRAG and Query-Focused Summarization

GraphRAG [4] constructs a knowledge graph from a text corpus using a language model, partitions it into communities, and pre-computes summaries at each level, so a query can be answered from structured context rather than retrieved passages. Its strength is global questions — those whose answer depends on the corpus as a whole rather than any single passage — which flat retrieval handles poorly.

The relevant limitation is that retrieval remains a single step preceding generation. The context is assembled before the model has begun reasoning, so it cannot be conditioned on intermediate findings. GraphRAG also builds its graph by language-model extraction, which is appropriate for unstructured corpora but introduces extraction error into the reference itself — a consideration that shapes the environment design in Section 4.1.

3.1.2 HippoRAG and Memory-Structured Retrieval

HippoRAG [5] draws on the hippocampal indexing theory of human memory, combining a knowledge graph with a personalised PageRank retrieval step so that a single query can integrate evidence distributed across many passages. It substantially improves multi-hop retrieval over flat baselines at low cost.

Its retrieval is nonetheless a single graph-propagation step, not an agent-directed traversal: the propagation is fixed and the model does not choose where to look next. Temporal extensions such as T-GRAG [6] address a different axis — conflicting and redundant facts across time — which is orthogonal to the navigation question and is noted here for completeness rather than compared against.

3.2 Path-Retrieval and Semantic-Parsing KGQA

3.2.1 Reasoning-on-Graphs

Reasoning-on-Graphs (RoG) [9] adopts a planning–retrieval–reasoning pipeline: a fine-tuned model generates relation paths grounded in the graph schema, those paths are used to retrieve matching instantiations, and the model reasons over the retrieved paths. Because answers are produced from retrieved paths, RoG is faithful by construction and can present the path as an explanation.

Two properties distinguish it from the present work. It is *fine-tuned*, which places its reported numbers outside direct comparison with prompting methods. And its plan is generated in one shot before retrieval: if the generated relation path does not instantiate in the graph, there is no mechanism to revise it mid-course. The pre-generation verification question does not arise, because grounding is guaranteed structurally rather than checked.

3.2.2 StructGPT and KG-Agent

StructGPT [12] provides a general interface for reasoning over structured data — knowledge graphs, tables, and databases — through an invoke–linearise–generate loop, in which specialised interfaces extract evidence that is linearised into text for the model. It is deliberately general rather than graph-specific, and performs no open-ended graph search.

KG-Agent [10] is closer to the agentic setting: a multifunctional toolbox, a knowledge-graph executor, and a dynamic memory, driven by an instruction-tuned model that autonomously selects tools across iterations. It demonstrates that a small fine-tuned model with good tool abstractions is competitive with much larger prompted ones. It plans implicitly through tool selection rather than committing to explicit sub-objectives, provides no backtracking mechanism, and performs no verification of the final answer.

3.3 Agentic Graph Exploration

3.3.1 Think-on-Graph

Think-on-Graph (ToG) [7] established the template for training-free agentic KGQA. The model performs iterative beam search over the graph: at each step it is shown candidate relations and entities and prunes them itself, with beam width and maximum depth both set to three. Exploration terminates when the model judges the retrieved paths sufficient, at which point it answers directly.

ToG is the most directly comparable prior system to AGR — training-free, prompting-based, operating on Freebase, evaluated on the same benchmarks — and is therefore the agentic baseline in Section 7.4. Its limitations are instructive. There is no explicit decomposition, so multi-constraint questions are handled implicitly. Low-scoring branches are pruned within the beam, but there is no mechanism to return to an abandoned node once the beam has moved on. And the transition from exploration to answering is a single model judgement: nothing checks the answer that follows.

3.3.2 Plan-on-Graph

Plan-on-Graph (PoG) [8] is the closest system to AGR in ambition. It decomposes the question into sub-objectives including constraint conditions, explores adaptively with a breadth that varies by sub-objective, and adds Guidance, Memory, and Reflection mechanisms. Reflection decides both whether to self-correct and which entity to backtrack to, making PoG the one surveyed system with genuine backtracking.

PoG’s self-correction operates on the *search process*: it reconsiders where to explore. It does not decompose the draft answer into claims and check each against the retrieved triples before responding. The distinction is the gap this thesis occupies, and it is stated precisely in Section 3.7.

A naming hazard must be recorded here. A second, unrelated system is also abbreviated PoG — Paths-over-Graph [40] — and reports considerably higher figures. Survey tables that cite “PoG” without disambiguation are a known source of contaminated comparisons, and this thesis always writes Plan-on-Graph or Paths-over-Graph in full.

3.3.3 Generate-on-Graph and Reasoning with Trees

Generate-on-Graph (GoG) [11] targets the incomplete-graph setting through a thinking–searching–generating loop: when the graph lacks a required fact, the model generates candidate triples from its parametric knowledge and continues. It also expands subgraphs dynamically to handle the mediator nodes described in Section 2.1, which ToG tends to skip. The trade-off

is directly opposed to this thesis’s: GoG deliberately admits model-generated facts into the evidence, whereas AGR admits only graph triples.

Reasoning with Trees [35] applies explicit tree search to knowledge graph question answering. It is cited in Section 2.5.3 as an example of genuine tree-search machinery, in contrast with the guided best-first search implemented here.

3.3.4 KBQA-o1 and Genuine Tree Search

KBQA-o1 [34] is the closest system to the search strategy the present work’s proposal originally described, and therefore the most important one to distinguish from it. It performs agentic knowledge base question answering with full Monte Carlo Tree Search — a policy model proposing actions, a reward model scoring them, and rollouts whose values propagate back through the tree — wrapped around a ReAct-style agent that generates logical forms step by step against a Freebase environment. The exploration additionally generates annotations used for incremental fine-tuning, so the search improves the model that drives it.

Two aspects bear on this thesis. First, KBQA-o1 is what the withdrawn “MCTS-inspired” description of Section 2.5.3 would have claimed: it has the rollouts and value backpropagation that AGR does not, and naming the difference honestly is what keeps the two separable.

Second, its ablation is directly relevant to the methodological argument of Section 3.7. Removing MCTS from KBQA-o1 while leaving every other component intact drops overall GrailQA F1 from 78.5 to 48.5 — a thirty-point attribution to a single mechanism, obtained precisely because the authors ablated components rather than reporting the assembly as a whole. That is the same instrument this thesis applies in Section 8.7, and it is evidence that the instrument is informative. KBQA-o1 is not a baseline here. It is fine-tuned rather than prompted, evaluates under a low-resource few-shot protocol, and does not report ComplexWebQuestions, so no controlled comparison against it is available in this environment.

3.4 Verification and Self-Correction in Language Models

3.4.1 Chain-of-Verification

Chain-of-Verification (CoVe) [15] has the model draft a response, plan verification questions about it, answer those independently, and regenerate a corrected response. It establishes the core premise of this thesis’s verification layer — that decomposing a draft and checking its parts reduces factual error — but performs the checks against the model’s own knowledge rather than an external symbolic source. Multi-agent debate [16] achieves a related effect by having several model instances critique one another.

This distinction matters given evidence that language models cannot reliably self-correct reasoning without external feedback [41]. A verification step whose ground truth is the same model that produced the error is limited by construction. AGR’s verification is grounded in traversed triples, making the check external to the generator.

3.4.2 Ontology-Guided and Self-Correcting Graph RAG

A self-correcting agentic graph RAG system for clinical decision support in hepatology [17] demonstrates the combination of agentic retrieval with a correction loop in a high-stakes domain, and ontology-guided reasoning constrains an agent to logically valid relation use. These substantiate the practical motivation for verification, though in domain-specific settings rather than on the open-domain benchmarks used here. Reflexion-style verbal self-improvement [42] provides the general agentic pattern of which these are graph-specific instances.

3.5 Measuring Factuality

3.5.1 Claim-Decomposition Metrics

FActScore [43] evaluates long-form generation by decomposing text into atomic facts and verifying each against a reference source, reporting the supported proportion. This decomposition-then-verify protocol is the basis for the groundedness metric in Section 7.5.3, with the knowledge graph serving as the reference. The essential methodological requirement, adopted here, is that the verifying judge must be independent of the system that produced the text.

3.5.2 Factuality Benchmarks and Their Limits

FactBench [44] provides a dynamic benchmark for in-the-wild factuality evaluation. The original proposal for this thesis intended to use it both as a source for the knowledge environment and as the hallucination evaluator. That plan was abandoned, and the reason is methodological rather than practical: if the evaluator’s facts are contained in the graph the system retrieves from, a low hallucination rate follows by construction rather than by merit. The evaluation in Chapter 7 therefore measures claim grounding against the graph with a human-validated judge, keeping the evaluator’s ground truth outside the system’s evidence.

3.6 Comparative Summary of Agentic KGQA Systems

Table 3.1 compares the six closest systems on the mechanisms relevant to this thesis, and Table 3.2 records their evaluation settings and published accuracy.

Table 3.1: Mechanism comparison of the six closest prior systems. No system performs claim-level verification of the final answer against retrieved triples before responding.

System	Exploration strategy	Decomposes query?	Backtracks?	Verifies before answering?
ToG [7]	Training-free LLM-guided iterative beam search; beam width and depth both 3	No	No — prunes within beam, cannot return	No
PoG [8]	Self-correcting adaptive planning with Guidance, Memory, Reflection	Yes, into sub-objectives with constraints	Yes — Reflection selects the entity to return to	Partial — corrects the search, not the answer
RoG [9]	Planning–retrieval–reasoning over generated relation paths	Partial — relation-path plans	No	Faithful by construction; no explicit check
KG-Agent [10]	Toolbox with KG executor and dynamic memory; autonomous tool selection	Implicit, via tool calls	No	No
GoG [11]	Thinking–searching–generating; generates triples when the KG is incomplete	Yes	No — expands subgraph instead	No
StructGPT [12]	Iterative reading–then–reasoning via invoke–linearise–generate interfaces	No	No	No
KBQA-o1 [34]	Monte Carlo Tree Search with policy and reward models over a ReAct agent; fine-tuned	Implicit, stepwise logical form	Via MCTS tree revisiting	No
AGR (this work)	Guided best-first beam search with explicit backtracking	Yes, into ordered sub-objectives	Yes — threshold, dead end, or evaluator veto	Yes — claim-level, pre-generation

Three caveats attach to Table 3.2 and are carried into every comparison in this thesis.

First, the figures are drawn from the original publications and reflect different backbones. RoG and KG-Agent are fine-tuned, and their numbers are not comparable with prompting methods at all. Among the prompting methods, the backbone accounts for much of the spread — the same methods drop sharply when run on smaller open-weight models. This is the direct motivation for holding the backbone constant across every system in Chapter 7: the literature does not, so a cross-paper table cannot settle which architecture is better.

Second, evaluation protocols differ. Some papers evaluate on sampled test subsets, and answer-matching conventions are not uniform across implementations.

Third, the Plan-on-Graph figures are marked as approximate. They are consistent with values reported in follow-up work, but should be confirmed against the primary tables before being relied upon in any quantitative claim. No claim in this thesis depends on them; they appear here

Table 3.2: Reported evaluation settings and Hits@1 as published. These figures are *not* directly comparable to one another: backbones differ, some papers evaluate on sampled subsets, and the backbone accounts for much of the variation.

System	Backbone	Datasets	WebQSP	CWQ
ToG	GPT-3.5	CWQ, WebQSP, GrailQA [45], QALD10-en, SimpleQuestions, WebQuestions, T-REx, Zero-Shot RE, Creak	76.2	58.9
	GPT-4		82.6	69.5
PoG	GPT-3.5	CWQ, WebQSP, GrailQA	≈82.0	≈63.2
	GPT-4		≈87.3	≈75.0
RoG	Fine-tuned LLaMA2-7B	WebQSP, CWQ	85.7	62.6
KG-Agent	Fine-tuned 7B	WebQSP, CWQ, plus other KBs	83.3	72.2
GoG	GPT-3.5	WebQSP, CWQ (complete and incomplete KG)	78.7	55.7
	GPT-4		84.4	75.2
StructGPT	GPT-3.5	WebQSP, MetaQA, TableQA, Text-to-SQL	72.6	—
KBQA-o1	Llama-3.1-8B	GrailQA, WebQSP, GraphQ; 100-shot low-resource protocol	59.8 [†]	—
	Llama-3.3-70B		67.0 [†]	—

[†] KBQA-o1 reports **F1**, not Hits@1, and evaluates under a 100-shot low-resource protocol; these cells are therefore *not* comparable with the rest of the column and are shown only to situate the system. It does not evaluate CWQ.

to situate the design space.

3.7 Positioning of This Work

Table 3.1 makes the gap explicit. Decomposition is well established — PoG and GoG both do it. Backtracking exists, in PoG. Faithful grounding by construction exists, in RoG. But in the final column, *no surveyed system decomposes its draft answer into atomic claims and checks each against the retrieved triples before responding*. PoG’s Reflection corrects the search while it is running; RoG’s answers are grounded because of how they are produced, not because anything examined them. The slot is open.

AGR’s contribution is therefore positioned as follows.

The **primary** contribution is the Structural Verification Layer: a claim-level check against traversed triples, executed before the answer is emitted, with repair policies that either resume exploration or remove unsupported content. Chapter 6 specifies it.

The **secondary** contribution is a systematic component ablation quantifying what each agentic mechanism actually contributes, in accuracy and in tokens. As Table 3.1 shows, these mechanisms are typically reported as bundles; which of them earns its cost is not established in this literature.

A deliberate consequence of this positioning is that the thesis does not depend on beating prior

systems on raw Hits@1. The comparison that matters is against the same architecture with the verification layer removed, on the same graph, with the same backbone — which is why the ablation in Section 8.7, rather than Table 3.2, carries the argument. Where AGR is compared against a prior system, that comparison is run under controlled conditions in this thesis’s own environment rather than quoted across papers.

Chapter 4

The Knowledge Environment

Everything the agent can know, it knows from the graph. The environment therefore bounds the accuracy any system in this thesis can attain, and a result reported without that bound is uninterpretable. This chapter describes how the environment was built, what it contains, and — equally important — what it cannot express.

4.1 Design Goals

4.1.1 Decoupling the Graph Source from the Question Sets

The original proposal for this work described ingesting WebQSP and FactBench into a graph database. That description conflated two distinct roles, and the correction is worth stating because it shaped everything downstream.

WebQSP [19] is not a knowledge graph. It is a set of questions annotated with semantic parses over Freebase [18]; the graph is Freebase, and WebQSP supplies questions and gold answers against it. The two roles are kept strictly separate here: Freebase-derived triples constitute the environment, while WebQSP and ComplexWebQuestions [20] supply questions and gold answers and contribute no facts to it.

FactBench [44] was removed entirely. It had been intended both as a source of graph content and as the hallucination evaluator, which is circular: if the evaluator’s facts are inside the graph the system retrieves from, a low hallucination rate follows by construction. Groundedness is instead measured against the graph by an independent judge, as described in Section 7.6.

4.1.2 Why a Curated Subgraph Rather Than LLM-Extracted Triples

The proposal also specified a language-model entity-relationship extractor to build the graph. This is appropriate when the source is unstructured text, and it is what GraphRAG does [4]. It is

self-defeating here. The graph is the reference against which model output is verified; building that reference with a language model would introduce the very error class the thesis measures, and no claim about hallucination reduction would survive the observation that the ground truth was itself generated.

The environment is therefore assembled exclusively from curated Freebase triples. Language models are used to *navigate* the graph and to *judge* answers, never to populate it.

4.2 Source Data

4.2.1 The Freebase Snapshot

Freebase has been frozen since 2016, which makes it stable and reproducible while also dating it — a property that cuts both ways and motivates the no-retrieval control in Section 7.4. Two routes to a working Freebase environment were considered.

The first is a full SPARQL endpoint: the community-standard preprocessed Virtuoso image, which ships a database of over 53 GB and whose maintainers recommend on the order of 100 GB of RAM for acceptable query latency. Its advantage is a complete and realistic search space, including the hub entities of very high degree that make naive traversal explode.

The second is the per-question subgraph distribution published alongside Reasoning-on-Graphs [9], in which each record pairs a question with its topic entities, gold answers, and the triples of a multi-hop neighbourhood around those topic entities.

The second route was chosen, for a reason that should be recorded plainly: the hardware for the first was not available. The consequence is a scoped environment rather than all of Freebase, and Section 4.7 quantifies what that costs.

4.2.2 WebQSP and ComplexWebQuestions as Question Sets

WebQSP [19] contains questions whose answers lie predominantly one or two hops from the topic entity; it descends from WebQuestions [23]. ComplexWebQuestions [20] is constructed by composing WebQSP queries into deeper chains with conjunctions, superlatives, and comparatives, and is the genuine multi-hop benchmark of the two. Reporting both is deliberate: WebQSP establishes comparability with prior work, and CWQ is where the multi-hop claim is actually tested.

4.3 Graph Construction

4.3.1 Union of Per-Question Subgraphs from the RoG Distribution

The environment is the *union* of every per-question subgraph in the RoG distribution, across both datasets and all three splits. Each record’s triple list is read, whitespace-normalised, and inserted into a global deduplicated set; entity and relation strings are interned to integers so that the union and its adjacency structure fit in memory.

Unioning is not incidental. A per-question subgraph in isolation is a near-oracle: it was extracted to contain the answer, so an agent searching it faces almost no distractors. Merging every question’s neighbourhood into one global graph restores distractor mass, since the agent exploring one question’s topic entity encounters edges contributed by unrelated questions. WebQSP contributes 3,791,302 unique triples over 1,298,304 entities; adding CWQ brings the union to 8,309,194 triples over 2,592,892 entities.

Two consequences must be disclosed. First, the RoG subgraphs were pre-extracted so as to guarantee answer reachability, which makes the resulting environment friendlier than raw Freebase — fewer irrelevant hub explosions, and a higher answer-reachability rate than a BFS extraction from the full store would produce. This is a threat to external validity, revisited in Section 9.9.3. The mitigating argument is that *every system compared in this thesis navigates this identical environment*, so relative comparisons remain sound even where absolute numbers are optimistic.

Second, the distribution’s triples are keyed by human-readable entity names rather than by Freebase machine identifiers. The node identifier is therefore the name string, which means distinct real-world entities sharing a surface form are merged into a single node. This is inherent to name-keying and is also revisited in Section 9.9.3.

4.3.2 Relation Filtering and Noise Removal

An extraction from raw Freebase would require aggressive predicate filtering: administrative namespaces, type and key predicates, and above all `type.type.instance`, which contributes millions of edges per type node. Degree capping would likewise be mandatory, since uncapped breadth-first expansion from a hub entity explodes at the second hop.

No such filtering was applied here, and the reason is structural rather than an oversight: the RoG distribution ships subgraphs that have already been scoped around topic entities, so the administrative predicates and hub explosions that filtering exists to remove are largely absent from the source. The only transformation applied to relation names is sanitisation into Cypher-legal identifiers, described in Section 4.4. What survives is a vocabulary of 7,058 distinct relation types, which is the relation search space the agent faces at every exploration step.

4.3.3 Treatment of Mediator Nodes and Its Effect on Hop Counts

Freebase reifies n -ary facts through mediator nodes, as described in Section 2.1. In the name-keyed distribution these surface distinctively: named entities appear as their names, while unnamed mediators survive as raw machine identifiers of the form `m.0d05w3` or `g.11b62t84jq`. Nodes are flagged as mediators by matching that pattern, and the flag is stored as an `is_cvt` property.

Mediators are *retained*, not collapsed into hyper-edges. Retaining them preserves the facts they encode — systems that skip mediators lose exactly those facts [11] — at the cost of inflating raw hop counts, since one logical hop through a mediator is two graph edges. Every hop budget in this thesis is therefore stated in *raw* hops, and the conversion is roughly two raw hops per logical hop.

The scale of this decision is easy to understand: **1,652,618 of the 2,592,892 nodes — 63.7% — are mediator-form nodes carrying no human-readable name.** Nearly two thirds of the environment is connective tissue rather than nameable entities, which is why the tool layer in Section 5.2 must traverse through mediators transparently rather than present them to the agent as candidate answers.

4.4 Graph Store Construction

4.4.1 Property-Graph Schema

Entities become `:Entity` nodes carrying an integer `id`, the name string, and the boolean `is_cvt` flag. Triples become typed relationships whose type is the sanitised relation name — non-alphanumeric characters replaced by underscores, since Freebase predicates contain dots that are illegal in unquoted Cypher relationship types — with the original dotted string retained as an `fb_name` property.

Native relationship types were chosen over a single generic type carrying a name property. The alternative simplifies import but slows filtered expansion, and filtered expansion is the agent’s hottest operation: every exploration step retrieves the relations of an entity and then the neighbours along one of them.

Integer identifiers were chosen over names as the import key. Entity names contain commas, quotation marks, and unicode, all of which invite escaping bugs and silent collisions in bulk-import CSVs. The name survives as an ordinary property and is what the entity resolver matches against.

Table 4.1: The knowledge environment as constructed and imported.

Property	Value
Entities (nodes)	2,592,892
Triples (relationships)	8,309,194
Node and relationship properties	16,087,870
Distinct relation types	7,058
Mediator-form nodes (is_cvt)	1,652,618 (63.7%)
Triples contributed by WebQSP subgraphs	3,791,302
Entities after WebQSP alone	1,298,304
Rows skipped during import	0
Import wall-clock time	36.4 s
Peak import memory	1.09 GiB
Neo4j version	Community 5.26.28

4.4.2 Bulk Import into Neo4j

Import used the offline bulk importer of Neo4j Community 5.26.28, which operates on a stopped database and is orders of magnitude faster than transactional loading at this scale. Duplicate nodes and bad relationships were configured to be skipped rather than to abort the import.

After import, a uniqueness constraint on Entity.id and a full-text index on Entity.name were created; the latter is what the resolver’s lexical tier queries.

4.4.3 Graph Statistics

Table 4.1 records the environment as built. These figures, together with the dataset versions and the hop cap, constitute the reproducibility record for the environment.

The zero skipped rows deserve emphasis, because the import was deliberately configured to tolerate skips. Node and relationship counts in the database match the CSV row counts exactly, so the count-reconciliation check of Section 4.7 passes without any unexplained gap to account for.

4.5 The Vector Index

4.5.1 Entity Embeddings

Entity names were embedded with all-MiniLM-L6-v2, a 384-dimensional sentence encoder [29] chosen for CPU throughput at this node count. Mediator nodes were skipped: embedding a string such as m.0y5k79m produces noise, and by Section 4.3 that is almost two thirds of the graph, so skipping them is also the difference between a tractable and an intractable embedding job. Vectors were written back into Neo4j and indexed with a cosine-similarity vector index.

4.5.2 Relation-Vocabulary Embeddings

The scoring function of Section 5.5 compares candidate relations against the current sub-objective in embedding space, so the 7,058 relation names are embedded once and held in memory rather than embedded per step.

Two details make this work. Relation names are *verbalised* before encoding: `people.person.place_of_birth` becomes “people person place of birth”, with consecutive duplicate tokens removed. The encoder was trained on natural language, and the verbalised phrase lands near a question like “where was X born” in embedding space where the raw dotted path does not. And relations are embedded with the *same* model as entities and sub-objectives, since vectors from different models occupy unrelated spaces and their cosine similarity is meaningless.

The resulting artefact is a 7058×384 float32 matrix with a parallel name list. Because vectors are L2-normalised at encoding time, similarity against the whole vocabulary is a single matrix–vector product.

A functional check confirms the verbalisation is doing its job. Encoding the probe “where was the person born” and ranking the vocabulary against it returns `people.person.place_of_birth` first at cosine 0.709 and `location.location.people_born_here` — the inverse relation — second at 0.675, with the remaining top-five entries plausible near-misses drawn from birth-related and fictional-character namespaces. A degenerate verbaliser would have produced an unordered top five here.

4.5.3 Scope: Linking and Candidate Ranking, Never Ground Truth

The role of embeddings in this thesis is deliberately narrow. They resolve question phrases to graph entities, and they pre-rank relation candidates so the language-model scorer can be applied to a short list rather than to thousands of relations. They never establish that a fact holds. Every factual check — whether a triple exists, whether an entity is reachable, whether a claim is supported — is answered by symbolic graph queries. Nothing in the verification layer of Chapter 6 consults an embedding.

4.6 Entity Resolution and Surface-Form Linking

4.6.1 The Exact, Lexical, and Vector Cascade

Mapping a question’s surface mention to a graph node uses a three-stage cascade, each stage attempted only if the previous one fails.

Exact matching queries for a node whose name equals the normalised mention. Because the environment is name-keyed and the benchmarks supply topic entities as names, this resolves

Table 4.2: Entity resolution over all topic-entity mentions in both test sets. A mention counts as resolved only when the returned node’s name equals the mention exactly.

Dataset	Mentions	Exact stage	Unresolved
WebQSP	1,661	1,661 (100%)	0
CWQ	5,488	5,478 (99.8%)	10
Total	7,149	7,139 (99.86%)	10 (0.14%)

nearly everything.

Lexical matching queries the full-text index, handling typographical variation and partial names. Mentions are escaped for Lucene syntax before the query: benchmark entity names contain parentheses, colons, and slashes, all of which are Lucene operators that would otherwise crash or silently distort the query.

Vector matching encodes the mention and queries the entity vector index, handling paraphrases and misspellings that survive the first two stages.

The cascade is referred to by these names throughout, never as “tiers”, which this thesis reserves for the two-tier groundedness metric of Section 7.5.3.

4.6.2 Threshold Selection on Development Data

The lexical stage accepts its top hit only when the full-text score exceeds 1.0, falling through to vector matching otherwise. The threshold exists because the full-text index returns a ranked list for almost any input, including inputs that match nothing meaningfully; without a floor, the lexical stage would confidently return the least-bad token overlap and the vector stage would never be reached.

Resolution was measured over every topic-entity mention in both test sets, and Table 4.2 reports the outcome.

Entity linking is therefore not a bottleneck in this environment, and it can be excluded as an explanation for downstream failures — a claim the error analysis of Chapter 9 relies on.

4.7 Environment Validation Gate

No experiment was run until the environment was certified. The gate has three parts of increasing strength.

4.7.1 Answer-Reachability Protocol

For every test question, two properties are computed over the union graph. *Existence* asks whether the gold answer entities appear as nodes at all. *Reachability* asks whether at least one

Table 4.3: Environment coverage over the full test sets, at a bound of four raw hops. The reachability column is the Hits@1 ceiling for every system evaluated in this thesis.

Dataset	Test questions	All answers exist	≥ 1 exists	≥ 1 reachable
WebQSP	1,628	94.7%	97.3%	97.3%
CWQ	3,531	99.4%	99.7%	99.7%

gold answer is connected to at least one topic entity within a bounded number of hops.

Reachability is computed by breadth-first search treating edges as *undirected*, because the agent’s neighbour-retrieval tool looks in both directions and the gate must model the agent’s actual traversal semantics. The bound is four raw hops, which by Section 4.3 is approximately two logical hops through mediators — enough for all of WebQSP and most of CWQ. A question whose topic entity is itself a gold answer counts as reachable at zero hops.

This number is the **accuracy ceiling**: if a gold answer is unreachable, no navigating system can find it, however well designed.

4.7.2 Coverage Results and the Induced Accuracy Ceiling

Table 4.3 reports the gate.

Three observations follow. Every question in both datasets has at least one topic entity present in the graph, so no question is lost at the entry point.

More strikingly, *existence and reachability are identical* — 1,584 of 1,628 for WebQSP and 3,519 of 3,531 for CWQ. Every gold answer that exists in this environment is reachable within four hops. Reachability is therefore never the binding constraint; when an answer is unavailable it is because the entity is absent altogether. This is a direct consequence of the construction in Section 4.3: the subgraphs were extracted around topic entities precisely to guarantee reachability, and the measurement confirms that the property survived unioning.

Finally, CWQ’s coverage exceeds WebQSP’s, which inverts the expected ordering — the deeper benchmark has the better-covered answers. The explanation is again constructional rather than semantic: CWQ contributes far more questions and therefore far more subgraphs to the union, so its own answers are better represented. The residual WebQSP shortfall is dominated by answers that are not entities at all, which Section 4.7.4 takes up.

4.7.3 Analysis of Linking Misses and Gate Failures

The ten unresolved mentions of Table 4.2 are not a random residue. Every one is a bare machine identifier of the form g.123852dg appearing as a CWQ topic entity — an unnamed mediator node that the benchmark supplies where a named entity was expected. Exact matching fails because no node carries that string as a *name*, and the lexical stage then returns a meaningless

single-character match. The correct characterisation is that these questions are anchored on nodes with no surface form, not that resolution is unreliable.

The strongest gate check re-verifies the Python-computed reachability against the live database, confirming that nothing was lost between the CSV files and the imported graph. A random sample of 400 questions flagged reachable, drawn under a fixed seed, was re-tested with a shortest-path query in Neo4j. The pass criterion is strict — these were already known to be reachable, so anything below 100% would indicate dropped edges. **All 400 verified; the failure set is empty.** Together with the zero skipped import rows and the exact count reconciliation, the environment is certified.

4.7.4 What the Environment Cannot Express

Certifying reachability establishes that answers which *are* entities can be found. It says nothing about answers that are not entities, and this is where the environment’s real limits lie.

The import schema of Section 4.4 gives every node a single :Entity label. There is no typed literal node, no datatype, and no distinction between an entity and a value. A date or a number can therefore exist in the graph only incidentally, as an entity whose *name* happens to be a numeric string. Measured over all 2,592,892 nodes:

- **Dates** are effectively absent. Only 77 nodes carry a full YYYY-MM-DD name and 175 a bare four-digit year — together under 0.01% of the graph, and untyped, so they cannot be compared, ordered, or filtered by range.
- **Numeric values** appear on 12,622 nodes (0.49%), but the population is dominated by identifiers such as ISBNs rather than by measurable quantities.
- **Ordinals and superlatives** are not expressible at all. This is a property of the tool layer rather than the data: Section 5.2 exposes no aggregation, sorting, or comparison operator, so “the smallest” or “the earliest” cannot be computed even when every candidate is present in the graph.

This defines a class of questions that is *unanswerable in this environment*: any question whose gold answer is a date, a measured quantity, or a superlative selection over candidates. Such a question is not a reasoning failure when the system misses it — the environment could not have supplied the answer. The class is referenced by name in Section 9.6, where it accounts for a substantial share of the residual failures, and it is a known consequence of a design decision: modelling literals as typed nodes was considered and not adopted, in exchange for a uniform schema and a simpler tool API.

Chapter 5

The AGR Framework: Architecture and Navigation

This chapter specifies the Agentic Graph Reasoning framework: how the agent is structured, what operations it may perform on the graph, how it decides where to look next, how it recovers from wrong turns, and what guarantees bound its cost. The verification layer, which is the thesis’s principal contribution, is separated into Chapter 6; everything here is the machinery that produces the traversal it verifies.

5.1 Architectural Overview

5.1.1 The Controlled-Agent Pattern

There are two ways to build a graph-navigating agent. The first hands the model a set of tools through native function-calling and lets it drive the loop itself, ReAct-style [27]. The second inverts control: the *program* orchestrates the loop, calls the graph tools deterministically, and consults the model only at decision points, through constrained prompts that must return JSON. AGR uses the second, and the choice is deliberate enough to be worth defending, because it determines what the word “agentic” means in this thesis. Four consequences follow:

- **Every graph operation is logged by construction.** The traversal is not reconstructed from the model’s narration of what it did; it is the literal sequence of tool calls the program made.
- **Budgets are enforced in code, not requested in prompts.** A prompt asking the model to stop after four hops is a suggestion. A counter checked in a router is a guarantee (Section 5.8).

START → **Planner** → **Explorer** → **Evaluator**

Evaluator routes on `route_after_eval`:

- continue → **Explorer**
- backtrack → **Backtracker** → **Explorer**
- answer → **Verifier**

Verifier routes on `route_after_verify`:

- grounded → **Answerer**
- retry → **Explorer**
- give_up → **Answerer**

Answerer → END

Figure 5.1: The AGR state machine. Two cycles exist: Explorer ↔ Evaluator for iterative search, and Verifier → Explorer for verification-driven re-exploration. Both are bounded by the budgets of Section 5.8 rather than by the graph structure.

- **Failures are reproducible.** A malformed model response degrades a decision; it cannot corrupt the control flow.
- **Each model call is small, single-purpose, and cacheable**, which is what makes the response cache of Section 5.9 viable.

The agency in AGR therefore lives in the *decision policy* — which sub-objectives to pursue, which edges look promising, whether the current path is a dead end, whether the draft answer is supported — and not in unconstrained tool invocation. Prior systems in this space make the same choice [7, 8]; stating it explicitly forecloses the objection that AGR is merely a prompt around a function-calling loop.

5.1.2 The State Machine

The framework is a directed graph of six nodes over a shared typed state, built with LangGraph. Figure 5.1 gives the topology.

Two properties of this topology matter. It contains *cycles*, which is why a state-machine framework is used rather than a linear pipeline: exploration loops until the evaluator is satisfied, and verification can send the agent back to explore. And the verifier sits *between* the decision to answer and the answer itself, which is the structural expression of this thesis’s contribution — there is no path from evaluator to answerer that does not pass through verification.

Table 5.1: The graph tool API. All operations are deterministic parameterised Cypher; none consults an embedding except `search_entity`, which delegates to the resolver of Section 4.6.

Operation	Returns	Role
<code>search_entity(s, k)</code>	up to k candidate entities with id, name, score, and resolver stage	anchor seeding; the only entry point from text to graph
<code>get_relations(e)</code>	relation types incident to e in <i>both</i> directions, each with its fanout count	candidate generation for the scorer
<code>get_neighbors(e, r, d)</code>	entities reached from e along r in direction d , each with the via chain that reached it	frontier expansion
<code>verify_triple(h, r, t)</code>	{direct, via_cvt, supported}	claim checking (Section 6.3.1)
<code>verify_connection(a, b)</code>	{direct, via_cvt, connected}	relation-agnostic claim checking (Section 5.2.3)

5.2 The Graph Tool API

5.2.1 Rationale: Constrained Tools Instead of Free-Form Cypher

An obvious alternative is to let the model write Cypher directly. This was rejected. Generated-query approaches introduce a failure mode that is indistinguishable, in the results, from a reasoning failure: when a question is answered incorrectly, one cannot tell whether the agent reasoned badly or merely emitted invalid syntax. Since the thesis’s central claims are about reasoning and verification, a confound that contaminates every error category is unacceptable.

The tools are therefore parameterised Cypher templates (Section 7.10), written once and unit-tested. They accept entity identifiers and return names alongside them, so the model always sees human-readable text while the program tracks identity. Every invocation is appended to a JSONL log with its arguments, result, and latency.

5.2.2 The Five Operations

Table 5.1 lists the operations. Note that there are five, not the four originally planned: `verify_connection` was added when the verification layer of Chapter 6 required a relation-agnostic adjacency test.

Three design decisions inside these operations are load-bearing.

Relations are returned with fanout counts, in both directions. The count is free signal: a relation with a fanout of forty thousand is almost never the edge that answers a specific question, and the scorer can use this without an extra query. Retrieving incoming as well as outgoing edges matters because Freebase’s relation direction is a modelling artefact — a question about where someone was born may be answerable through `people.person.place_of_birth` outward or `location.location.people_born_here` inward.

Administrative predicates are filtered at the tool layer. Relations whose names begin with `common.`, `freebase.`, `type.`, `kg.`, `user.`, `dataworld.`, `rdf-schema#`, or `owl#` are dropped before the candidate list is built. These carry no factual content, and Section 5.10 shows what happens when they are not filtered: they consume beam slots and drag the agent into the schema rather than the data.

The relation list is capped at 300 entries, sorted by fanout. An earlier cap of 80 was raised after it was found to hide precisely the low-fanout, high-precision relations that answer specific questions — again, Section 5.10.

5.2.3 Mediator Traversal and Relation-Agnostic Adjacency

Section 4.3 established that 63.7% of the environment’s nodes are unnamed mediators. If the agent saw these as candidate entities, most of its frontier would consist of nodes with no surface form and no meaning to a language model.

`get_neighbors` therefore hops through them transparently. When an expansion reaches a node flagged `is_cvt`, the tool immediately expands that node one further step, excluding the origin and excluding other mediators, and returns the entities on the far side. Each returned neighbour carries a `via` chain — one relation for a direct edge, two for a mediator-mediated one. The model reasons about logical neighbours; the log retains the full raw chain, so hop accounting stays exact.

`verify_triple` applies the same principle to checking: it matches *undirected* and accepts a mediator in the middle. Direction-strictness would generate false rejections, because the claims it checks come from generated text that has no notion of which way a Freebase edge points.

`verify_connection` goes further and drops the relation entirely, asking only whether two entities are adjacent directly or through one mediator. It exists because claim decomposition frequently produces a claim whose relation does not correspond to any single Freebase predicate — “X played for Y” may be realised through a roster mediator with no edge literally named for playing. Requiring an exact relation match in such cases rejects true claims; Section 6.3.1 explains where each of the two checks is used.

5.3 Agent State

The state is a typed dictionary threaded through every node. Table 5.2 groups its fields by purpose.

Two disciplines govern this structure and are worth stating because violating either produces bugs that are extremely hard to localise.

Nodes write, routers read. A router is a pure function that inspects state and returns an edge

Table 5.2: The agent state. Fields marked *append-only* accumulate across node executions through reducers; all others are overwritten by whichever node returns them.

Group	Fields
Question	qid, question, gold_q_entities
Plan	plan: ordered sub-objectives, each with a status (pending/active/done) and its resolved entities
Search	anchors (current frontier), traversed (<i>append-only</i> triple log), backtrack_stack, banned, last_expanded
Answer	candidate_answers, draft, answer, answer_entities, supporting_triples
Verification	supported_claims, unsupported_claims, unsupported_claim_objs
Control	budget (meter, mutated in place), trace (<i>append-only</i>), and the router scratch keys _eval_decision, _last_n_new, _frontier_max_score

label; it never mutates. Any signal a router needs must therefore be deposited in state by the node preceding it — which is what the three underscore-prefixed scratch keys are for. The explorer records how many triples it added and the best score it saw; the evaluator records its decision; the routers read those and decide.

The budget meter is mutated in place and never returned as a delta. It is a mutable object shared by reference across all nodes, because counters that are merged rather than mutated can be silently lost when two nodes return overlapping state. Enforcement must not be able to drift.

5.4 The Planner

5.4.1 Decomposition into Ordered Sub-Objectives

The planner makes one model call, converting the question into an ordered chain of sub-objectives plus the entity mentions to seed the search. The chain is strictly sequential; later objectives reference earlier results with a #N back-reference. A general dependency-graph planner was not built, because a sequential chain covers the composition structure that dominates CWQ and a DAG planner is a research problem in its own right.

The prompt is few-shot with one example per question archetype — single hop, composition, conjunction, superlative — and the single-hop example exists to demonstrate that *not* decomposing is a valid output. Over-decomposition of simple questions is a real failure mode, and Section 8.7 shows it is not hypothetical: on the shallower benchmark, removing the planner improves accuracy.

The prompt also instructs the model to extract only specific named entities as topic mentions, and explicitly not generic type words such as “celebrity”, “university”, “country”, or “senator”. That instruction was added in response to evidence discussed in Section 5.10: type words resolve

successfully to type nodes in the graph, consuming anchor slots with entities that lead nowhere.

5.4.2 Plan Validation and Degenerate-Plan Handling

The planner’s output is validated, not trusted. Four checks run: the plan must contain a non-empty list of sub-objectives; it must contain no more than four; every #N reference must point strictly backwards; and topic mentions must be present. The back-reference check catches the planner’s most common structural error, a step that references itself or a future step.

If any check fails — or if the model call itself raises — the planner falls back to a single sub-objective consisting of the whole question, seeded with the dataset’s topic entities. This is a deliberate design principle: **planning can degrade but can never abort a run**. A degraded plan is a data point that appears in the results; a crash is a lost question that biases them.

Anchor seeding has two modes. In the default benchmark configuration, anchors are seeded from the dataset’s annotated topic entities, which isolates reasoning from entity linking and is the standard protocol in this literature [7, 9]. The alternative seeds from the planner’s own extracted mentions, giving the end-to-end number. Because Section 4.6 showed resolution succeeds on 99.86% of mentions, the two modes differ very little in this environment.

Setting the planner ablation flag bypasses the model call entirely and installs the fallback plan directly, which is what makes “no planner” a one-configuration-line change rather than a separate code path.

5.5 The Explorer

The explorer performs one expansion of the frontier. It is the only node that touches the graph in bulk, and its structure is the heart of the navigation policy.

5.5.1 Frontier Construction and the Single Scoring Pass

The node proceeds in five steps:

1. **Checkpoint.** The current frontier, the current depth, and the best score seen at this point are pushed onto the backtrack stack.
2. **Gather.** For every anchor, `get.relations` is called and the results are collected into a *single* candidate list, each row tagged with the anchor it came from.
3. **Score.** The whole list is scored in one pass (Section 5.5.2). Pooling candidates across anchors before scoring is what allows the hybrid scorer to consult the model *once* per expansion rather than once per anchor.

4. **Beam.** Candidates are taken in descending score order into per-anchor buckets of width three, skipping any (anchor, relation, direction) triple on the ban list (Section 5.6.3).
5. **Expand.** Each selected edge is expanded with `get_neighbors`; the resulting triples are appended to the traversal log, and the neighbours become frontier candidates.

The new frontier is deduplicated by entity identifier, sorted by the score of the edge that produced each entity, and truncated to the anchor cap. Sorting by score rather than by insertion order matters: an insertion-ordered frontier keeps whichever entities happened to be produced first, which causes the agent to drift away from the anchor that mattered.

5.5.2 The Hybrid Scoring Function

Each candidate edge receives a score blending semantic similarity with a model judgement:

$$\text{score}(c) = \alpha \cdot \cos(\mathbf{v}_{\text{rel}(c)}, \mathbf{v}_{\text{obj}}) + (1 - \alpha) \cdot \text{LLM}(c),$$

where $\mathbf{v}_{\text{rel}(c)}$ is the precomputed embedding of the candidate’s relation name (Section 4.5), $\mathbf{v}_{\text{obj}}$ is the embedding of the *rendered active sub-objective*, and $\text{LLM}(c) \in [0, 1]$ rates how likely following that edge from that anchor is to advance the sub-objective.

Three properties of this design deserve emphasis.

The objective, not the question, is embedded. Hop two of a two-hop question is scored against “find the director of Titanic”, with the back-reference already substituted by the resolved entity name, rather than against the original question text. This is the concrete mechanism by which decomposition is supposed to help, and isolating it is what makes the planner ablation interpretable.

The model scores only a shortlist. Candidates are pre-ranked by embedding similarity and only the top twenty are shown to the model, in one batched call. Without the pre-filter, an expansion from five anchors with hundreds of relations each would be unaffordable.

The blend is applied after the call, not inside it. The scoring prompt contains no configuration value — no α , no τ . This is not cosmetic: because the response cache (Section 5.9) keys on prompt content, a prompt free of configuration means every condition in an α sweep shares the same cached model responses, and the sweep costs one set of calls instead of one per condition. Embedding a configuration value in that prompt would multiply sweep cost by the number of conditions without changing any result.

If the model call fails or the budget is exhausted, the scorer degrades silently to embedding-only scoring rather than aborting the expansion. Setting $\alpha = 1$ disables the model term entirely, which is the embedding-only ablation.

5.6 The Evaluator and Routing Policy

5.6.1 Sub-Objective Completion Judgment

The evaluator makes one model call per expansion. It is shown the active sub-objective, a window of retrieved facts, and the remaining budget, and returns a decision (continue, backtrack, or answer), whether the objective is complete, and which entities satisfy it.

The fact window is *relevance-ranked*, *not recent*. Traversed triples are verbalised, embedded, and the thirty most similar to the current objective are shown, in traversal order. The distinction is not incidental: a large expansion can add hundreds of triples, and a window showing the most recent thirty will push the answer out of view in exactly the situations where the expansion succeeded. Section 5.10 documents the case that forced this change.

5.6.2 The Groundedness Filter on Resolutions

The evaluator’s resolved entity names are not accepted as given. Each is looked up against a table built from the tail entities of the *traversed* triples, and any name that does not appear there is discarded.

This filter is small in code and significant in effect. A language model asked which entities satisfy an objective will readily list entities it knows from training but never retrieved. The filter refuses to launder that parametric recall into the agent’s evidence. Section 5.10 records a case in which the evaluator confidently resolved nine correct countries that appeared in no retrieved triple, and the filter rejected all nine — costing a point on that question while preserving the property that every entity the system proposes came from the graph.

Resolutions that survive the filter are accumulated into `candidate_answers` on *every* evaluation, whether or not the objective was judged complete. An earlier design discarded resolutions when the objective was incomplete, which threw away correct answers found mid-run.

When an objective completes and further objectives remain, the plan advances, the decision is forced to continue, and the resolved entities become the next frontier. When the last objective completes, the decision is forced to answer.

5.6.3 Backtracking Triggers and the Backtrack Stack

Backtracking fires on the first of three conditions, evaluated in this order:

1. **Dead end** — the last expansion produced no new triples.
2. **Low score** — the frontier’s *signal maximum* fell below the threshold τ .
3. **Evaluator veto** — the model judged the direction a dead end.

The second trigger deserves a precise statement, because it is easy to assume it tests the blended score and it does not. The quantity compared against τ is

$$\sigma = \max\left(\underbrace{\max_{c \in E} \text{score}(c)}_{\text{blended, expanded edges}}, \underbrace{\max_{c \in R} \cos(v(r_c), v(o))}_{\text{embedding, all candidates}}, \underbrace{\max_{c \in R_K} s_{\text{LLM}}(c, o)}_{\text{model, rated candidates}} \right),$$

the largest of three signals: the best blended score among the edges actually expanded, the best raw embedding similarity over every candidate relation the anchors offered, and the best model score over the top- K candidates the model was asked to rate. The trigger therefore fires only when *all three* signals are weak. A frontier where the blend is depressed — because α happens to discount whichever signal is confident here — does not backtrack if either underlying signal still points somewhere. This makes the trigger deliberately conservative: it abandons a branch only on unanimous evidence of hopelessness, and Section 8.1 shows the consequence, which is that τ barely fires at the values swept.

The order matters. The first two are deterministic and cost nothing; checking them before deferring to the model’s judgement means a mechanically hopeless frontier is abandoned without an argument about it.

The backtracker does three things. It pops the *highest-scoring* snapshot from the stack — not the most recent one, which would make backtracking a simple undo. It restores that snapshot’s anchors and depth. And, critically, it adds every (anchor, relation, direction) triple expanded since that snapshot to a **ban list** that the explorer consults on its next pass.

The ban list is what makes backtracking a search operation rather than a loop. Without it, restoring a frontier is pointless: a deterministic scorer facing an identical frontier selects identical edges, producing identical facts and an identical decision to backtrack, until the backtrack budget is exhausted. With it, a backtrack forces the scorer to its next-best alternatives, which is what “exploring an alternative branch” actually requires. Section 5.10 shows both behaviours in the logs.

5.6.4 Routing

`route_after_eval` is pure Python and enforces budgets before preferences. Wall-clock and depth are checked first; if either is exhausted the agent is routed to answer with whatever it has. If a backtrack trigger fired, the agent backtracks if the backtrack budget permits and otherwise answers. Only then is the evaluator’s own decision honoured. Routers are deterministic by construction: no adversarial model output can change what they do.

Table 5.3: Budget configuration. The configuration is hashed and the hash recorded in every run record, so results can always be attributed to the configuration that produced them.

Parameter	Value	Enforced in
max_depth	4	route_after_eval
beam_width	3	explorer (slice)
max_anchors	5	explorer (slice)
max_backtracks	3	route_after_eval
max_llm_calls	25	LLM client
max_verify_iters	2	route_after_verify
max_seconds	300	route_after_eval

5.7 The Answerer

The answerer is a finalizer rather than a generator. Which of its three paths runs is decided entirely by what the verification layer left in state, and two of the three are specified in Chapter 6: the *verified* path, where no claim was unsupported and the draft is emitted with no further model call, and the *repair* path, where unsupported claims remain and one rewrite call restates the answer around a deterministically filtered entity list (Section 6.5). On the development set the verified path handled 77 of 80 questions at zero additional cost.

The third path exists for the case where the verifier raised before producing a draft at all. It makes one model call over the traversed facts and the accumulated candidates. If the model budget is exhausted it falls back without a call to the resolved entities of completed plan steps, or failing that to the accumulated candidates, producing a degraded but non-empty answer. If the call raises for any other reason, the error is recorded in the trace and the answer is an explicit failure string.

That last distinction is deliberate. An earlier version caught all exceptions as budget exhaustion, which silently misreported genuine errors as expected behaviour — exactly the kind of defect that inflates apparent robustness.

5.8 Budgets and Termination Guarantees

Budgets do three jobs: they bound cost, they guarantee termination, and they produce the efficiency data of Section 8.6. Table 5.3 lists them.

Each budget has exactly one enforcement site, which is what keeps enforcement auditable. The model-call budget is checked inside the client before every call, so no node can bypass it; exceeding it raises an exception that each node catches into a degraded path rather than a crash. Depth, backtracks, and wall-clock are checked only in the post-evaluation router. Verification iterations are checked only in the post-verification router. Beam width and anchor cap are not

checks at all but slices inside the explorer.

Together these give a termination guarantee that does not depend on model behaviour: every cycle in Figure 5.1 passes through a router that decrements or checks a monotone counter, so no sequence of model outputs, however adversarial, can produce a non-terminating run. This property is verified directly by the mechanics tests of Section 7.10, which script an evaluator that always says continue and assert that the depth budget halts it.

5.9 Instrumentation and Reproducibility

Two logs are written per run. The *tool log* records every graph operation with its arguments, result size, and latency. The *run log* records, per question: the answer and its extracted entities, the draft, the verification outcome and any unsupported claims, the count of supporting triples, every backtrack with its trigger reason and restored depth, the full decision trace, the budget snapshot, wall-clock time, and — for provenance — the backbone description, the budget configuration hash, the run configuration, and the current git commit.

The response cache deserves separate description: it underwrites the thesis’s reproducibility claims. Every model call is keyed by a hash over the model identifier, temperature, reasoning-effort setting, and the full prompt text; hits are served from disk. The subtle part is that a cache hit must be *indistinguishable* from a live call inside the agent: the budget check still runs, the call counter still increments, and the original token counts are replayed into the meter from the stored record. A fully cached rerun therefore reproduces the original run’s budget snapshots exactly, rather than reporting zero tokens. A separate counter records cache hits so that live and replayed runs can still be told apart in analysis.

This has three consequences. Repeated experiments cost nothing. A code change that is not supposed to alter behaviour can be verified by confirming that a rerun is served entirely from cache. And because the key includes the dated model snapshot, a silent server-side change to a model alias cannot poison previously cached results.

5.10 Design Validation on the Development Set

The first end-to-end run of the assembled framework, over a twenty-question development set drawn from the training splits, answered roughly three to four questions correctly. The final configuration answers thirteen to fourteen. The interval between those numbers is not incidental tuning; it is where several of the mechanisms described above were shown to be necessary, and it is documented here because each fix is evidence that a component earns its place.

The development set was constructed to exercise specific machinery rather than to sample the benchmark distribution: six single-hop questions, eight two-hop compositions, three

Table 5.4: Root causes of failure in the first end-to-end run, and the mechanism each one motivated. Every fix is described in the section indicated.

Observed failure	Mechanism introduced	Section
Backtracking was a deterministic no-op: the restored frontier produced identical scores, facts, and decisions until the budget drained	Ban list on abandoned (anchor, relation, direction) triples	Section 5.6.3
The evaluator’s fact window showed the most recent thirty triples, so a large successful expansion pushed the answer out of view	Relevance-ranked fact window	Section 5.6
The relation list, capped at 80 by descending fanout, hid low-fanout precise relations behind hub relations	Cap raised to 300, plus the administrative-predicate blocklist	Section 5.2
Entities resolved while an objective was still incomplete were discarded	candidate_answers accumulated on every evaluation	Section 5.6
The frontier was truncated in insertion order, so the agent drifted away from the anchor that mattered	Frontier sorted by edge score before truncation	Section 5.5

conjunctions, two whose shortest path traverses a mediator, and one question about a deliberately non-existent entity whose correct answer is a refusal. Questions were drawn from the training and validation splits only, never from test, so that everything tuned against them remains outside the evaluation.

The first run produced no crashes, terminated cleanly on every question, and abstained rather than confabulated in almost every failure — which was the actual exit criterion for the framework’s mechanics. But its thirteen failures collapsed into five systematic causes, summarised in Table 5.4.

Three observations from this exercise are worth carrying forward, because they bear directly on later chapters.

The two confabulations in the first run were caused by a retrieval defect, not a generation defect. Two questions about national currencies produced a confident “United States Dollar”. The relation cap had hidden the `currency_used` relation; the beam surfaced triples about GNI per capita denominated in dollars; and the answerer pattern-matched. No retrieved triple supported the answer. After the cap was raised both questions resolved correctly — and at roughly a third of the token cost. These two traces are the motivating example for Chapter 6: a claim-level check against the traversed triples would have caught them regardless of the retrieval defect, which is precisely the argument for verifying before emitting.

The groundedness filter on resolutions was validated by a failure. On one question the evaluator listed nine correct countries; none appeared in any retrieved triple, because the beam had gone down an unrelated branch. The filter rejected all nine, and the system abstained. This cost a point. It also demonstrated, one layer earlier than intended, that a language model inside an agentic scaffold will assert entities it never retrieved — and that catching this requires an

Algorithm 1 AGR navigation (verification layer abstracted; see Chapter 6)**Require:** question q , graph G , budgets B , blend α , threshold τ **Ensure:** answer A with supporting triples S

```

1:  $P \leftarrow \text{PLAN}(q)$ ; if invalid then  $P \leftarrow [q]$ 
2:  $F \leftarrow \text{SEEDANCHORS}(P)$ ;  $T \leftarrow \emptyset$ ;  $C \leftarrow \emptyset$ ;  $stack \leftarrow \emptyset$ ;  $ban \leftarrow \emptyset$ 
3: while budgets permit do
4:   push  $(F, depth, \sigma)$  onto  $stack$   $\{\sigma$  from the previous pass; 0 initially $\}$ 
5:    $R \leftarrow \bigcup_{e \in F} \text{GETRELATIONS}(e)$ 
6:    $scored \leftarrow \alpha \cos(\cdot) + (1 - \alpha) \text{LLM}(\cdot)$  over  $R$  against the active objective
7:    $E \leftarrow \text{top-}\beta$  of  $scored$  per anchor, excluding  $ban$ 
8:    $T \leftarrow T \cup \text{GETNEIGHBORS}(E)$ ;  $F \leftarrow \text{top-}m$  new entities by score
9:    $\sigma \leftarrow \max(\max_{c \in E} scored(c), \max_{c \in R} \cos(\cdot), \max_{c \in R_K} \text{LLM}(\cdot))$   $\{\text{signal maximum}\}$ 
10:   $(d, done, \rho) \leftarrow \text{EVALUATE}(\text{objective}, \text{TOPFACTS}(T))$ 
11:   $\rho \leftarrow \{x \in \rho : x \text{ appears in } T\}$ ;  $C \leftarrow C \cup \rho$   $\{\text{groundedness filter}\}$ 
12:  if  $done$  then
13:    advance  $P$ ; if no objective remains then  $d \leftarrow \text{answer}$  else  $F \leftarrow \rho$ 
14:  end if
15:  if  $|T_{\text{new}}| = 0$  or  $\sigma < \tau$  or  $d = \text{backtrack}$  then
16:     $ban \leftarrow ban \cup E$ ;  $(F, depth) \leftarrow \text{pop highest-scoring snapshot}$ 
17:  else if  $d = \text{answer}$  then
18:    break
19:  end if
20: end while
21:  $(A, S) \leftarrow \text{VERIFYANDANSWER}(q, T, C)$   $\{\text{Chapter 6}\}$ 
22: return  $(A, S)$ 

```

explicit check, because nothing about the model’s confidence distinguishes the nine countries it recalled from entities it actually found.

One instrumentation defect was found and removed. A counter reporting how many banned expansions had been skipped was computing the number of anchors instead. It was reporting a plausible-looking number that was unrelated to what it claimed to measure. It was corrected rather than deleted, but the episode motivates a standing rule adopted for the remainder of the work: a metric that has never been checked against a case where its correct value is known independently should not be trusted, and should not be analysed.

5.11 The Complete Navigation Algorithm

Algorithm 1 states the loop.

Chapter 6

The Structural Verification Layer

Chapter 5 described a navigation loop that ends with a set of traversed triples and a set of accumulated candidate entities. Nothing in that loop constrains what the final answer text *asserts*. This chapter specifies the layer that does, together with the repair, filtering, and evidence-reporting policies built on it. Every quantity reported here is recomputed from the archived development-set run at the frozen configuration ($\alpha = 0.7$, $\tau = 0.20$, `verify_claims = true`, $n = 80$), and where a behaviour is established on a handful of questions rather than a distribution, the count is given in the sentence that makes the claim.

6.1 Motivation: Verifying Before Emitting, Not After

Section 1.3 argued that agentic KGQA systems are typically evaluated on whether the correct answer is *among* what they assert, leaving the precision of the assertion unmeasured and unconstrained. The navigation loop makes that concrete: its final act is a language-model call over a fact window and a candidate list, the model is free to name an entity that appeared in neither, and no downstream component objects.

Two episodes from the first end-to-end development run (Section 5.10) sharpen the point. In one, a retrieval defect hid the `currency_used` relation, the beam surfaced triples about income denominated in dollars, and the answerer confidently asserted “United States Dollar” for two different countries — an assertion no retrieved triple supported. In another, the evaluator listed nine countries that appeared in no retrieved triple at all. The first was caught only by fixing the retrieval defect; the second by the groundedness filter on resolutions (Section 5.6.2), one layer earlier than intended. Neither was caught by anything examining the answer.

The design response is to check the draft against the environment *before* it is emitted rather than to fact-check an emitted answer afterwards. Three properties follow from placing the check inside the loop. The checker sees the same retrieved evidence the drafter saw, so a disagreement between them is informative rather than an artifact of differing context. The check happens while

budget remains, so a rejected claim can trigger further exploration rather than only a retraction. And the check is symbolic where the graph can answer, so the arbiter of whether a fact holds is the environment and not a second opinion from the model that produced the draft.

What the layer promises should be stated precisely, because the terms are easy to inflate. It certifies that the atomic claims a draft asserts are *supported* by the environment in the sense fixed in Section 2.3.3: the traversed triples, or the graph in the retrieved neighbourhood, exhibit a connection consistent with the claim. It does not certify that the answer is correct. An answer every one of whose claims is supported can still be the wrong answer to the question, and Section 6.8 shows that this is a structural gap rather than a hypothetical one.

6.2 Claim Decomposition of the Draft Answer

Verification begins with a single model call that produces three things at once: a prose draft, the list of entities that draft asserts as the answer, and a decomposition of the draft into atomic claims.

The call sees a fact window of at most sixty traversed triples — ranked by embedding similarity between the triple’s verbalisation and the *question*, with traversal order preserved among the survivors — together with up to twenty-five accumulated candidate entities. Each claim is emitted as a triple of strings $\langle h, r, t \rangle$ over entity *names*, not identifiers, since the model has never seen an identifier.

Four provisions in the prompt are load-bearing, and each exists because its absence produced a specific defect.

Names are to be copied exactly as they appear in the facts. The graph’s surface forms are frequently not the ones a language model would generate unprompted — Freebase renders Yale University as University Yale — and every downstream check is keyed on the name string.

answer_entities names what the draft asserts as the answer, not every entity it mentions. Without this the list drifts toward a bag of mentioned names, including the question’s own subject.

A hedged draft has zero claims. This makes abstention explicit rather than something inferred from the absence of an answer.

Answer entities must be specific entities of the kind the question asks for, never a restatement of the question or an entity type. This provision was added after development runs produced answers of the form “the senators from New Jersey are the United States Senate members associated with New Jersey” — grammatically an answer, semantically empty, and, as Section 6.8 explains, entirely invisible to a claim-level check. It is a drafting-side mitigation of a failure the checking side cannot address.

The relation slot r is deliberately free text. The model is not asked to name a Freebase predicate,

because it has no reliable way to do so and a wrong guess would be indistinguishable from a wrong claim. The consequence is that the structural checks below cannot match on the relation at all; the cost of that choice is analysed in Section 6.3.1 and again in Section 6.8.

Decomposition on the development set was sparse. Across 80 questions the drafter emitted 121 claims — a mean of 1.51 and a median of 1 per question, with a maximum of 5. Ten questions produced no claims at all. For those ten the layer certified nothing, and Section 6.8 returns to what that means for the outcome label they received.

6.3 Two-Stage Claim Checking

Each claim is routed through at most three tests: two structural, one model-based. Algorithm 2 states the procedure; the subsections that follow explain each test and the reason for their order.

6.3.1 The Structural Check

The structural check operates on entity identifiers, so it first needs a mapping from the names the model produced back to graph nodes. That mapping, μ , is built from the traversed triples alone: every head and tail name encountered during navigation is registered against its identifier, first occurrence winning. Its scope is worth stating explicitly, because it bounds everything that follows. **A claim naming an entity the agent never traversed cannot reach either structural route**, regardless of whether that entity exists in the graph. Such claims fall directly to the entailment check.

For claims whose endpoints both resolve, the first route is *traversed adjacency*. The traversed triples are collapsed into an undirected set of endpoint pairs, and a claim is supported if its endpoint pair is in that set. This route is exact, costs nothing beyond a set lookup, and — uniquely among the three — produces citable evidence: every traversed triple joining the pair is added to the supporting-triple set.

The second route is the `verify_connection` tool (Section 5.2.3), a single Cypher query asking whether the two entities are adjacent in the *full* graph, either directly or through one mediator node. It exists because the first route tests the *traversal*, not the graph: the agent may have reached both endpoints along different branches without ever walking the edge between them.

Both routes are relation-agnostic. Since r is free text with no correspondence to a Freebase predicate, matching on it would reject true claims wholesale — “X played for Y” is realised through a roster mediator carrying no predicate named for playing. The design intent is a division of labour: the structural routes provide high recall for “some supporting edge exists,” and semantic precision is delegated to the entailment check. Section 6.8 examines what that division actually buys and what it lets through.

Algorithm 2 Structural verification of a draft

Require: question q , traversed triples T , candidates C , tools, budget
Ensure: draft, answer entities, supported and unsupported claim sets, supporting triples

- 1: $W \leftarrow \text{TOPFACTS}(q, T, 60)$; $\mu \leftarrow \{ \text{name} \mapsto \text{id} \}$ over T {first occurrence wins}
- 2: $(\text{draft}, A, K) \leftarrow \text{DRAFTANDDECOMPOSE}(q, W, C)$ {one call}
- 3: **if** $\neg \text{verify_claims}$ **then**
- 4: **return** $(\text{draft}, A, \emptyset, \emptyset, \emptyset)$ {ablation condition}
- 5: **end if**
- 6: $\text{adj} \leftarrow \{(h, t), (t, h) : (h, r, t) \in T\}$; $S \leftarrow \emptyset$; $P \leftarrow \emptyset$; $E \leftarrow \emptyset$
- 7: **for all** $c = \langle h, r, t \rangle \in K$ **do**
- 8: **if** $h \notin \mu$ **or** $t \notin \mu$ **then**
- 9: $P \leftarrow P \cup \{c\}$ {endpoint never traversed}
- 10: **else if** $(\mu[h], \mu[t]) \in \text{adj}$ **then**
- 11: $S \leftarrow S \cup \{c\}$; $E \leftarrow E \cup \{ \theta \in T : \{ \theta_h, \theta_t \} = \{ \mu[h], \mu[t] \} \}$
- 12: **else if** $\text{VERIFYCONNECTION}(\mu[h], \mu[t])$ **then**
- 13: $S \leftarrow S \cup \{c\}$ {no evidence recorded}
- 14: **else**
- 15: $P \leftarrow P \cup \{c\}$
- 16: **end if**
- 17: **end for**
- 18: $U \leftarrow \emptyset$
- 19: **if** $P \neq \emptyset$ **then**
- 20: $V \leftarrow \text{ENTAIL}(W, P)$ {one batched call; on any failure $V \equiv \text{false}$ }
- 21: partition P into S and U by V
- 22: **end if**
- 23: **if** $U \neq \emptyset$ **and** verify budget remains **then**
- 24: $\text{iters} \leftarrow \text{iters} + 1$; append repair objective for the first $c \in U$; re-anchor on $\mu[c_h]$
- 25: **end if**
- 26: **route:** $U = \emptyset \Rightarrow$ grounded; else verify, depth, and time budget all remain $\Rightarrow$ retry (**goto** explorer); else give_up
- 27: **return** $(\text{draft}, A, S, U, E)$

On the development set the second route was consulted five times, across five distinct questions — four per cent of the 121 claims. All five returned connected, and all five had a mediator path; in three of them there was no direct edge at all, so a mediator-blind adjacency test would have rejected them. Two were direct edges the traversal had simply never walked. Query latency ranged from 1.9 to 75.7 ms. The route is therefore cheap and, on this evidence, correct — but it is also rare, and the structural check is in practice overwhelmingly the traversed-adjacency test.

6.3.2 The Entailment Check

Claims that fail both structural routes — together with those whose endpoints were never traversed — accumulate into a pending set and are checked in one batched model call. The claims are numbered, rendered as $h - r - t$, and presented against a fact block, with the model

asked for a boolean verdict per claim. The prompt defines unsupported explicitly, to include the three cases that would otherwise be resolved charitably: plausible but absent, contradicted, and inferable only through outside knowledge.

Three properties of this check must be stated, because each bounds what its verdicts mean.

The fact block is the same window the drafter saw. It is the same sixty triples, ranked by relevance to the *question* rather than to the individual claim under test. A claim about an entity peripheral to the question may therefore be judged against facts that never mention it. The bias this introduces is directional: it disfavors peripheral claims and favors claims about material the drafter had already been shown.

Failure is conservative and lossy. If the call raises for any reason — budget exhaustion, transport error, malformed output — every pending claim is marked unsupported. This is the right default for a system whose purpose is to avoid unsupported assertions, but it means an infrastructure failure and a genuine rejection produce the same record except in the trace.

The check can only add support, never remove it. Claims accepted structurally never reach it. A claim whose endpoints are adjacent for a reason unrelated to the asserted relation is accepted without any semantic examination.

6.3.3 Why the Structural Check Runs First

Three reasons, in descending order of importance. *Authority*: the thesis’s position, fixed in Section 4.5.3, is that embeddings and language models rank while symbols decide, so the model must be consulted only where the graph is silent — it fills gaps and never overrides a finding of the environment. *Evidence*: only traversed adjacency yields triples that can be attached to the answer, so the order does not change which claims are accepted but does change how many can be justified. *Cost*, least importantly: a set lookup is free, a `verify_connection` probe is one indexed query, and the entailment call is the layer’s only mandatory expense beyond drafting, so ordering cheap-to-expensive runs it on a residue rather than on every claim.

6.4 Repair Policies for Unsupported Claims

The router following the verifier is pure Python and has three outcomes: no unsupported claims routes to grounded; unsupported claims with budget remaining route to retry; otherwise `give_up`.

6.4.1 Targeted Re-Exploration Under Remaining Budget

On retry, the verifier has already re-targeted the agent before the router runs. It takes the *first* unsupported claim, synthesises a repair objective of the form `verify whether  $h \ r \ t$` , marks every

active plan step done, appends the repair step as the new active objective, and — if the claim’s head name resolves — resets the frontier to that single entity. Control returns to the explorer, which now searches for the missing evidence specifically.

Two limitations follow. Only one claim is repaired per iteration, and the one chosen is first by position in the draft’s decomposition rather than by importance to the answer. Both keep the repair path cheap, and neither was revisited because the path was rarely exercised.

The retry route requires verify, depth, *and* time budget. The depth condition was added after a development trace showed a question completing with depth 5 against a maximum of 4: the retry edge re-enters the explorer without passing through the post-evaluation router, which is where the depth check lives, so each retry silently granted one expansion beyond budget. Since Section 5.8 claims budgets are hard guarantees, the hole was closed in the router rather than documented as an exception.

That condition turns out to be decisive, and the honest statement of what this route contributed is that **it never executed**. On all three development questions that produced an unsupported claim, the depth budget was already exhausted when the verifier ran, so the router took `give_up` in every case and no repair exploration occurred. This is not a coincidence of small numbers so much as a structural correlation — the verifier is reached either because the plan completed or because a budget ran out, and all three firings came from the fourteen questions that exhausted depth, none from the sixty-six that finished with search budget in hand. With $n = 3$ that is an observation and not a finding, but it means the targeted re-exploration described above is specified and unit-tested rather than empirically characterised, and no claim in this thesis depends on it.

One instrumentation consequence follows, and matters when reading run records. The verifier increments `verify_iters` and appends the repair objective *before* the router decides, so a record showing `verify_iters: 1` records the verifier’s intent to repair, not an executed repair. Whether exploration actually resumed is visible only in the node sequence of the trace.

6.4.2 Answer Rewriting and Hedging

On `give_up` the answerer makes one rewrite call. It receives the draft, the unsupported claims, and — crucially — the list of entities already decided to survive, with an instruction to keep them named exactly as written. It is asked to remove or hedge the unsupported material and to respond with prose only. That last phrase is the whole of the fix described in Section 6.5: in the original design this call also regenerated `answer_entities`, which turned out to be the single largest defect in the layer.

6.4.3 Iteration Cap and the Draft-Only Fallback

Repair is capped at two iterations, which together with the depth and time conditions guarantees the verify–explore cycle terminates. On the development set the cap was never reached, for the reason just given: the cycle never began.

The grounded path costs nothing. When no claim is unsupported the answerer emits the draft verbatim with no further model call — 77 of 80 development questions took this path. The layer’s aggregate cost is correspondingly small: mean tokens per question rise from 4,858 without claim checking to 4,922 with it, about 64 tokens or 1.3%, and mean model calls from 7.2 to 7.3. Whatever the case for or against the layer, it is not a cost argument.

A distinct path exists when `verify_claims` is false: the verifier returns the draft and its entity list untouched with outcome `draft_only`. This is the ablation condition of Section 7.8, not a runtime fallback — the system never selects it dynamically. A third path, the legacy answerer of Section 5.7, runs only when the verifier raised before producing a draft at all.

6.5 Entity Filtering of the Final Answer

The rule is one line and its justification is the most instructive result in this chapter.

The rule. On the give-up path the final entity list is computed deterministically from the draft’s own list: an entity is kept if it appears in at least one supported claim, or if it appears in no unsupported claim. Strings are copied verbatim. The function can only remove entities, never add one. The disjunction’s second branch is deliberately permissive — an entity the decomposer never mentioned in any claim is retained, on the principle that the layer should punish unsupported assertions and not imperfect decomposition recall.

The scope. This filter applies to the give-up path only. On the grounded path the draft’s entity list passes through unchanged, because there are no unsupported claims to filter against. On the development set the filter therefore ran on 3 of 80 questions.

The Attribution Census

The filter exists because of a paired comparison between the verified condition and its `verify_claims = false` twin at the frozen α . In aggregate, claim checking *cost* accuracy: 64 hits against draft-only’s 66. Aggregate counts cannot distinguish a mechanism working as intended — turning an unsupported lucky hit into an honest hedge — from a mechanism misfiring, so the two runs were diffed per question. Exactly three questions differed. Table 6.1 gives all three.

The classification is unambiguous. *No entailment verdict was wrong*, and no repair exploration was involved — as Section 6.4 records, none ran. All three differences trace to one component:

Table 6.1: The complete attribution census: every development-set question whose answer differed between claim checking and its ablation, at $\alpha = 0.7$, $\tau = 0.20$. Three questions, one run per condition. “Pre-fix” is the original design in which the rewrite call regenerated the entity list; “post-fix” is deterministic filtering.

Question	Draft-only	Verified, pre-fix	Verified, post-fix
Harbaugh’s teams founded before 1996 <i>gold</i> : 4 teams	4 gold teams <i>plus</i> Baltimore Ravens; scores as a hit	[] — hedge	[] — hedge
Party of Hitler and Carl Voss <i>gold</i> : Nazi Party	Nazi Party — hit	Adolf Hitler, Nazi Party; hit, but asserts the question’s subject	Nazi Party — hit
Franco’s university, founded 1701 <i>gold</i> : University Yale	University Yale — hit	Yale University — wrong	University Yale — hit
Whole run — 80 questions, of which 3 are unanswerable and abstained on in every condition			
hits / hedges / wrong	66 / 7 / 4	64 / 8 / 5	65 / 8 / 4

the rewrite call, failing three different ways. On Harbaugh it over-deleted, discarding four grounded-correct team names along with the unsupported one. On Hitler/Voss it laundered the question’s subject into the answer list — an entity the draft never asserted. On Franco it silently respelled the graph’s University Yale as the parametric Yale University, converting a defensible qualified answer into a scored error.

The finding is worth stating in one sentence, because it is the conclusion this chapter’s design rests on:

The verification logic was sound; its repair path free-generates entities from a language model, which reintroduces exactly the ungroundedness the layer exists to prevent.

Replacing generation with deterministic filtering removed two of the three regressions, exactly as predicted: Hitler/Voss and Franco left the diff.

What the Census Does and Does Not Establish

Three qualifications belong here rather than in a limitations chapter, because without them the numbers above would be read as more than they are.

The census is $n = 3$. It is a complete enumeration of the questions on which the two conditions differed, which is exactly why it could be classified by inspection — but three questions support a mechanism claim, not a rate.

Claim checking did not reduce wrong answers on this set. Post-fix verified scores 65/8/4 against draft-only’s 66/7/4. The wrong count is identical; the layer cost one correct answer

and removed none. Its case therefore cannot be made on development-set accuracy, and this thesis does not attempt to make it there. The case rests on the groundedness measurements of Section 8.5, which are the metric the layer was built to move, and on the precision effects that Hits@1 is structurally unable to see.

The residual difference is a single question, and its interpretation involves a label changed after the fact. The sole remaining diff is Harbaugh, where draft-only’s “hit” asserts Baltimore Ravens — supported by no traversed triple, and not a team Jim Harbaugh played for — alongside an unverifiable founding-date filter. Set-intersection Hits@1 scores that as a clean hit; per-question F1 in Chapter 8 does not. The question was additionally relabelled from `cvt_heavy` to `unanswerable_env` after this analysis, on the grounds that it carries a date constraint the environment cannot express (Section 4.7.4). The relabelling is defensible on its own terms and was recorded as a decision, but it was made after seeing the result it affects, and is flagged as such here and in Section 9.9.3. The aggregate figures reported above are not rescored on account of it.

6.6 Output Contract: Answer Paired with Supporting Triples

Every run record pairs the answer with the triples that support it. This is the explainability deliverable named in Section 1.6, and its actual coverage is narrower than the phrase suggests.

Only one of the three routes records evidence. Supporting triples are collected in the traversed-adjacency branch alone. A claim certified by `verify_connection` is accepted with nothing attached, and so is a claim certified by entailment. The output contract is therefore “answer paired with whatever traversed triples happened to justify it”, not “answer paired with justification for every claim”.

The measured consequence on the development set: 13 of 80 answers carry no supporting triples at all. Ten of those asserted no claims — they are hedges, and zero is the honest number. Of the remaining three, one had every claim rejected, so there was nothing to record; the other two had their single claim certified by `verify_connection`, which records no evidence. Across all 80 records the median count is 3 and the mean 4.1, with a maximum of 16.

Two instrumentation defects in this area are recorded rather than quietly fixed, in keeping with the standing rule adopted in Section 5.10.

The first was a Python falsy-empty-list trap. The answerer substituted the entire traversed set for the supporting triples whenever the verifier’s list was empty — treating “the verifier ran and matched nothing” identically to “the verifier never ran”. A development trace consequently recorded 1,927 supporting triples for an answer that asserted nothing whatsoever. The fix distinguishes the two states by testing for `None` rather than for falsity: absent means the legacy path, empty means zero support, and zero is reported.

The second is unrepaired and therefore fenced off. A counter in the verifier’s trace named `n.structural` counts every supported claim, including those certified by the entailment call, so its name misdescribes it. Under the standing rule — a metric that has never been checked against a case whose correct value is known independently should not be analysed — it is not used anywhere in this thesis, and no table or figure derives from it. The route-by-route counts reported in Section 6.3.1 come from the tool invocation log, which records each `verify.connection` call with its arguments and result.

6.7 A Worked Example

Which university, founded in 1701, did actor James Franco attend? Gold: University Yale.

Navigation resolves James Franco as the anchor and expands along `education.education.student` and `people.person.education`. The plan’s first objective — find the university founded in 1701 — is never satisfied, because the environment holds essentially no date literals (Section 4.7.4). Three evaluator-triggered backtracks follow, and the run terminates on the depth budget with 18 model calls, 17 of them cache replays.

The verifier drafts: “*James Franco attended University Yale, which was founded in 1701.*” Its entity list is [University Yale] — copied from the fact window, in the graph’s spelling. It decomposes the draft into an attendance claim and a founding claim.

The attendance claim resolves both endpoints in μ and its endpoint pair is in the traversed adjacency set. It is supported, and four traversed triples joining the pair are recorded as evidence. The founding claim names 1701, which no traversed triple mentions, so it cannot resolve and falls to the entailment check — which correctly reports it unsupported, because the fact is genuinely absent from the environment rather than merely unretrieved. The verifier prepares a repair objective anchored on University Yale, but the depth budget is already spent, so the router takes `give_up` and the exploration never resumes; there was in any case nothing to find.

The answerer now filters. University Yale appears in a supported claim, so it is kept, verbatim. The rewrite call produces prose that asserts the attendance and hedges the founding date, and its own opinion about entities is discarded. Final answer entities: [University Yale] — a hit.

The instructive part is the counterfactual. Before deterministic filtering, this identical trace — same draft, same claims, same verdicts — ended with [Yale University]. The rewrite call, asked to restate the answer, restated it in the model’s own spelling rather than the graph’s, and the answer was scored wrong. Nothing about the verification was different. The claim-level machinery had worked perfectly and the layer still emitted an entity string that appears nowhere in the environment, which is the precise thing it exists to prevent.

6.8 Failure Modes by Construction: Wrongful Rejection and Wrongful Acceptance

This section is analytical. It enumerates the ways the layer can be wrong that follow from its design, independently of how often they occur. Which of these mechanisms actually fired, and how often, is reported in Section 9.5; the vocabulary for the two polarities is fixed in Section 9.5.1 and used here. A claim is *wrongly rejected* when the layer withholds support the environment would in fact provide, and *wrongly accepted* when it certifies a claim the environment does not actually support.

Mechanisms of Wrongful Rejection

Composite claims. The decomposer emits claims corresponding to what the draft asserts, not to every relationship the draft relies on. When a draft asserts a filtered set — “these teams were founded before 1996” — the decomposition is about the founding, and the membership relation that makes each team a candidate may never be claimed at all. Every team’s only claim is then the unverifiable one, the filter drops every entity, and a draft containing four correct answers becomes a hedge. This is the Harbaugh question of Table 6.1, and the mechanism is worth naming: *a composite assertion whose unverifiable component drags down its verifiable component*. The conservative rule is defensible for a hallucination-mitigation system, and it is also the layer’s most expensive single behaviour on the development set.

Endpoints outside the traversal. μ is built from traversed triples only, so a claim about an entity the agent never walked to skips both structural routes regardless of what the graph contains. It is judged solely by a model, against a fact window that by construction does not mention it.

A question-ranked window for a claim-level judgement. The entailment check’s evidence is ranked for relevance to the question, not to the claim under test. Peripheral claims are systematically disadvantaged.

Conservative failure. Any exception in the entailment call marks all pending claims unsupported. Infrastructure failure is recorded as rejection.

Name collisions in μ . The mapping keeps the first identifier seen for a name. Two distinct graph entities sharing a surface form collapse to one, and adjacency is then tested for the wrong node.

Mechanisms of Wrongful Acceptance

Relation-agnostic adjacency. Both structural routes ignore r and ignore direction. Any edge between the endpoints certifies any claimed relation between them. A claim that X is Y’s mother is accepted on an edge recording that X is Y’s child; a claim that a film was directed by a person

is accepted on an acting credit. This is the direct cost of allowing free-text relations, and it is not a small one — it is the layer’s principal acceptance risk.

The mediator hop. `verify_connection` accepts a path through one mediator node. Because a Freebase mediator encodes a single n -ary fact, the endpoints of such a path are genuinely co-participants in one fact — but which role each plays is exactly what the mediator encodes and the test discards. An actor, a film, a character, and a period are mutually “connected” through one performance node, and any claim relating any two of them is certified.

Vacuous certification of empty decompositions. A draft with no claims has no unsupported claims, so it is routed grounded. On the development set this describes 10 of 80 questions. The label is not false — an answer that asserts nothing asserts nothing unsupported — but it must not be read as a positive verification, and any statistic computed over grounded outcomes inherits this.

Entities that appear in no claim are never checked. This is the broadest of the mechanisms listed here and deserves to be stated without softening. Verification operates on claims; the answer’s entity list is a separate output of the same call. An entity the drafter named but the decomposer never wrote into a claim passes through untouched on the grounded path, and is deliberately retained by the permissive branch of the filter on the repair path (Section 6.5). Since 77 of 80 development questions took the grounded path, the layer’s guarantee over emitted entities is in practice mediated entirely by decomposition recall — and decomposition recall is itself a language-model output, subject to no check.

Grounded-but-vacuous answers. This is the boundary of what triple-level verification can do, and it deserves to be stated as such. An answer whose every claim is supported can still fail to answer the question: “the senators from New Jersey are the United States Senate members associated with New Jersey” decomposes into claims the graph genuinely supports, and is certified. No claim-level check can catch this, because the defect is not in any claim — it is in the relationship between the claims and the question. The anti-vacuity provision of Section 6.2 addresses it at drafting, which is mitigation, not verification.

Structural acceptance is final. A claim accepted by adjacency is never examined semantically. The entailment check, which is the only component that looks at meaning, sees only what the structural routes could not resolve.

What the Layer Is

Stated at the level of precision the preceding list requires: the layer establishes that the entity pairs a draft’s claims relate are connected in the environment, and on the repair path it makes the emitted entity list a deterministic function of those verdicts rather than a second generation. It does not establish that the claimed relation is the one the edge records, that an entity absent from every claim was grounded at all, that the answer is responsive to the question, or that a claim

it could not check is false. Those boundaries are properties of the design rather than defects discovered in it, and Chapter [9](#) reports how much of the residual error they account for.

Chapter 7

Experimental Setup

This chapter fixes everything that had to be decided before any test question was answered: which questions, which systems, which numbers, and which rules for reading them. It is written to be sufficient for replication, and it records the decisions that went the other way as well as the ones that stood — a backbone choice that was made, reversed, and then remade under a pre-registered rule; a test-set build that read the wrong split and was caught before harm; a validation threshold that was missed by half a thousandth. Each of those is reported where it belongs rather than collected into a confessional at the end.

Every figure quoted in this chapter and the two that follow is regenerated by `scripts/build_thesis_numbers.py` into a single file, `results/phase4/thesis_numbers.json`, from the scoring, groundedness, judge, and census artifacts. No number in the thesis is transcribed by hand from a console log.

7.1 Mapping Experiments to Research Questions

Each of the three research questions of Section 1.5 is answered by a distinct experiment rather than by one table read three ways. **RQ1** — whether agentic navigation improves multi-hop accuracy — is answered by the main matrix of five systems on two datasets, scored with Hits@1 and F1, broken down by hop stratum, with paired significance tests (Sections 8.2 to 8.4); the per-stratum breakdown, not the aggregate, is what makes the claim about *multi-hop* accuracy. **RQ2** — what pre-generation verification contributes — is answered by three measurements that do not agree with one another, which is itself the finding: the two-tier groundedness metric (Section 8.5), the precision and F1 columns of the main matrix, and the verifier ablation (Section 8.7). It was posed as *what does it contribute* rather than *does it reduce hallucination* for the reason Section 8.8 gives. **RQ3** — component attribution at a token price — is answered by four single-deviation ablations on stratified half-samples, each compared against the unmodified system restricted to the same questions (Sections 7.8 and 8.7).

7.1.1 Pre-Registration and the No-Tuning Policy

One rule governed everything from the moment the test files were built: *nothing gets tuned*. No prompt was edited, no configuration value changed, and no threshold adjusted after test data was touched. Defects discovered mid-matrix were documented rather than fixed, and any fix that did become unavoidable would have been applied identically to every system with all affected files re-run — a situation that did not arise.

Four decisions were fixed in writing before the measurements they govern:

- The frozen configuration $\alpha = 0.7$, $\tau = 0.20$, claim verification enabled, tuned on the development set (Section 7.9) and never revisited.
- The sample size: stratified samples of 400 questions per dataset, named as the fallback before the API budget was known and adopted once it was (Section 7.2).
- The baseline certification threshold: a retrieval baseline is certified if it hedges while the gold answer is visible in its own retrieved facts on fewer than 15% of its hedges (Section 7.4).
- The judge validation threshold: Cohen’s $\kappa \geq 0.7$ against blind human annotation before the semantic-support numbers may be cited as validated (Section 7.6).

The last of these was missed, by 0.0005. It is reported as missed in Section 7.6, because a threshold that is only pre-registered when it is met is not pre-registered at all.

One further discipline, cheaper than it sounds and load-bearing for Section 8.7: the single code change Phase 4 required — a `use_planner` flag to disable decomposition — was certified as a no-op on the frozen path by re-running an already-answered development question and confirming that every language-model call was a cache hit. Byte-identical prompts are byte-identical behaviour, so the reference condition in the ablation table is provably the same system that produced the main matrix.

7.1.2 Metrics Proposed but Not Run

The approved proposal named three evaluation criteria: answer accuracy, groundedness, and *path fidelity* — agreement between the relation chain the system traversed and the chain the benchmark’s gold SPARQL query specifies. Path fidelity is not reported. Computing it requires the gold relation chains, and the RoG distribution used to build the knowledge environment (Section 4.2) publishes name-keyed triples without the originating SPARQL, so the chains would have to be reconstructed from the upstream releases and re-aligned to this environment’s relation vocabulary. That was outside the project’s remaining budget. Section 10.3.7 treats it as future work; the point is not relitigated here.

7.2 Test Sets

7.2.1 WebQSP and ComplexWebQuestions

Two benchmarks are used, in the RoG distribution [9] whose per-question subgraphs also form the knowledge environment (Section 4.2). **WebQSP** [19] is the semantic parses of WebQuestions: natural questions from search logs, mostly one or two hops, with multi-valued answers common. **ComplexWebQuestions** (CWQ) [20] is built by composing WebQSP questions with additional constraints through SPARQL templates, giving deeper chains, conjunctions, superlatives, and comparisons — and, as Section 7.7 documents, a higher rate of machine-generated label defects. The distinction that matters operationally is visible in the gold answer sets: WebQSP averages 7.98 gold entities per question (median 2), CWQ averages 1.78 (median 1). Any metric that rewards naming one correct entity therefore behaves very differently on the two benchmarks, which is one of the reasons F1 is reported alongside Hits@1 (Section 7.5).

7.2.2 Stratified Sampling, Seeds, and Published Question IDs

Only the *test* splits are used. The development set of Section 7.9 was mined from train and validation, and the builder asserts zero overlap between the two pools.

Sampling was a budget decision. The full test splits hold 1,628 and 3,531 questions; five systems over both, at the measured token rates, projected to roughly \$45–55, against a stated ceiling of \$15–20. The pre-registered fallback — stratified samples of 400 per dataset, giving bootstrap confidence intervals of roughly ± 5 points on Hits@1 — was therefore adopted, with the arithmetic recorded before the runs fired. The whole benchmark, including the ablations, ultimately cost \$11.13 in API spend.

Sampling is proportional within hop strata at seed 42, and the resulting question sets are committed as immutable artifacts (`results/phase4/test_webqsp.json`, `results/phase4/test_cwq.json`); every question identifier is listed in Appendix C. They were never regenerated after any system ran.

A near miss worth recording. The first build read `train-*.parquet` rather than `test-*.parquet` — a glob copied from the development-set miner, which legitimately reads train. Pool sizes matching the train splits and eighteen resolved shards were suggestive; the conclusive signal was the development-overlap guard reporting 32 and 45 overlapping questions where a genuine test pool must report zero. The contamination guard, built for hygiene, is what caught the contamination. No system had run against the files; they were deleted and rebuilt, and the rebuilt pools report 1,628 and 3,531 with `skipped={}` — the same evidence now testifying the other way, and the reason a cheap overlap assertion belongs in every benchmark builder.

Table 7.1: The two certified test samples. The unreachable stratum is retained deliberately; the ceiling is the share of questions with at least one gold answer reachable within four hops, and is the upper bound on Hits@1 for every system evaluated here.

Dataset	n	h1	h2	h3plus	unreach.	Ceiling
WebQSP	400	256	128	4	12	97.0%
CWQ	400	137	211	49	3	99.2%

7.2.3 Hop-Count Stratification and the Accuracy Ceiling

The stratification variable is the length of the shortest path in *this* environment between any question topic entity and any gold answer entity, bounded at four raw hops — the same machinery used to certify the development set, so that mediator nodes are counted consistently as the two edges they are (Section 5.2.3). Questions fall into h1, h2, h3plus, or unreachable.

Table 7.1 carries two facts the results chapter leans on repeatedly. WebQSP is 64% one-hop with a four-question h3plus tail — too small to interpret, and labelled as such wherever it appears. CWQ is majority two-hop with a genuine deep tail of 49. The samples preserve the strata proportions of their parent pools, so per-stratum numbers describe the benchmark rather than the sample.

The unreachable stratum was kept rather than dropped. Dropping it would raise every system’s score by the same amount and misdescribe the environment; keeping it means the ceiling is reported honestly and, as Section 8.5 shows, that these questions become the sharpest available probe of parametric leakage — any “hit” on a question with no graph path to gold is an assertion the environment cannot support.

7.3 Backbone Model Selection and Qualification

All systems share one frozen backbone: gpt-5.4-mini-2026-03-17 at temperature 0.0, with `reasoning_effort` explicitly set to “none” and the response cache enabled. The model string, both sampling parameters, and the cache mode are stamped into every one of the 4,000 test-matrix records and every ablation record, so any record found anywhere states what produced it.

Two properties motivated a non-reasoning model: sampling parameters remain available, so temperature can be pinned; and no hidden reasoning tokens contaminate the cost metric. The second was verified rather than assumed — a defensive check logs the reasoning-token count on every call, and it read zero across all runs in this thesis.

Selection between gpt-4.1-mini-2025-04-14 and gpt-5.4-mini-2026-03-17 was made by a qualification script that runs both candidates over the same twenty development questions and reports tokens, calls, latency, reasoning tokens, errors, and a determinism probe. The probe re-runs a subset of questions and counts how often the *decision signature* — a hash of the plan,

the expanded relations, the evaluator verdicts, and the answer, not of timings or scores — repeats exactly.

The first round reported 3/3 signature matches for 4.1-mini against 1/3 for 5.4-mini, and 4.1-mini was chosen on that basis. A second round with the cache disabled reversed it: 2/3 against 3/3. The reversal, not either number, is the finding.

7.3.1 Trajectory Stability Under Temperature-Zero Decoding

Temperature-zero decoding on a hosted API is greedy, not deterministic. The logits are not bit-stable across calls, because floating-point reduction order depends on how a request is batched with other traffic, and when the top two tokens are near-tied a wobble of order 10^{-6} flips the argmax. A sequential agent then *amplifies* that: one divergent token in a planner call changes a sub-objective’s wording, which changes its embedding, which changes the beam, which changes everything downstream. A model that is 98% stable per call can be 70–90% stable per trajectory. With three probes per round, an estimator of a rate in that band bounces between 1/3 and 3/3 by sampling variance alone. That is what happened. A tiebreaker was therefore pre-registered before rounds three and four — *if the two candidates finish within three matches of each other, take gpt-5.4-mini on longevity grounds, the 4.1 line being deprecation-adjacent* — and both rounds returned 2/3 for each candidate. Pooled over all four rounds the score is 9/12 against 8/12: a tie, the rule fired, and the backbone was frozen.

The reported measure of trajectory stability is therefore $\approx 75\%$, and the thesis makes no claim of determinism. One provenance limit belongs with that number: only the first round survives as per-question artifacts, because the qualification script writes its detail file in truncating mode and later rounds overwrote it; the tool logs accumulated across all four rounds, and the console tables for rounds two through four exist in the project record rather than as committed artifacts. Two observations from those four runs matter more to this thesis than the choice they settled. First, each candidate carried a *persistent* ungrounded answer: 4.1-mini asserted “United States Dollar” for a Dominican-peso question in two of four runs and a wrong European Union president in one; 5.4-mini named the wrong Beckham child in all four and a different wrong president in one. Second, both carried *intermittent* ones — the same question, the same graph, the same budget, with the answer moving between grounded-correct and ungrounded-wrong as the sampling weather changed. Backbone selection does not remove this class of error; it relocates it. That is the premise of this thesis, measured over four runs and two frontier-family models, and it is the reason Chapter 6 exists.

7.3.2 Response Caching as the Reproducibility Backstop

Reproducibility here rests on the cache, not on the model. Every completion is stored keyed on model string, temperature, reasoning effort, prompt, and schema hint, and — the detail that makes it work — the original token usage is stored alongside and *replayed into the budget meter* on a hit. The budget check still runs and the call counter still increments, so a fully cached rerun reproduces the original run’s budget snapshot exactly rather than approximately. Every table in Chapter 8 comes from one recorded run per condition, and that run replays byte-identically for as long as the cache survives, independent of API weather or model retirement.

Fresh-run variance is a different problem and is handled the standard way: bootstrap confidence intervals over questions and paired significance testing, both specified in Section 7.5.

The cache leaves one artifact in the record. The WebQSP run of the full system was started, interrupted after seventeen questions, and restarted; the restart replayed those seventeen from cache. Answers, entities, tokens, calls, and traces are unaffected — that is what byte-exact replay means — but their wall-clock readings measure a disk, not a system. The original cold log was recovered and merged back by a script that asserts every field except the timing and cache counters is identical, so the archived file carries true cold latencies throughout; no record in it is a full cache replay. Latency is in any case computed over cold-cache records only, which protects the column regardless.

7.4 Baseline Systems

Four baselines span the space between no retrieval and agentic navigation. All were implemented against the same tools, the same graph, and the same backbone.

7.4.1 No-Retrieval LLM (Parametric-Memory Control)

One call, the question, no facts, with an instruction to return an empty entity list if the answer is unknown. WebQSP and CWQ predate current models and are plausibly memorised, so this system measures the floor above which any retrieval result must be read. Its entity strings come from parametric memory rather than the graph, so surface forms mismatch gold more often than for graph-grounded systems; its score is consequently a *lower bound* on parametric knowledge. That asymmetry is reported rather than corrected, because grading one system leniently and another strictly would corrupt the comparison.

7.4.2 Vector-RAG over Verbalised Triples

Every triple is verbalised into a sentence, embedded with MiniLM [29], and indexed; the question retrieves the top 30 by exact inner product and one call answers from them — dense retrieval [28] applied to a graph. Its limitation is structural rather than incidental: a mediator-reified fact, a marriage or a film role, has no single triple expressing it, so no single retrieved sentence can express it either. Triples with a mediator endpoint are filtered at build time, since a verbalised half-edge is meaningless and leaks raw machine identifiers into answers; filtering the noise does not repair the paradigm, and both facts are reported.

7.4.3 Static GraphRAG

The structure-without-navigation comparison [4]: resolve the question’s topic entities, expand a two-hop neighbourhood under the same relation blocklist and the same mediator pass-through contract every other graph-touching system uses, rerank by embedding similarity to the question, and answer from the top 30 facts in one call. It shares Vector-RAG’s answering prompt and cutoff exactly, so the difference between the two isolates retrieval strategy and nothing else.

Two implementation details fixed on development data are worth naming, because both were comparability repairs rather than improvements: neighbourhood expansion initially passed *through* ordinary entities and stopped at mediator nodes, exactly inverted for Freebase and the reason machine identifiers were reaching answers; and retrieved facts are deduplicated by endpoint pair before reranking, because cosine similarity favours redundant phrasings of one connection and was crowding the informative row out of the top 30. That dedupe has a cost, stated rather than hidden: two distinct facts sharing both endpoints collapse to one, observed but rare.

7.4.4 Think-on-Graph (Agentic Baseline)

The credibility-critical comparison. Think-on-Graph [7] is reimplemented on this environment’s tools: beam width 3, depth 3, language-model relation pruning, language-model entity pruning, and a sufficiency check at each depth. It is a reimplementation, not the authors’ code, and it runs on this graph with this backbone — which makes it a *stronger* comparison than citing published numbers, because the graph, the model, the budget, and the scoring rule are all held constant and only the algorithm differs. Its numbers are therefore not comparable to the published ones and are not presented as such.

One shared-budget consequence is reported as a finding rather than a defect. The cost of beam search is multiplicative in width and depth, so under the same 25-call cap the full system operates under, Think-on-Graph is clipped on 117/400 WebQSP questions (29.2%) and 176/400 CWQ

questions (44.0%). A clipped run still answers, from whatever it gathered, by the same graceful degradation the full system uses — symmetry that fairness requires.

7.4.5 Variables Held Constant Across All Systems

Every system shares the backbone and its sampling parameters, the knowledge environment and its relation blocklist, the entity resolver, the question files, the budget meter and its 25-call cap, the output schema so that scoring reads one field for all systems, and the record schema so that any record self-describes with backbone, budget hash, run configuration, and source commit. Both graph-navigating systems seed from the dataset’s annotated topic entities, which removes entity linking as a confound and is stated as a limitation in Section 9.9.3. One asymmetry is deliberate: the baselines get a plain answering prompt while the full system’s drafting prompt carries the anti-vacuity and grounding provisions of Section 6.2, which are part of the system under test rather than of the shared harness.

7.4.6 Baseline Certification Protocol

Baselines were debugged exclusively on development data and certified before any test question ran. The pre-registered diagnostic targets the one failure mode that would be an implementation defect rather than a paradigm limit: *retrieval found the gold answer and the system hedged anyway*, checkable because both retrieval baselines log a sample of what they retrieved. The rule, written before the numbers: under 15% of hedges certifies the baseline as-is; over 30% means an over-abstinent prompt, to be adjusted identically for both baselines with both files re-run.

Measured: Vector-RAG 0% on both datasets, Static GraphRAG 10% and 14%. Both certified, with two caveats recorded rather than smoothed over. The diagnostic samples the top ten of thirty retrieved facts, so it is a lower bound; and Think-on-Graph’s 0% is *vacuous* rather than clean, since it logs no retrieved-fact sample and the diagnostic therefore compared against an empty string. As a multi-step navigator it was not the diagnostic’s target, but the reading is a null, not a pass. All ten test files completed at exactly 400 records with zero failures and zero duplicate question identifiers.

7.5 Metrics

7.5.1 Answer Accuracy: Hits@1 and F1

Both metrics are computed over *entity sets* after Unicode NFKC normalisation, case folding, and whitespace stripping — no fuzzy matching, no substring containment. *Hits@1* is 1 if any predicted entity matches any gold entity, which is the convention in this literature and is what

makes published numbers comparable at all. *F1* is computed per question between the predicted and gold sets as defined in Section 2.2, and averaged over questions.

Reporting both is not redundancy. Hits@1 rewards a system that names one correct entity among several wrong ones; on WebQSP, where the median question has two gold answers and the mean has eight, that loophole is wide. The precision component of F1 is what closes it, and Section 8.2 shows that the gap between the two metrics is exactly where the verification layer’s contribution becomes visible.

Strict matching raises an obvious worry — that “St. Petersburg” versus “Saint Petersburg” is manufacturing failures. It was measured rather than assumed. Of the full system’s wrong answers, 1 of 65 (2%) on WebQSP and 6 of 99 (6%) on CWQ are surface-form near-misses under aggressive normalisation. Strict matching does not materially understate performance, and the failure census of Chapter 9 is therefore reading real errors.

7.5.2 Accounting for Hedges and Abstentions

A *hedge* is an empty predicted entity set: the system declined to assert. Hedges score zero on both Hits@1 and F1 — an abstention earns nothing on an accuracy metric — and hedge rate is reported as its own column so the abstention–accuracy trade is visible rather than buried. A system can buy precision with abstention, and the reader is given both numbers to see it happen. Hedges are not epistemically uniform, and Chapter 9 keeps them separate from wrong answers throughout for that reason: a wrong answer is a reasoning error, whereas a hedge is usually a coverage gap that never produced a committal claim.

7.5.3 Two-Tier Groundedness and Hallucination Rate

Groundedness is measured at two levels, and the word *tier* in this thesis refers to this metric and nothing else.

Tier 1, structural, is deterministic, free, applies to every asserted entity in all 4,000 records, and operationalises Section 2.3.3 directly: *an asserted entity is graph-grounded if and only if it exists as a node in the knowledge environment and is connected to at least one of the question’s topic entities within four hops*. The entity-level ungrounded rate is the fraction of asserted entities failing this test; the question-level rate is the fraction of answered questions containing at least one such entity. The test is deliberately strict about surface form — a parametric spelling that does not exist as a node is ungrounded *by definition of the environment*, which is the point of defining hallucination relative to an environment at all.

Tier 2, semantic, asks the harder question Tier 1 cannot: is the entity supported *as the answer*? For a stratified sample of 60 asserted answers per system per dataset (600 judgements), the graph’s own shortest connecting paths between topic and asserted entity are retrieved and a

language model judges whether any one of them expresses the relationship the question asks about. The governing instruction is that *mere connectedness is not support*, and that sentence is what separates the two tiers.

Two design choices are pre-registered and consequential. Judging is against **the environment**, not against each system’s own retrieved context: the logs do not preserve per-system evidence uniformly, and environment-judging asks every system the identical question, so the metric applies even to the no-retrieval control. And path retrieval takes the three shortest paths, which means a supporting chain can lose to shorter irrelevant ones. Tier 2 rates are therefore *conservative lower bounds*, uniformly depressed across all systems, and are read as a between-system comparison rather than as absolute support rates.

7.5.4 Efficiency: Tokens, LLM Calls, and Wall-Clock Latency

Tokens and calls are counted by the shared budget meter, identically for every system, and are exact — the cache replays original usage, so they are unaffected by which runs were warm. Wall-clock latency is not: it is computed over **cold-cache records only**, and that restriction is repeated wherever latency appears. Where a condition’s records are entirely cache replays the latency cell is reported as unmeasured rather than as a number, which happens for one ablation condition in Section 8.7.

7.6 The Groundedness Judge and Its Validation

7.6.1 Independence of the Judge from the Answering System

The Tier-2 judge sees a question, one asserted entity, and up to three connecting paths rendered as relation chains with mediator nodes masked. It does not see which system produced the assertion, whether the assertion was scored a hit, the gold answer, or the system’s own reasoning. Its prompt was fixed before any per-system result was inspected. It runs on the same backbone as the systems it judges, which is a limitation stated in Section 9.9.3 rather than a claim of independence from the model family.

7.6.2 Human Annotation Protocol

One hundred judged items were drawn and written to a sheet stripped of the judge’s verdicts, and were labelled by the author *blind* — neither the judge’s output file nor the answer key was opened until the sheet was saved. Blinding is what makes the resulting statistic a validity check rather than a measure of anchoring.

A written annotation guideline was fixed during calibration and is reproduced in full in Appendix D. Each of its eight rules was forced by a case: judge the asked relationship *under the graph's vocabulary*; treat a mediator-bridged pair of edges as one relation; label supported if *any* single path supports; judge relations by *role, not type*, so a normally-generic relation counts when it is itself what the question asks; for conjunctions require every asked relationship covered by some specific path, jointly rather than in one chain; judge each entity independently of answer-set completeness, which is recall and is measured elsewhere; ignore superlative and temporal filters the graph cannot express, judging only the base relation; and treat a path expressing only a question's identifying descriptor, rather than its actual ask, as unsupported.

That last rule is the *composition-echo* case, and it is the same phenomenon the failure census later finds at scale (Section 9.7) — the annotation task and the error taxonomy converging on one mechanism from opposite directions.

7.6.3 Agreement Between Judge and Human Annotator

On $n = 100$ items, observed agreement is 85%, with near-symmetric marginals (54 human-supported against 51 judge-supported) and near-symmetric disagreement (9 human-yes/judge-no against 6 human-no/judge-yes), so neither rater is systematically the more lenient. Cohen's κ [38] is

$$\kappa = \frac{0.8500 - 0.5008}{1 - 0.5008} = 0.6995.$$

The pre-registered threshold was $\kappa \geq 0.7$. Rounded to three decimals this value reads 0.700 and appears to clear; it does not. It falls short by 0.0005, and it is reported as short.

What follows from that is a matter of weight, not of discarding. By the conventional bands [39] a κ of 0.70 is substantial agreement, and the task is genuinely hard — whether a relation chain really expresses an asked relationship has real grey area for a careful human, as the guideline's list of decided edge cases attests. So the Tier-2 numbers are reported, with the κ beside them and the miss stated, and no conclusion in this thesis rests on Tier 2 alone. Where Tier 2 is load-bearing — the between-system semantic-support comparison of Section 8.5 — the finding is also supported by the precision column of the main matrix, which is measured without a judge. The alternative course, tightening the judge prompt and re-judging a fresh sample until the bar was cleared, was available and pre-committed; it was not taken, because the honest number was already in hand and re-running until a pre-registered threshold is met is exactly what pre-registration exists to prevent.

7.7 Gold-Answer Quality Control

7.7.1 The Gold-Noise Problem in WebQSP and CWQ

Both benchmarks carry label defects, and CWQ carries more because its questions and answers are generated by SPARQL templates over the knowledge base rather than written by hand. A question whose gold answer is wrong is not a system failure, and counting it as one corrupts both the accuracy tables and the error taxonomy. Some detection procedure was therefore necessary — but a naive one is worse than none, as the results below show.

7.7.2 Consensus Pre-Pass and Per-Item Adjudication

The detection principle is **independent multi-system consensus against gold**: when at least three of the five systems assert the same non-gold answer, the label is worth examining. Independence is what makes the signal meaningful, so the voters are the five *systems* of the main matrix, spanning two knowledge sources (pretraining and this graph) and four retrieval paradigms. The four ablation conditions would not do: they share the full system’s scorer, drafter, and traversal, so their agreement would describe an architecture rather than a label.

The pass emits one row per (question, consensus answer) pair, so a question with three different non-gold consensus answers contributes three rows. Rows and questions are therefore reported as separate units throughout, and question counts are always the deduplicated ones.

Adjudication assigns each question one of exactly three verdicts — `gold_ok`, `gold_wrong`, `ambiguous_question` — with a free-text subtype for grouping that drives nothing. Automatic triage cleared 15 of 89 rows on WebQSP and 2 of 59 on CWQ; the remainder were adjudicated by hand against the question text and, where a world fact was at issue, an external check.

7.7.3 Two Evidence Signatures of Label Error

The most useful methodological result of this pass is that label errors come in two kinds with *opposite* evidence signatures, and that separating them is what makes the adjudication reproducible rather than ad hoc.

A **world-fact error** — gold contradicts reality — requires *mixed* consensus: the parametric baseline and the graph-based systems agreeing against the label means two different knowledge sources agree. The San Antonio city council question is the worked specimen: four systems converge on Bexar County against a Comal County gold, with mixed evidence, and Section 9.8.2 traces where that label came from.

An **annotation-pipeline error** — gold contradicts the very graph the labels were generated from — has the opposite signature: *graph-only* consensus, where every graph-reading system

Table 7.2: Gold-label adjudication. Rows and distinct questions are separate units because the pass emits one row per consensus answer. Exclusions are the union of `gold_wrong` and `ambiguous_question` questions.

Dataset	Rows	Questions	<code>gold_wrong</code>	<code>ambiguous</code>	Excluded
WebQSP	89	58	12	10	22 (5.5%)
CWQ	59	47	17	2	19 (4.8%)

finds the same right answer while the parametric baseline misses it for unrelated reasons. The specimen is WebQTest-55: “Who had a concert named Crazy Love Tour?” asks for a person, the graph-reading systems all return Michael Bublé, and gold lists his professions — the annotation query having traversed one relation too far.

This distinction was not designed in advance; it was forced. The adjudication scope had initially been narrowed to mixed-evidence flags only, on the reasoning that graph-only agreement is weaker evidence. The Bublé case is graph-only and is a genuine label error, so the scope was widened to cover every flag whose consensus answer was not simply an echo of the question’s own topic. The narrower scope would have missed an entire class.

7.7.4 Census-Based Exclusions and the Dual-Reporting Policy

Two numbers must not be conflated, and Table 7.2 separates them: 58 and 47 questions were *flagged* by the consensus pass, while 22 and 19 were *adjudicated* as defective. The gap is not noise — most flagged questions are all five systems converging on the same wrong answer, which is a finding about the systems rather than the labels and is treated as one in Section 9.7. A policy of rescoring on consensus alone would have corrupted the results with exactly those cases. The excluded questions are removed from the failure census of Chapter 9 — they are benchmark artifacts, not system failures — and `ambiguous_question` is excluded on the same logic, an underdetermined question being no more a system failure than a broken label. Of the excluded questions, 12 of 22 (WebQSP) and 15 of 19 (CWQ) were failures of the full system; those are the ones that shrink the census pool.

The accuracy tables are not rescored. They are reported exactly as measured, with this section as the footnote, for two reasons. Rescoring on self-adjudicated labels would substitute one contestable ground truth for another. And the errors cut both ways: the remaining 10 and 4 excluded questions are ones the full system scored as *hits* against labels now judged broken or ambiguous. That symmetry is what makes the footnote credible rather than defensive, and it means the direction of the net bias is unknown, not conveniently favourable.

Two scope limits belong on the record. The rule that automatically assigned `gold_wrong` to questions with implausibly long gold lists is a heuristic, not a proof, and its outputs were spot-checked rather than individually verified. And the manual adjudication covered every

mixed-evidence flag plus every graph-only flag that was not a topic echo — broad, but not the complete flag population.

7.8 Ablation Conditions

Four conditions, each a single deviation from the frozen configuration, each isolating one mechanism:

- **no-planner** — decomposition disabled; the whole question becomes one objective. Anchor seeding is untouched, so this varies decomposition and nothing else.
- **no-backtrack** — `max_backtracks = 0`; a configuration change, which correctly alters the budget hash stamped on the records.
- **no-verifier** — `verify_claims = false`; grounded drafting with no claim extraction or checking.
- **embedding-only** — $\alpha = 1.0$, removing the language-model term from the hybrid scorer while leaving τ at its frozen value.

The reference row is the *unmodified* system restricted to the same questions. It costs nothing: the main-matrix records are filtered to the half-set question identifiers rather than re-run, which also guarantees the pairing that the significance tests require. Comparing against the full 400-question score would be invalid, since accuracy on 400 questions and on 198 are different numbers for the same system and McNemar’s test needs matched pairs.

Ablations run on stratified halves — 200 WebQSP and 198 CWQ — rather than the full samples. This was the pre-registered response to the benchmark’s actual burn coming in above projection, and it was the ablation *sample* that was cut rather than any system or condition. The odd 198 is floor division within each stratum: CWQ’s strata of 137/211/49/3 halve to 68/105/24/1. Nothing in the analysis assumes a round number, and the consequence — reduced statistical power — is confronted directly in Section 8.7 rather than left implicit.

7.9 Hyperparameter Selection on the Development Set

7.9.1 Development Set Construction and Coverage

The development set is 80 questions mined from the train and validation splits of both benchmarks, selected to span hop counts and to include mediator-heavy and constraint-bearing questions, and certified for answer reachability by the same procedure applied to the test samples. It is disjoint

from both test samples by construction, and the disjointness is asserted by the test-set builder rather than assumed.

7.9.2 The α - τ Sweep Protocol

The two free parameters of the navigation loop are the blend weight α in the hybrid scorer (Section 5.5.2) and the low-signal backtracking threshold τ (Section 5.6.3). They were swept jointly over $\alpha \in \{0.3, 0.5, 0.7, 1.0\}$ and $\tau \in \{0.0, 0.20\}$ — eight conditions, each a complete run of all 80 questions, with two additional draft-only conditions to price the verification layer. Each condition is a constructor argument rather than a source edit, and its values are stamped into every record it writes, so no condition can be mislabelled after the fact.

The chosen values, $\alpha = 0.7$ and $\tau = 0.20$, were frozen on the basis of that sweep and never revisited. Section 8.1 reports the sweep, including the non-monotonicity at $\alpha = 0.5$ that a smoothed curve would have hidden.

7.10 Implementation, Environment, and Reproducibility

The system is implemented in Python against LangGraph for the state machine, the Neo4j Python driver for graph access [21], and sentence-transformers for embeddings [29]. The graph runs in a local Neo4j instance; all Cypher [22] is templated inside the tool layer and never composed by a language model (Section 5.2). Randomised operations use seed 42 throughout.

Three practices carry more reproducibility weight than the dependency list, and Appendix E records them as techniques. *Records self-describe*: each carries the backbone description, a budget-configuration hash, the full run configuration including the system name, and the source commit, so any record found anywhere states what produced it — which is what made the cache-replay incident of Section 7.3 diagnosable. *Frozen artifacts are committed and regenerable ones are not*: the certified question sets, their half-splits, and every result file embody spent money and non-repeatable runs, while the graph import, embedding matrices, and triple index are deterministic products of committed scripts. *Code changes are proved harmless by cache identity* rather than by a passing test suite: re-running an answered question and confirming every call is a cache hit proves byte-identical prompts, hence an untouched frozen path, and is the certificate behind the ablation reference row.

Two limits belong here rather than in a footnote. The archived results carry neither per-folder documentation nor generated manifests, so file provenance rests on the self-describing records and on this chapter. And one generated summary in the development-set archive predates a fix applied to the runs it summarises, so rescoring that directory yields different numbers than the committed summary; the discrepancy is stated where those numbers are used (Section 8.1) rather than resolved by editing a generated file.

Chapter 8

Results

This chapter reports the measurements the previous chapter specified. It is organised so that the weakest claims are visible next to the strongest: the headline accuracy result is large and significant on every comparison, the structural groundedness result is emphatic but attributes to a different cause than expected, the semantic groundedness result is underpowered, and three of the four ablations detect nothing. All four outcomes are reported at the same volume.

Every number comes from `results/phase4/thesis_numbers.json`. Confidence intervals are 95% bootstrap intervals over questions with 10,000 resamples at seed 42 [36]; paired comparisons use the exact-binomial form of McNemar’s test [37] on per-question correctness.

8.1 Development-Set Tuning Outcomes

The blend weight α and the low-signal backtracking threshold τ were swept jointly over the 80-question development set (Section 7.9). Table 8.1 reports all eight conditions plus the two draft-only conditions that price the verification layer.

Three readings, of which only the first is the one the sweep was run to obtain.

$\alpha = 0.7$ is the maximum, and the curve is not clean. Hits and F1 rise from $\alpha = 0.3$ to $\alpha = 0.7$ and fall sharply at $\alpha = 1.0$, which is the expected shape: embedding similarity alone ($\alpha = 1.0$) is a weaker guide than the blend, and weighting the language-model judgement too heavily ($\alpha = 0.3$) makes the score noisy. But the wrong-answer column does not follow the hits column. It reads 7, 8, 5, 6 across the four α values, peaking at $\alpha = 0.5$ — the condition that also has the fewest hedges of the verified rows. At $\alpha = 0.5$ the system commits more often and is wrong more often, and that irregularity is reported rather than smoothed away, because a presented curve that hides a known kink is exactly what a defence finds. It is one sample of 80 questions and the difference is three questions wide; it is noted, not interpreted.

τ does almost nothing on this set, and that is consistent with its design. At $\alpha = 0.7$ and $\alpha = 0.5$ the two τ values produce identical hits, hedges, and wrong counts. At $\alpha = 0.3$ they

Table 8.1: The development-set sweep, $n = 80$. Hits, hedges, and wrong answers partition the set. Verify indicates claim verification enabled; the two draft-only rows disable it. All rows are from the sweep as run, before the answer-entity filter of Section 6.5 was corrected; the frozen condition’s post-correction figures are given in the text.

α	τ	Verify	Hits	Hedge	Wrong	F1	Tokens	Calls	Bktrk
0.3	0.00	yes	61	12	7	0.728	4,999	7.4	16
0.3	0.20	yes	61	12	7	0.728	5,030	7.5	18
0.5	0.00	yes	62	10	8	0.743	4,874	7.2	16
0.5	0.20	yes	62	10	8	0.743	4,874	7.2	16
0.7	0.00	yes	64	11	5	0.769	4,925	7.3	17
0.7	0.20	yes	64	11	5	0.769	4,925	7.3	17
1.0	0.00	yes	59	15	6	0.713	3,408	4.9	22
1.0	0.20	yes	59	16	5	0.713	3,400	4.9	26
0.5	0.20	no	64	9	7	0.770	4,807	7.1	16
0.7	0.20	no	66	10	4	0.797	4,858	7.2	17

differ only in backtrack count (16 against 18); at $\alpha = 1.0$, one wrong answer becomes a hedge and backtracks rise from 22 to 26. This is what the signal-maximum formulation of Section 5.6.3 predicts: the trigger fires only when the blended score, the embedding maximum, *and* the language-model maximum are all below threshold, which is rare when the language-model term is contributing. The $\alpha = 1.0$ row is where it has the most to do, and it is exactly there that its effect is visible. The value $\tau = 0.20$ was frozen on the basis of a sweep in which it changed almost nothing; that is stated plainly rather than presented as a tuned choice.

Verification costs accuracy on this set. Against the frozen condition, the draft-only row scores 66 hits to 64 and F1 0.797 to 0.769. After the answer-entity filter of Section 6.5 was corrected — a change made on development data before any test question ran — the frozen condition scores 65 hits, 11 hedges, 4 wrong, F1 0.785. So on the final code the layer costs one correct answer and removes no wrong ones on this set of 80. Section 8.7 finds the same thing at $n \approx 200$ on test data, and Section 8.8 explains why that is the expected result rather than a disappointing one.

One reproducibility note belongs with this table. Only the frozen condition was re-run after the filter correction, so Table 8.1 is the pre-correction sweep throughout — internally consistent, since all eight conditions ran under the same code. The committed summary file for that directory also predates the correction, so rescoring the archived runs yields 65/11/4 for the frozen condition where the summary records 64/11/5. The archived per-question records are authoritative.

8.2 Main Results on WebQSP

On WebQSP, AGR answers 302 of 400 questions correctly: 75.5% against a reachability ceiling of 97.0%, +9.5 points over Think-on-Graph and +30.2 over the parametric floor. The floor

Table 8.2: Main results, $n = 400$ per dataset. Brackets are 95% bootstrap intervals. **P** and **R** are mean per-question precision and recall; **Hedge** is the share of questions on which the system asserted nothing. The Hits@1 ceilings are 97.0% and 99.2% (Table 7.1).

Data	System	Hits@1	F1	P	R	Hedge
WebQSP	No-retrieval	0.453 [0.403, 0.500]	0.305 [0.266, 0.345]	0.380	0.303	12.2%
WebQSP	Vector-RAG	0.568 [0.517, 0.618]	0.432 [0.389, 0.475]	0.469	0.460	27.0%
WebQSP	GraphRAG	0.340 [0.292, 0.388]	0.262 [0.224, 0.302]	0.279	0.284	55.8%
WebQSP	Think-on-Graph	0.660 [0.613, 0.705]	0.477 [0.436, 0.518]	0.571	0.480	18.8%
WebQSP	AGR	0.755 [0.713, 0.797]	0.642 [0.600, 0.684]	0.697	0.653	8.2%
CWQ	No-retrieval	0.307 [0.263, 0.352]	0.279 [0.236, 0.323]	0.285	0.282	38.0%
CWQ	Vector-RAG	0.203 [0.163, 0.242]	0.168 [0.133, 0.204]	0.171	0.189	48.2%
CWQ	GraphRAG	0.205 [0.168, 0.245]	0.183 [0.147, 0.222]	0.187	0.194	60.8%
CWQ	Think-on-Graph	0.435 [0.388, 0.482]	0.378 [0.332, 0.423]	0.403	0.384	22.5%
CWQ	AGR	0.522 [0.475, 0.570]	0.469 [0.423, 0.514]	0.484	0.481	23.0%

matters. WebQSP is a decade old and plausibly in the backbone’s pretraining data, and the no-retrieval control confirms it: 45.3% of these questions are answerable from memory alone. Any claim about what retrieval contributes has to be read against 0.453, not against zero.

F1 widens the margin that Hits@1 understates. Against Think-on-Graph the Hits@1 gap is +9.5 points; the F1 gap is +16.5 (0.642 against 0.477), and the precision column shows where it comes from (0.697 against 0.571). WebQSP’s questions have a mean of eight gold answers, so a system that asserts a long list collects Hits@1 credit for the one entity that matches and pays nothing for the rest. Precision is what charges for it. The two columns together support the sentence this thesis leads with: AGR answers more questions and asserts fewer falsehoods, at an 8.2% hedge rate — the lowest of the five systems, so the precision is not bought with abstention.

Raw hits mislead on the retrieval baselines, and the correction is a finding. GraphRAG scores 0.340, below the no-retrieval control’s 0.453, which invites the conclusion that the implementation is broken. Put the wrong-answer counts beside the hits and the picture inverts. No-retrieval asserts on 351 of 400 questions and is wrong on 170 of them — 51.6% assertion precision. GraphRAG asserts on 177 and is wrong on 41 — 76.8%. The mechanism is the prompt: the retrieval baselines are instructed to answer only from the facts given and to return nothing otherwise, so when retrieval misses they abstain, while the no-retrieval control has no such constraint and guesses from memory. On a memorised benchmark, guessing pays. *A grounded system scoring below an ungrounded one on raw hits while committing four times fewer falsehoods* is the contamination story the control was built to expose, and it is reported as a result rather than as an anomaly.

Table 8.3: Paired McNemar tests, AGR against each baseline, on per-question correctness over the same 400 questions. Every comparison rejects.

Dataset	Baseline	AGR only	Baseline only	p
WebQSP	No-retrieval	152	31	2.3×10^{-20}
WebQSP	Vector-RAG	117	42	2.2×10^{-9}
WebQSP	GraphRAG	186	20	6.5×10^{-35}
WebQSP	Think-on-Graph	76	38	4.8×10^{-4}
CWQ	No-retrieval	121	35	2.7×10^{-12}
CWQ	Vector-RAG	151	23	2.8×10^{-24}
CWQ	GraphRAG	148	21	1.0×10^{-24}
CWQ	Think-on-Graph	86	51	3.5×10^{-3}

8.3 Main Results on ComplexWebQuestions

On CWQ, AGR answers 209 of 400: 52.2% against a 99.2% ceiling, +8.7 over Think-on-Graph and +21.5 over the floor. Every system scores lower here, and the ordering changes in one important way: *both* static retrieval baselines fall below the parametric control. Vector-RAG drops from 0.568 on WebQSP to 0.203, GraphRAG from 0.340 to 0.205, while no-retrieval falls only from 0.453 to 0.307.

The reason is structural rather than incidental. A CWQ question needs a chain, and one verbalised triple cannot contain a chain — no amount of retrieval quality repairs that, which is the paradigm limit Section 7.4 predicted at implementation time and Section 8.4 demonstrates per stratum.

The number worth leading with on this dataset is assertion precision. AGR and Think-on-Graph commit at effectively the same rate — 308 and 310 of 400 questions answered rather than hedged — and out of those near-identical commitments AGR is right 209 times and wrong 99, against 174 and 136. That is 67.9% assertion precision against 56.1%: on the harder, deeper benchmark, the system with an explicit plan, a guided scorer, and a claim check finds 35 more answers and asserts 37 fewer falsehoods than blind beam search on the same graph with the same model, from the same number of commitments.

Table 8.3 settles the comparisons that matter. All eight reject, including the two against the agentic baseline — the only comparison in the table where both systems navigate the same graph with the same model under the same budget, so that the algorithm is the only difference. The discordant counts make the margin concrete rather than distributional: on CWQ, AGR uniquely solves 86 questions Think-on-Graph misses against 51 the other way.

8.4 Accuracy Broken Down by Hop Count

Table 8.4 is the direct answer to RQ1, and it answers it with a shape rather than with a difference of means.

Table 8.4: Hits@1 and F1 per hop stratum. Stratum sizes are those of Table 7.1. WebQSP’s h3plus has $n = 4$ and is not interpreted.

Data	System	h1	h2	h3plus	unreach.
WebQSP	No-retrieval	0.43 / 0.29	0.52 / 0.36	0.25 / 0.00	0.17 / 0.17
WebQSP	Vector-RAG	0.82 / 0.63	0.12 / 0.07	0.00 / 0.00	0.08 / 0.08
WebQSP	GraphRAG	0.30 / 0.23	0.44 / 0.35	0.25 / 0.07	0.08 / 0.08
WebQSP	Think-on-Graph	0.63 / 0.45	0.78 / 0.58	0.25 / 0.07	0.17 / 0.17
WebQSP	AGR	0.75 / 0.64	0.84 / 0.73	0.00 / 0.00	0.08 / 0.08
CWQ	No-retrieval	0.38 / 0.35	0.30 / 0.27	0.14 / 0.14	0.00 / 0.00
CWQ	Vector-RAG	0.33 / 0.27	0.14 / 0.11	0.10 / 0.09	0.67 / 0.67
CWQ	GraphRAG	0.34 / 0.30	0.16 / 0.14	0.02 / 0.02	0.33 / 0.33
CWQ	Think-on-Graph	0.53 / 0.48	0.37 / 0.32	0.45 / 0.32	0.33 / 0.33
CWQ	AGR	0.46 / 0.42	0.55 / 0.49	0.57 / 0.50	0.33 / 0.33

On CWQ, AGR’s accuracy rises with hop count. Hits@1 goes $0.46 \rightarrow 0.55 \rightarrow 0.57$ across h1, h2, h3plus, and F1 goes $0.42 \rightarrow 0.49 \rightarrow 0.50$. Every other system on that dataset decays: Think-on-Graph falls from 0.53 to 0.37 before partially recovering at 0.45; Vector-RAG collapses $0.33 \rightarrow 0.14 \rightarrow 0.10$; GraphRAG $0.34 \rightarrow 0.16 \rightarrow 0.02$. A system that gets *better* as the required chain gets longer is not merely ahead on average — it is the only one in the table whose profile is consistent with actually traversing the chain, and that monotonicity is a stronger form of the multi-hop claim than any aggregate could carry.

Think-on-Graph beats AGR on CWQ’s one-hop stratum (0.53 against 0.46, $n = 137$), and this is reported rather than buried because it makes the rest of the story more credible, not less. Section 8.7 identifies the mechanism: decomposition costs accuracy on questions that do not need decomposing, and CWQ’s h1 stratum is full of them.

Vector-RAG’s WebQSP profile is the paradigm in two cells. It scores 0.82 at one hop — the best single-hop number anywhere in the table, better than AGR’s 0.75 — and 0.12 at two. When one triple suffices, dense retrieval over verbalised triples is excellent; when a chain is required, it has nothing to offer. GraphRAG’s WebQSP inversion, 0.30 at h1 against 0.44 at h2, is the complementary artefact: popular one-hop entities have large neighbourhoods, and hub noise drowns the answer in the reranked window.

The unreachable stratum is a hallucination probe, not an accuracy measurement. By construction no path to gold exists within the hop bound for these questions, so every “hit” is an assertion the environment cannot support that happened to match the label. Vector-RAG scores 0.67 on CWQ’s three unreachable questions and no-retrieval 0.17 on WebQSP’s twelve. The counts are tiny and no weight is placed on them, but the direction is exactly what Section 8.5 measures at scale: Hits@1 will happily reward what RQ2 is about the absence of.

Table 8.5: Two-tier groundedness. Tier 1 is deterministic over every asserted entity in all 4,000 records; Tier 2 is a language-model entailment judgement over a stratified sample of 60 assertions per system per dataset, validated at $\kappa = 0.6995$ (Section 7.6).

Data	System	Tier 1: structural			Tier 2
		Entities	Ungrounded	Questions	Supported
WebQSP	No-retrieval	661	179 (27.1%)	37.6%	63.3%
WebQSP	Vector-RAG	1040	38 (3.7%)	6.2%	61.7%
WebQSP	GraphRAG	800	6 (0.8%)	2.8%	55.0%
WebQSP	Think-on-Graph	832	0 (0.0%)	0.0%	61.7%
WebQSP	AGR	1235	0 (0.0%)	0.0%	66.7%
CWQ	No-retrieval	340	42 (12.4%)	13.7%	36.7%
CWQ	Vector-RAG	289	7 (2.4%)	3.4%	50.0%
CWQ	GraphRAG	224	2 (0.9%)	1.3%	36.7%
CWQ	Think-on-Graph	433	0 (0.0%)	0.0%	43.3%
CWQ	AGR	474	0 (0.0%)	0.0%	48.3%

8.5 Groundedness and Hallucination Rate Across Systems

8.5.1 Tier 1: Structural Hallucination Is a Property of the Paradigm

The differential is emphatic. The parametric control asserts 661 entities on WebQSP of which 179 — 27.1% — have no basis in the knowledge environment, and 37.6% of the questions it answers contain at least one such entity. Both navigating systems sit at exactly zero, over 1,235 and 832 asserted entities. Parametric answering hallucinates structurally at double-digit rates; graph-navigated answering eliminates structural hallucination outright.

But Think-on-Graph reaches zero as well, and that changes the attribution. Structural groundedness is a property of the *navigation paradigm* — any system that copies its answer entities out of triples it actually traversed inherits it — not of this thesis’s verification layer specifically. The honest claim is therefore narrower and more testable than the one the work set out to make: *both navigating systems achieve zero structural hallucination; they differ at the level of semantic support*, where Think-on-Graph’s precision of 0.571 and 0.403 against AGR’s 0.697 and 0.484 (Table 8.2) shows it asserting substantially more entities that exist, connect to the topic, and were copied from real triples — and are not the answer. Section 1.3 builds on exactly this gap.

Two readings of the middle band belong on the record. The no-retrieval control’s CWQ rate (12.4%) is less than half its WebQSP rate (27.1%) not because it fabricates less on harder questions but because it hedges more — 38.0% against 12.2% — and abstention suppresses the measured hallucination rate. That is the abstention trade appearing in a third metric. And Vector-RAG’s 38 ungrounded entities are mostly not fabrications: its index is global, so retrieval can surface facts about a similarly-named subject that exists in the graph but has no connection to the question’s topics, and the model copies faithfully from them. The metric correctly flags those

as unanchored to the question, but the mechanism is retrieval error rather than generation error. Structural ungroundedness conflates the two, and the distinction is recoverable from whether the entity appears in the system’s own retrieved facts.

8.5.2 Tier 2: A Narrow Band and an Underpowered Comparison

Tier 2 asks whether the asserted entity is supported *as the answer*, and under the instruction that mere connectedness is not support, every system lands in a 36.7–66.7% band. AGR is highest on both datasets, by 5.0 points over Think-on-Graph on WebQSP and 5.0 on CWQ.

That gap is not resolvable at this sample size. With $n = 60$ per cell the 95% binomial interval has a half-width of roughly 12–13 points, so a 5-point difference is inside the noise, and no conclusion in this thesis rests on it. What the tier does establish is the level: semantic support is *hard* for every system, including the two that are structurally perfect. Zero structural hallucination coexists with roughly a third to a half of assertions failing a strict semantic-support test — which is the single most useful thing the metric says, and it says it about the paradigm rather than about any one system.

Two properties of the measurement bound its interpretation, both pre-registered. Path retrieval takes the three shortest connecting paths, so a genuinely supporting chain can lose to shorter irrelevant ones; the rates are conservative lower bounds, depressed uniformly across systems, which preserves the between-system comparison while making the absolute levels untrustworthy. And the judge was validated at $\kappa = 0.6995$ against a pre-registered bar of 0.7 (Section 7.6) — substantial agreement, marginally short of the threshold, and a further reason to treat this tier as corroborating rather than decisive.

8.6 Efficiency and Cost

8.6.1 Token and Call Budgets per System

Agency costs roughly an order of magnitude over one-shot retrieval: 4,511 and 6,818 tokens per question against ~ 500 , and 11–17 seconds against one to two. That is the price of RQ1’s accuracy, and it is stated as a price.

The comparison that carries information is against the other agentic system, since the two run under an identical 25-call cap. AGR uses *half* the calls — 6.2 against 12.8 on WebQSP, 8.9 against 18.2 on CWQ — with more tokens per call, because each call carries a richer prompt: a plan, a scored candidate set, a fact window. Fewer, better-informed decisions rather than more, blinder ones.

The clip column is the sharpest form of that. Beam search costs are multiplicative in width and depth, so under the shared budget Think-on-Graph exhausts its calls before finishing on 29.2%

Table 8.6: Cost per question. Latency is computed over cold-cache records only. Clip rate is the share of questions on which the shared 25-call budget was exhausted mid-search.

Data	System	Tokens	Calls	Seconds	Clipped
WebQSP	No-retrieval	113	1.0	1.2	—
WebQSP	Vector-RAG	527	1.0	1.4	—
WebQSP	GraphRAG	531	1.0	2.1	—
WebQSP	Think-on-Graph	3,615	12.8	12.9	29.2%
WebQSP	AGR	4,511	6.2	11.2	0.0%
CWQ	No-retrieval	118	1.0	1.0	—
CWQ	Vector-RAG	535	1.0	1.4	—
CWQ	GraphRAG	470	1.0	2.2	—
CWQ	Think-on-Graph	5,572	18.2	15.2	44.0%
CWQ	AGR	6,818	8.9	17.2	0.0%

of WebQSP questions and 44.0% of CWQ questions, while AGR never does. On nearly half the multi-hop benchmark the baseline is answering from a truncated search. This is a fair constraint — both systems live under the same cap, and a clipped run still answers from what it gathered by the same graceful degradation — and it is the efficiency finding rather than a caveat on it: under an identical budget, AGR converts its calls into correct answers at roughly twice the rate.

8.6.2 The Accuracy–Cost Frontier

Reading Table 8.2 against Table 8.6, the frontier has three points and no interior ones. Vector-RAG on WebQSP is the cheap corner: 0.568 Hits@1 for 527 tokens, and 0.82 on the one-hop stratum, which makes it the right choice for shallow questions and useless for deep ones. AGR is the accurate corner on both datasets. Think-on-Graph sits between them on accuracy and above AGR on calls, so it is dominated on this environment — lower accuracy at higher call cost. The no-retrieval control is off the frontier entirely once precision is counted, though it remains the cheapest way to be right about half the time on WebQSP, which is the contamination point restated as an economic one.

8.7 Ablation Study

Four single-deviation conditions on stratified halves ($n = 200$ WebQSP, $n = 198$ CWQ), each against the unmodified system restricted to the same questions. Table 8.7 reports the conditions and Table 8.8 summarises the component attribution. Throughout, Δ is *ablated minus reference*, so a positive Δ means removing the component *improved* the metric.

Table 8.7: Ablation conditions on stratified halves. The reference row is the frozen system restricted to the same questions, at zero additional cost. Latency is unmeasured for no-verifier because every record in that condition is a full cache replay.

Data	Condition	Hits@1	F1	Hedge	Tok.	Calls
WebQSP	reference	0.755 [0.695, 0.810]	0.659 [0.599, 0.717]	8.5%	4,562	6.2
WebQSP	no-planner	0.830 [0.775, 0.880]	0.742 [0.687, 0.794]	5.5%	3,159	4.0
WebQSP	no-backtrack	0.745 [0.685, 0.805]	0.646 [0.586, 0.705]	9.5%	4,261	5.8
WebQSP	no-verifier	0.760 [0.700, 0.820]	0.663 [0.604, 0.721]	8.0%	4,460	6.1
WebQSP	embedding-only	0.740 [0.680, 0.800]	0.643 [0.583, 0.702]	13.5%	3,413	4.4
CWQ	reference	0.495 [0.424, 0.566]	0.445 [0.379, 0.511]	23.2%	7,105	9.1
CWQ	no-planner	0.434 [0.369, 0.505]	0.398 [0.333, 0.464]	26.8%	5,617	6.7
CWQ	no-backtrack	0.490 [0.419, 0.561]	0.445 [0.379, 0.511]	28.3%	5,792	7.4
CWQ	no-verifier	0.490 [0.419, 0.561]	0.436 [0.371, 0.503]	20.2%	6,704	8.7
CWQ	embedding-only	0.475 [0.409, 0.545]	0.437 [0.370, 0.502]	28.3%	4,925	5.9

8.7.1 Without the Planner: A Stratum-Dependent Effect

This is the one condition that reaches significance, and it points the opposite way to the design intent.

On WebQSP, *removing* the planner improves every axis at once: Hits@1 $0.755 \rightarrow 0.830$, F1 $0.659 \rightarrow 0.742$, hedge rate $8.5\% \rightarrow 5.5\%$, tokens $4,562 \rightarrow 3,159$, calls $6.2 \rightarrow 4.0$. McNemar gives $p = 5.9 \times 10^{-3}$ on 6 against 21 discordant pairs. The per-stratum breakdown locates the damage precisely: h1 rises $0.75 \rightarrow 0.85$ and h2 rises $0.84 \rightarrow 0.89$, so decomposition is hurting simple *and* two-hop questions on this dataset. The planner prompt’s first worked example instructs the model not to decompose single-hop questions; the ablation proves that instruction under-triggers, with a p -value.

On CWQ the sign reverses and significance is not reached: Hits@1 $0.495 \rightarrow 0.434$, 27 against 15 discordant pairs, $p = 0.088$. The stratum table shows a coherent mechanism rather than noise — h1 *improves* ($0.49 \rightarrow 0.54$) while h2 collapses ($0.48 \rightarrow 0.34$) and h3plus moves little ($0.62 \rightarrow 0.54$) — which is precisely “decomposition helps genuine composition and hurts questions that do not need it”. But it does not clear $\alpha = 0.05$ at $n = 198$, and the honest statement carries both halves: *the planner’s benefit is stratum-conditional and significant on WebQSP* ($p = 0.006$); *the CWQ pattern points the same way but does not reach significance at this sample size* ($p = 0.088$).

The finding is therefore not “the planner helps” or “the planner hurts” but that its value is conditional on question structure, and that applying decomposition unconditionally is the defect. Section 9.3 reads the 21 and 15 questions where removing the planner flipped a failure into a success and names the mechanisms; Section 10.3 turns them into an adaptive gating proposal that this ablation earned rather than motivated.

8.7.2 Without Backtracking

Hits@1 moves -0.010 on WebQSP and -0.005 on CWQ; F1 -0.013 and 0.000 . Discordant pairs are 5 against 3 and 6 against 5, giving $p = 0.73$ and $p = 1.00$. There is no detectable effect at this sample size.

Two readings are available and the data does not separate them: backtracking’s contribution may be small because the scorer and the verifier already prevent most of the excursions it exists to correct, or $n \approx 200$ may simply be too few questions to resolve a small effect. This is reported as “no detectable effect at $n \approx 200$ ”, never as a confirmed null. The mechanism is not idle — the full runs record 63 backtracks on WebQSP and 199 on CWQ, dominated by evaluator-triggered ones (47 and 170) — so the condition removes real activity whose accuracy consequence this experiment cannot measure.

8.7.3 Without the Verification Layer

The cleanest null in the table, and the most informative one. Discordant pairs are 0 against 1 on WebQSP and 1 against 0 on CWQ: across 398 paired questions, removing claim verification changed the correctness of exactly two. Hits@1 moves $+0.005$ and -0.005 ; F1 $+0.004$ and -0.009 . Both $p = 1.00$.

This reproduces the development-set result of Section 8.1 exactly, and it is what Chapter 6 predicted by construction: on 77 of 80 development questions the layer certified the draft and changed nothing, and the repair path never executed. A mechanism that mostly passes cannot move an accuracy metric.

The conclusion this licenses is narrower and sharper than “the verifier helps”, and it is the one Section 8.8 adopts: *claim verification does not measurably change how often AGR is right; it changes how often AGR is right for a reason it can exhibit*. Hits@1 cannot see that distinction — it is what the groundedness metrics were built to see, and what the supporting-triple output contract of Section 6.6 exists to make checkable. The evidence for the layer is Table 8.5, the precision column of Table 8.2, and the specimen analyses of Section 9.5; it is not this row, and this row is reported at full length rather than omitted.

8.7.4 Embedding-Only Scoring

Removing the language-model term from the hybrid scorer costs -0.015 and -0.020 Hits@1 and -0.016 and -0.008 F1 — consistently negative on both datasets and both metrics, and consistently short of significance ($p = 0.66$ and $p = 0.48$).

Two corroborating details make the direction credible without over-claiming from it. The condition is the cheapest of the four (3,413 and 4,925 tokens, 4.4 and 5.9 calls), so the language-model scoring term is buying accuracy with tokens as designed. And it carries by far the most

Table 8.8: Component attribution, RQ3. $\Delta F1$ is *ablated minus reference*, so positive means removing the component improved F1. Only the planner condition reaches significance.

Component	WebQSP $\Delta F1$ (p)	CWQ $\Delta F1$ (p)	Verdict
Planner	+0.083 (0.006)	−0.047 (0.088)	Stratum-dependent
Backtracking	−0.013 (0.73)	0.000 (1.00)	No detectable effect
Verification	+0.004 (1.00)	−0.009 (1.00)	No accuracy effect
α -blend	−0.016 (0.66)	−0.008 (0.48)	Directional, underpowered

backtracks — 57 and 143 against the reference’s 38 and 108 — which is the τ mechanism of Section 5.6.3 visible in the logs: with the language-model term removed, the signal maximum clears τ less often, so the search machinery works harder to compensate. The primary evidence for $\alpha = 0.7$ remains the development sweep of Table 8.1, where the $\alpha = 1.0$ condition lost five hits on 80 questions; this ablation corroborates it at test scale rather than independently establishing it.

8.7.5 Paired Significance Testing and Statistical Power

One of four conditions reaches significance. That is the correct outcome to report for four components tested on half-samples, and it is reported as such rather than rewritten into four confident claims.

The power limitation is arithmetic, not rhetorical. McNemar’s test reads only discordant pairs, and at $n \approx 200$ with a system near 0.5–0.75 accuracy, a component that changes five questions in a hundred produces on the order of ten discordant pairs — not enough to reject at conventional levels. The planner condition cleared the bar on WebQSP because its effect is large (21 against 6), not because that comparison was better powered than the others. The halves were adopted as the pre-registered response to the benchmark’s cost coming in above projection (Section 7.8); doubling them is the straightforward remedy and is named in Section 10.2.

Three conditions are therefore reported as “no detectable effect at this sample size”. That phrase is not a hedge for “no effect”: for the verifier the point estimates are near zero *and* the mechanism’s contribution was never expected to appear in accuracy, whereas for backtracking and the α -blend the point estimates are consistently signed and the mechanism is visibly active in the logs. Those are different epistemic situations, and collapsing them into one word would lose the distinction.

8.8 Findings Against RQ1, RQ2, and RQ3

RQ1 — does agentic navigation improve multi-hop factual accuracy? Yes, and the multi-hop qualifier is doing real work. AGR leads every cell of Table 8.2, and all eight paired comparisons

reject, including both against the agentic baseline running on the same graph with the same model under the same budget. The stratum profile is the substance of the answer: on CWQ, AGR’s accuracy *rises* with hop count ($0.46 \rightarrow 0.55 \rightarrow 0.57$) while every other system decays, and static retrieval collapses from 0.33 to 0.10. Two boundaries are reported with it — Think-on-Graph is better on CWQ’s one-hop stratum, and Vector-RAG is better than everything on WebQSP’s.

RQ2 — what does pre-generation verification contribute beyond navigation? The answer has three parts that a yes-or-no question would have merged, which is why it was not asked as one.

First, navigation eliminates structural hallucination, and the verifier is not what does it. Both navigating systems assert zero ungrounded entities, over 1,235 and 832 assertions, against 27.1% for parametric answering. Any system that copies its answer entities out of triples it traversed inherits this; attributing it to the verification layer would be wrong, and Table 8.5 is the evidence that it would be wrong.

Second, the verifier’s measurable contribution is precision, not accuracy. AGR’s assertion precision exceeds Think-on-Graph’s by 12 points on CWQ (67.9% against 56.1%) and its per-question precision by 0.13 and 0.08, at a lower hedge rate on WebQSP — so it is not bought with abstention. The mechanism is visible in Chapter 6: entity-level filtering of the final answer removes assertions the traversal cannot support, which costs recall almost nothing and costs a false assertion every time it fires.

Third, verification shows no measurable Hits@1 effect. Two questions out of 398 change when it is removed. This is not a failure of the layer but a statement about what Hits@1 measures: a metric satisfied by one correct entity among several cannot see a mechanism that operates on the others. The layer’s value proposition is that an answer arrives with the triples that support it (Section 6.6) — an auditability claim, not an accuracy claim — and the honest formulation is that *claim verification does not change how often the system is right; it changes how often the system is right for a reason it can exhibit*.

RQ3 — which components contribute what, at what token cost? One of four reaches significance. The planner is stratum-dependent: removing it improves WebQSP by 0.083 F1 at $p = 0.006$ while saving 30% of tokens and 35% of calls, and costs CWQ 0.047 F1 at $p = 0.088$. That asymmetry, not a pooled average, is the result — and it is a finding about how decomposition should be *applied* rather than about whether it works. Backtracking, verification, and the α -blend show no detectable effect at $n \approx 200$, for the different reasons Section 8.7 separates. On cost, the whole apparatus runs at half the language-model calls of the agentic baseline and never exhausts a budget that clips the baseline on 44% of CWQ questions.

The three answers do not point the same way, and the chapter does not force them to. Navigation is where the accuracy comes from; verification is where the precision and the auditability come from; and decomposition, the component the literature treats as straightforwardly beneficial, is the one component this work can prove is sometimes harmful.

Chapter 9

Error Analysis and Discussion

Chapter 8 measured how often each system fails. This chapter reads the failures and names the mechanism of each one. It is the part of the work no script produced: 259 failure packets — question, gold, answer, plan, explored relations with their scores, backtrack reasons, verifier outcome — read and labelled by hand, one category and one sentence each.

The reading protocol was fixed before it began. For each packet, find where the trajectory *first* left the correct path, and label that point rather than the last visible symptom; when torn, take the earliest plausible cause and record the alternative. That rule is what keeps a run that mis-decomposes, then explores the wrong relation, then hedges from being counted three times under three categories.

9.1 Annotation Protocol and the Failure Taxonomy

9.1.1 Category and Subtype Schema

Ten categories carry the census, each naming a distinct architectural locus rather than a symptom: `relation_selection` (the scorer picked the wrong edge), `composite_claim` (a multi-constraint question handled partially), `kg_gap` (the environment cannot express what the question needs), `decomposition_error` (the planner or draft pipeline caused it), `answer_selection` (the correct candidate was retrieved and the drafter chose another), `echo` (a real, grounded entity one node away from the answer), `premature_termination` (the search stopped before the answer), `verifier_fn` and `verifier_fp` (a right claim rejected, a wrong one accepted), and `gold_noise / ambiguous_question` for the benchmark defects that escaped the exclusion pass of Section 7.7. An other category was kept open for mechanisms the schema did not anticipate, and Section 9.3 reports what fell into it.

Subtypes are a second, open vocabulary that drives nothing and exists to group cases when writing. The full schema, with the worked examples that fixed each boundary, is Appendix D.

Table 9.1: Census provenance. Stage D is the main reading over the full-matrix failures; Stage A is the separate reading of the questions where removing the planner flipped a failure into a success (Section 8.7); the single migrated row is a Stage D finding later promoted to a formal benchmark-defect exclusion (Section 9.8).

Source	WebQSP	CWQ
Stage D — main census (all remaining wrongs and hedges)	65	157
Stage D — row migrated to a benchmark exclusion	0	1
Stage A — planner-discordance census	21	15
Total failures analysed	86	173

One naming decision is recorded here because it was got wrong once and corrected. The verifier’s *positive* class is “the claim is supported”, so a false positive is a claim wrongly *accepted* and a false negative one wrongly *rejected*. The taxonomy’s gloss originally paired those in the opposite order. It was corrected, two mislabelled rows were re-filed (Sections 9.3.2 and 9.5), and the merged histogram was regenerated. Section 9.5.1 states the convention once; everywhere else this thesis says “wrongly rejected” and “wrongly accepted” in plain English, because with outputs labelled supported and unsupported a reader has no reliable way to infer which class is positive.

9.1.2 Population, Not Sample

The census is a *population*, not a sample. Both datasets were read to completion: every wrong answer and every hedge that survived the benchmark-defect exclusions of Section 7.7. Table 9.1 gives the provenance.

An earlier plan drew a stratified $40 + 20$ sample from CWQ’s failures; the census was read to completion instead, so there is no sampling-bias caveat on any number in this chapter. What does remain is a *composition* caveat: wrong answers and hedges are reported separately throughout and never pooled. They are different failure semantics — a wrong answer is a reasoning error that committed, a hedge is usually a coverage gap that never produced a committal claim — and their proportions differ sharply between the two datasets, so a pooled percentage would describe neither.

9.2 Distribution of Failure Categories Across Datasets

9.2.1 The Shape Flip, and What It Is Not

The two datasets fail differently, but not in the way a first reading of Table 9.2 suggests. *relation_selection* is the largest category on *both* — 26 of WebQSP’s 86 and 39 of CWQ’s

Table 9.2: The merged failure histogram, $n = 259$. Wrong and hedge are kept separate. Generated by scripts/synthesize_census.py over the three label sources of Table 9.1.

	WebQSP		CWQ		
Category	wrong	hedge	wrong	hedge	Total
relation_selection	20	6	20	19	65
composite_claim	1	—	23	23	47
kg_gap	8	4	8	24	44
decomposition_error	15	11	10	2	38
answer_selection	1	1	8	5	15
echo	5	2	4	2	13
ambiguous_question	1	1	3	5	10
premature_termination	1	4	1	2	8
gold_noise	1	—	3	3	7
verifier_fn	—	3	1	3	7
other	—	1	—	5	6
verifier_fp	—	—	—	1	1
Total	53	33	81	92	259

173 — so it is not what distinguishes them. Picking the wrong edge is the base rate of graph navigation, and it is dataset-independent.

What distinguishes them is a pair of categories that are nearly absent from one and dominant in the other. `composite_claim` is 1 of 86 on WebQSP and 46 of 173 on CWQ; `kg_gap` is 12 and 32. In the other direction, `decomposition_error` is 26 on WebQSP — tied with `relation_selection`, the two together accounting for nearly 60% of its failures — against 12 on CWQ.

That asymmetry is demonstrable rather than assertable, from two facts already established. First, the stratum distribution of Table 7.1: WebQSP is 64% one-hop with a four-question deep tail, so most of its questions have no composition to get wrong and no constraint to drop, while presenting the planner with exactly the questions that do not need decomposing — which is also the significant ablation result of Section 8.7, appearing here as a category count. Second, the expressiveness limits certified in Section 4.7.4: the environment carries no date literals, no numeric literals, and no ordinals, and CWQ’s SPARQL templates invoke all three constantly while WebQSP’s naturally-occurring questions rarely do. The failure profile of a system on a dataset is, to this extent, a property of the dataset’s construction.

9.2.2 Hedging Where It Should

A second reading of Table 9.2 is worth stating as a positive result rather than only as a deficit. On CWQ, `kg_gap` skews three-to-one toward hedges — 24 against 8 — while on WebQSP it leans the other way, 4 against 8. When CWQ’s numeric identifiers, date literals, and ordinal constraints are unreachable, the system much more often declines than asserts something wrong. That is the behaviour the anti-vacuity and grounding provisions of Section 6.2 were written to

Table 9.3: The entity-extraction bug. In each case the drafted answer text names every gold value correctly and the scored entity list holds only the sentence’s grammatical subject.

Question ID	Gold	Named in text	Scored entities
WebQTest-1215	6 professions	all 6	[Stephen Covey]
WebQTest-704	6 professions	all 6	[Thor Heyerdahl]
WebQTrn-124	4 films	all 4	[Angelina Jolie]

produce, and it is visible in the one place where the environment guarantees the system cannot succeed.

9.3 Decomposition, Drafting, and Answer-Selection Errors

Three families share this section because they share a locus: everything downstream of retrieval and upstream of the answer. The reasoning is often complete and correct by the time these failures occur, which is what makes them both diagnostic and cheap to fix.

9.3.1 The Entity-Extraction Bug

Nine of the 38 `decomposition_error` cases carry the subtype `extraction_bug`, and they are the most actionable finding in the census. On profession-shaped and “what did *X* do” questions, the evaluator resolves every correct gold value, the drafted text states them verbatim, and `answer_entities` then collapses to the sentence’s grammatical *subject*. Table 9.3 gives three instances read from the raw traces.

Table 9.3 understates how complete the drafts are, so one is worth quoting whole. For WebQTest-1215, “who was stephen r covey”, gold lists Author, Manager, Writer, Consultant, Professor, and Motivational speaker; the drafted answer reads “*Stephen Covey was a Writer, Motivational speaker, Author, Consultant, Professor, and Manager*” — all six, correct, in a different order — and `answer_entities` comes back as [‘Stephen Covey’].

This is not a reasoning failure at all. The navigation found the answers, the verifier certified them, and the prose reports them. What fails is the step that turns answer text into the entity list, which consistently reaches for the subject rather than the predicate values.

The consequence has to be stated as a limitation on Chapter 8, not merely as a bug: scoring reads `answer_entities`, so every one of these cases is recorded as a wrong answer or a hedge in Table 8.2. The reported accuracy of this system on “list the professions” and “list what *X* did” question shapes is therefore depressed by an extraction defect independent of any reasoning quality. Nine cases across 259 is not enough to move the headline numbers appreciably, but the correct reading of them is that the measured figure is a floor for that question shape, and Section 10.3 lists the fix among the repairs the census earned.

9.3.2 Right Candidate Retrieved, Wrong One Drafted

`answer_selection` (15 cases, 13 of them on CWQ) is the extraction bug’s more consequential sibling: the exact gold value demonstrably entered the resolved candidate set, and the drafter chose something else. `WebQTest-1555` asks what the parliament of Nepal is called; the evaluator resolves `Parliament of Nepal` itself, and the draft names its two component chambers instead. `WebQTrn-2784` asks which Tupac Shakur film Malcolm Campbell edited; the trace records `resolved=[‘Nothing but Trouble’]`, the literal gold value satisfying both constraints, and the draft substitutes `Gang Related` and then hedges on it.

One case in this family was originally filed as a verifier error and is worth the correction in full, because it is the kind of mistake this taxonomy exists to prevent. `WebQTrn-1294` was labelled `verifier_fn` on the theory that the verifier had checked a claim about a different candidate than the one the evaluator resolved. The run record refutes that: the draft itself reads “Marlon Brando also played in *Joy*”, and the verifier rejected exactly what the drafter asserted. Brando was not in *Joy*; De Niro was, and the evaluator had resolved him. **The verifier was correct.** The error is upstream, in the answerer, and the label was corrected to `answer_selection`. That case is also the clearest positive demonstration in the census of the verification layer doing its job, and Section 9.5 opens by pointing back to it.

9.3.3 Failing to Commit: Six Cases of Hedging on a Verified Fact

The other category was kept open for mechanisms the schema did not anticipate. All six of its cases turned out to be the same one, and it is not in the schema because nothing predicted it: *the evaluator resolves the exact gold value, the verifier returns grounded, and the drafted text hedges anyway*. No rejection is involved, so it is not a verifier error at all.

`WebQTest-689` states “Spanish Language was spoken in Spain” and then that the first language spoken in Spain could not be determined, in one answer. `WebQTrn-125` resolves `Memphis`, matching gold exactly, and the draft says the location could not be determined. `WebQTrn-1392` names both of Eleanor Roosevelt’s schools correctly and then declares the school undeterminable. `WebQTest-989` (Battle of Dunkirk), `WebQTest-1923` (*The Last Song*), and `WebQTrn-2721` (Alois Hitler) are the same shape. In every case the entity list comes back empty and the question is scored as a hedge.

The contrast with the extraction bug is exact and worth holding: there the text is right and the entity list is wrong; here the text contradicts a fact it has just stated. Six of six instances share the mechanism, which makes it a defect rather than a distribution.

9.3.4 Context-Stripping: When Decomposition Discards the Question

paraphrase_drift (9 cases) and over_decomposition are the expected decomposition failures — a rewritten sub-objective scoring worse against the target relation than the raw question text, or a redundant step resolving an already-unambiguous entity. WebQTest-1829 is the clean over-decomposition case: the plan splits “what type of religion did massachusetts have” into [‘find Massachusetts’, ‘find the religion type associated with #1’], burns 14 of 16 calls on three evaluator backtracks, and hedges, while the undecomposed run finds the same fact in three calls with no backtracks.

context_stripping (3 cases) is the mechanism this chapter would feature if it could feature only one, because it is a failure mode of decomposition that decomposition’s own design cannot see. Splitting a question into steps *removes* a qualifier that appears only in a later clause, so an early sub-objective resolves the wrong sense of an ambiguous term before the disambiguating information ever arrives.

WebQTest-1367 asks where Glastonbury, England is. The plan’s first step anchors on ‘find Glastonbury’ alone, dropping the question’s own disambiguator, and the explorer resolves toward the identically-named Connecticut town.

WebQTrn-2615 asks what instruments the author of *Fela!* plays. The first sub-objective, “find the author of *Fela!*”, is scored with no mention of instruments, so it resolves the wrong sense of an ambiguous authorship relation before the constraint that would have disambiguated it appears in step two. The undecomposed run answers all five instruments correctly, in fewer calls.

WebQTrn-2570 is the strongest specimen in the census, and its trace shows every link of the mechanism. The question — “This 33rd president was the nation’s leader during WW2” — is a single entity under two descriptions. The planner emits [‘find the 33rd president’, “find the nation’s leader during WW2”], with no #1 reference between them, modelling two descriptors of one entity as though they were a chain. Because sub-objective one is the active scoring context, the anchor World War II scores 0.128–0.133 — junk tier — while presidency-hub relations score 0.46–0.54. Decomposition actively *suppressed* the one anchor that could have discriminated. Objective one then never completes (objective_done: false at every round), so objective two never activates and the WW2 constraint is never used at any point in the search. The agent spends its depth budget wandering the presidency hub and drafts a plausible-sounding president: Woodrow Wilson, the 28th, and nowhere near the war. The undecomposed run answers Harry S. Truman correctly in three calls, because “WW2” stayed in the scoring context.

Two further observations belong to that trace. No ordinal relation appears anywhere in it, so the “33rd” constraint played no part either — consistent with the environment’s lack of ordinal encoding (Section 9.6). And the verifier returned grounded on the Wilson claim, which Section 9.5 takes up as a boundary case rather than a defect.

Three instances of one mechanism, two of them surfaced by the ablation contrast and one by

ordinary reading, is what makes context-stripping a named finding rather than an anecdote — and it is the concrete evidence behind the adaptive-gating proposal of Section 10.3.

9.4 Relation-Selection and Navigation Errors

`relation_selection` is the largest category at 65 and carries no subtypes, because the mechanism is uniform: a wrong relation was explored, or the right one was explored and abandoned. Its interest is not in the individual cases but in the fact that several of them are the *same* gap seen from different angles.

WebQTest-1730 asks where the Paraná river flows. The system answers with the rivers it flows *into*, having explored `geography.river.mouth` and `origin`; a location-containment relation was never tried, and gold is the continent.

Three separate questions across both datasets — WebQTrn-1758, WebQTest-1226, WebQTest-314 — all reach for `government.governmental_jurisdiction.government`, the organisation entity, when the question asks for a form of government and the answer lives on `government.form_of_government.countries`. One relation confusion, reproduced three times on unrelated questions.

The sharpest instance is a triplet on CWQ. WebQTrn-1770 appears three times under different perturbations — via a Beyoncé documentary, via the actor who played Etta James, via the composer of a Beyoncé track — and all three resolve Beyoncé correctly, all three never once try `people.person.children`, the single relation that answers each of them, and all three hedge. Three independent entry points into the same resolver hitting the identical dead end is the cleanest evidence in the corpus that a relation gap is *systemic* rather than an artefact of one question’s phrasing. It is a property of the scorer’s ranking over that entity’s relation set, not of the question.

9.4.1 The Evaluator Abandons a Good Relation

`premature_termination` is small (8 cases) and splits into two mechanisms that must not be merged. Five carry the evaluator subtype and are the *same* systemic pattern: the correct relation is explored with a solid score and the evaluator backtracks away from it and never returns. WebQTest-1226 (0.451), WebQTest-517 (0.428), WebQTest-1635 (0.631), WebQTrn-710 (0.702), and WebQTest-314 (0.731) all show the identical shape across entirely unrelated domains — government form, constructed languages, sports drafts, mascots. A relation scoring 0.73 being explored and discarded is not a reasoning gap; it reads as a threshold or backtracking-policy defect, and it is one of the most directly fixable findings in the census.

The other three carry `budget` and are genuine exhaustion: WebQTest-1170 exhausts its backtrack budget wandering person-attribute relations after the direct edge returns nothing

usable; WebQTest-1736 hits two real dead ends before the plan’s second hop can run. The third, WebQTest-1630, is instructive because it belongs to two families at once: all five gold names surfaced across repeated evaluator rounds with a grounded verifier, and the run never transitioned from continue to answer before exhausting its step budget — a commitment failure of the kind Section 9.3 documents, expressed through the budget.

9.5 Verifier Rejection and Acceptance Errors

Before the errors, the correct rejections. Section 9.3.2 narrates one in full: the verifier rejected a claim the drafter had fabricated about the wrong actor, and the layer worked exactly as designed. The 52 questions on which the verifier fired unsupported are not a population of mistakes.

The two error polarities are, however, very unevenly evidenced — five cases against one — and that imbalance is not a fact about the verifier. It is a fact about the instrumentation, and it is the finding of this section.

9.5.1 Defining the Error Polarities

The verifier’s positive class is “the claim is supported”. A *false positive* is therefore a claim wrongly **accepted**, and a *false negative* a claim wrongly **rejected**. Because the verifier’s own outputs are labelled supported and unsupported, “positive” has no stable referent for a reader, and the rest of this thesis uses the plain-English terms.

9.5.2 Wrongly Rejected: Semantically Correct, Structurally Unmatched

Five cases, all sharing one mechanism and all carrying the subtype `structural_not_semantic`: the claim is true and the answer correct, but no single triple states it in the phrasing the drafter used, so a transitively-true or differently-anchored fact is rejected and the retry loses the answer.

WebQTest-1133 resolves William Henry Smith across every backtrack round; the verifier flags the claim unsupported both times and the run hedges on what is very likely the right answer. WebQTest-38 resolves *all four* gold campaign entities in one attempt; the rejection forces a retry that narrows to two names and fails anyway. WebQTest-725 resolves both gold states, California and Nevada, then loses them across re-exploration and is rejected. WebQTest-1348 resolves Houston Oilers correctly and grounded; the verifier rejects the phrasing “Peyton Manning’s dad played for Houston Oilers” because the underlying triple is stated in terms of Archie Manning, and the retry recovers only the person’s name. WebQTrn-568 resolves Mecklenburg County — the exact gold — through a sound two-hop chain from newspaper to city to county, is rejected, retries, resolves it again, and is rejected again.

The mechanism is one thing: the structural check demands a single edge asserting the drafted claim, and a transitively-true multi-hop fact does not present one. This is the same limitation Section 6.3.1 described by construction, now observed at census scale, and Section 10.3 names the semantic-level check that would address it.

9.5.3 Wrongly Accepted: One Specimen and a Boundary Case

Exactly one clean specimen exists in the whole census. WebQTrn-1597 asserts a Seth MacFarlane connection to *ThunderCats*, the verifier returns grounded, and a direct Cypher query confirms that no edge from MacFarlane to Lion-O or *ThunderCats* exists in the environment. The claim was accepted with nothing behind it.

The instructive companion is *not* a second defect. WebQTest-1620 asks when President Wilson was in office; the environment exposes inauguration events but no date literal, so the system answers with two inauguration mentions. The asserted entities exist, the edges are real, and the structural check passed *correctly*. The answer is nonetheless wrong. The same holds for the WebQTrn-2570 case of Section 9.3: Woodrow Wilson was retrieved, the claim’s endpoints genuinely connect in the graph, and the verifier was right to say so — while the answer was wrong for the question.

That contrast is the most useful point in this section, and it is the same argument Section 2.3.3 makes and Section 1.3 builds on: structural grounding is a claim about edge existence, not about answer adequacy. A verifier that checks whether a claim is *in* the graph cannot, by construction, check whether it is *the answer*. Table 8.5’s Tier-2 column is the measurement of that gap; these two cases are what it looks like in a single trajectory.

9.5.4 A Rate for One Polarity, and a Blank for the Other

The verifier fires unsupported on 16 of 400 WebQSP questions and 36 of 400 CWQ questions — 52 firings against 748 grounded outcomes. The five wrongly-rejected cases are drawn from those 52, so that polarity has a denominator: roughly one firing in ten cost a correct answer. Even that is a lower bound, since a wrongful rejection that did not change the final answer never entered the census, which reads only failures.

Wrongful acceptance has *no logged population at all*. Accepted claims are never persisted — Section 5.9 records that the verifier logs only the claims it rejects — so the wrongly-accepted cases sit undifferentiated inside the 748 grounded outcomes with nothing marking them. The single specimen surfaced only because the ablation-discordance reading happened to walk that trajectory by hand.

The two polarities are therefore reported asymmetrically and deliberately: a rate for rejection, an explicit blank for acceptance, and no average of the two. A combined “verifier error

rate” computed from these numbers would be an artefact of what the logs happen to record. Section 9.9.3 treats this as the instrumentation gap it is, and Section 10.3 gives the one-line fix that would convert the blank into a rate.

9.6 Knowledge-Graph Gaps: Literals, Temporal Qualifiers, and Ordinals

`kg_gap` is the third-largest category at 44 and CWQ’s single largest hedge category at 24. It invokes the unanswerable-in-environment class defined in Section 4.7.4, and its five subtypes cluster by mechanism.

`ordinal` (9 cases) — superlatives such as “first”, “last”, “smallest”, “earliest”. Every instance shares one shape: the relevant relation is explored, candidates come back, and the minimum-or-maximum comparison across them simply never happens, because no component performs it. WebQTest-245, on the year of the first Miss America pageant, is the clearest illustration — the system answers 1925, then 1980, then 1929 across successive rounds, genuinely different years each time, because nothing sorts and takes the extreme.

`numeric_literal` (16 cases, the largest subtype) — internal identifiers such as `tvrage_id`, `thetvdb_id`, ISO alpha-3 codes, and Freebase’s own located identifiers, which CWQ’s templates invoke constantly and which no relation in the explored schema exposes. Several of these hedges are unusually honest: WebQTrn-849, asking which country bordering Germany has ISO code CHE, names Switzerland in the answer text and then states explicitly that the code itself could not be confirmed from the available facts — a correct inference, correctly caveated, rather than a false assertion.

`date_literal` (4) and `temporal_qualifier` (4) — the environment exposes inauguration and election *events* but not the date values themselves, so a question about when an office was held returns event mentions (WebQTest-1620), and a question about who was president in a given year substitutes `government.election.winner` for a term-range check it cannot perform. WebQTest-749 answers “George H. W. Bush” for 1988: the winner of that November’s election, who took office the following January.

`data_error` (6) — genuine coverage holes rather than expressiveness limits. WebQTrn-261 returns four consecutive rounds of `explored=[]` (max_score 0.0) because the image reference the question names resolves to nothing in the graph at all.

The distinction between the first four subtypes and the last matters for what follows from them. `data_error` is a gap in this particular import; `ordinal`, `numeric_literal`, `date_literal`, and `temporal_qualifier` are gaps in what a triple-and-traversal architecture can express at all, and no larger graph fixes them. They need an operator, which is why Section 10.3 lists literal and ordinal support alongside the architectural items rather than among the repairs.

9.7 The Echo Attractor: Answering with the Topic or an Intermediate Entity

echo names a mechanism that recurs independently of the two mechanical categories above: the system resolves a real, well-grounded entity that sits *near* the correct answer in the graph’s structure, and the verifier passes it because it genuinely is grounded. The fact is true. It is not what was asked.

Three shapes appear, and their boundary is not always crisp. *topic* (6 cases) is confusion between entities sharing a name or a tight cluster: WebQTest-1707 asks who plays Lex Luthor on *Smallville* and answers “John Glover plays Lionel Luthor” — a different character in the same fictional cluster, with Lionel, Alexander, and Lucas Luthor variants all surfacing in the trace before the run gives up. *granularity* (7 cases) is the right entity family at the wrong level: WebQTest-86 answers “Kingdom of Denmark” where gold is “Denmark” — a genuinely distinct node, the formal sovereign-state entity rather than the common-name one. WebQTrn-1405 asks which school founded in 1636 President Kennedy attended, has Harvard College in its very first candidate list, and narrows to Harvard University instead — whose founding-date claim the verifier then correctly rejects. *intermediate* — stopping at a hop along the way rather than continuing to the target — has no rows of its own in this census, because the reading pass filed those cases under granularity; the two are best treated as one family.

The throughline is what makes this a named mechanism rather than a residue category. None of these are cases where the system knew nothing. Every one resolves a real, verifiably-true fact through a real edge. The failure is entirely in *which* true fact gets surfaced — architecturally different from picking a wrong edge and from there being no edge at all. The right edge exists, is used, and lands one node away.

That is also why the echo attractor is invisible to any evaluation treating systems as independent. Section 9.8 shows all five systems of the main matrix falling into it together, on the same questions.

9.8 Benchmark Defects: Gold Noise and Ambiguous Questions

Two numbers must be kept apart. The consensus pass of Section 7.7 *flagged* 58 WebQSP and 47 CWQ questions where at least three of the five systems agreed on the same non-gold answer. Adjudication confirmed 22 and 19 as genuine defects. The gap between those figures is not measurement noise — it is the echo attractor of Section 9.7, operating across systems.

Read what the flagged consensus answers have in common. Five systems answer “rick scott” where gold lists his professions, “thor heyerdahl” where gold lists his occupations, “amelia

earhart” where gold is Pilot and Writer — the topic entity returned as the answer. Five answer “belgium” where gold is the containing region, “dominican republic” where gold is Greater Antilles, “san francisco giants” where gold is the 2014 World Series — the composition’s intermediate rather than its final hop. Five answer “maryland” for counties, “nevada” for Las Vegas, “united arab emirates” for Dubai — one level too coarse.

Cross-system consensus against gold is dominated not by label errors but by a shared attractor, and that is a finding about evaluation methodology as much as about these systems. A policy of rescoring whenever three systems agree — which is a natural thing to want — would have silently converted this system’s most characteristic failure mode into apparent correctness. The manual adjudication step is what stands between the two, and it is the reason the pass is reported with both numbers rather than one.

9.8.1 The Confirmed Defects

What adjudication did confirm is nonetheless substantial: 59 questions across the two datasets where the benchmark, not the system, needed correcting. Three disjoint counts make that total — 41 excluded before the census read anything (22 + 19), 17 more still visible in the census as gold_noise or ambiguous_question rows (3 WebQSP + 14 CWQ), and one that began as a census finding and was promoted to a formal exclusion mid-project.

Two specimens carry the point. WebQTest-958 — “what are some famous people from el salvador” — has 116 gold entities, including raw Freebase machine identifiers leaked into the answer strings: a “list some famous *X*” template ballooning gold past anything a finite answer could match under any metric. WebQTest-55 — “Who had a concert named Crazy Love Tour?” — asks for a person and receives gold listing the artist’s professions, the annotation query having traversed one relation too far past Michael Bublé.

The Vicksburg pair is worth reading side by side, because two sibling questions share a gold string and receive opposite diagnoses. WebQTest-1797.5a1c66f asks who was president during the battle of Vicksburg, with gold Ulysses S. Grant — who took office six years afterwards; the president in 1863 was Lincoln. The full system answers that the claim could not be verified and its verifier flags it unsupported; the no-planner ablation asserts Grant confidently, with zero backtracks, and is scored a *hit* purely for restating a gold value that answers a different question. WebQTest-1797.dece4dd asks which government-position holder fought at Vicksburg — coherent as asked, since Grant was a serving general — and the full system genuinely fails, answering with the Confederate commander John C. Pemberton, a real combatant who held no government position. The qualifier is present in the sub-objective text and never filters the candidate frontier.

Same battle, same gold string: one question unanswerable and one a real composite_claim failure. The pipeline that hedged on the first was more epistemically correct than the one that

“succeeded”.

One process observation belongs on the record. WebQTrn-64 was adjudicated `gold.ok` by the consensus pass — several systems converging on “Tupac Shakur” read as a topic echo — and the opposite way by the census reading of the same evidence: the question literally asks for an actor’s name, and `gold` gives a character name from a different role in the same film. The second reading held, and the row was promoted to a formal exclusion. Two independent adjudication passes can legitimately disagree, and keeping a `gold.noise` category open in the taxonomy is what let that be resolved rather than settled by whichever ran first.

9.8.2 Where Bad Gold Comes From: Flattened Multi-Valued Relations

The San Antonio case shows the provenance of one defect precisely enough to generalise. WebQTest-634 asks which county contains the place where the San Antonio City Council sits. Four systems, spanning parametric and graph-based knowledge, answer Bexar County; `gold` says Comal. Adjudication recorded the verdict `gold.wrong`: San Antonio and its city council are in Bexar. But the census reading of the same case recorded something more specific, and more useful — `kg_gap`, with the note that this is a containment ambiguity in the source data, arising from annexed territory or from Freebase carrying multiple imprecise containment edges.

That is neither a pure label error nor a pure graph error. It is a **multi-valued containment relation flattened to a single value**, with the annotation pipeline then selecting the marginal one. A city can lie in more than one county; a benchmark whose `gold` field holds one answer per relation must choose; and the choice is made by a SPARQL query with no notion of which value is the principal one. Framing it this way explains why the consensus diagnostic caught it at all — the systems and the world agree on the principal value while the label holds the marginal one — and it predicts where else such defects will cluster: any relation that is genuinely one-to-many but stored as though it were one-to-one.

9.9 Discussion

9.9.1 What Agency Buys, and What It Costs

Agency buys the deep tail. On CWQ the accuracy of the agentic system *rises* across hop strata while every static system decays, and it buys that at roughly an order of magnitude in tokens over one-shot retrieval. Against the other agentic system it buys the same accuracy for half the language-model calls, and never exhausts a budget that clips the baseline on 44% of multi-hop questions — the difference between a guided search and a blind one, priced.

What it costs, beyond tokens, is a longer failure surface. Every mechanism in this chapter except `kg_gap` and the benchmark defects is a failure the static baselines cannot have, because they have

no plan to mis-decompose, no frontier to abandon, and no draft to check. `decomposition_error` at 38 cases is the clearest instance: a component added to help contributed a failure family of its own, and Section 8.7 shows it is a net negative on the shallower benchmark. The honest summary is that agency converts a retrieval problem into a control problem, and control problems fail in more ways.

9.9.2 When Verification Helps and When It Over-Hedges

The verification layer’s contribution is precision and auditability, and its cost is recall. Both directions are visible in this census at case level.

It helps when a draft asserts something the traversal never supported: the De Niro case of Section 9.3.2, where a fabricated actor was rejected before it could be emitted, and the Vicksburg-president case of Section 9.8, where declining to assert was the epistemically correct act and the metric scored it as a loss.

It over-hedges when a true claim has no single edge stating it in the drafted phrasing — the five wrongly-rejected cases of Section 9.5, three of which had already resolved the exact gold answer before the rejection forced a retry that lost it. That is the same trade the development set measured at Section 8.1, where the layer cost one correct answer out of 80 and removed none that were wrong, and the same one the ablation of Section 8.7 could not detect at $n \approx 200$.

The scope of the claim this evidence supports is therefore narrow and should be stated narrowly. Verification does not make this system more accurate. It makes the answers it does give attributable, at a small and measurable cost in recall, and it provides no protection at all against the failure mode this chapter finds most often — an answer that is grounded, connected, true, and not what was asked.

9.9.3 Threats to Validity

The instrumentation gap is the most serious. The verifier logs only the claims it rejects, never the ones it accepts with their matching triples. Wrongful acceptance is therefore not self-diagnosing: the single specimen in this census surfaced by manual trace reconstruction, and there is no way to know how many others sit inside the 748 grounded outcomes. One polarity is reported at census scale and the other anecdotally, and that asymmetry is a property of the logging decision rather than of the verifier. Section 10.3 gives the fix.

The judge fell short of its pre-registered bar. Cohen’s $\kappa = 0.6995$ against a threshold of 0.7 (Section 7.6). Agreement is substantial by conventional reading, and the miss is 0.0005, but the Tier-2 numbers are reported as corroborating rather than decisive, and no conclusion here rests on them alone. The judge also runs on the same backbone as the systems it judges.

Topic entities are given, not linked. Both graph-navigating systems seed from the dataset’s annotated topic entities. This isolates navigation from entity linking, which is the intent, but it means the reported accuracies assume a linking step that a deployed system would have to perform and that would introduce errors of its own.

Ablations are underpowered. Three of four conditions detect nothing at $n \approx 200$, and “no detectable effect” is not “no effect” (Section 8.7).

One relabelling was made after seeing the result it affects. A development question originally classified as mediator-heavy was reclassified as unanswerable-in-environment after its outcome was known; Chapter 6 flags it in place, and the aggregates were not rescored.

The reported accuracy has an unmeasured floor. The extraction bug of Section 9.3 converts correct reasoning into a wrong entity list on a specific question shape, so the measured accuracy on that shape is a lower bound rather than an estimate.

Benchmark defects were adjudicated by the author. The exclusion set of Section 7.7 rests on single-annotator judgements, made with the consensus signal visible. The scope limits are recorded there; the accuracy tables are not rescored, and the defects run in both directions.

Chapter 10

Conclusion

10.1 Summary of Contributions

This thesis asked what an agent gains by navigating a knowledge graph rather than retrieving from it, and what a claim-level check against the traversed subgraph adds on top. The answers are not uniform, and the value of the work lies partly in where they diverge.

Chapter 1 located the problem: hallucination in knowledge-grounded question answering is not merely a matter of asserting false things but of asserting things with no basis in the knowledge the system was given, and the standard evaluation convention — Hits@1 over a multi-valued gold set — cannot see the difference. Chapter 2 fixed the vocabulary the technical chapters assume, including the operational definition of ungroundedness this thesis measures against, and withdrew the proposal’s characterisation of the navigation strategy as MCTS-inspired: what the method is, is guided best-first search with a bounded beam and backtracking, and it is described that way throughout.

Chapter 3 positioned the work against the agentic KGQA literature and identified the attribution gap it addresses: published systems bundle decomposition, search, and verification into single reported numbers, so the field has no evidence about which component earns its cost.

Chapter 4 built the knowledge environment and, more importantly, *certified* it: 2.59 million entities and 8.31 million triples with a measured answer-reachability ceiling of 97.3% and 99.7% over the full test splits; a three-stage entity resolver; and an explicit inventory of what it cannot express — no date literals, no numeric literals, no ordinals — which Chapter 9 later shows accounts for the third-largest failure category in the census. Certifying the environment before measuring on it is what allows a failure to be attributed to the system rather than to the substrate.

Chapter 5 specified the framework: a state machine over a constrained, deterministic graph tool API in which the program orchestrates and the language model only decides, with a hybrid scoring function blending embedding similarity against a batched language-model judgement, a signal-maximum backtracking trigger that fires only when every available signal is weak, and an

explicit budget meter that makes cost a first-class, logged quantity.

Chapter 6 specified the Structural Verification Layer, and reported its behaviour honestly enough to bound its own claims: a draft is decomposed into atomic claims, each checked first against traversed adjacency and then, if necessary, by batched entailment, with unsupported claims triggering targeted re-exploration or deterministic removal from the answer. The chapter also records that the repair path never executed on the development set, that ten of eighty answers were certified with no claims at all, and that entities appearing in no claim are never checked — the layer’s guarantees stated as they are rather than as designed.

Chapter 7 fixed the experimental design in advance and reports the decisions that went the other way: a backbone selected, reversed, and reselected under a pre-registered tiebreaker after the first determinism estimate proved to be noise; a test-set build that read the wrong split and was caught by a contamination guard before any system ran; and a judge-validation threshold missed by 0.0005 and reported as missed.

Chapter 8 reported the measurements. AGR leads every cell of the main matrix and every one of the eight paired comparisons rejects, including both against a reimplementing of the agentic baseline running on the same graph with the same model under the same budget. On ComplexWebQuestions its accuracy *rises* with hop count while every other system decays — the strongest available form of the multi-hop claim. It runs at half the language-model calls of the agentic baseline and never exhausts a budget that clips that baseline on 44% of multi-hop questions. Structural hallucination is eliminated: zero ungrounded assertions across 1,709 asserted entities, against 27.1% for parametric answering. And three of four ablations detect nothing, which is reported at the same length as the one that does.

Chapter 9 read all 259 remaining failures and named each mechanism. The findings that generalise beyond this system are three. *Context-stripping*: decomposing a question can discard a qualifier that appears only in a later clause, so an early sub-objective resolves the wrong sense of an ambiguous term before the disambiguating information arrives — and in the strongest specimen, decomposition actively suppressed the one anchor that could have discriminated, driving its score into the junk tier. *The echo attractor*: the most common failure of a graph-navigating system is not to invent an entity but to surface a real, well-grounded, verifiably-true entity that sits one node away from the answer, which the verifier passes because it genuinely is grounded. And *shared attractors break consensus-based evaluation*: five independent systems converge on the same wrong answer often enough that a policy of rescoring on majority agreement would have converted this failure mode into apparent correctness.

Four contributions follow from that body of work.

The framework and its verification layer. An agentic KGQA system that returns its answer paired with the triples supporting it, built so that the supporting evidence is a byproduct of the control flow rather than a post-hoc reconstruction.

A component-level ablation. Four single-deviation conditions with paired significance testing,

closing the attribution gap of Chapter 3 for this architecture — and finding that only one of the four components has a detectable accuracy effect.

Stratum-dependent decomposition. The literature treats decomposition as straightforwardly beneficial. It is not: removing the planner *improves* WebQSP accuracy by 0.083 F1 at $p = 0.006$ while cutting tokens by 30%, and trends toward harming CWQ. The asymmetry, not the pooled average, is the result, and it says that decomposition should be gated on question structure rather than applied unconditionally.

Quantified benchmark defect rates. Fifty-nine questions across the two test samples where the benchmark, not the system, needed correcting — with the two evidence signatures that distinguish a world-fact error from an annotation-pipeline error, and the provenance argument that explains where one class of them comes from.

10.2 Limitations

The limitations that most constrain what may be concluded are, in order of severity:

Wrongful acceptance is unmeasured. The verifier persists only the claims it rejects. One polarity of its error is therefore reported at census scale and the other from a single specimen that surfaced by manual trace reconstruction, and no rate exists for the polarity that matters most to a hallucination claim. This is an instrumentation decision constraining a scientific conclusion, and it is the first item in Section 10.3.

Three of four ablations are underpowered. At $n \approx 200$, a component that changes five questions in a hundred cannot be resolved. “No detectable effect at this sample size” is what the data supports, and it is not the same statement as “no effect”.

Structural grounding is not answer adequacy. Both navigating systems reach zero structural hallucination, so that property belongs to the navigation paradigm rather than to this thesis’s verification layer, and the semantic-support metric that would separate them is validated at $\kappa = 0.6995$ on samples of 60 — underpowered for the 5-point gap it measures. The strongest evidence for the layer is therefore the precision column of the main matrix and the case-level analyses, not a groundedness differential against the agentic baseline.

The evaluation is single-environment, single-backbone, and single-annotator. One knowledge graph built from one distribution, one frozen backbone at $\approx 75\%$ trajectory stability, two benchmarks sharing a lineage, and a failure census and benchmark-defect adjudication performed by the author. Each of those is a defensible scoping decision and each bounds generality.

Entity linking is assumed. Topic entities are given by the datasets, so the reported accuracies presume a linking step a deployed system would have to perform.

One measured defect depresses the reported accuracy. The entity-extraction bug of Section 9.3

converts complete, verifier-certified reasoning into an empty or wrong entity list on a specific question shape. The headline numbers are a floor for that shape.

10.3 Future Work

The census makes it possible to separate proposals that are backed by a counted, repeated pattern from proposals that are backed by an argument. Both are listed; they are not the same kind of claim.

10.3.1 Repairs the Census Earned

Three defects each recur with a uniform mechanism across unrelated questions, and each is small.

Entity extraction (nine instances): the step converting drafted answer text into the scored entity list defaults to the sentence’s grammatical subject rather than its predicate values. Fixing it requires the claim decomposer to be told which argument of the drafted sentence is the answer — an instruction, not an architecture.

Evaluator abandonment (five instances): relations scoring as high as 0.73 are explored and then backtracked away from, never revisited, across four unrelated domains. This reads as a threshold or backtracking-policy defect and would be diagnosed by logging the evaluator’s decision against the score of the relation it discards.

Drafting commitment (six instances, all six of the other category): when the evaluator has resolved the exact gold value and the verifier has returned grounded, the drafter should commit to it rather than stating the fact and declaring it undeterminable in the same sentence.

10.3.2 Logging Accepted Claims to Make Wrongful Acceptance Measurable

Persist each accepted claim together with the triples that matched it. This converts the wrongly-accepted class from an anecdote into a rate with a denominator, makes grounded-but-wrong answers self-diagnosing from the logs rather than by manual trace reconstruction, and would let the entity-level and claim-level guarantees of Chapter 6 be audited rather than argued. It is the highest-value change in this list relative to its cost, and it is a logging change.

10.3.3 Adaptive Decomposition Gating

The planner ablation and the context-stripping cases together specify the fix rather than merely motivating it. A decomposition step should be gated on two checks: does the rewritten sub-

objective preserve the question’s actual interrogative — the Phoenician case lost the word “where” entirely — and does the step resolve an entity that was already unambiguous, which is what over-decomposition does. A third check falls out of the strongest specimen: sub-objectives that carry no reference to each other are descriptors of one entity rather than a chain, and should not be sequenced as one.

10.3.4 Semantic-Level Verification

All five wrongly-rejected cases share one mechanism: the structural check requires a single edge asserting the drafted claim, and a transitively-true multi-hop fact does not present one. A check that accepts a bounded relation chain expressing the claim — rather than requiring one literal triple — would recover those answers. The Tier-2 judge of Section 7.5.3 is a prototype of exactly this judgement, which suggests folding a bounded form of it into the loop; the κ of 0.6995 is also a caution about how reliable such a check would be.

10.3.5 A Set-Intersection Operator for Compound Questions

`composite_claim` is 47 cases and CWQ’s largest category. Its `no_set_intersection` subtype names the gap precisely: the architecture has no AND-join primitive, so a “find the overlap” sub-objective degrades into another single relation-scoring pass over an incomplete first-hop set. An explicit operator that resolves each clause of a compound question into a candidate set and intersects them is a well-specified addition to the tool API rather than a change to the agent.

10.3.6 Ordinal and Literal-Value Support

`kg_gap` is 44 cases and CWQ’s single largest hedge category. Two of its subtypes need an operator rather than a bigger graph: a minimum-or-maximum-by-value operation for superlatives, and a literal-extraction path for numeric identifiers, ISO codes, and dates that the environment exposes as event or entity nodes rather than as plain values. Neither exists in the current tool API, and every instance in the census fails for that reason alone.

10.3.7 Path Fidelity Against Gold SPARQL Relation Chains

The third evaluation criterion of the approved proposal, deferred for the reason given in Section 7.1.2: it needs the benchmarks’ gold SPARQL relation chains, which the distribution used here does not carry. Reconstructing them from the upstream releases and aligning them to this environment’s relation vocabulary would measure whether the system reaches the right answer *by the right path* — a question this thesis’s groundedness metrics can only approximate,

and one that bears directly on the echo attractor, where a right-looking answer is reached by a path one hop short of the correct one.

10.3.8 Beyond This Environment

Four directions extend the work rather than repairing it. *LLM-constructed knowledge graphs* as a controlled comparison would separate what the framework contributes from what a curated environment contributes, by holding the agent fixed while varying the substrate’s provenance and noise profile. *Rollout-based value estimation* would supply what Section 2.5.3 explicitly disclaims: the current scorer evaluates each candidate once and never revises it in light of what is found later, and genuine tree search over this same tool API is a well-defined next system rather than a rebranding of this one. *Temporal and multi-source environments* address the failure family that recurs throughout Chapter 9 — questions with a time qualifier the graph cannot express — and raise the question of what a claim check means when sources disagree. And *transfer to high-stakes domains* is where the auditability property, rather than the accuracy, is the point: an answer paired with the triples supporting it is worth more in a setting where a reader must be able to check it than in one where the reader only wants the answer.

10.4 Closing Remark

The result this work would most want carried forward is not the accuracy margin. It is the shape of the gap that remains. A system that traverses a real graph and copies its answers out of real triples can be made to assert nothing ungrounded — that problem is solved, and it is solved by the navigation paradigm rather than by any checking layer built on top of it. What remains, and what this thesis’s census found more often than any other mechanism, is an answer that is grounded, connected, and true, and is not the answer to the question that was asked. Fact verification against a knowledge graph turns out to be the easier half of the problem; *relevance* verification is the half still open.

References

- [1] L. Huang, W. Yu, W. Ma, W. Zhong, Z. Feng, H. Wang, Q. Chen, W. Peng, X. Feng, B. Qin, and T. Liu, “A survey on hallucination in large language models: Principles, taxonomy, challenges, and open questions,” *ACM Transactions on Information Systems*, vol. 43, pp. 1–55, 2025.
- [2] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel, S. Riedel, and D. Kiela, “Retrieval-augmented generation for knowledge-intensive NLP tasks,” in *Advances in Neural Information Processing Systems*, vol. 33, pp. 9459–9474, 2020.
- [3] Y. Li, Z. Li, P. Wang, J. Li, X. Sun, H. Cheng, and J. X. Yu, “A survey of graph meets large language model: Progress and future directions,” *arXiv preprint arXiv:2311.12399*, 2023.
- [4] D. Edge, H. Trinh, N. Cheng, J. Bradley, A. Chao, A. Mody, S. Truitt, D. Metropolitansky, R. O. Ness, and J. Larson, “From local to global: A graph RAG approach to query-focused summarization,” *arXiv preprint arXiv:2404.16130*, 2024.
- [5] B. J. Gutiérrez, Y. Shu, Y. Gu, M. Yasunaga, and Y. Su, “HippoRAG: Neurobiologically inspired long-term memory for large language models,” in *Advances in Neural Information Processing Systems*, vol. 37, pp. 59532–59569, 2024.
- [6] D. Li, Y. Niu, Y. Ai, X. Zou, B. Qi, and J. Liu, “T-GRAG: A dynamic GraphRAG framework for resolving temporal conflicts and redundancy in knowledge retrieval,” in *Proceedings of the 33rd ACM International Conference on Multimedia*, pp. 11880–11889, 2025.
- [7] J. Sun, C. Xu, L. Tang, S. Wang, C. Lin, Y. Gong, L. M. Ni, H.-Y. Shum, and J. Guo, “Think-on-graph: Deep and responsible reasoning of large language model on knowledge graph,” in *International Conference on Learning Representations (ICLR)*, 2024. arXiv:2307.07697.
- [8] L. Chen, P. Tong, Z. Jin, Y. Sun, J. Ye, and H. Xiong, “Plan-on-graph: Self-correcting adaptive planning of large language model on knowledge graphs,” in *Advances in Neural Information Processing Systems*, vol. 37, 2024. arXiv:2410.23875.

- [9] L. Luo, Y.-F. Li, G. Haffari, and S. Pan, “Reasoning on graphs: Faithful and interpretable large language model reasoning,” in *International Conference on Learning Representations (ICLR)*, 2024. arXiv:2310.01061.
- [10] J. Jiang, K. Zhou, W. X. Zhao, Y. Song, C. Zhu, H. Zhu, and J.-R. Wen, “KG-Agent: An efficient autonomous agent framework for complex reasoning over knowledge graph,” *arXiv preprint arXiv:2402.11163*, 2024.
- [11] Y. Xu, S. He, J. Chen, Z. Wang, Y. Song, H. Tong, K. Liu, and J. Zhao, “Generate-on-graph: Treat LLM as both agent and KG for incomplete knowledge graph question answering,” in *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*, 2024. arXiv:2404.14741.
- [12] J. Jiang, K. Zhou, Z. Dong, K. Ye, W. X. Zhao, and J.-R. Wen, “StructGPT: A general framework for large language models to reason over structured data,” in *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, 2023. arXiv:2305.09645.
- [13] S. Pan, L. Luo, Y. Wang, C. Chen, J. Wang, and X. Wu, “Unifying large language models and knowledge graphs: A roadmap,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 36, no. 7, pp. 3580–3599, 2024.
- [14] C. Ma, Y. Chen, T. Wu, A. Khan, and H. Wang, “Unifying large language models and knowledge graphs for question answering: Recent advances and opportunities,” in *Proceedings of the 28th International Conference on Extending Database Technology (EDBT)*, pp. 1174–1177, 2025.
- [15] S. Dhuliawala, M. Komeili, J. Xu, R. Raileanu, X. Li, A. Celikyilmaz, and J. Weston, “Chain-of-verification reduces hallucination in large language models,” in *Findings of the Association for Computational Linguistics: ACL 2024*, pp. 3563–3578, 2024.
- [16] Y. Du, S. Li, A. Torralba, J. B. Tenenbaum, and I. Mordatch, “Improving factuality and reasoning in language models through multiagent debate,” in *Proceedings of the 41st International Conference on Machine Learning*, 2024.
- [17] Y. Hu, W. Xuan, Q. Zhou, Z. Li, Y. Li, J. Hu, and F. Fang, “A self-correcting agentic graph RAG for clinical decision support in hepatology,” *Frontiers in Medicine*, vol. 12, p. 1716327, 2025.
- [18] K. Bollacker, C. Evans, P. Paritosh, T. Sturge, and J. Taylor, “Freebase: A collaboratively created graph database for structuring human knowledge,” in *Proceedings of the 2008 ACM SIGMOD International Conference on Management of Data*, pp. 1247–1250, 2008.

- [19] W.-t. Yih, M. Richardson, C. Meek, M.-W. Chang, and J. Suh, “The value of semantic parse labeling for knowledge base question answering,” in *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pp. 201–206, 2016.
- [20] A. Talmor and J. Berant, “The web as a knowledge-base for answering complex questions,” in *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 641–651, 2018.
- [21] I. Robinson, J. Webber, and E. Eifrem, *Graph Databases: New Opportunities for Connected Data*. O’Reilly Media, 2nd ed., 2015.
- [22] N. Francis, A. Green, P. Guagliardo, L. Libkin, T. Lindaaker, V. Marsault, S. Plantikow, M. Rydberg, P. Selmer, and A. Taylor, “Cypher: An evolving query language for property graphs,” in *Proceedings of the 2018 International Conference on Management of Data*, pp. 1433–1445, 2018.
- [23] J. Berant, A. Chou, R. Frostig, and P. Liang, “Semantic parsing on Freebase from question-answer pairs,” in *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, pp. 1533–1544, 2013.
- [24] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, *et al.*, “Language models are few-shot learners,” in *Advances in Neural Information Processing Systems*, vol. 33, pp. 1877–1901, 2020.
- [25] J. Wei, X. Wang, D. Schuurmans, M. Bosma, B. Ichter, F. Xia, E. Chi, Q. V. Le, and D. Zhou, “Chain-of-thought prompting elicits reasoning in large language models,” in *Advances in Neural Information Processing Systems*, vol. 35, pp. 24824–24837, 2022.
- [26] T. Schick, J. Dwivedi-Yu, R. Dessì, R. Raileanu, M. Lomeli, E. Hambro, L. Zettlemoyer, N. Cancedda, and T. Scialom, “Toolformer: Language models can teach themselves to use tools,” in *Advances in Neural Information Processing Systems*, vol. 36, 2023.
- [27] S. Yao, J. Zhao, D. Yu, N. Du, I. Shafran, K. Narasimhan, and Y. Cao, “ReAct: Synergizing reasoning and acting in language models,” in *International Conference on Learning Representations (ICLR)*, 2023.
- [28] V. Karpukhin, B. Oğuz, S. Min, P. Lewis, L. Wu, S. Edunov, D. Chen, and W.-t. Yih, “Dense passage retrieval for open-domain question answering,” in *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing*, pp. 6769–6781, 2020.
- [29] N. Reimers and I. Gurevych, “Sentence-BERT: Sentence embeddings using siamese BERT-networks,” in *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing*, pp. 3982–3992, 2019.

- [30] P. E. Hart, N. J. Nilsson, and B. Raphael, “A formal basis for the heuristic determination of minimum cost paths,” *IEEE Transactions on Systems Science and Cybernetics*, vol. 4, no. 2, pp. 100–107, 1968.
- [31] J. Pearl, *Heuristics: Intelligent Search Strategies for Computer Problem Solving*. Addison-Wesley, 1984.
- [32] L. Kocsis and C. Szepesvári, “Bandit based monte-carlo planning,” in *Proceedings of the 17th European Conference on Machine Learning*, pp. 282–293, 2006.
- [33] C. B. Browne, E. Powley, D. Whitehouse, S. M. Lucas, P. I. Cowling, P. Rohlfshagen, S. Tavener, D. Perez, S. Samothrakis, and S. Colton, “A survey of monte carlo tree search methods,” *IEEE Transactions on Computational Intelligence and AI in Games*, vol. 4, no. 1, pp. 1–43, 2012.
- [34] H. Luo, H. E, Y. Guo, Q. Lin, X. Wu, X. Mu, W. Liu, M. Song, Y. Zhu, and L. A. Tuan, “KBQA-o1: Agentic knowledge base question answering with monte carlo tree search,” in *Proceedings of the 42nd International Conference on Machine Learning (ICML)*, 2025. arXiv:2501.18922.
- [35] T. Shen, J. Wang, X. Zhang, and E. Cambria, “Reasoning with trees: Faithful question answering over knowledge graph,” in *Proceedings of the 31st International Conference on Computational Linguistics*, pp. 3138–3157, 2025.
- [36] B. Efron, “Bootstrap methods: Another look at the jackknife,” *The Annals of Statistics*, vol. 7, no. 1, pp. 1–26, 1979.
- [37] Q. McNemar, “Note on the sampling error of the difference between correlated proportions or percentages,” *Psychometrika*, vol. 12, no. 2, pp. 153–157, 1947.
- [38] J. Cohen, “A coefficient of agreement for nominal scales,” *Educational and Psychological Measurement*, vol. 20, no. 1, pp. 37–46, 1960.
- [39] J. R. Landis and G. G. Koch, “The measurement of observer agreement for categorical data,” *Biometrics*, vol. 33, no. 1, pp. 159–174, 1977.
- [40] X. Tan, X. Wang, Q. Liu, X. Xu, X. Yuan, and W. Zhang, “Paths-over-graph: Knowledge graph empowered large language model reasoning,” *arXiv preprint arXiv:2410.14211*, 2024.
- [41] J. Huang, X. Chen, S. Mishra, H. S. Zheng, A. W. Yu, X. Song, and D. Zhou, “Large language models cannot self-correct reasoning yet,” in *International Conference on Learning Representations (ICLR)*, 2024.

- [42] N. Shinn, F. Cassano, A. Gopinath, K. Narasimhan, and S. Yao, “Reflexion: Language agents with verbal reinforcement learning,” in *Advances in Neural Information Processing Systems*, vol. 36, 2023.
- [43] S. Min, K. Krishna, X. Lyu, M. Lewis, W.-t. Yih, P. W. Koh, M. Iyyer, L. Zettlemoyer, and H. Hajishirzi, “FactScore: Fine-grained atomic evaluation of factual precision in long form text generation,” in *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pp. 12076–12100, 2023.
- [44] F. F. Bayat, L. Zhang, S. Munir, and L. Wang, “FactBench: A dynamic benchmark for in-the-wild language model factuality evaluation,” in *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 33090–33110, 2025.
- [45] Y. Gu, S. Kase, M. Vanni, B. Sadler, P. Liang, X. Yan, and Y. Su, “Beyond I.I.D.: Three levels of generalization for question answering on knowledge bases,” in *Proceedings of the Web Conference 2021*, pp. 3477–3488, 2021.

Index

best-first search, 12

hallucination, 1
1, 10

in-context learning, 10

KGQA, 9

knowledge graph, 3

mediator node, 9

MID, 8

multi-hop question, 2

property graph, 9

ReAct, 10

triple, 8

Appendix A

Prompt Templates

Appendix B

Tool API Specification and Cypher Templates

Appendix C

Sampled Question IDs and Run Manifests

Appendix D

Annotation Instructions and Label Schema

Appendix E

Implementation Notes

Generated using Postgraduate Thesis L^AT_EX Template, Version 1.03. Department of Computer
Science and Engineering, Bangladesh University of Engineering and Technology, Dhaka,
Bangladesh.

This thesis was generated on Thursday 6th August, 2026 at 10:00pm.