





Document Home Meds & Admission Med Rec

Document Medication by Hx


1. Navigate to the Medication List or Orders tab on the Navigator Bar in Powerchart and click Document Medication by Hx



2. The Document Medication by Hx window will open
3. To add home medications, click on the Add button which will open the Add Order Search box. *Note: Select No Known Home Medications or Unable to Obtain as applicable.*



4. Search the medications in the Search box. Ensure that the Type box is set to "Document Medications by Hx".



5. Click and select the most appropriate order sentence (drug, dose, route, and frequency)
6. Continue to add additional medications as shown above. Once all home medications are entered, click Done in the bottom right corner.

Note: if you are unable to find a medication in the database, one can be free-texted by entering a "Template Non-Formulary"

7. The prescription window will open to document any other information needed
8. Click on each medication to update any dose, route or frequency

Pending Home Medications

sertraline (sertraline 25 mg oral capsule) Document 25 mg = 1 cap, PO, Daily, 0 Refill(s), 2025-Nov-18 11:22 AST 2025-Nov-19 08:00 AST Patient Still taking...

multivitamin (Multivit... Document 1 tab, PO, daily, 0 Refill(s), 2025-Nov-18 11:23 AST

Details for sertraline (sertraline 25 mg oral capsule)

Details Order Comments Compliance

Dose: 1 cap Route of Admini...: PO Frequency: Daily Dispense: 0 Refill: 0

PRN: Special Instructions: Requested Refill Date: <No Items> AST LU Code: Requested Start Date/Time: 2025-Nov-18 1122 AST Type Of Therapy: Acute

0 Missing Required Details Leave Med History Incomplete - Finish Later Document History Cancel

9. Document Compliance and Last Dose taken in the Compliance tab

Details Order Comments Compliance

Status: Still taking, as prescribed Information source: Patient Last dose date/time: 2025-Nov-19 0800 AST

10. When all medications are accurate, click on Document History.

Note: Once you select “Document History”, the prescriber can order home medications. Select “**Leave Med History Incomplete – Finish Later**” if not checked or finished

Leave Med History Incomplete - Finish Later Document History Cancel

11. Click on Medication History in the Medication List tab on the Navigator Bar to view a list of Home Medications. Alternatively, home medications will be in Pharmacist Workflow.

Medication List Document in Plan

View

Orders for Signature Medication List

Admission/Transfer/Discharge

Diet

Activity

Vital Signs/Monitoring

Patient Care

Behavioural Health

IV Solutions/Infusions

Medications

Laboratory

Therapies

Diagnostic Imaging

Cardiovascular

Other Investigations

Procedures

Provider Consults

Interprofessional Consults

Patient Education

Communication Orders

Physician Billing

Non Categorized

ED Charges

Supplies

Medication History Medication History Snapshot Reconciliation History

Menu

Pharmacist Workflow

MAR Summary

Perioperative View

MAR

Orders + Add

Medication List + Add

Allergies + Add

Documentation + Add

Form Browser

Results Review

Interactive View and I&O

Pharmacist Workflow

100%

Inpatient Workflow Discharge Demographics New View

Chief Complaint

Problem List

Histories

Medications

Home Medications (3)

Vital Signs

Intake and Output

Home Medications (3)

Medication

amLODIPine (amLODIPine 10 mg oral tablet)

10 mg = 1 tab, PO, Daily, 0 Refill(s)

Still taking, as prescribed

dexlansoprazole (dexlansoprazole 30 mg oral delayed release capsule)

30 mg = 1 cap, PO, Daily, contents of capsule may be mixed with soft foods such a...

ramipril (ramipril 1.25 mg oral capsule)

1.25 mg = 1 cap, PO, Daily, 0 Refill(s)

Document History: Completed by OPOR Test

12. In the Reconciliation Status, Meds History will display as a green checkmark


Note: If an error was made (i.e., documented on wrong patient chart, right click the check mark by Meds History and click “Reset”)

Reconciliation Status


✓ Meds History ! Admission

Tip: Pharmacy staff can use the BPMH Documentation Powerform to confirm home medications and document other pertinent information.


1. Click the AdHoc folder




2. Select the BPMH Documentation Powerform and click Chart



3. Click on Document Medication by Hx and review medications. Right click the medication and click Modify to change dose, add comments, or add compliance information.



4. If the medication is a patient's own supply, or to add additional pertinent information, note this in the Order Comments.



5. Click Document History when complete (**or Leave Incomplete – Finish later if incomplete**)
6. Scroll to complete the remainder of the form and click the green checkmark to Sign

BPMH - Pharmacy - ZZTEST, RPHARMJENN

Performed on: 2026-Feb-24 13:20 AST By: OPOR Test, PharmNet - Pharmacist

Pharmacist

Time Spent: Med Hx

☐ 5 minutes
☐ 10 minutes
☒ 15 minutes
☐ 20 minutes
☐ 30 minutes
☐ 45 minutes
☐ 60 minutes
☐ 75 minutes
☐ 90 minutes
☐ 120 minutes
☐ 180 minutes
☐ 240 minutes

Time Spent: Patient

☒ 15 minutes
☐ 30 minutes
☐ 45 minutes
☐ 60 minutes
☐ 90 minutes
☐ 2.5 Hours

Information Source

☒ Patient (verbal)
☐ Family (verbal)
☐ Family Physician
☐ Retail/Community Pharmacy
☐ Medication List
☐ MAR
☐ Previous Visit
☒ Prescription Bottle
☒ Unable to verify
☐ Other


Comment

Medication Reconciliation Icons

	Documented Home Medication (may also indicate Patient Own Supply in Medication Manager)
	Medication ordered as an inpatient (or in the Emergency Department)
	Medication ordered as an ambulatory patient (i.e., as an outpatient in a clinic)
	Prescription medication
	Order associated with a Powerplan
	Medication has not been reconciled
	Medication Reconciliation has not occurred (i.e., Admission, Transfer and Discharge Med Recs)
	Reconciliation is <i>partially</i> complete and is in a Plan state (i.e., "Reconcile and Plan", not signed)
	Reconciliation is complete and is in a Plan state (i.e., "Reconcile and Plan", not signed)
	Reconciliation is in progress
	Reconciliation is complete and signed (i.e., "Reconcile and Sign")
	Status to continue that order
	Status to discontinue that order
	Order is a Pending Proposed order (i.e., "Reconcile and Plan")
	Order details are not complete, will not allow user to sign
	Review medication schedule and administration time
	An automatic therapeutic substitution has occurred
	Formulary medication, able to be ordered and dispensed from hospital/facility supply
	Non-formulary medication, often associated with an automatic therapeutic substitution
	Restricted medication (i.e., Special Access Program medication)

Admission Medication Reconciliation

1. Navigate to the Medication List or Orders tab and select Admission under Reconciliation
Note: Meds History section must be completed first



2. In the Order Reconciliation window, click the circle under the green arrow to continue the home medication, or click the red square to discontinue the home medication

Note: Home medications are indicated by the scroll icon. Medications ordered for that encounter as an inpatient will have a hospital icon.


A screenshot of the 'Order Reconciliation: Admission - ZZTEST, HEMPEDS TEST 7' window. The window shows patient information at the top, including MRN, HCN, allergies, and lab location. Below this, there are tabs for 'Orders Prior to Reconciliation' and 'Orders After Reconciliation'. The 'Orders Prior to Reconciliation' tab is active, showing a list of medications: 'multivitamin (Multivitamin oral tablet)', 'polyethylene glycol 3350', and 'sertraline (sertraline 25 mg oral capsule)'. Each medication has a status and a set of icons (a green circle and a red square) for reconciliation. A red box highlights these icons for the 'sertraline' medication. Below the list, there is a 'Details for sertraline' section with various fields for dose, route, frequency, and administration. A red arrow points to the 'Use Patient Supply' checkbox, which is currently unchecked. A note next to it says 'Select Yes to use Patient Own Supply'. At the bottom, there are buttons for 'Reconcile and Plan', 'Sign', and 'Cancel'. A status bar at the bottom indicates '0 Missing Required Details'.

Ensure Missing Required Details is "0". If details are missing (i.e., to continue or stop), will appear as:
1 Missing Required Details

3. Review order details as above
4. Click Add to search for and select additional home medications. Ensure that the Type box is set to "Document Medications by Hx".

A screenshot of a medication search interface. The search box contains 'acetaminophen'. Below the search box, there is a list of search results for acetaminophen. To the right of the search box, there is a 'Type' dropdown menu set to 'Document Medications by Hx'. A red box highlights this dropdown menu.

5. Click Reconcile and Sign to Order the home medications as an inpatient



6. In the Reconciliation Status, Admission will display as a green checkmark
Note: If Planned, the icon prior to Admission will be 🔄

