




Computerized Provider Order Entry (CPOE)

Add an Order using CPOE in Powerchart


1. Click the Orders tab on the Navigator Bar and click the Add button

Note: You must use the Orders tab to order Powerplans (not the Medication List tab)



2. In the Add Order Window, in the Search bar begin typing the order name (including Powerplans, labs, consults, etc.)

Note: Type in "po" or route to narrow your search



3. Pre-populated order sentences (dose, route, frequency, order details) will display. Select the most appropriate order(s). Orders will display behind the Add Order window once they are selected. **Note: if unable to find the correct order, select Enter on your keyboard**
4. Click Done at the bottom of the window
5. If needed, select the prescriber and Communication Type (i.e., Electronic, Verbal, Phone)
6. Complete Remaining Order Details

Note: right click and select Ordering Physician to change provider & Communication Type

Do not add a checkmark to the box

Dosing Calculator

Hover over this line until a double headed arrow appears and pull this arrow up to expand section

Orders for Signature

Order Name	Status	Start	Details
HI ED; EDWR Fin#QE2230001360 Admit: 2026-Jan-15 10:36 AST			

Remove
Ordering Physician...

Medications

acetaminophen Order 2026-Jan-16 13:29 975 mg PO tab q6h 2026-Jan-16 13:29 AST

Details for acetaminophen

Details Order Comments Diagnoses

Review Schedule Remaining Administrations: (Unknown)

*Dose: 975

*Route of administration: PO

*Frequency: q6h

Duration unit:

PRN reason:

Administer over unit:

Stop type:

RX Special Instructions:

Research Account:

Requested Start Date/Time: 2026-Jan-16 13:29 AST

*Dose Unit: mg

Drug Form: tab

Duration:

PRN: ☐ Yes ☒ No

Administer over:

Stop Date/Time: ****,***,*** AST

First Dose Priority:

Use Patient Supply: ☐ Yes ☐ No

Special Instructions:

7. Change First Dose Priority for STAT or NOW

First Dose Priority:

(None)

NOW

Routine

STAT

8. Change Order Start Date/Time as needed

Details for acetaminophen

Details Order Comments Diagnoses

Frequency: Requested Start Date/Time (First Administration):

Duration unit: 2026-Jan-16 2300 AST

PRN reason: Next administration:

Administer over unit: ****,***,*** AST ☐ Skip administration

Stop type: Following administration:

RX Special Instructions: ****,***,*** AST

Research Account:

Requested Start Date/Time: 2026-Feb-24 11:30 AST

9. Enter Order Comments (notes that are face up on the MAR and in the order) if needed

Details for acetaminophen

Details Order Comments Diagnoses

Order comments


maximum 4 grams/day

10. Click Sign

Sign

Modify an Order in Powerchart


1. Navigate to the Orders or Medication List tab on the Navigator Bar
2. Right click the medication and select Modify




3. Only use the Modify action for the following reasons: Rate changes for continuous infusions, add or edit Order Comments or Special Instructions

Note: Do NOT change the Dose or Frequency. Use the Cancel & Reorder function.

4. Click Orders for Signature and Sign ● = Formulary ◆ = Non-Formulary ▼ = Restricted




Tip: Right click and select Reset to stop the Modify order action



Modify Continuous Infusion Rate in Powerchart

1. Right click the infusion order and select Modify



2. In the Continuous Details section, change the normalized rate (see below if changing from a continuous infusion with a normalized rate to a titratable infusion)

▼ Details for **fentanyl (additive) 1000 mcg [45 mcg/hr] + Sodium Chloride 0.9% (diluent) 80 mL**


Details Continuous Details Diagnoses

Base Solution	Bag Volume	Rate	Infuse Over
Sodium Chloride 0.9% (diluent) 80 mL		4.5 mL/hr	17.8 hr
Additive	Additive Dose	Normalized Rate	Delivers
fentanyl (additive)	1000 mcg	45 mcg/hr	45 mcg/hr
Total Bag Volume		100 mL	

Weight: 60 kg BSA: 1.53 m²

Infusion instructions


3. Click Orders for Signature and then Sign



Cancel/ Discontinue an Order in Powerchart

Change a continuous infusion with a normalized rate to a titratable infusion.

1. Right click and Cancel/Discontinue the continuous infusion



2. Click Orders for Signature and Sign



3. Add a new order and search/select an order sentence with **titratable** in the order name

Search: Advanced Options Type:

Folder: Search within: All

- fentanyl NEO/PED titrate infusion 10 mcg/mL in NaCl 0.9% 25 mL syringe
- fentanyl PED PICU FLUID REST titrate 50 mcg/mL (greater than 10 kg) in 40 mL (undiluted)
- fentanyl PED PICU FLUID REST titrate 50 mcg/mL (less than or equal to 10 kg) in 20 mL (undiluted)
- fentanyl titratable infusion (10 mcg/mL) in NaCl 0.9% 100 mL
- fentanyl titratable infusion (50 mcg/mL) syringe (undiluted) preferred

ZZTEST, RPHARMJENN - 51768

PED or **NEO/PED** may display. These are for pediatric or neonatal dosing.

Adult dosing does not have anything additional in the order name.

4. In Continuous Details, the Rate populates as free-text (i.e., Titrate)
Note: users can change "Titrate" to anything that is free-text

Details for **fentanyl (additive) 1,000 mcg + Sodium Chloride 0.9% (titrate) 80 mL**

Details Continuous Details Diagnoses

Base Solution	Bag Volume	Rate	Infuse Over
Sodium Chloride 0.9% (titrate)	80 mL	Titrate	
Additive	Additive Dose	Normalized Rate	Delivers
fentanyl (additive)	1,000 mcg		EB
Total Bag Volume		100 mL	

Weight: 60 kg Weight Type: Clinical Weight Result dt/tm: 2026-Feb-12 12:44:00 AST BSA: 1.53 m2

Infusion instructions

5. The titratable pre-built order sentences have a **different Order Entry Format (OEF)** including titration starting dose/min/max and instructions (in Details). Include starting dose in the details and review titration instructions.

Details for **fentanyl (additive) 1,000 mcg + Sodium Chloride 0.9% (titrate) 80 mL**

Details Continuous Details Diagnoses

Order Entry Format (OEF)

IV Concentration:

Starting Dose: 45 mcg/hr

Maximum Dose: 300 mcg/hr

*Route of administration: IV


Minimum Dose: 25 mcg/hr

Titration Instructions: Titrate to pain control and/or seda...

6. Click Sign

Cancel and Re-order in Powerchart

1. Navigate to the Orders or Medication List tab on the Navigator Bar
2. Right click the medication and select Cancel and Reorder (**Note: use this function for any dose or frequency changes**)



3. Change various fields (including dose, frequency, duration, PRN)

Note: The previous order will automatically discontinue

Tip: Cancel & Reorder allows users to change any components of this order. **Only use this function if you are using the same Order Entry Format (OEF).** If changing formats or medication type (i.e., PO to injection), Cancel/Discontinue the original order and Add a new order.

● = Formulary ♦ = Non-Formulary ▼ = Restricted

Medication	Status	Order Date	Order Details
acetaminophen	Discontinued	2026-Feb-24 11:38 AST	650 mg, PO, tab, q6h while awake, 2026-Feb-24 12:08 AST
acetaminophen (Reordered from: acetaminophen...)	Order	2026-Feb-24 12:08 AST	1 tab, PO, tab, daily, 2026-Feb-20 09:27 AST
multivitamin (Multivitamin oral tablet)	Ordered	2026-Feb-20 09:27 AST	2,000 mg, IV, inj, q6h, Administer over: 30 minutes, Total volume: 100, 2026-Feb-20
cefazolin	Ordered	2026-Feb-20 09:27 AST	

Details for acetaminophen

Order Entry Format (OEF)

Review Schedule Remaining Administrations: (Unknown)

*Dose: 650

*Route of administration: PO

*Frequency: q6h while awake

Duration unit:

PRN reason:

Administer over unit:

Stop type: Physician Stop

RX Special Instructions:

Research Account:

Requested Start Date/Time: 2026-Feb-24 12:08 AST

*Dose Unit: mg

Drug Form: tab

Duration:

PRN: ☐ Yes ☒ No

Administer over:


Stop Date/Time: AST

First Dose Priority:

Use Patient Supply: ☐ Yes ☒ No

Special Instructions:

4. Click Orders for Signature then Sign



Ordering Weight-Based Medications

1. Review the Dosing Weight (see how to change dosing weight above)
2. Order a new medication:
 - Click on the Dosing Calculator. **Avoid changing the Dose field on this screen. The Target dose will disappear if you change the dose in this field.**

Details for acetaminophen

Details Order Comments Diagnoses

*Dose: 800

*Route of administration: PO

*Frequency: q6h

Duration unit:

*PRN reason: pain/fever

*Dose Unit: mg

Drug Form: tab-chew

Duration:

PRN: ☒ Yes ☐ No

Administer over:

NS Health/IWK Health One Person One Record
CPOE - Powerchart

- Review Target Dose, Calculated Dose, and Final Dose. Change the Final Dose if needed. Verify correct weight was used. Click Apply Dose when complete.

Change the Final Dose using the Dosage Calculator
Avoid using regular "Dose" field on the order

Dosage Calculator
acetaminophen

Dose Values:

1) Target dose:	10	mg/kg
2) Calculated dose:	300	mg
3) Dose Adjustment:	320	mg
4) Final dose:	320	mg

5) Standard dose: mg mg/kg
 6) Rounding rule: Manually Entered
 7) Adjust Reason:
 8) Route: PO

Reference Data

Date of birth: 2025-Sep-09 (2 Months)
 Sex: Male
 Ethnicity:
 Height: 85 cm Source: 2025-Nov-07 11:31 85.00 cm Height/Length Measured
 Actual weight: 30 kg Source: 2025-Nov-07 11:31 30.000 kg Weight Dosing
 Adjusted weight: 30 kg Adjustment: Actual (no adjustment)
 Algorithm:
 Serum creatinine: umol/L Source: Manually entered
 GFR (est): mL/min/1.73 m2 Algorithm: Schwartz Full Term Missing data
 Weight Used for GFR:
 Algorithm: Mosteller
 Body surface area: 0.84 m2

► Last Dose Calculation

Formulas... Standard Dose Reference

Apply Standard Dose **Apply Dose** Cancel

- The dose is updated in the Dose field
 - In the Orders or Medication List tab on the Navigator Bar, right click the medication and select Modify
 - Change the dose based on the new weight and then click Sign
- Note: IV infusions will display this Caution for weight changes. Click Update.

Caution

A new weight of 33 kg was charted on 2025-Nov-26 that may also impact BSA calculations. Based on the updated weight, a new BSA value of 0.88 m2 is available. Do you want to update the order with the new weight?

Update Keep Existing

Ordering a Patient Own Supply:

1. In the Orders or Medication List tab, click Add and search/select the order. Select the “Use Patient Supply” field in the Details section of the new order. Click Sign.

The screenshot shows the Powerchart interface for a patient named ZZZTEST, PHARMACY TWO. The 'Add' button is highlighted in the top left. The 'Details' section for the new order shows the 'Use Patient Supply' checkbox selected. The 'Dose' is 10 mg, 'Route of administration' is PO, 'Frequency' is daily, and 'Duration' is 10 days. The 'Stop Date/Time' is 2025-Feb-07 17:03 America/Halifax. The 'First Dose Priority' is set to 'Use Patient Supply'.

Ordering a Template Non-Formulary in Powerchart:

1. In the Orders or Medication List tab on the Navigator Bar, click Add
2. Search “Template Non-Form”
3. Select the appropriate order and click Done

The screenshot shows the Powerchart interface for a patient named ZZZTEST, RPHARMJENN. The 'Add' button is highlighted in the top left. The 'Diagnoses & Problems' section is open, and the search results show 'template non-formulary (continuous)', 'template non-formulary (intermittent)', and 'template non-formulary (medication)'. The 'Done' button is highlighted in the bottom right.

4. Free-text medication name and dose. Select route and add other pertinent information.
Note: Template non-formulary medications should often be “Patient Own Supply”

5. Click Sign

6. Click OK to acknowledge that template non-formulary order do not have interaction checking

Ordering a Powerplan in Powerchart:

1. Navigate to the Orders tab in Powerchart
2. Click Add and search for a Powerplan, indicated by this icon
- Tip:** Search "Admission" or "Post-op" and general terms to find Powerplans easier
3. Select a Powerplan and click Done

- Some orders may be pre-selected (indicated by a check-mark in the box). Others will require manual selection. Orders are categorized in sections (i.e., Medications, Labs)

All Powerplans ordered. The status will be next to the name of the Powerplan (i.e., MED Admission to Medicine is "Planned Pending" whereas OBS Labour and Delivery Admission is "Initiated"

Click the down arrow to view other order sentences (dose, route, frequency). Right click and modify to change components of that order.

This icon  indicates a Powerplan within a Powerplan. When selecting this order, that Powerplan will display. Click the Return to MED Admission to Medicine to navigate back to the original Powerplan (or select under the View tab)

- Click Initiate Now


Note: Powerplans may be "Planned" (i.e., not active orders) prior to initiating the orders. Selecting "Plan for Later" does not route medication orders to Pharmacy Patient Monitor for verification. Only selecting "Initiate Now" will activate these orders.

- Click Orders for Signature

- Review the order and click Sign

Order Name	Status	Start	Details
MED Admission to M... Initiated ... placing 8 order(s)			
HI ED; EDWR Fin#QE2230001360 Admit: 2026-Jan-15 10:36 AST			
Diet			
Regular Diet	Order	2026-Mar-04 14:39...	2026-Mar-04 14:39 AST, Constant Indicator
Vital Signs/Monitoring			
Vital Signs	Order	2026-Mar-04 14:39...	2026-Mar-04 14:39 AST, q12h
Weight	Order	2026-Mar-04 14:39...	2026-Mar-04 14:39 AST, Once, 2026-Mar-04 14:39 AST, 2026-Mar-04 14:39 AST
Patient Care			
ECG 12 Lead Nurse or...	Order	2026-Mar-04 14:39...	2026-Mar-04 14:39 AST, ECG PRN with chest pain and notify provider
Medications			
polyethylene glycol 3...	Order	2026-Mar-04 15:09...	17 g, PO, BID, PRN constipation, 2026-Mar-04 15:09 AST
sennosides	Order	2026-Mar-04 22:00	17.2 mg, PO, HS, 2026-Mar-04 22:00 AST Reassess when opioids discontinued.
sennosides	Order	2026-Mar-04 15:09...	17.2 mg, PO, BID, PRN constipation, 2026-Mar-04 15:09 AST
Therapies			
Oxygen Therapy	Order	2026-Mar-04 14:39...	2026-Mar-04 14:39 AST, Routine, SpO2 goal Greater than 92%

Since the Bowel Routine (Opioid) Powerplan was selected in the Med Admission Powerplan, the Bowel Prep Powerplan appears under main Powerplan in the View tab (is a “Subphase”).



Ordering Therapeutic Substitutions:

1. Click Add on Orders or Medication List tab on the Navigator Bar in Powerchart
2. Search for and select the medication. The red icon  indicates the medication is non-formulary.

NS Health/IWK Health One Person One Record
CPOE - Powerchart

- Most medications will automatically substitute to the formulary equivalent dose. If the corresponding therapeutic substitution does not have an exact match, the following pop-up will display.

Therapeutic Substitution - ZZTEST, RPHARMJENN

ZZTEST, RPHARMJENN MRN:51768 HCN:No HC... Allergies: No Known Aller... MRP: Loc:HI ED: EDWR
 Admin Sex:Female DOB:1992-J... Age:34 years Dose Wt:60 kg Alerts:No Alerts Documented
 Pronouns:<Unknown> GOC/LOI:<No Data Availa... Isolation:<No Data Availa... Emergency ENC:QE2230001360 [Admit Dt: 2026-Jan-15 ...]

Selected Order:

valsartan-hydrochlorothiazide (valsartan-hydrochlorothiazide 80mg-12.5mg oral tablet)

Choose Therapeutic Substitution (No Exact Match):

To request pharmacy assistance for dosing, select a recommendation from below and click Pharmacy to Dose.

hydrochlorothiazide: 12.5 mg, tab, PO
 -and-
 valsartan: 80 mg, tab, PO
 Equivalent to: valsartan-hydrochlorothiazide 80mg-12.5mg oral tablet 1 tab, tab, PO

* This substitution is required by your facility.

Pharmacy to Dose

OK

Cancel

4. Option 1: Click OK

- Click Done on the Add Order Window
- The new order will display the individual medications with recommended doses as above. The Dose, unit, route and frequency are required fields. Click Sign.
- The following icon indicates a therapeutic substitution has occurred

Orders for Signature

Order Name	Status	Start	Details
HI ED: EDWR Fin#QE2230001360 Admit: 2026-Jan-15 10:36 AST			
Medications			
valsartan	Order	2026-Mar-09 13:51...	80 mg, PO, tab, daily, 2026-Mar-09 13:51 ADT
hydrochlorothiazide	Order	2026-Mar-09 13:51...	12.5 mg, PO, tab, daily, 2026-Mar-09 13:51 ADT

Details for hydrochlorothiazide

Details Order Comments Diagnoses

+ [Icon] [Icon] [Icon]

Review Schedule Remaining Administrations: (Unknown) Stop: (Unknown)

*Dose: 12.5

*Dose Unit: mg

*Route of administration: PO

Drug Form: tab

*Frequency: daily

Duration:

Duration unit:

PRN: Yes No

PRN reason:

Administer over:

Stop Date/Time: **** **

First Dose Priority:

Stop type:

0 Missing Required Details Dx Table Orders For Cosignature Orders For Nurse Review

Sign

5. Option 2: Pharmacy to Dose

- Click Done on the Add Order Window

- The new order will display individual medications, but no fields are mandatory. The order status will display as Incomplete. Click Sign.

Orders for Signature

Order Name	Status	Start	Details
HI ED: EDWR Fin#QE2230001360 Admit: 2026-Jan-15 10:36 AST			
Medications			
hydrochlorothiazide	Incomplete	2026-Mar-09 13:54...	2026-Mar-09 13:54 ADT
valsartan	Incomplete	2026-Mar-09 13:54...	2026-Mar-09 13:54 ADT

Details for valsartan

Details Order Comments Diagnoses

Remaining Administrations: (Unknown) Stop: (Unknown)

Dose: Dose Unit:

Route of administration: Drug Form:

Frequency: Duration:

Duration unit: PRN: ☐ Yes ☐ No

PRN reason: Administer over:

Administer over unit: Stop Date/Time: ADT

Stop type: First Dose Priority:

0 Missing Required Details Dx Table Orders For Co-signature Orders For Nurse Review **Sign**

- In Pharmacy Patient Monitor, Process the incomplete order. The following icon indicates that a therapeutic substitution has occurred, but required details are missing

PowerChart Organizer for OPOR Test, PharmNet - Pharmacist

Task Edit View Patient Chart Links Notifications Help

Pharmacy Patient Monitor PCS Worklist Pharmacy Care Organizer Patient List Multi-Patient Task List MyExperience Autotext Copy Message Center Ambulatory Organizer Multi-Disciplinary Rounding Orders Queue

Suspend Charges Charge Entry Exit Calculator Message Sender AdHoc Medication Administration Medication Manager PM Conversation Communicate Nova Scotia Health Corner Bridge UpToDate

ZZTEST, RPHARMJENN

Pharmacy Patient Monitor

View: ALL 3269

ZZTEST, RPHARMJENN - 34 years

MRN: 51768 Queue time: 10 days DOB: 1992-Jan-15

FIN: 230001360

CZ QELL / HI ED / EDWR

ZZTEST, RPHARMJENN MRN: 51768 DOB: 1992-Jan-15 Age: 34 years Sex: Female Weight: 60 kg

Inpatient

hydrochlorothiazide 2026-Mar-09 13:54 ADT Status: Incomplete Queue time: 2 min Start date/time: 2026-Mar-09 13:54:00 ADT

valsartan 2026-Mar-09 13:54 ADT Status: Incomplete Queue time: 2 min Start date/time: 2026-Mar-09 13:54:00 ADT

View **Process**

- In Medication Manager, the **Resolve** action will default. Click Apply.

ZZTEST, RPHARMJENN

Task Edit View Options Help

ZZTEST, RPHARMJENN MRN: 51768 Age: 34 Years (1992-Jan-15) Gestational age: 37 weeks 0 days Sex: Female Location: HI ED / EDWR

FIN: 230001360 Race: Postmenstrual age: 1818 weeks 5 days Admitted: 2026-Jan-15 10:36 AST Physician:

Rx Clinical Note: Pregnant: Unknown

Enter a patient name: ZZTEST, RPHARMJENN

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action Status

Resolve Incomplete

Resolve Incomplete

Order Sentence

hydrochlorothiazide

valsartan

DOCetaxel oncology 153 mg IV Day of Treatment Day 1

DOXOrubicin 91.8 mg inj IV-direct Day of Treatment Day 1

epirubicin 153 mg / 76.5 mL inj IV-direct Day of Treatment Day 1

fluorouracil 765 mg / 15.3 mL inj IV-direct Day of Treatment Day 1

DOCetaxel oncology 153 mg IV Day of Treatment Day 1


riTUXimab (Ruxience) oncology 545 mg IV Day of Treatment Day 1

cefazolin 2,000 mg / 100 mL inj IV q8h 200 mL/hr


acetaminophen 975 mg / 3 tab tab PO q4h PRN pain

Submit Cancel **Apply**


- In the Resolve Med Order window, click the therapeutic substitution icon  to view the intended order



- Close the Therapeutic Interchange window and input the dose (with units). Click Update. Select a Product if prompted.



- Complete remaining fields. Click OK to complete and verify the order.



- Repeat the above steps. The orders will now be in an Active status. Click Submit in Medication Manager.

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Add

Action	Status	Order Sentence
	Active	Sodium Chloride 0.9% intravenous solution 1,000 mL IV 75 mL/hr
	Active	TNF - Forxiga 10 mg PO daily
	Active	TNF - Natural Health Product 1 tab PO daily
	Active	valganciclovir 450 mg / 1 tab tab PO daily
	Active	vancomycin + sodium chloride 0.9% intravenous solution inj IV q24h-int 0 mL/hr
	Active	vasopressin + sodium chloride 0.9% intravenous solution inj IV 6 mL/hr [0.04 unit/min]
	Active	hydrochlorothiazide 12.5 mg / 1 tab tab PO daily
	Active	valsartan 80 mg / 1 tab tab PO daily

Active Orders Inactive Orders

Submit Cancel Apply

6. Option 3: Click Cancel

- Search and select the Template non-formulary orderable. Click Done.

ZZTEST, RPHARMJENN - Add Order

MRN:51768 HCN:No HC... Allergies: No Known AllergiesMRP: Loc:HI ED: EDWR
Admin Sex:Female DOB:1992-Ja... Age:34 years Dose Wt:60 kg Alerts:No Alerts Documented
Pronouns:<Unknown> GOC/LOI:<No Data Availabl...Isolation:<No Data Availabl...Emergency ENC:QE2230001360 [Admit Dt: 2026-Jan-15 10:...

Diagnoses & Problems

Diagnosis (Problem) being Addressed this Visit

Add Convert Display: All

Search By:

Annotated Display Code
Acute lymphoblastic leuk... C91.0

Problems

Add Convert No Chronic Problems

Display: Active

Search By:

Annotated Display Name of Problem

Search: template non-formula Advanced Options Type: Inpatient

template non-formulary (continuous)
template non-formulary (intermittent)
template non-formulary (medication)

Enter to Search

ZZTEST, RPHARMJENN - 51768 Done

- Free-text the medication name, dose, route, frequency and other pertinent details (see Template non-formulary section above).
- Select Yes in the Use Patient Supply Field

Use Patient Supply ☒ Yes ☐ No

- Click Sign

Sign

- The order will route to Pharmacy Patient Monitor as template non-formulary order, patient's own supply

Ordering a Taper or Titration in Powerchart:

1. Click Add on Orders or Medication List tab on the Navigator Bar in Powerchart
2. Search for and select the medication and click Done
3. Fill in order details, and click the Taper icon
Note: the Taper icon is only available for inpatient orders. For prescriptions, input taper/titrating instructions in the Special Instructions field

▼ Details for **lamoTRlgine**

Details Order Comments Diagnoses

Taper icon (circled in red)

*Dose: 25

*Route of administration: PO

*Frequency: daily

4. Complete details in the Taper Window and Click Calculate Steps

lamoTRlgine

Start

*Dose 25 *Unit mg *Route PO *Frequency daily

Taper details

Increase by 25 mg every 14 day

*Final dose 100 mg

☐ Stop final dose after 14 day
☒ Continue until instructed to stop

Calculate Steps (button circled in red)

5. The Planned regimen automatically populates. Add or remove lines by clicking the (+) and (-) symbols as needed

Planned regimen

Dose	Unit	Route	Frequency	Start	Last Dose	Doses	
25	mg	PO	daily	2025-Nov-06 12:32 AST	2025-Nov-19 08:00 AST	14 Dose(s)	
50	mg	PO	daily	2025-Nov-20 08:00 AST	2025-Dec-03 08:00 AST	14 Dose(s)	
75	mg	PO	daily	2025-Dec-04 08:00 AST	2025-Dec-17 08:00 AST	14 Dose(s)	
100	mg	PO	daily	2025-Dec-18 08:00 AST		0 Dose(s)	(+/- icons circled in red)

6. Click OK then Sign the order

Sign (button circled in red)

7. In Powerchart, click the arrow indicated to collapse the view of the taper/titration

Medications

		lamoTRlgine Taper	Ordered
(collapse arrow circled in red)	✓	lamoTRlgine	Ordered 25 mg = 1 tab, PO, tab, daily, for 14 day,
	✓	lamoTRlgine	Ordered 50 mg = 2 tab, PO, tab, daily, for 14 day,
	✓	lamoTRlgine	Ordered 75 mg = 3 tab, PO, tab, daily, for 14 day,
	✓	lamoTRlgine	Ordered 100 mg = 1 tab, PO, tab, daily, 12/18/25,

8. In Medication Manager, each order will have a Powerplan/Plan icon

		Start	Stop
	lamoTRigine 100 mg / 1 tab tab PO daily	2025-Dec-18 08:00 AST	
	lamoTRigine 25 mg / 1 tab tab PO daily	2025-Nov-06 12:32 AST	2025-Nov-20 07:59 AST (p)
	lamoTRigine 50 mg / 2 tab tab PO daily	2025-Nov-20 08:00 AST	2025-Dec-04 07:59 AST (p)
	lamoTRigine 75 mg / 3 tab tab PO daily	2025-Dec-04 08:00 AST	2025-Dec-18 07:59 AST (p)

Ordering Self-Administered Medications:

Ordering – Rehab/Other Locations:

1. Navigate to the Orders or Medication List tab on the Navigator Bar. Select medications to order for Self-Meds. Right click and select Modify.

2. In the Order Comments tab, type “Self-Administered Medication” or “Self-Med” & Sign. This Order Comment will be populated in **all** orders that are modified.


Ordering – Multi-Organ Transplant Clinic (MOTP):

1. Navigate to the **Medication Request** tab on the Navigator Bar
2. Select medications to be self-administered with Reason “MOTP – Start Self-Med”
3. Click Submit


Ordering a Prescription

1. If the medication is already ordered in Powerchart

- Click on the Orders or Medications List tab on the Navigator Bar
- Right click the medication and click "Convert to Prescription"




- Double click to select appropriate product if prompted



- Select "Send To:" location for the prescription (e-fax to community pharmacy or print). Do not e-fax for discharge reconciliations.
- Complete prescription details (quantity and refills) and Sign the order

- The Status in the Medications List will be Prescribed



2. Create a new prescription (not currently ordered)

NS Health/IWK Health One Person One Record
CPOE - Powerchart

- Click on the Orders or Medications List tab on the Navigator Bar
- Click Add and change the Type to Prescriptions

- Search for the medication. If unable to find the medication, search “MISC” or “Miscellaneous” and select Miscellaneous Medication Rx and click Done

- Select “Send To:” location for the prescription (e-fax to community pharmacy or print). Do not e-fax for discharge reconciliations.
- Free-text Drug Name, dose, route, frequency, and remainder of prescription information. Click Sign when complete.

- The Status in the Medications List will be Prescribed