



Oncology Pharmacist Verification

Verifying an IV set

Clinical Verification:

1. Navigate to Powerchart to review patient's Systemic Therapy (ONCP = Oncology Powerplan)

ZZZONCTEST, GARY - 52158 Opened by OPOR Test, PharmNet - Pharmacist

Task Edit View Patient Chart Links Notifications Options Current Add Help

Pharmacy Patient Monitor PCS Worklist Pharmacy Care Organizer Patient List Multi-Patient Task List MyExperience Autotext Copy Message Center Ambulatory Organizer

Tear Off Suspend Charges Charge Entry Exit Calculator Message Sender AdHoc Medication Administration

ZZZONCTEST, GARY MRN:52158 HCN:5242123456... Allergies: Allergies Not Recorded MRP:OPOR Test, Physician - Medica... Loc:VG NS CAN CTR
Admin Sex:Male DOB:1958-Apr-11 Age:67 years Dose Wt:65 kg Alerts:No Alerts Documented
Pronouns:<Unknown> GOC/LOI:<No Data Available> Isolation:<No Data Available> Recurring ENC: QE2230001965 [Visit Dt: 2026-Mar-02 12:49:22 AST] Loc: C...

Menu Pharmacist Workflow MAR Summary Perioperative View MAR Orders + Add Medication List + Add Allergies + Add Documentation + Add Form Browser Results Review Interactive View and I/O Activities and Interventions Diagnoses and Problems Patient Information Oncology Growth Chart Appointments Medication Request Clinical Research Histories Outside Records

Orders Medication List Document In Plan

View Orders for Signature ONCP BR DOXOrubicin (21d) (Started) ONCP DOXOrubicin (21d) Pre-Treatment Tests & Diagnostic In Labs (Future) NCDF Funding (Planned) Prescriptions (Completed) ONCP BR DOXOrubicin (21d) - Cycle Systemic Treatment (Day 1) (Future) Next Cycle Labs (Day 1) (Planned) Scheduling (Initiated) ONCP BR DOCEtaxel (21d) (Started) ONCP DOCEtaxel Pre-Treatment Tests & Diagnostic In Labs (Future) NCDF Funding (Planned) Prescriptions (Completed) ONCP BR DOCEtaxel (21d) (Started)

Diagnoses & Problems Related Results Formulary Details Variance Viewer

ONCP BR DOXOrubicin (21d) - Cycle 1, Systemic Treatment (Day 1) (Future) *Est. 2026-Mar-06 08:00 AST - 2026-Mar-07 07:59... Last updated on: 2026-Mar-05 15:23 AST by: OPOR Test, PharmNet - Pharmacist Oncology

Component	Day 1	Future
Pre-Treatment Parameters	-5 day	Complete 2026-Mar-03 10:27 AST
Pharmacy Verification	-5 day	Complete 2026-Mar-03 10:27 AST
Neutrophil Absolute Count - Greater Than or...	-4 day	No Results
Platelets - Greater Than or Equal 90 x10(9)/L	-4 day	No Results
Pre-Medications	-6 hr	No Results
Patient has taken prescribed pre-medication...	-6 hr	No Results
Treatment Regimen	Time Zero	0 hr
DOXOrubicin (DOXOrubicin oncology)	105 mg, IV-direct, inj, Day of Treatment, 2026-Mar-06	0 min

Schedulable Orders Details Dx Table Orders For Cosignature Orders For Nurse Review Orders For Signature

2. In the AdHoc folder on the Toolbar, select the Pharmacy STC Verification Powerform and Chart. Complete & Sign the form via the green checkmark. Navigate to the AdHoc folder on the Toolbar

Patient List Multi-Patient Task List MyExperience Au

Message Sender AdHoc Medication Administration

Ad Hoc Charting - ZZTEST, RPHARMAMANDAADULT

Clinical Pharmacy All Items

- ☐ Pharmacist Clinical Intervention
- ☐ Pharmacist Pharmacokinetic Monitoring
- ☐ Pharmacist Anticoagulation Management
- ☐ Pharmacist Verification of Chemotherapy
- ☐ Oral Chemotherapy Dosing Tables
- ☐ Oral Take Home Cancer Drug Assessment
- ☐ Height, Weight and Allergy
- ☐ Pharmacy Dosing/Weight Review
- ☐ BPMH Documentation
- ☐ Opioid Agonist Therapy - Patient Info
- ☐ Patient Preferred Pharmacy
- ☒ Pharmacy STC Verification

Pharmacy STC Verification - ZZTEST, RPHARMAMANDAADULT

*Performed on: 2026-Jan-09 15:05 AST By: OPOR Test, PharmNet - Pharmacist

Day 1 Verification Mid-Cycle Verification

Protocol and Cycle #

Treatment Date

Orders Signed by Oncology Provider ☐ Yes ☐ No

Regimen Appropriate for Diagnosis ☐ Yes ☐ No

Funding Eligibility Met and Availability Confirmed ☐ Yes ☐ No ☐ N/A

Regimen compares with last treatment and timing appropriate (or timing appropriate if new start) ☐ Yes ☐ No ☐ N/A

Bloodwork and other relevant investigation results meet criteria to proceed with treatment ☐ Yes ☐ No ☐ N/A

BSA and other weight-based calculations reviewed ☐ Yes ☐ No ☐ N/A

In Progress


3. When signed this will appear as a green checkmark in the Pharmacy Verification field on the Powerplan

Pharmacy Verification -5 day Complete 2026-Mar-03 10:27 AST

Future Orders: 1st Verification for a regular IV set

Option 1 – Pharmacy Patient Monitor:

1. Navigate to Pharmacy Patient Monitor.
2. Update your settings for Future orders (see PPM Customization) ⚙️ Only orders with a Future Status will display.



3. The Order Centric view will contain all **Future orders** for that patient




4. Click Process



5. Medication Manager will automatically display Verify as the default action.

Option 2 – Medication Manager:


1. Navigate to the Medication Manager application and search for the patient using the search box on the left-hand side. This will bring up the patient profile showing the status of current medication orders. Any systemic therapy is entered in a future status which requires a 1st verification before being placed in an active status. The need for pharmacist verification is identified by the mortar and pestle symbol shown to the right of the status column.



NS Health/IWK Health One Person One Record
Oncology Pharmacist Verification

- To begin your verification select Verify from the drop-down menu in the action column and click the apply button at the bottom the window.

PowerPlan/Cycle =  (hover over icon to view name of Powerplan)



ZZZONTEST, GARY

MRN: 52158 Age: 67 Years (1958-Apr-11) Sex: Male Location: VG NS CAN CTR /
 FIN: 230001965 Race: Admitted: 2026-Mar-02 12:49 AST Physician: OPOR Test, Physician - Medical Oncology/Haematology

Enter a patient MRN: ZZZONTEST, GARY

Demographics

- Height/Length ... 170 cm
- Result Dt/Tm 2026-Mar-03 08:1...
- Weight Dosing 65 kg
- Result Dt/Tm 2026-Mar-03 08:1...
- Serum Cr 0
- Result Dt/Tm
- BSA 1.75 m²
- BSA Method Mosteller
- IBW 65.94 kg
- IBW Method Devine
- CrCl (est) MISSING DATA
- CrCl Method Cockcroft-Gault (A...
- Diastolic Bloo...

Patient Note[]

Reason For Visit (1)

Allergies

Medications

Problems and Diagnoses

Rx Clinical Note[]

Rx Interventions (1)

Acute Profile Ambulatory Profile Results Interventions Processing Orders


Drug:

Action	Status	Order Sentence	Start	Stop
Verify	Future	nivolumab (max 240mg) oncology 195...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Discontinue	Active	DOCETaxel oncology + Sodium Chloride...	2026-Mar-27 08:00 ADT	2026-Mar-27 08:00 ADT (p)
History	Active	DOCETaxel + sodium chloride 0.9% intr...	2026-Mar-06 08:00 AST	2026-Mar-06 08:00 AST (p)
Inquire	Active	DOCETaxel + sodium chloride 0.9% intr...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Intervene	Active	Time Zero None Day of Treatment Day 1	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Modify	Future	Time Zero None Day of Treatment Day 1	2026-Mar-06 08:00 AST	2026-Mar-06 08:00 AST (p)
Reject	Future	Time Zero None Day of Treatment Day 1	2026-Mar-27 08:00 ADT	2026-Mar-27 08:00 ADT (p)
Verify	Future	Time Zero None Day of Treatment Day...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Void	Future	Time Zero None Day of Treatment Day...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)

Submit Cancel Apply

Active Order Profile as of: 9:27 POWERCHART LINK NSDHONCPHARM C3058 09:28

- This will bring up a screen asking you to input the facility and location. Select the options shown below and click Ok. ONLY verify the Days where no further clinical follow-up is needed.



Future Order - Facility/Location Selection

Facility: Queen Elizabeth II Health Sciences Centre


Location: VG Systemic Therapy 11 VIC

Order Sentence	Start	Stop	Facility	Location	Scheduled Facility
☒ Day 1 DOCETaxel oncology + Sodium C...	2026-Mar-27 08:00 A...	2026-Mar-27 08:00 A...	Queen Eliza	VG Systemic	☐

Treatment Periods

OK Cancel

Note: For Cutover, select the Facility & Location as “Historical Migration”



Future Order - Facility/Location Selection

Facility: .Historical Migration

Location: .Historical Migration

- This brings you to the IV set selection page. IV sets will be prebuilt for different size solution bags with the dose ranges in the description, click on the applicable IV set and click Select.

Note: Pre-mixed bags, vials and oral meds will be in the Products tab. In the Filter options, select “All Routes and Dosage Forms” and unselect “Linked Products” to view additional Products

- This will bring your selection over to the selected products box on the right-hand side. Click OK.

Note: Dose Ranges will be built in the IV sets. You will notice the dose above will fall into the range of the following IV sets (not built in this example).

Product	Dose	Unit	DispQty	QtyUnit
DOCetaxel 10 mg/mL inject	175	mg	1.0937	vial

- This will bring you to the screen to complete your verification. Once you have confirmed all information is accurate, click OK at the bottom of the window.

- The Sequence box should always be **CHEMO**: This completes the flow of the order to the Workflow Monitor. Dispense Category should be “**IV Intermittent Hazardous**” for this order. The Dispense Category determines the type of label that will print.

- Click on the **Comments** tab to view Fill Notes. These are instructions for preparation and will be on the Work Label.

Do **not** change the Ordered As field (*Cancel and Void and create new order*)

Modify to change the dose
Double check Total Volume

Confirm Rate and Infuse over time (**should pre-populate**)

Add pertinent information in the Order comments section (crosses over from CPOE)
Sequence is for Workflow
Monitor categories
Ensure Dispense from location & initial doses is correct (Do **not** change dispense from location)

Printed on Bag/Syringe Label: Drug, Dose, Total volume, Order Comments, Product Notes

Printed on Work Label: Drug, Product, Dose, Total volume, Order Comments, Product Notes, Fill Notes

Note: Click the Dose Calculator Icon  to see the target dose

Do NOT Change the Target Dose

Only change the “Dose Adjustment” (or Final dose) field via the Dosing Calculator. Indicate an Adjust Reason. Change Communication Type in the Verify window if a Verbal order.

Fields used in the calculation (Note: Actual weight = Dose Wt on the Banner Bar in Powerchart)

Comments tab:

NCDF supply will be documented in the ONC Payer Source drop-down. If the medication is usually NCDF but is going to be used formulary or compassionate, remove this field.

- This will bring you back to medmanager and will display two arrows on the entry, you will need to click the submit button to complete this step.

- The final step to the 1st verification is to return to the powerchart and “ACTIVATE” the order. This ensures it flows through to PPM for the 2nd verification.
 - To activate the order, navigate back to the systemic therapy section within the orders tab and click the word “Activate”

NS Health/IWK Health One Person One Record
Oncology Pharmacist Verification

- This will provide the ability to click the orders for signature button at the bottom right.

The screenshot shows a medication management interface. At the top, there are tabs for 'Add', 'Document Medication by Hx', 'Reconciliation', 'Check Interactions', 'External Rx History', and 'No Check'. Below these are links for 'Reconciliation Status', 'Meds History', 'Admission', and 'Outpatient'. The main area is titled 'Orders' and contains a 'View' sidebar on the left with options like 'Orders for Signature', 'ONCP BR DOCetaxel (21d) (Started)', 'ONCP DOCetaxel Pre-Treatment Plan', 'Labs (Future)', 'NCDF Funding (Planned)', 'Prescriptions (Completed)', 'Diagnoses & Problems', 'Related Results', 'Formulary Details', and 'Variance Viewer'. The main panel displays a table of orders with columns for 'Order Name', 'Status', 'Start', and 'Details'. The table lists several orders, including 'ONCP BR DOCetaxel ... Initiated ...' and 'VG NS CAN CTR Fin#QE2230001965 Admit: 2026-Mar-02 12:49 AST'. At the bottom right, a 'Sign' button is highlighted with a red box.

Activated Orders: 2nd Verification for a regular IV set

1. After the 1st verification is complete and the order has been activated in power chart the Active order requiring a 2nd verification with appear in the customized PPM. Select the order or orders you wish to verify for the patient and click process.

The screenshot shows a patient monitor interface for 'ZZZONCTEST, GARY'. It includes patient information such as MRN: 52158, DOB: 1958-Apr-11, Age: 67 years, Sex: Male, and Weight: 65 kg. The interface displays a list of orders, including 'DOCetaxel (DOCetaxel oncology) 175 mg = 17.5 mL, IV, inj, Day of Treatment, Total Volume (mL): 267.5, Administer over: 60 minutes, Stop Date: 2026-Mar-27 08:00 ADT, 2026-Mar-27 08:00 ADT'. At the bottom right, a 'Process' button is highlighted with a red box.

2. This will bring you to the med manager profile and auto populate with verify in the action column. Click apply at the bottom of the profile to begin the verification.

The screenshot shows a medication manager profile for 'ZZZONCTEST, GARY'. It includes patient information such as MRN: 52158, Age: 67 Years (1958-Apr-11), Sex: Male, and Location: VG NS CAN CTR. The interface displays a list of orders, including 'nivolumab (max 240mg) oncology 195', 'DOCetaxel + sodium chloride 0.9% intr...', and 'Time Zero None Day of Treatment Day 1'. At the bottom right, an 'Apply' button is highlighted with a red box.

NS Health/IWK Health One Person One Record
Oncology Pharmacist Verification

- The Action History window will appear. There is nothing to be modified or verified on this screen so simply hit the Ok button at the bottom to proceed.

nivolumab + sodium chloride 0.9% intravenous solution inj IV Day of Treatment 239 mL/hr Days 1

Status	Order Sentence	Start	Stop	Order Type
Discontinued	Days 1 nivolumab + sodium chloride 0.9% intraven...	2026-Mar-05 15:00 AST	2026-Mar-05 15:00 AS	INT

Unverified Event	Effs	Event Date/Time	User
Activate	20...	2026-Mar-05 15:01 AST	OPOR Test, PharmNet - Pharmacist Oncology

Vol	Drug	Dose	Ordered As
☒	nivolumab	195 mg / 19.5 mL [3 mg/kg]	nivolumab (max 240mg) oncology
☒	sodium chloride 0.9% intravenous s...	100 mL	Sodium Chloride 0.9% intravenous s...

Total volume: 119.5 mL

Rate: 239 mL/hr

Frequency: Day of Treatment

Route: IV

Dosage form: inj

Start d/tm: 2026-Mar-05 15:00 AST

Stop d/tm: 2026-Mar-05 15:00 AST

Stop type: Physician Stop

Duration:

Dispense category: IV Intermittent Hazardous

Dispense from: QEII Halifax Infirmary Main Pharmacy

Physician: OPOR Test, PharmNet - Pharmacist...

User defined details: ...

Link details: N/A

Total disp doses: 0

Start dispensing:

Schedule exceptions: N/A

Infuse over: 30 minutes

Replace every: N/A

PRN: No

Par dose: 0

PRN reason: pm reason

Billing formula: Standard

Billing description: Standard

Price: 3,813.34

Cost: 3,813.34

Research account:

Source order ID: N/A

Communication type: Written

Order priority: Routine

Contributor system: PowerChart

TPN details: N/A

Patient's Own Med: No

Alert History Reject **OK** Cancel

- This will bring you to the order for verification. Once reviewing all required information click the Ok button at the bottom. This will prompt a label to print, however there will not be any prompt box to indicate this printing has taken place.

Verify Intermittent Protocol Order Day 1

Drug:

Vol	Drug	Dose	Ordered As
☒	DOCEtaxel	175 mg / 17.5 mL [100 mg/m2]	DOCEtaxel oncology
☒	DOCEtaxel 10 mg/mL injection 16 mL		
☒	sodium chloride 0.9% intravenous ...	250 mL	Sodium Chloride 0.9% int...
☒	sodium chloride 0.9% 250 mL bag (DEHP-free/PVC-free)		

Total volume mL: 267.5
Ingredient volume mL: 267.5

*Route: IV Frequency: Day of Treatment PRN doses: Custom... PRN reason: (None) *Physician: OPOR Test, PharmNet - Pharmaci

*Rate: 267.5 mL/hr *Infuse over: 60 minutes

Treatment period duration: (None) Start date: 2026-Mar-27 Time: ADT 08:00 Stop date: 2026-Mar-27 Time: ADT 08:00 Stop type: Physician Stop

Previous scheduled administration: Next administration: Following: Remaining doses:

Order comments: Use non-DEHP bag and infusion set Product notes: Known Hazard. High Alert Med - Independent Double Check. Irritant. Do Not Shake.

Dosage form: inj *Communication type: Written Order priority: Routine Sequence: CHEMO Initial doses: 1 Initial quantity:

*Dispense category: IV Intermittent Hazardous *Dispense from location: QEII Halifax Infirmary Main Pharm Start dispense date: Time:

*Billing formula: Standard Price: \$1,012.77 Cost: \$1,012.77

☐ Patient's own med ☐ Auto calculate initial dose

Reject **OK** Cancel

- This brings you back to the med manager profile where you will need to click submit to complete your verification. Clicking Submit will generate a Label for preparation.

ZZZONCTEST, GARY

MRN: 123456789 | Age: 67 Years (1958 Apr 11) | Sex: Male | Location: VQ NS L500 C1117
 FIN: 230001965 | Race: | Admitted: 2026-Mar-02 12:49 AST | Physician: OPOR Test, Physician - Medical Oncology/Haematology

Enter a patient MRN: ZZZONCTEST, GARY

Demographics

- Height/Length: 170 cm
- Result Dt/Tm: 2026-Mar-03 08:1...
- Weight Dosing: 65 kg
- Result Dt/Tm: 2026-Mar-03 08:1...
- Serum Cr: 0
- Result Dt/Tm: 2026-Mar-03 08:1...
- BSA: 1.75 m²
- BSA Method: Mosteller
- BSW: 65.94 kg
- BSW Method: Devine
- CrCl (est.): MISSING DATA
- CrCl Method: Cockcroft-Gault (A...
- Diastolic Blo...

Patient Note(s)

Reason For Visit (1)

Allergies

Medications

Problems and Diagnoses

Rx Clinical Note(s)

Rx Interventions (1)

Acute Profile | Ambulatory Profile | Results | Interventions | Processing Orders

Drug:

Action	Order	Start	Stop
Active	DOCEtaxel + sodium chloride 0.9% intr...	2026-Mar-27 08:00 ADT	2026-Mar-27 08:00 ADT (p)
Active	irinotecan (max 240mg) oncology 195...	2026-Mar-06 08:00 AST	2026-Mar-06 08:00 AST (p)
Active	DOCEtaxel + sodium chloride 0.9% intr...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Active	Time Zero None Day of Treatment Day 1	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)
Active	Time Zero None Day of Treatment Day 1	2026-Mar-06 08:00 AST	2026-Mar-06 08:00 AST (p)
Active	Time Zero None Day of Treatment Day 1	2026-Mar-27 08:00 ADT	2026-Mar-27 08:00 ADT (p)
Active	Time Zero None Day of Treatment Day...	2026-Mar-04 08:00 AST	2026-Mar-04 08:00 AST (p)

Active Orders Inactive Orders

Submit Cancel Apply

Verifying a Syringe

Future Orders: 1st Verification for a Syringe

- Process orders from PPM or Search patient in Medication Manager
- In Medication Manager, assign the “Verify” action and click Apply
- Select the facility and location. ONLY verify the Days where no further clinical follow-up is needed. Select “Historical Migration” for Cutover.
- Manually select a Product or IV set or click on the Products tab to view all options. Syringes will be in IV sets.

Manual Product Select - DOXOrubicin 91.8 mg inj IV-direct Day of Treatment Day 1 inj

Ingredients:

- DOXOrubicin 91.8 mg / 45.9 mL
- DOXOrubicin oncology
- syringe 1 EA

Products (5) | IV Sets (1)

Description

- DOXOrubicin_ mg IV direct

Move >

Select >

Reset

OK Cancel

Last updated by: OPOR Test, PharmNet - Pharmacist - PharmNet - Written

Communication type: Written

Order comments:

User defined details:

Selected products:

Product	Dose	Unit	DspQty	QtyUnt
DOXOrubicin 2 mg/mL injec...	91.8	mg	0.459	vial

- Verify the Order. Ensure the **Order Comments or Product notes** contain “x syringes with x mg (x mL) per syringe”.

The screenshot shows the 'New Intermittent Order' form with several key areas highlighted for verification:

- Drug and Dose:** A red box highlights the drug selection area. Annotations include 'Confirm Drug and Dose' pointing to the drug name 'DOXOrubicin' and 'Click to Open Dosage Calculator' pointing to the 'Dose' field.
- Product:** A red box highlights the 'Product' field, which shows 'DOXOrubicin 2 mg/mL injection 100 mL syringe'.
- Route, Start and Stop date/time, Rate and Infuse over time:** A red box highlights the administration parameters, including Route (IV-direct), Frequency (Day of Treatment), Rate (456 mL/hr), and Infuse over (5 minutes).
- Order comments:** A red box highlights the 'Order comments' field, which contains the text: '2 Syringes with 38 mg (19 mL) per syringe' and 'Target Dose: DOXOrubicin 50 mg/m2'.
- Product notes:** A red box highlights the 'Product notes' field, which contains the text: 'Known Hazard. High Alert Med - Independent Double Check. Vesicant 48 hrs RT/14 d FT'.
- Dispense Category and Location:** A red box highlights the 'Dispense category' (IV Intermittent) and 'Dispense from location' (QEII Victoria General Main Pharm).
- Right-hand Panel:** A red box highlights the right-hand panel, which contains links for 'Review/select Product', 'Labels to Print', 'Additional Information', 'Change from infusion to medication/injection', 'Review Alerts/overrides', and 'Clinical documentation'.

Other annotations include 'Click to navigate to patient's Powerchart' pointing to the 'P' icon and 'Verify Total Volume' pointing to the 'Total volume mL' field.

- Click OK to Verify the order
- Click Submit in Medication Manager
- Navigate back to Powerchart and Activate the Days to prepare

Activated Orders: 2nd Verification for a Syringe

- Process orders from PPM or Search patient in Medication Manager
- Assign the “Verify” action and click Apply
- Click OK in the Action History window
- Manually select a Product or IV set, or click on the Products tab to view all options
- Verify Order. Ensure Order Comments **or** Product notes contain “x syringes with x mg (x mL) per syringe”.
- Click OK to Verify the order
- Click Submit in Medication Manager

NS Health/IWK Health One Person One Record
Oncology Pharmacist Verification

Verifying a Total Volume IV Set

Future Orders: 1st Verification for Total Volume IV Set

1. Process orders from PPM or Search patient in Medication Manager
2. In Medication Manager, assign the “Verify” action and click Apply
3. Select the facility and location. ONLY verify the Days where no further clinical follow-up is needed. Select “Historical Migration” for Cutover.
4. Manually select a Product or IV set **or** click on the Products tab to view all options. Total volume IV sets will have “**total volume**” in the name.

Manual Product Select - nTUXimab (Ruxience) oncology 575 mg IV Day of Treatment Day 1

Ingredients:

- ☒ nTUXimab 575 mg
- ☐ nTUXimab (Ruxience) oncology
- ☐ sodium chloride 0.9% intravenous solution X mL

Products (29) | IV Sets (1)

Description

- ☒ nTUXimab (Ruxience) _ mg rapid infusion in NaCl 0.9% 250 mL total volu...

Move >

Select >

Reset

OK

Cancel

Last updated by: OPOR Test, PharmNet - Pharmacist - PharmNet -

Communication type: Verbal

Order comments: Administer as standard (long) IV infusion, per Nova Scotia Health (NSH) IV Drug Therapy Manual.

User defined details:

Selected products:

Product	Fretext Dose	DspQty	Qty/Unit
sodium chloride 0.9% 250 mL bag (...)			

The dose entered did not match the dispensing strength and/or volume. Please enter a quantity per dose.

* Quantity per dose: 1 bag

OK

Cancel

Note: If prompted, input “1” in the Quantity per dose field and click OK

5. Verify the order. The Order Comments will note concentration (3 mg/mL). Calculate the volume of Sodium Chloride to add to prepare the total dose.
 - Total volume for a dose of 575 mg is 191.7 mL
 - Subtract 191.7 mL from the volume of Rituximab
 - Click on the “X mL” on the Dose field of Sodium Chloride and click **Modify**
 - Input the correct **mL** for Sodium Chloride and click **Update**

Verify Intermittent Protocol Order Day 1

Drug: sodium chloride 0.9% intravenous solution

Dose: 134.2 mL

Ordered as: (None)

Update

Remove

Modify

Vol	Drug	Dose	Ordered As
☒	nTUXimab	575 mg / 57.5 mL [370.9677 mg/mL]	nTUXimab (Ruxience) on...
☒	nTUXimab (Ruxience) 10 mg/mL injection 50 mL		
☒	sodium chloride 0.9% intravenous ...	X mL	
☒	sodium chloride 0.9% 250 mL bag (DEHP-free/PVC-free)		

Total volume mL: 57.5

Ingredient volume mL: 57.5

- The Total Volume field will now read 191.7 mL

Verify Intermittent Protocol Order Day 1

Drug:

Vol	Drug	Dose	Ordered As
57.5 mL	nTUXimab	575 mg / 57.5 mL [370.9677 mg/mL]	nTUXimab (Ruxience) on...
134.2 mL	nTUXimab (Ruxience) 10 mg/mL injection 50 mL		
	sodium chloride 0.9% intravenous ...		
	sodium chloride 0.9% 250 mL bag (DEHP-free/PVC-free)		

Total volume mL: 191.7

Ingredient volume mL: 191.7

* Route: IV Frequency: Day of Treatment: Custom... PRN doses: PRN reason: (None) * Physician: Colwell, Bruce, MD

* Rate: 17 mL/hr * Infuse over: 676.6 minutes

Treatment period duration: (None) Start date: Original 2026-Jan-09 08:30 AST Stop date: 2026-Jan-09 08:30 Stop type: Physician Stop

Previous scheduled administration: Next administration: Skip Following: Skip Remaining doses:

Order comments: Concentration 3 mg/mL. Administer as standard (long) IV infusion, per Nova Scotia Health (NSH) IV Drug Therapy Manual.

Product notes: High Alert Med - Independent Double Check Do Not Shake 48 hrs RT/9 d FT

Dosage form: inj * Communication type: Electronic Order priority: Routine Sequence: CHEMO

* Dispense category: IV Intermittent Hazardous * Dispense from location: QEB Victoria General Main Pharm Initial doses: 0 Initial quantity:

* Billing formula: Standard Start dispense date: Time: Price: Cost:

☐ Patient's own med ☐ Auto calculate initial dose

Reject OK Cancel

6. Click OK to Verify the order
7. Click Submit in Medication Manager
8. Navigate back to Powerchart and Activate the Days to prepare

Activated Orders: 2nd Verification for Total Volume IV Set

1. Process orders from PPM or Search patient in Medication Manager
2. Assign the "Verify" action and click Apply
3. Click OK in the Action History window
4. Manually select a Product or IV set, or click on the Products tab to view all options
5. Verify Order. Double check drug and diluent volume to prepare a total volume with concentration 3 mg/mL.
6. Click OK to Verify the order
7. Click Submit in Medication Manager

Verifying an Infusor

Future Orders: 1st Verification for a Fluorouracil Infusor

1. Process orders from PPM or Search patient in Medication Manager
2. In Medication Manager, assign the “Verify” action and click Apply
3. Select the facility and location. ONLY verify the Days where no further clinical follow-up is needed. Select “Historical Migration” for Cutover.
4. Manually select a Product or IV set, or click on the Products tab to view all options

Note: Dose banding is applied in the builds of the IV sets. You will notice the dose above will fall into the range of the outsourced prefilled infusor listed below it.

- **Pre-Filled Infusors** are in the Products tab. Note: Click “All Routes and Dosage Forms” and unselect “Linked Products” to view all prefilled infusors.

Manual Product Select - fluorouracil 48hr infusor oncology 3,500 mg IV Day of Treatment Day 1, 3

Ingredients:

- fluorouracil 3,500 mg
- fluorouracil 48hr infusor oncology

Filter Options

- ☒ All Routes and Dosage Forms
- ☐ Route / Dosage Form compatible
- ☐ Ordered Dosage Form
- ☐ Linked Products

Products (7) | IV Sets (3)

Description	Pro...
fluorouracil 3200 mg/230 mL D5W prefilled infusor (outsourced)	320...
fluorouracil 3600 mg/230 mL D5W prefilled infusor (outsourced)	360...
fluorouracil 4000 mg/230 mL D5W prefilled infusor (outsourced)	400...
fluorouracil 4400 mg/230 mL D5W prefilled infusor (outsourced)	440...
fluorouracil 4800 mg/230 mL D5W prefilled infusor (outsourced)	480...
fluorouracil 50 mg/mL injection 100 mL	50 ...
fluorouracil 5250 mg/230 mL D5W prefilled infusor (outsourced)	525...

Move >

Reset OK Cancel

- Compounded infusors will be in the IV Sets tab

Manual Product Select - fluorouracil 48hr infusor oncology 3,500 mg IV Day of Treatment Day 1, 3

Ingredients:

- fluorouracil 3,500 mg
- fluorouracil 48hr infusor oncology

Filter Options

- ☒ All Routes and Dosage Forms
- ☐ Route / Dosage Form compatible
- ☐ Ordered Dosage Form
- ☐ Linked Products

Products (1) | IV Sets (4)

Description
fluorouracil __ mg IV direct
fluorouracil __ mg over 48h in D5W 230 mL total volume infusor
fluorouracil Peds __ mg in D5W 250 mL
fluorouracil Peds __ mg in D5W 50 mL

Select >

Reset OK Cancel

- If selecting the IV set, input “1” in the Quantity per dose field

- Calculate the Volume of Dextrose to a total volume of 230 mL (total volume will be in the Product notes). Select the Dose field and click Modify and enter the mL required.

5. Complete all verification fields as per above, enter the duration in the infusor over boxes and click OK.

Activated Orders: 2nd Verification for a Fluorouracil Infusor

1. Process orders from PPM or Search patient in Medication Manager
2. Assign the “Verify” action and click Apply
3. Click OK in the Action History window
4. Manually select a Product or IV set **or** click on the Products tab to view all options. The “Products” tab contains pre-filled infusors whereas the “IV Set” tab contains compounded infusors.
5. Verify Order
6. Click OK to Verify the order
7. Click Submit in Medication Manager

Verifying an Subcutaneous Syringe

Future Orders: 1st Verification for a Subcutaneous Syringe

1. Process orders from PPM or Search patient in Medication Manager
2. In Medication Manager, assign the “Verify” action and click Apply
3. Select the facility and location. ONLY verify the Days where no further clinical follow-up is needed. Select “Historical Migration” for Cutover.
4. Manually select a Product or IV set or click on the Products tab to view all options. Ensure you are selecting the IV set.

Manual Product Select - azaCITIDine 131.25 mg / 13.13 mL inj subcut Day of Treatment Days 1 to 7 inj

Ingredients:

☒ azaCITIDine 131.25 mg / 13.13 mL
azaCITIDine oncology

Products (0) IV Sets (4)

Description

- azaCITIDine _ mg subcut
- azaCITIDine Peds _ mg in NaCl 0.9%
- azaCITIDine Peds (25 to 49.9 mg) _ mg in NaCl 0.9% 25 mL
- azaCITIDine Peds (50 to 333 mg) _ mg in NaCl 0.9% 50 mL

Move >

Select >

Reset

Last updated by: OPOR Test, PharmNet - Pharmacist Oncology - P

Communication type: Written

Order comments:

User defined details:

Special Instructions: See administration notes in the PowerPlan.

Selected products:

Product	Dose	Unit	DspQty	QtyUnt
azaCITIDine 100 mg injection	131.25	mg	2	vial

OK Cancel

- Review the relevant information as listed above, click the comments button highlighted Orange to review any addition notes and click OK to verify.

Note: The Dispense category will be “IV Intermittent Hazardous” despite being a subcutaneous syringe. The Dispense category determines the label category.

Verify Intermittent Protocol Order Days 1 to 7

Drug: azaCITIDine 100 mg injection

Dose: 131.25 mg / 13.13 mL [75 mg/m2]

Ordered As: azaCITIDine oncology

Route: subcut

Frequency: Day of Treatment

Rate: 13.13 mL/hr

Infuse over: 1 hr

Start date: 2026-Mar-07

Time: 08:00

Stop date: 2026-Mar-13

Time: 08:00

Physician: PharmNet - Pharmacist Oncology

Dispense category: IV Intermittent Hazardous

Comments

OK

Activated Orders: 2nd Verification for a Subcutaneous Syringe

- Process orders from PPM or Search patient in Medication Manager
- Assign the “Verify” action and click Apply
- Click OK in the Action History window
- Manually select a Product or IV set **or** click on the Products tab to view all options. Ensure the IV set for the subcutaneous syringe is selected.
- Verify Order
- Click OK to Verify the order
- Click Submit in Medication Manager

Verifying Compassionate Supply

Future Orders: 1st Verification for Total Volume IV Set

1. Process orders from PPM or Search patient in Medication Manager
2. In Medication Manager, assign the “Verify” action and click Apply
3. Select the facility and location. ONLY verify the Days where no further clinical follow-up is needed. Select “Historical Migration” for Cutover.
4. Manually select a Product or IV set **or** click on the Products tab to view all options.
Compassionate Supply will have their own IV sets with “compassionate supply” in the title.

The screenshot shows the 'Manual Product Select' window for 'Pembrolizumab (max 200 mg) oncology 200 mg IV Day of Treatment Days 1'. The window is divided into several sections:

- Ingredients:** A list containing 'pembrolizumab 200 mg' and 'Pembrolizumab (max 200 mg) oncology'.
- Products (2) | IV Sets (16):** A list of products and IV sets. The product 'pembrolizumab (compassionate) 200 mg in NaCl 0.9% 50 mL' is highlighted with a red box. A 'Select >' button is at the bottom right of this list.
- Move >** A button located between the product list and the selected products table.
- Selected products:** A table with columns: Product, Dose, Unit, DispQty, QtyUnit. It is currently empty.
- Other fields:** 'Last updated by: OPOR Test, PharmNet - Pharmacist - PharmNet -', 'Communication type: Written', 'Order comments: Use 0.2 micron in-line filter', and 'User defined details: ONC Payor Source: NCDF'.
- Buttons:** 'Reset', 'OK', and 'Cancel' are at the bottom.


5. Verify the order with Compassionate supply IV set selected.
6. Click OK to Verify the order
7. Click Submit in Medication Manager
8. Navigate back to Powerchart and Activate the Days to prepare

Activated Orders: 2nd Verification for Total Volume IV Set

1. Process orders from PPM or Search patient in Medication Manager
2. Assign the “Verify” action and click Apply
3. Click OK in the Action History window
4. Manually select a Product or IV set **or** click on the Products tab to view all options. Ensure the **Compassionate supply IV set** is selected.
5. Verify Order
6. Click OK to Verify the order
7. Click Submit in Medication Manager

Modifying a Dose on Powerchart

1. Navigate to the Orders tab in Powerchart and select the "ONCP" Powerplan. Click the + by Plans and + by Oncology.




ONC = Regimen

ONCP = PowerPlan/Cycle

2. Click the Dose Calculator icon by the medication if the order is not signed yet.

☒	Time Zero	Planned	0 hr
☒	 ritUXimab (ritUXimab (Ruxience) oncology) 575 mg/m ² , IV, Day of Treatment Administer as standard (long) IV infusion, per Nova Scotia Health (NSH) IV Drug Therapy Manual.	Planned	0 min
☒	 DOXOrubicin (DOXOrubicin oncology) 50 mg/m ² , IV-direct, Day of Treatment	Planned	+300 min
☒	 vinCRiStine (vinCRiStine oncology) 2 mg, IV, Day of Treatment, Administer over: 15 minutes Administer via gravity infusion	Planned	+340 min
☒	 cyclophosphamide (cyclophosphamide oncology) 750 mg/m ² , IV, Day of Treatment, Administer over: 30 minutes	Planned	+355 min

- If the order is signed, right click and select "Modify". If the order is modified in a Future Status **prior to verification**, the order will remain in a Future status. Modifying unverified orders may only be completed in Powerchart (not Medication Manager).



- Select the Dose Calculator in the Ingredient Details or the Details section

▼ Details for **riTUXimab (riTUXimab (Ruxience) oncology)**

Details **Ingredient Details**

Ingredients	Dose	Rate	Infuse Over	Frequency	Duration
riTUXimab (Ruxience) oncology	573.75 mg			Day of Treatment	
Total Volume		mL			

▼ Details for **riTUXimab (riTUXimab (Ruxience) oncology)**

Details Ingredient Details

+

Note: Always use the Dosage Calculator to change the Dose. This will ensure the Target Dose is maintained for subsequent cycles.

- Change the Dose Adjustment field and select an Adjust Reason or free text in the box. Click Apply. Do NOT change the Target Dose.

Dosage Calculator

riTUXimab (Ruxience) oncology

Dose Values

1) Target dose: 375 mg/m²

2) Calculated dose: 573.75 mg

3) Dose Adjustment: 545 mg 95 %

4) Final dose: 545 mg 356.2092 mg/m²

5) Standard dose: mg mg/m²

6) Rounding rule: Manually Entered

7) Adjust Reason: Discussed with oncologist - JennC RPH

8) Route: IV

Reference Data

Date of birth: 1992-Jan-15 (34 Years)

Sex: Female

Ethnicity:

Height: 140 cm Source: 2026-Feb-12 12:44 140.00 cm Height/Length Measured

Actual weight: 60 kg Source: 2026-Feb-12 12:44 60.000 kg Weight Dosing

Adjusted weight: 60 kg Adjustment: Actual (no adjustment)

Serum creatinine: umol/L Source: Manually entered

CrCl (est.): Algorithm: Cockcroft-Gault (Adjusted Weight) BMI > 25 Missing data

Weight Used for CrCl: %

Body surface area: 1.53 m² Algorithm: Mosteller

► Last Dose Calculation

Formulae... Standard Dose Reference

Apply Standard Dose **Apply Dose** Cancel

Complete further documentation via:

- Completing an Rx Intervention in Medication Manager upon verification
- In the Documentation tab as a Pharmacy Progress Note
- Pharmacy Clinical Intervention Powerform via the AdHoc folder if required


Note: Click Refresh if required

Some reference data being viewed was carried forward from prior conversation. To edit or use most recent values, refresh reference values Refresh

- If signing independently, click Orders for Signature and Sign

Orders For Signature → Sign


- If a verbal order from an oncologist, right click the order on the Powerplan **prior to signing** and click "Ordering Physician"



- Search for the provider and select “Verbal with Readback” or “Phone with Readback”. This will route to the providers Message Center for co-signature. Click OK.


Co-signature icon:

- Then click Orders for Signature and Sign



Pre-Treatment Powerplans Powerchart

1. Navigate to Orders section in Powerchart and click Add
2. Search for a Pre-Treatment plan by typing ONCP (hit “enter” on your keyboard if unable to find correct regimen on Search bar)
 ONC = Regimen
 ONCP = PowerPlan/Cycle



3. Complete information in Add Plan box and click OK

ZZTEST, RPHARMJENN - Add Plan

ONCP CHOP Pre-Treatment Plan

Select Visit and Start Time

☐ This Visit
☐ Future Inpatient Visit
☒ **Future Outpatient Visit**

Estimated Start Date of Pre-Treatment Tests Diagnostic Imaging

☐ In Day(s)
☐ In Week(s)
☐ In Month(s)

Est. start 2026-Mar-07 0800 AST

Confirm Phase Action

Phase	Start Date/Time	Action
Pre-Treatment Tests & Diagnostic Imaging	*Est. 2026-Mar-07 08:00 AST	Order for future visit
Labs	*Est. 2026-Mar-07 08:00 AST	Order for future visit
NCDF Funding	2026-Mar-07 08:00 AST	Order now
Prescriptions	2026-Mar-07 08:00 AST	Order now

OK Cancel

4. Click Done on the Add Order window

5. Click on the Prescriptions section in the Pre-Treatment plan. Select medications by clicking the Box. The blue X indicates required details are missing.

ZZTEST, RPHARMJENN - 51768

Orders Medication List Document In Plan

View


- Plans
 - Document In Plan
 - Medical
 - Interdisciplinary
 - Oncology
 - ONCP CHOP Pre-Treatment Plan
 - Pre-Treatment Tests & Diagnostic Imaging
 - Labs (Future Pending)
 - NCDF Funding (Initiated Pending)
 - Prescriptions (Initiated Pending)**

Diagnoses Add to Phase Check Alerts Comments Start: 2026-Mar-07 08:00 AST Duration: None


ONCP CHOP Pre-Treatment Plan, Prescriptions (Initiated Pending)

Component	Status	Dose	Details
Tumor Lysis Syndrome Prophylaxis: allopurinol recommended for cycle 1. Order if appropriate.			
allopurinol (allopurinol 300 mg oral tablet)		300 mg, PO, daily, Start day prior to chemother...	
netupitant-palonosetron (netupitant-palonosetron 30...		See Instructions, 1 capsule po 60 min pre-che...	
olanzapine (olanzapine 2.5 mg oral tablet)		2.5 mg. See Instructions, PO, BID, First dose 30 ...	
prednisone (prednisone 50 mg oral tablet)		100 mg, PO, daily, Take on Day 1 to Day 5, # 30 ...	
Growth Factor Support: primary prophylaxis with G-CSF recommended for diffuse large B-cell lymphoma (DLBCL) patients greater than or equal to 65 years of age. Please order if appropriate.			
pegfilgrastim (Lapella 6 mg/0.6 mL subcutaneous sol...		See Instructions, 6 mg subcut x 1 dose on Day ...	


6. Right click the order and select Modify



Note: For inpatient orders, right click and “Convert to Prescription” or change the “Type” in the Add Order Window to “Prescription”



- Complete remaining order details and select a Send To location (i.e., Community Pharmacy or Print)



- Repeat steps above for remaining Prescriptions. When complete, navigate to the other sections of the Pre-Treatment Plan then click Orders for Signature.
- When complete, click Orders for Signature

Orders For Signature

- In the Diagnosis Selection box, select Apply Diagnosis to All Phases and click OK

☒ Apply Diagnosis to All Phases

- Click Sign

Skiping a Regimen

- Navigate to Orders section in Powerchart and click Add
- Search for a Regimen by typing “ONC” (hit “enter” on your keyboard if unable to find correct regimen on Search bar)

ONC = Regimen

ONCP = PowerPlan/Cycle

- Complete information in Add Plan box. Enter cycle, visit start time and estimated start date. Click OK. **Note:** Information should automatically populate in fields for future cycles.


- Regimen Phase-Chemotherapy Cycle will display in details panel. Click Skip to move to the next Powerplan.

Changing Dosing Weight:


Update the Patient's Dosing weight, which is on the Banner Bar. Dosing Weight is used in the Dosage Calculator to automatically calculate weight-based medications.

1. Using a Powerform


- Click AdHoc on the Toolbar



- Select the Pharmacist Dosing Weight Review (or Height, Weight and Allergy rule) and click Chart



- Input the new Dosing Weight, click the green checkmark and Sign



- Click Refresh. The Dose Weight will now update in the Banner bar and be used in the Dosage Calculator for weight-based orders.



2. Using iView

- Select ONC System Assessment
- Expand Measurements

- Document Height Measured & Weight Measured and click green checkmark when complete.
- Click the green check mark
- Click on the BSA Calculator to automatically calculate BSA


Measurements			
Height/Length Measured	cm		
Patient Stated Height/Length	cm		
Weight Measured	kg	47	45

- Click the green checkmark to Sign



Tips:

- If the following screen displays, select “Intermittent” to enable selection of the IV set



Select Product Type


Order sentence:
epirubicin 153 mg / 76.5 mL inj IV-direct D...

The type of product could not be determined.
Please specify which type this is.

☐ Med
☒ Intermittent
☐ Continuous


OK Cancel

- Ensure Sequence is “CHEMO” to ensure the medication goes to the correct Workflow Monitor queue (for dispensing)




Sequence:
CHEMO

- “Dispense category” determines the label type. For subcut syringes, the Dispense category will be “IV Intermittent Hazardous” to ensure the appropriate label prints in the correct location.



* Dispense category:
IV Intermittent Hazardous

- If this “Quantity per dose” displays on Product selection, input “1”



syringe

The dose entered did not match the dispensing strength and/or volume. Please enter a quantity per dose.

* Quantity per dose:
mL

OK Cancel

Changing Products in an IV set:

If changing the Product (vial strength/size) in the IV set, the Product Notes and Fill Notes will DELETE. If required, complete the following steps and contact Pharmacy to build additional IV sets.

1. Copy and Paste the Fill Notes to Product Notes. Order Comments do NOT delete when you select different Products. Click OK on the Comments tab.

Order comments:

Product notes:

Reproductive Hazard
High Alert - Independent Double Check
Do Not Shake
4 hrs RT/24 hrs FT

Fill notes:

During reconstitution direct SWI against the side of the vial to minimize foaming.
Swirl gently
Prepare doses greater than 100mg in empty container due to capacity

Comments...

2. Copy the content in the Product notes

Product notes:

Reproductive Hazard
High Alert - Independent Double Check
Do Not Shake
4 hrs RT/24 hrs FT
During reconstitution direct SWI against the side of the vial to minimize foaming.
Swirl gently
Prepare doses greater than 100mg in empty container due to capacity

3. Select the required vial strengths/sizes in the Product tab and Move to the correct sections. Click OK when complete.

Manual Product Select - carfilzomib + Dextrose 5% in Water intravenous solution inj IV 0 mL/hr inj

Ingredients:

☒ carfilzomib 70 mg / 35 mL
☒ Dextrose 5% in Water intravenous solution 100 mL
D5W

Filter Options

☐ All Routes and Dosage Forms
☐ Route / Dosage Form compatible
☒ Ordered Dosage Form

Products (2) IV Sets (4)

Description

carfilzomib (Kyprolis) 10 mg injection 10 ...
carfilzomib (Kyprolis) 30 mg injection 30 ...

Move >

Selected products:

Product	Dose	Unit	DspQty	QtyUnit
carfilzomib (Kyprolis) 60 mg...	70	mg	2	vial

Reset OK Cancel

- Change the Doses to equal the calculated dose (70 mg). **SINGLE** click on the Dose field, do not double click. Click OK when complete.

Selected products:

Product	Dose	Unit	DspQty	Qty/Unit
carfilzomib (Kypriol) 60 mg...	70	mg	2	vial
carfilzomib (Kypriol) 10 mg...	10	mg	1	vial

Selected products:

Product	Dose	Unit	DspQty	Qty/Unit
carfilzomib (Kypriol) 60 mg...	60	mg	1	vial
carfilzomib (Kypriol) 10 mg...	10	mg	1	vial

OK Cancel

- The IV Set Product Notes Delete, and individual Product Notes display. Delete these Product Notes and Paste the Copied Product notes for the IV set.

Product notes:

Reproductive Hazard.
High Alert - Independent Double Check

Product notes:

Reproductive Hazard
High Alert - Independent Double Check
Do Not Shake
4 hrs RT/24 hrs FT
During reconstitution direct SWI against the side of the vial to minimize foaming.
Swirl gently
Prepare doses greater than 100mg in empty container due to capacity

- Move Fill notes from Product notes to the appropriate section on the Comments tab. Click OK.

Order comments:

Product notes:

Reproductive Hazard
High Alert - Independent Double Check
Do Not Shake
4 hrs RT/24 hrs FT

Fill notes:

During reconstitution direct SWI against the side of the vial to minimize foaming.
Swirl gently
Prepare doses greater than 100mg in empty container due to capacity

Comments:

OK Cancel

- Change the Sequence to **"CHEMO"**, Dispense category **"IV Intermittent Hazardous"** and Dispense from location the 5D Chemo Room. Click OK to verify.

Dispense form:

Sequence: CHEMO

Dispense category: (None)

Dispense from location: (None)

OK Cancel