



Pharmacist Verification & Med Manager

Verify an Order in Medication Manager

1. From Pharmacy Patient Monitor, click Process under the Inpatient orders section (or View to open Medication Manager without associating the order with the Verify action)

Verify **STAT** (red band) or **NOW** (orange band) orders first

The screenshot shows the Pharmacy Patient Monitor interface for patient ZZTEST, RPHARMJENN. The patient's MRN is 51768, DOB is 1992-Jan-15, Age is 34 years, Sex is Female, and Weight is 70 kg. The interface displays a list of inpatient orders. The first order is for cefazolin 2,000 mg, IV, inj, q8h, Administer over: 30 minutes, Total volume: 100, 2026-Jan-16 13:50 AST. The status is Ordered, and the Rx priority is NOW. The second order is for acetaminophen 975 mg = 3 tab, PO, tab, q6h, 2026-Jan-16 14:53 AST. The status is Ordered, and the Rx priority is NOW. The interface includes a 'Process' button highlighted with a red box.

2. Medication Manager automatically displays, and the verify action defaults. Click Apply.

The screenshot shows the Medication Manager interface with the 'Verify' window open. The window displays a table of orders with columns for Action, Status, Order Sentence, Start, Stop, and Order Type. The first order is for cefazolin + sodium chloride 0.9% intravenous solution inj IV q8h, 2026-Jan-16 13:50 AST, with a status of Active. The second order is for acetaminophen 975 mg / 3 tab tab PO q6h, 2026-Jan-16 14:53 AST, with a status of Active. The 'Verify' action is selected for both orders. The 'Apply' button is highlighted with a red box.

3. Complete a Manual Product Selection if needed. **Click the Product tab in the Verify window to confirm the correct product was selected.**

- Review Products and IV Sets tab
- Select the product (pre-mixed bags) or IV sets (compounded)
- Click Move
- Click OK
- Input a Quantity of 1 if prompted

The screenshot shows the 'Product...' tab in the Verify window. It contains a list of buttons: Product..., Printing..., Comments..., Order Type, Alert History..., Rx Intervention, and Lot Info. The 'Product...' button is highlighted with a red box.

In the following example **auto-product assigned** to the IV set. Change to pre-mixed bag in Products tab.

Note: all pre-mixed bags will be in the Products tab (not the IV set tab). The IV set tab will only contain IVs that are mixed by pharmacy.

Manual Product Select - cefazolin + sodium chloride 0.9% intravenous solution inj IV q8h inj

Ingredients:

- ☒ cefazolin 2,000 mg / 100 mL
- ☒ sodium chloride 0.9% intravenous solution 100 mL

Filter Options

☐ All Routes and Dosage Forms ☒ Linked Products

☐ Route / Dosage Form compatible

☒ Ordered Dosage Form

Products (5) | IV Sets (4)

Description	Prod Info
cefazolin 10 g injection	10 g inj
cefazolin 100 g injection	100 g inj
cefazolin 2000 mg/10 mL SWI (200 mg/mL) syringe (cpd)	2000 mg inj
cefazolin 2000 mg/100 mL NaCl 0.9% (20 mg/mL) bag (o...	20 mg/mL inj
cefazolin 500 mg injection	500 mg inj

Move >

Last updated by: OPOR Test, PharmNet - Pharmacist - PharmNet -

Communication type: Written

Order comments:

User defined details: Antimicrobial Indication: Bacteremia

Selected products:

Product	Dose	Unit	DspQty	Qty/Unit
cefazolin 1000 mg injection	2,000	mg	2	vial

Reset OK Cancel

- Move the 1000 mg injection back to the Products tab and click OK

Products (4) | IV Sets (4)

Description	Prod Info
cefazolin 10 g injection	10 g inj
cefazolin 100 g injection	100 g inj
cefazolin 2000 mg/10 mL SWI (200 mg/mL) syringe (cpd)	2000 mg inj
cefazolin 500 mg injection	500 mg inj

< Move

Selected products:

Product	Dose	Unit	DspQty	Qty/Unit
cefazolin 1000 mg injection	2,000	mg	2	vial
cefazolin 2000 mg/100 mL ...	2,000	mg	1	bag

Reset OK Cancel

- Click on the sodium chloride 0.9% and click Remove

Verify Intermittent Order

Drug:

Vol	Drug	Dose	Ordered As
☒	cefazolin	2,000 mg / 100 mL	cefazolin
☒	cefazolin 2000 mg/100 mL NaCl 0.9% (20 mg/mL) bag (outsourced)		
☒	sodium chloride 0.9% intravenous sol...	100 mL	Sodium Chloride 0.9% int...
☒	sodium chloride 0.9% 100 mL bag		

Update Remove Modify

Total volume mL: 200

Ingredient volume mL: 200

- Remaining product will be the pre-mixed bag. Confirm the Total volume is correct.

Vol	Drug	Dose	Ordered As
☒	cefazolin	2,000 mg / 100 mL	cefazolin
	cefazolin 2000 mg/100 mL NaCl 0.9% (20 mg/mL) bag (outsourced)		

Update

Remove

Modify

Total volume mL:
100

Ingredient volume mL:
100

Verify Window:

Verify Intermittent Order

Vol	Drug	Dose	Ordered As
☒	cefazolin	2,000 mg / 100 mL	cefazolin
	cefazolin 2000 mg/100 mL NaCl 0.9% (20 mg/mL) bag (outsourced)		

* Route: IV * Frequency: q8h * PRN doses: ☐ PRN reason: (None) * Physician: OPOR Test, PharmNet - Pharmac

* Rate: 200 mL/hr * Infuse over: 30 minutes * Stop date: ****-**-** * Stop type: Physician Stop

Duration: (None) Start date: Original 2026-Feb-20 09:26 AST Stop date: ****-**-** Time: 22:00

Previous scheduled administration: A... * Next administration: AST ☐ Skip Following: AST ☐ Skip

2026-Feb-20 09:26 2026-Feb-20 14:00 2026-Feb-20 22:00

Order comments: Face up on the MAR – add order details (i.e., re-assess in 5 days)

Product notes:

Disposal form: inj * Communication type: Written Order priority: NOW Sequence: COMPOUND Initial doses: 3 Initial quantity:

* Dispense category: IV Intermittent * Dispense from location: QEII Halifax Infirmary Main Pharm * Billing formula: Standard

Price: \$0.00 Cost: \$0.00

☐ Patient's own med ☒ Auto calculate initial dose

Reject OK Cancel

Do **not** change the Ordered As field (Cancel and Void and create new order)

Modify to change the dose

Double check Total Volume

Confirm Rate and Infuse over time (for intermittent infusions, may need to populate "0")

Add pertinent information in the Order comments section (crosses over from CPOE)

Sequence is for Workflow Monitor categories

Ensure Dispense from location & initial doses is correct (Do **not** change dispense from location). If in Pyxis, will display as "HI 8.4 ADC"

Orange = Look at me **Yellow** = Required field **Aqua/Blue** = Modification

- Review Comments tab

- Select Rx Intervention to complete a Clinical Pharmacy Powerform
 - Alerts that were bypassed on CPOE will display in Alert History
4. Click **OK to Verify** the order, Reject to decline the order, or Cancel to stop the verification

5. Click **Submit** in Medication Manager

Note: the double chevron symbol indicates the action is complete but NOT submitted and will remain as a pending action

Action	Status
	Active

****The Skip function does not flow to Pyxis (pyxis will continue to have that “Skipped” time). See below for MAR if the skip function is not used.**

Click the **Powerchart** icon to navigate to the patient's chart to review their MAR

Orange = Look at me

MAR if the Skip function is not used:

The next Standard Admin Time (12:00) for q6h remains even with the NOW dose at 11:20.

Medications	2025-Nov-29 00:00 AST	2025-Nov-28 18:00 AST	2025-Nov-28 16:00 AST	2025-Nov-28 12:00 AST	2025-Nov-28 11:27 AST	2025-Nov-28 11:20 AST
Scheduled						
ampicillin 1,000 mg, IV, inj, q6h, hr, Total volume: 10, 2025-Nov-28 11:20 AST DDG: Meningitis Dosing; Max 2000 mg/dose ampicillin	1,000 mg	1,000 mg		1,000 mg		NOW

Nursing will receive an error Nursing Receives if they administer the next dose (12:00) after the 11:20 NOW dose.

MAR if the Skip function is used:

The standard administration time of 12:00 will be skipped and the next administration time will be 18:00.

Medications	2025-Nov-29 06:00 AST	2025-Nov-29 02:00 AST	2025-Nov-29 00:00 AST	2025-Nov-28 18:00 AST	2025-Nov-28 16:00 AST	2025-Nov-28 12:37 AST	2025-Nov-28 11:27 AST	2025-Nov-28 11:20 AST
Scheduled								
ampicillin 1,000 mg, IV, inj, q6h, Administer over: 0 hr, Total volume: 100, 2025-Nov-28 12:05 AST DDG: Meningitis Dosing; Max 2000 mg/dose ampicillin	1,000 mg		1,000 mg	1,000 mg				NOW

Add an Order using Medication Manager:

1. Search the drug name in the search bar and click Add

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

ramipril

Add

2. Select the correct product and click OK

Product Search

Main Settings

Identifiers

☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type

☒ Product ☒ IV Set ☒ Order Set ☒ Compound

Order Type

☒ Medication ☒ Intermittent ☒ Continuous

Search for:

ramipril

Search

Order ...	Mnemonic	Generic Name	Strength / Form	Description
M	rami1.25Cap	ramipril	1.25 mg / 1 cap cap	ramipril 1.25 mg capsule
M	rami2.5Cap	ramipril	2.5 mg / 1 cap cap	ramipril 2.5 mg capsule
M	rami5Cap	ramipril	5 mg / 1 cap cap	ramipril 5 mg capsule
M	rami10Cap	ramipril	10 mg / 1 cap cap	ramipril 10 mg capsule

Show all manufacturers

OK Cancel

3. In the New Med Order window, ensure the dose is correct and click Update (Note: if you are changing the dose, **include unit of measure** i.e., **mg**)

New Med Order

Drug: ramipril

Dose: 5 mg

Ordered as: (None)

Update

Remove

Modify

4. Populate required details (**Yellow** = Required field)

New Med Order

Drug: ramipril 5 mg capsule

Dose: 5 mg / 1 cap

Ordered As

Update

Remove

Modify

* Route: (None)

* Frequency: (None)

* Start date: ****_**_**

* Time: ****_**_**

* Stop type: No

* Physician: [Yellow Highlighted]

Tip: Use the **MRP** on the **Banner Bar** if the Physician is unknown

5. Add any additional details and click OK

Orange = Look at me

See utilization of the **Skip** functionality above

Order Comments are face-up on the MAR

Example on MAR:

ramipril
5 mg = 1 cap PO cap, daily, 2026-Feb-25 08:41 A
Hold if SBP < 100
ramipril

6. Click Submit


Note: Orders entered via Medication Manager are **automatically verified**. Orders entered via Powerchart will go to Pharmacy Patient Monitor and require pharmacist verification.

Other Actions in Medication Manager:

Modifying an Order


Orders require pharmacist verification prior to completing the Modify action in Medication Manager. If the order is not verified, select the Verify action and perform modifications in the Verify window. **Only use the Modify action if changing/adding comments, notes, Initial Doses, Communication Type, Sequence, or Dispense Category.** If changing frequency or dose, use the Copy action and Discontinue the original order.

1. Select the Modify action




The screenshot shows a dropdown menu with the following options: Intervene, Label, Modify, Pass, Reject, Reschedule, Verify, and Void. The 'Modify' option is selected and highlighted in blue.

2. Click Apply



The screenshot shows three buttons: 'Submit', 'Cancel', and 'Apply'. The 'Apply' button is highlighted with a red border.

3. In the Modify order window, update the Order comments (do NOT change dose or frequency, use Copy action as shown below)




The screenshot shows the 'Modify Med Order' window. The 'Order comments' field is highlighted with a red border and contains the text 'Hold if SBP < 110 or potassium > 5'. Other fields include Drug (ramipril), Dose (5 mg / 1 cap), Route (PO), Frequency (daily), and Stop date (2026-Feb-27).

4. Click OK to Verify



The screenshot shows two buttons: 'OK' and 'Cancel'. The 'OK' button is highlighted with a red border.

5. Click Submit




The screenshot shows three buttons: 'Submit', 'Cancel', and 'Apply'. The 'Submit' button is highlighted with a red border.

Copy and Discontinue an Order


Orders require pharmacist verification prior to completing the Copy action in Medication Manager. Use the Copy action in circumstances where Modify may not be appropriate (i.e., changing **dose, route, frequency, or PRN**). You may also change comments or notes and change products using this action.

1. Select the Copy action



The screenshot shows two 'Action' dropdown menus. The left menu is open, showing a list of actions: Cancel, Copy, Discontinue, History, Inquire, Intervene, Label, and Modify. The 'Copy' option is highlighted with a red box. The right menu is closed and shows 'Copy' as the selected action.


2. Click Apply



The screenshot shows three buttons: 'Submit', 'Cancel', and 'Apply'. The 'Apply' button is highlighted with a red box.


3. This action creates a new order. Change various aspects in the New order window.
Example: Change the dose and product

- Click on Dose and click Modify



The screenshot shows the 'New Med Order' window. The 'Drug' field is set to 'amLODIPine'. The 'Dose' field is highlighted with a red box and contains '10 mg / 1 tab'. The 'Ordered As' field is set to 'amLODIPine'. The 'Modify' button is highlighted with a red box.

- Change the dose and click Update (include units of measure, i.e., mg)



The screenshot shows the 'New Med Order' window. The 'Drug' field is set to 'amLODIPine'. The 'Dose' field is highlighted with a red box and contains '5 mg'. The 'Ordered As' field is set to 'amLODIPine'. The 'Update' button is highlighted with a red box. A red arrow points to the 'Dose' field with the text 'Click the Dose Calculator for weight-based orders'.

- Click the Product tab and Move the 10 mg tablet from the Selected products

Tip: Change Filter Options to “All Routes and Dosage Forms” and unclick “Linked Products” to view all available products (only linked products will display otherwise)

Manual Product Select - amLODIPine 10 mg / 1 tab tab PO Daily tab

Ingredients: amLODIPine 5 mg / 0.5 tab

Filter Options:
☐ All Routes and Dosage Forms
☐ Route / Dosage Form compatible
☒ Ordered Dosage Form
☒ Linked Products

Description	Prod Info
amLODIPine 2.5 mg tablet	2.5 mg tab
amLODIPine 5 mg tablet	5 mg tab

< Move

Selected products:

Product	Dose	Unit	DspQty	QtyUnit
amLODIPine 10 mg tablet	5	mg	1	tab

- Select the 5 mg tablet and move it to the Selected products section

Products (3) | Compounds (0)

Description	Prod Info
amLODIPine 10 mg tablet	10 mg tab
amLODIPine 2.5 mg tablet	2.5 mg tab
amLODIPine 5 mg tablet	5 mg tab

Move >

Selected products:

Product	Dose	Unit	DspQty	QtyUnit
---------	------	------	--------	---------

- Click OK

Note: ● = Formulary ○ = Non-Formulary ▼ = Restricted

Products (2) | Compounds (0)

Description	Prod Info
amLODIPine 10 mg tablet	10 mg tab
amLODIPine 2.5 mg tablet	2.5 mg tab

Move >

Selected products:

Product	Dose	Unit	DspQty	QtyUnit
amLODIPine 5 mg tablet	5	mg	1	tab

Reset OK Cancel

4. Add or change other details in the New Med Order window and click OK when complete

New Med Order

Drug: amLODIPine 5 mg / 1 tab
amLODIPine 5 mg tablet

Ordered As: amLODIPine

Route: PO Frequency: daily PRN doses: ☐ PRN reason: (None) Physician: OPOR Test, PharmNet - ED Pharm

Duration: (None) Start date: 2026-Feb-25 Time: AST 14:14 Stop date: ****-**-** Time: 08:00 Stop type: No

Previous scheduled administration: ****-**-**-** Next administration: AST 2026-Feb-26 08:00 Skip ☐ Following: AST 2026-Feb-27 08:00 Skip ☐ Remaining doses:

Order comments: Product notes:

Dosage form: tab Communication type: Electronic Order priority: (None) Sequence: MED

Dispense category: UD Dispense from location: QEII Halifax Infirmary Main Pharm Initial doses: 1 Initial quantity: 1

Billing formula: Standard Start dispense date: ****-**-**-** Time: Price: \$0.00 Cost: \$0.00

☐ Patient's own med ☒ Auto calculate initial dose

OK Cancel

5. Click Submit

Submit Cancel Apply

Changing an Order Type

On Verification, the Select Product tab may appear. Selecting the most appropriate option will assign the correct Order Type to that order.

Example: Dalteparin subcut – select “Med”

Select Product Type

Order sentence:
dalteparin 5,000 unit / 0.2 mL inj subcut da...

The type of product could not be determined.
Please specify which type this is.

☒ Med
☐ Intermittent
☐ Continuous

OK Cancel

1. In the verification window in Medication Manager, the IV-direct order is defaulting to the “Verify Intermittent Order”. These order types require total volume, rate and infuse over instructions. Click the **Order Type** tab.

The screenshot shows the 'Verify Intermittent Order' window. The 'Drug' section lists ondansetron 2 mg/mL injection 2 mL and sodium chloride 0.9% intravenous solution 50 mL. The 'Route' is IV-direct, 'Frequency' is q8h, and 'PRN doses' is 0. The 'Rate' is set to 'mL/hr' and 'Infuse over' is set to 'hr'. The 'Dispense category' is set to 'IV Intermittent'. The 'Order Type' tab is highlighted in the bottom right corner.

Note: The **Order Type** tab is only available to select for medications that can be administered multiple ways (i.e., IV-direct or IV intermittent)

2. Select product and click OK

The screenshot shows the 'Manual Product Select' window. The 'Ingredients' section lists ondansetron 4 mg / 2 mL. The 'Products (1)' section shows ondansetron 2 mg/mL injection 4 mL. The 'Move >' button is highlighted. The 'OK' button is highlighted in the bottom right corner.

- The verify window will now be a “Verify Med Window”, which is more appropriate for this IV-direct order. Click OK to verify.

Note: Verify Med Order Type does not require Total volume, Rate, or Infuse over time

- Click Submit

Changing a Frequency

Frequencies are associated with Standard Medication Administration Times (SMAT). See Compass for the full SMAT chart and Time Adjustment charts.

Common SMAT:

Frequency	Default						
Daily	0800						
BID	0800	2000					
TID	0800	1400	2000				
QID	0800	1200	1600	2000			
qam	0800						
qpm	1800						
HS	2200						
q4h	0200	0600	1000	1400	1800	2200	

q4h while awake		0600	1000	1400	1800	2200
q6h	0000	0600	1200	1800		
q6h while awake		0600	1200	1800	2200	
q8h	0600	1400	2200			
q12h	1000	2200				
q24h	1000					
Once	Dose time calculated from order start time					
Once unscheduled	When a specific time is unknown, unscheduled					

Scenario 1: q8h Frequency

1. In the Verification window, review frequency ordered and the next administration time.

Click the Powerchart icon and navigate to the MAR

Orange = Look at me

The next administration time defaults to the SMAT. May need to "Skip" next task.

2. Change the frequency to q8h-int. This will enable the task/dose times to be calculated from the **order start time** rounded to next full hour. **Note:** level-dependent medications (i.e., vancomycin, gentamycin) have pre-populated "-int" frequencies

Next administration time (cannot be edited) changes from the SMAT to 8 hours from the order start date/time

3. Ensure initial doses and Dispense from location are correct

Dosage form: * Communication type: Order priority: Sequence:
 * Dispense category: * Dispense from location: Initial doses: * Initial quantity:
 * Billing formula: Start dispense date: Time:

Do **not** change Dispense from Location. If in Pyxis, will display as “ADC”.

4. Click OK to verify

5. Click Submit

MAR once changed to “q8h-int”

Medications	2026-Feb-27 09:59 AST	2026-Feb-27 01:59 AST	2026-Feb-26 17:59 AST	2026-Feb-26 10:48 AST	2026-Feb-26 09:59 AST
Scheduled					
cefazolin 2,000 mg = 100 mL, IV, inj, q8h-int , Administer over: 30 minutes, Total volume: 100, 2026-Feb-26 09:59 AST	2,000 mg Not given within 5 days.	2,000 mg Not given within 5 days.	2,000 mg Not given within 5 days.		NOW Not given within 5 days.
cefazolin					

Tip: if kept as “q8h” the “NOW” task would be the same, however the NEXT administration date would default to 14:00 (too early). Nursing should right click that task and reschedule on the MAR.

Scenario 2: Once frequency

- Medication administration times for “**Once**” orders calculate to the order start date/time. “Once” orders will not discontinue until administered. This order will display as “overdue” until it is given or cancelled/discontinued.
- If the order is “**Once unscheduled**”, it does not have a defined stop date/time.
- “**Once**” with **PRN** does not have a defined stop date/time, and will be in the PRN section on the MAR

1. In the Verification window, review frequency ordered. The Stop date/time is the same as the Start date/time for “Once” orders.

New Med Order
 Drug:
 * Route: * Frequency: ☐ PRN doses: * Physician:
 Duration: * Start date: * Time: Stop date: Time:
 Previous scheduled administration: Next administration: Following:
 Stop type: Remaining doses:

- Change frequency to "Once unscheduled" to ensure that the order will not display or task nursing as "overdue".

The screenshot shows the 'New Med Order' window. The 'Drug' section lists 'HYDROmorphone 1 mg short-acting tablet'. The 'Frequency' dropdown is set to 'Once unscheduled'. The 'Stop date' and 'Time: AST' fields are highlighted with a red box.

- Ensure initial doses and Dispense from location are correct

The screenshot shows the 'New Med Order' window. The 'Dispense from location' dropdown is set to 'QEII Halifax Infirmary Main Pharr'. The 'Initial doses' field is set to '1'.

Do **not** change Dispense from Location. If in Pyxis, will display as "ADC".

- Click OK to verify

The screenshot shows the 'New Med Order' window. The 'OK' button is highlighted with a red box.

- Click Submit

The screenshot shows the 'New Med Order' window. The 'Submit' button is highlighted with a red box.

Tip: may also prescribe as "Once" PRN for pain (if prompted, use "0" for the PRN doses).

The screenshot shows the 'PRN doses' field. The field is set to '0'.

A PRN reason is required for all medications ordered as PRN. Select "other see comments" if the reasons do not correspond or if there are many indications.

The screenshot shows the 'PRN reason' dropdown. The dropdown is set to 'other (see comment)'.

The screenshot shows the 'New Med Order' window. The 'Frequency' dropdown is set to 'Once'. The 'PRN doses' field is set to '0'. The 'PRN reason' dropdown is set to 'other (see comment)'. The 'Order comments' field contains the text 'for pain only if acetaminophen not tolerated or ineffective'. The 'Product notes' field contains the text 'High Alert Med (All Patients) - Independent Double Check'.

MAR: "Once" vs "Once unscheduled" vs "Once PRN"

Medications		2026-Feb-26 11:23 AST	2026-Feb-26 11:22 AST
Scheduled			
HYDROMORPHONE 1 mg = 1 tab, PO, tab		Once, Stop Date: 2026-Feb-26 11:22 AST, 2026-Feb-26 11:22 AST	1 mg Not given within 5 days.
HYDROMORPHONE			
Unscheduled			
HYDROMORPHONE 1 mg = 1 tab, PO, tab		Once unscheduled, 2026-Feb-26 11:23 AST	1 mg Not given within 5 days.
HYDROMORPHONE			
PRN			
HYDROMORPHONE 1 mg = 1 tab, PO, tab		Once, PRN other (see comment), 2026-Feb-26 11:18 AST for pain only if acetaminophen not tolerated or ineffective	1 mg Not given within 5 days.
HYDROMORPHONE			
Med Response			

Once order has a Stop date and Physician Stop type associated and is in the Scheduled medications section

Once unscheduled does not have a Stop date or type, and is in the Unscheduled section

Once PRN does not have a stop date
(**Note:** all opioids have a Soft Stop type to remind clinicians to review the order)

Reschedule an Order in Medication Manager during Verification

1. In the Verify Med order window, the Order Comments advise to give the medication at 18:00 (**Note:** this also may be inputted in the RX Special instructions section on order entry, which will be in the Comments tab in Medication Manager)

The screenshot shows the 'Verify Med Order' window. The drug is 'dalteparin' (Fragmin) 5000 unit/0.2 mL syringe. The route is 'subcut' and frequency is 'daily'. The 'Order comments' field is highlighted with a red box and contains the text 'Give at 18:00 hr'. The 'Next administration' is set for 2026-Feb-27 at 08:00. The 'Stop date' is set for 2026-Feb-28 at 08:00. The 'Stop type' is 'Physician Stop'.

The screenshot shows the right-hand menu of the 'Verify Med Order' window. The 'Comments...' option is highlighted with a red box.

Orange = Look at me

2. In the Frequency section, select "Custom"

The screenshot shows the 'Frequency' section of the 'Verify Med Order' window. The 'Frequency' dropdown is set to 'daily'. The 'Custom...' button is highlighted with a red box.

- Change the New times to 18:00 (Note: Orders will default to SMAT) and click OK

Custom Frequency - [daily]

Description: daily Activity type: General Applies to: Default

Current times: 08:00

New times: 18:00

Frequency: Every 1 day

Schedule begins: 2026-Feb-26 11:4...

OK Cancel

- The Next Administration time will change to 18:00. Click OK to verify.

Verify Med Order

Drug: dalteparin (Fragmin) 5000 unit/0.2 mL syringe

Route: subcut Frequency: Custom PRN doses: (None) PRN reason: (None) Physician: OPOR Test, PhamNet - Pharmaci

Duration: (None) Start date: Original 2026-Feb-26 11:45 AST Stop date: Time: Stop type: Physician Stop

Previous scheduled administration: A... 2026-Feb-26 11:45 * Next administration: AST 18:00

Order comments: Give at 18:00 hr

Product notes: High Alert Med (All Patients) - Independent Double Check (Children and Women's Health Only)

Dosage form: inj Communication type: Written Order priority: NOW Sequence: INJECTION

Dispense category: INJ Dispense from location: QEII Halifax Infirmary Main Pharm Initial doses: 2 Initial quantity: 2

Billing formula: Standard Price: \$6.63 Cost: \$6.63

Patient's own med: ☐ Auto calculate initial dose: ☒

Reject OK Cancel


- Click Submit

Submit Cancel Apply


Reschedule an Order in Medication Manager after Verification

- In the Action column, click the Drop Down or right click the order to be rescheduled and select "Action"

2. Select the Reschedule Action. *Note: orders must be verified before you can perform the Reschedule Action. **Nursing can reschedule individual administration but cannot permanently change administration times.***




3. Click Apply



4. Adjust the New times and click OK

 A screenshot of the 'Reschedule - Custom Frequency' dialog box. The 'Order sentence' is 'multivitamin 15 mL liq PO daily'. The 'Previous times AST' section shows a time of 08:00. The 'Schedule Begins' section has two radio button options: '2025-Nov-21 12:00 AST' (selected) and '2025-Nov-22 12:00 AST'. The 'New times - Time Zone: AST' section shows a time of 12:00. The 'Frequency Information' section shows 'Description: daily' and 'Applies to: Default'. The 'Dispensing Information' section shows 'Dispense from location: IWK Health Pharmacy' and 'Printer: rxvirtual'. The 'Send now doses' section shows '0' and 'Label copies: 1'. The 'Auto calculate send now doses' checkbox is checked. The 'OK' button is highlighted with a blue box.

5. Click Submit in Medication Manager



Reprint a Label in Medication Manager:

1. In the Action column, click the Drop Down or right click the order to be rescheduled and select "Action"
2. Select the History Action (**not** the Label Action)
Note: The Label Action should only be used to charge additional doses or label Patient's Own Supply. Using the Label Action will create a new dispense with a new barcode.

Action

- (None)
- Cancel
- Copy
- Discontinue
- History**
- Inquire
- Intervene
- Label

3. Click Apply

Submit Cancel **Apply**

4. Click on the Initial Doses and Reprint Label

Multivitamin 15 mL liq PO *daily

☒ Action history ☒ Dispense history ☒ Verification history

History Event	Date/Time	User	Doses
Order - 374991835	2025-Nov-20 14:29 AST	OPOR Test, PharmNet - Pharmacist	
Verified	2025-Nov-20 20:05 AST	OPOR Test, PharmNet - Pharmacist	
Initial Doses	2025-Nov-20 20:05 AST	OPOR Test, PharmNet - Pharmacist	1
Modify	2025-Nov-20 20:05 AST	OPOR Test, PharmNet - Pharmacist	
Reschedule	2025-Nov-20 20:09 AST	OPOR Test, PharmNet - Pharmacist	

Drug: multivitamin Dose: 15 mL Ordered As: Multivitamin oral liquid

Administration time(s): 2025-Nov-20 20:04 A...

Dispense history ID: 6094580
Dispense charge: \$13.28
Charged: Yes
Future charge: No
Dispense from: IWK Health Pharmacy
Workflow Sequence: MED
Workflow Status: PREPARING
Previous Status:
Status d/t/m:
Status User:

Type of Label Request:
☐ Extra dose/refill
☒ **Reprint**

Reason for label request:

Alternating IV bag:

☐ Include daily ingredients

Number of doses: 0 * Label copies: 1

☐ Charge patient

* Dispense from location: IWK Health Pharmacy

* Printer: rxvirtual

Lot Info Alert History **Reprint Label** Product View Note

View History

Lot Info **OK** Cancel

5. Click OK in the Label window

6. Click Submit in Medication Manager

Submit Cancel Apply

Order Clarification during Verification:

Modify the order currently verifying (Copy and Discontinue after verification):

1. On the verified order, select the Modify Action in Medication Manager
2. Click the Product tab and select a new product if needed

Product...

Printing...

Comments...

Order Type

Alert History...

Rx Intervention

Lot Info

- **Note:** Unselect Linked Products & Filter by All Routes and Dosage Forms if unable to find Product (*not for IV sets*)

Filter Options

☒ All Routes and Dosage Forms

☐ Route / Dosage Form compatible

☐ Ordered Dosage Form

☐ Linked Products

- Move the currently selected products to the left. Click on the correct product or IV set and Select> and Move> to the Selected Products section

Manual Product Select - ondansetron 4 mg inj IV q8h PRN nausea/vomiting inj

Ingredients:

ondansetron 4 mg

Last updated by: OPOR Test, PharmNet - Pharmacist - PharmNet -

Communication type: Written

This medication was ordered as IV, not IV direct. To change to IV direct, change the **Order Type** and select the ondansetron injection (2 mg/mL injection 2 mL)

Products (4) | IV Sets (9)

Description

- ondansetron 4 mg in NaCl 0.9% 50 mL
- ondansetron 8 mg in NaCl 0.9% 50 mL
- ondansetron in NaCl 0.9% 50 mL
- ondansetron PED 0.5 mg/mL (doses greater than or equal to 0.2 mg) in N...
- ondansetron PED 0.5 mg/mL (doses less than 0.2 mg) in NaCl 0.9% INT
- ondansetron PED 2 mg (0.5 mg/mL) in NaCl 0.9% INT
- ondansetron PED 4 mg (0.5 mg/mL) in NaCl 0.9% INT
- ondansetron PED 6 mg (0.5 mg/mL) in NaCl 0.9% INT
- ondansetron PED 8 mg (0.5 mg/mL) in NaCl 0.9% INT

Select >

Selected products:

Product	Dose	Unit	DspQty	QtyUnit
---------	------	------	--------	---------

Move >

Reset OK Cancel

- Click OK

OK Cancel

- Change the order from PRN to scheduled, with a **Soft Stop** for 48 hours. A Soft Stop does not discontinue after 48 hours, but is a prompt indicated by the icon ⌚ for clinicians caring for that patient to re-assess the continuation of the medication.

← Change **Stop type** here

Soft Stops will not discontinue the order, regardless of the duration (i.e., 48 hours). Hard stops and Physician stops will discontinue the order after the specified duration.

4. Change Physician to yourself

5. Ensure Communication is Electronic and the Dispense information is correct

6. Select and complete an Rx Intervention


- Choose a Clinical Pharmacy Powerform and click Chart
- Complete the Powerform and click the green checkmark ✓ and Sign

7. Click OK in the Verify window to verify the order


8. Click Submit in Medication Manager

A New Order is required (i.e., new medication required):


1. Click Cancel in the Verify window



2. Select the Void Action in Medication Manager




3. Create a new order in Medication Manager (or Powerchart)




4. Verify the order and document your rationale in the Verify Window

- Complete an Rx Intervention
- Use Order Comments (face-up in order/on MAR) or Product Notes in the Verify Window (indicated by the following icon on the MAR: )



- Use Rx comments in the Comments tab



5. Complete other tasks or documentation as needed
6. Message the original prescriber as needed (see **Message Center** above)


Clarification – Rejecting or Re-entering

The initial order was incorrectly entered on CPOE:


Scenario 1: Provider entered “50 mg IV daily” but in the order comments wrote “70 mg IV on Day 1 then 50 mg IV daily”. A new order needs to be placed for Caspofungin 70 mg IV once.

Scenario 2: Provider entered order using a “**Template Non-Formulary**” orderable for Forxiga 10 mg po daily (see below for more information on Template Non-Formulary).

1. Process the order in Pharmacy Patient Monitor
2. In Medication Manager, the Verify action defaults. Change the action to “Void”.



- **Note:** If in the Verify Order Window, click Cancel and then change action to Void



3. Click Apply in Medication Manager. Select Reason for Void and click OK.
Note: Do not print a label. Change Label copies to 0 if required.

Void

Order sentence:
Forniga 10 mg PO daily

Void date/time: AST
2026-Feb-27 14:59

☒ Physician placed or counter-signed order

* Physician:
OPOR Test, PharmNet - Pharmacist

Reason for void:
Pharmacist Judgement

* Communication type:
Electronic

Printer: Label copies: 0

☐ Administrations given

OK Cancel

- Click Submit
- Create a new order in Medication Manager (or Powerchart). Ensure the drugs and doses are used vs the initial order.

Product Search

Main Settings

Identifiers
☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type
☒ Product ☒ IV Set ☒ Order Set ☒ Compound

Order Type
☒ Medication ☒ Intermittent ☒ Continuous

Search for:
dapag

Search

Order ...	Mnemonic	Generic Name	Strength / Form	Description
M	dapa5Tab	dapagliflozin	5 mg / 1 tab tab	dapagliflozin 5 mg tablet
M	dapa10Tab	dapagliflozin	10 mg / 1 tab tab	dapagliflozin 10 mg tablet
M	dapametTAB1000	dapagliflozin-metformin	1 tab tab	dapagliflozin-metformin 5 mg-1000 mg tablet
M	dapametTAB850	dapagliflozin-metformin	1 tab tab	dapagliflozin-metformin 5 mg-850 mg tablet

Show all manufacturers

OK Cancel

- Confirm the dose and click Update

New Med Order

Drug: dapagliflozin Dose: 10 mg Ordered as: dapagliflozin

Update Remove Modify

- Complete remaining fields

New Med Order

Drug: dapagliflozin Dose: 10 mg / 1 tab Ordered As: dapagliflozin

Route: PO Frequency: daily PRN doses: ☐ PRN reason: (None) Physician: OPOR Test, PharmNet - Pharmacist

Duration: (None) Start date: 2026-Feb-27 Time: 14:54 Stop date: (None) Time: (None) Stop type: No

Previous scheduled administration: 2026-Feb-28 08:00 Next administration: 2026-Feb-28 08:00 Following: 2026-Mar-01 08:00 Remaining doses: (None)

- In the Verify Window of the new order, add a note in the Comments tab under Rx comment

- Keep initial prescriber as Physician

Tip: if unsure who the initial prescriber was, use the MRP on the Banner Bar

- Ensure Communication type is Electronic

- Click OK in the Verify Window to verify the order

The initial order is not appropriate and requires the initial prescriber/team to re-assess:

Example: Antimicrobial dose not appropriate & unclear indication

- In the Verify window, review the Dose and Frequency. Click the Powerchart icon to navigate to the patient's chart to review labs and microbiology.
 - Click Results Review on the Navigator Bar in Powerchart. Labs are normal, and there are no microbiology results pending.

- Click the Comments tab to review antimicrobial indication

NS Health/IWK Health One Person One Record
Pharmacist Verification & Med Manager v.1

Product...
 Printing...
 Comments...
 Order Type
 Alert History...
 Rx Intervention
 Lot Info

* Antimicrobial Indication:
 Other (specify in order comment)

3. Select the Rx Intervention tab in the Verify Order Window and select appropriate Powerform and click Chart. **Note:** Or select Intervene Action after Rejecting. **See Pharmacy Interventions above.**

Product...
 Printing...
 Comments...
 Order Type
 Alert History...
 Rx Intervention
 Lot Info

ZZTEST, RPHARMAMANDAADULT

Clinical Pharmacy

- ☐ BPMH Documentation
- ☐ Patient Preferred Pharmacy
- ☐ Pharmacist Anticoagulation Management
- ☒ Pharmacist Clinical Intervention
- ☐ Pharmacist Pharmacokinetic Monitoring
- ☐ Pharmacist Verification of Chemotherapy
- ☐ Pharmacy Dosing Weight Review
- ☐ Pharmacy Non-Formulary Request

Chart Close

4. Complete Powerform and click the green checkmark and Sign ✓
5. Click **Reject** in the Verify Window

Reject OK Cancel

6. Click Submit

ZZTEST, RPHARMAMANDAADULT

MRN: 46047 Age: 35 Years (1990-Dec-02) Sex: Female Location: DGH 34 / 3482 01
 FIN: 230000411 Race: Admitted: 2024-Dec-03 16:09 AST Physician:
 Rx Clinical Note: 2025-Mar-20 08:48 ADT Pregnant: Unknown

Enter a patient name:
 RPHARMAMANDAADULT

Demographics
 Patient Note
 Reason For Visit (1)
 Allergies
 Medications
 Problems and Diagnoses (*)
 Rx Clinical Note (1)
 Rx Interventions (*)

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
	Active	casopfungin + sodium chloride 0.9% intravenous solution inj IV q12h	2024
	Discontinued	piperacillin-tazobactam + sodium chloride 0.9% intravenous solution i...	2024
	Discontinued	cefazolin + sodium chloride 0.9% intravenous solution IV q8h	2024
	Active	acetaminophen 650 mg / 1 tab tab-er PO Day of Treatment Day 1	2024
	Active	cetirizine 10 mg / 1 tab tab PO Day of Treatment Day 1	2024
	Active	gabapentin 1147.5 mg / 57.38 tab tab PO Day of Treatment Day 1	2024

Active Orders Inactive Orders

Submit Cancel Apply

7. If the order is urgent or STAT, page/call the initial prescriber or on-call contact
Tip: Nursing may still administer a medication if rejected. The medication will display on the MAR with pharmacist rejected icon and an alert will occur prior to administration.

casopfungin
 35 mg, IV, inj, q12h, Total volume: 100, 2026-Feb-27 15:04 AST
 casopfungin
 Sodium Chloride 0.9% intravenous solution

8. The Rejected order routes to the initial prescribers Message Center

Message Center

Inbox Summary

Messages x General Messages: ZZTEST, RPHARMAMANDAPED x

ZZTEST, RPHARMAMANDAPED MRN:46044
 Sex/Gender ID:Female/Female DOB:2022-Dec-01
 *Goals of Care:<No Data Available> Isolation:<No Data Available> Alerts:No Alerts Documented

From: OPOR Test, PharmNet - Pharmacist
 Sent: 2025-Nov-17 11:42:45 AST
 Subject: Pharmacy Rejection
 To: OPOR Test, PharmNet - Pharmacist
 Cc:

<Add Text>

An order for caspofungin on ZZTEST, RPHARMAMANDAPED has been rejected by pharmacy. To see why it was rejected, review the order and its documented intervention or contact pharmacy. Once reviewed, please modify the order as appropriate and/or clarify any questions with pharmacy.

9. Receive/enter new order (and Discontinue/Void previous order)

10. Change the Physician to the prescriber placing the new order

11. Change Communication type to Verbal or Phone with Read back (Note: will route to that prescriber for co-signature)

* Communication type:

Phone with Read Back

Phone with Read Back

Verbal with Read Back

12. Click OK to verify the order

Reject OK Cancel

Other Verification Scenarios:

Patient Own Supply:

1. In Pharmacy Patient Monitor, select the medication and click Process

Pharmacy Patient Monitor

View: ALL

Name: zzztest, pharmacy two

ZZZTEST, PHARMACY TWO - 25 years
 MRN: 1111000023
 DOB: 1989-12-26

Queue time: 0 min
 Start date/time: 2025-Feb-21 14:49:00 America/Halifax

ZZZTEST, PHARMACY TWO MRN: DOB: 1989-12-26 Age: 35 years Sex: Male Weight: Multiple results exist

Inpatient

citalopram 10 mg = 1 tab, PO, tid, daily, Use Patient Supply, 21-Feb-2025 14:49 America/Halifax

Status: Ordered

Queue time: 0 min
 Start date/time: 2025-Feb-21 14:49:00 America/Halifax

View Process

- Medication Manager automatically displays with the Verify action defaulted. Click Apply.

ZZTEST, PHARMACY TWO

Enter a patient name: ZZTEST, PHARMACY TWO

Demographics: Height/Length 152 cm, Result Dt/Tm 2025-02-10 15:25 Am..., Weight 49.64 kg, Serum Cr 0, Result Dt/Tm 0, BSA MISSING DATA, BSA Method DUBINS, IBW 49.64 kg, IBW Method Devine, O-CI (est.) MISSING DATA, O-CI Method Cockcroft-Gault (Actua...

Click here to view the patient note.

Reasons For Visit (1): Sore Throat

Allergies (2): Click here to add a new allergy...

Active Orders: Inactive Orders

Submit Cancel Apply

Scroll icon indicates this is a patient's own

- In the Verify Med order screen, the Patient's own medication box is selected. Change the Dispense from location to Patient's Own Med. This ensures that a charge is not submitted for labelling (see below).

Verify Med Order

Drug: citalopram 10 mg tablet

Route: PO Frequency: daily PRN doses: (None) PRN reason: (None) Physician: Cemer Test, Nurse Practitioner Ce

Duration: (None) Start date: 12-Feb-25 Time: 14:32 Stop date: **-*-** Time: **-*-** Stop type: Physician Stop

Previous scheduled administration: **-*-** Next administration: Am. 13-Feb-25 08:00 Skip Following: America/Halifax Skip Remaining doses: 14-Feb-25 08:00

Order comments: Product notes:

Dosage form: tab Dispense category: UD Billing formula: Standard Price: \$0.00 Cost: \$0.00

*Communication type: Electronic *Dispense from location: Patient's Own Med

Order priority: (None) Sequence: MED Initial doses: 0 Initial quantity: 0

Start dispense date: **-*-** Time: **-*-** Start dispense date: **-*-** Time: **-*-*

Product: Printing... Comments... Order Type Alert History... Rx Intervention Lot Info

Reject OK Cancel

Reject OK Cancel

- Click OK to verify

Reject OK Cancel

- Click Submit

Submit Cancel Apply

Medication Manager: Add an IV set using a Powdered Vial with no Volume

1. In Medication Manager, type the full or partial name of the drug in the Search Bar and click Add

Drug:

2. Select the appropriate medication or infusion and click OK. *Note: Scroll down to see IV sets. Medications will populate first.*

Product Search

Main Settings

Identifiers

☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type

☒ Product ☒ IV Set ☒ Order Set ☒ Compound

Order Type

☒ Medication ☒ Intermittent ☒ Continuous

Search for:

Order ...	Mnemonic	Generic Name	Strength / Form	Description
I	vancoNS2500INT			vancomycin (doses 1 to 1.25 g) in NaCl 0.9% 250 mL
I	vancoNS5000INT			vancomycin (doses 1.5 to 1.75 g) in NaCl 0.9% 500 mL
I	vanco2gNS5000INT			vancomycin (doses 2 to 2.5 g) in NaCl 0.9% 500 mL
I	vancoNS10000INT			vancomycin (doses 2.75 to 4 g) in NaCl 0.9% 1000 mL
I	vancoNS1000INT			vancomycin (doses up to 500 mg) in NaCl 0.9% 100 mL
I	vanco750mgNS2500INT			vancomycin 750 mg in NaCl 0.9% 250 mL
I	vancocentNS1000INT			vancomycin central line (doses 1.75 to 2 g) in NaCl 0.9% 100 mL
I	vancocentNS2000INT			vancomycin central line (doses 2.25 to 4 g) in NaCl 0.9% 200 mL
I	vancocentNS500INT			vancomycin central line (doses up to 1.25 g) in NaCl 0.9% 500 mL
I	vancocent1.5gNS1000INT			vancomycin central line 1.5 g in NaCl 0.9% 100 mL
I	vancoNEO/PEDNaCl_INT			vancomycin NEO/PED 5mg/mL in NaCl 0.9% INT (only if bag)
I	vancoPEDNaCliflurest_INT			vancomycin PED 10 mg/mL fluid restricted in NaCl 0.9% INT

☐ Show all manufacturers

Peripheral line IV sets (Red box highlights rows 1-6)

Central line IV sets (Green box highlights rows 7-10)

Note: This is a protected antimicrobial. The order alert will display. Click OK.

Order Alerts

⚠ vancomycin 1000 mg injection

Description

Protected Antimicrobial NSH - Red Light

Order alert:

NSH: Protected ('Red Light') antimicrobial

3. In the New Med Order Window, select below the Dose field click Modify

Drug:

Vol	Drug	Dose	Ordered As
☒	vancomycin	x g	vancomycin
☒	vancomycin 1000 mg injection		
☒	sodium chloride 0.9% intravenous sol...	500 mL	Sodium Chloride 0.9% int...
☒	sodium chloride 0.9% 500 mL bag		

Total volume mL:

Ingredient volume mL:

4. Type the Dose and click Update

Vol	Drug	Dose	Ordered As
☒	vancomycin	1.5 g	vancomycin
☒	vancomycin 1000 mg injection	x g	vancomycin
☒	sodium chloride 0.9% intravenous sol...	500 mL	Sodium Chloride 0.9% int...
☒	sodium chloride 0.9% 500 mL bag		

Total volume mL: 500
Ingredient volume mL: 500

Note: You MUST include units in the Dose field. Click the Dose Calculator icon  to calculate mg/kg or other weight-based dosing.

5. Complete the remainder of the new medication order.

- Double check Total volume
 - ** If the medication is a powered vial (i.e., vancomycin) and does not have a volume in the dose, navigate to the IV Drug Dosing Guidelines**

Options:

- Leave this field as is (i.e., only the diluent volume of 500 mL)
- Navigate to the IV Drug Dosing Guidelines **for reconstitution information. Add this volume to the Total volume field (free-text)**

Reconstitution

Diluent: sterile water for injection

500 mg vial – add 10 mL to produce a concentration of 50 mg/mL.

1 g vial – add 20 mL to produce a concentration of 50 mg/mL.

Vol	Drug	Dose	Ordered As
☒	vancomycin	1.5 g	vancomycin
☒	vancomycin 1000 mg injection		
☒	sodium chloride 0.9% intravenous sol...	500 mL	Sodium Chloride 0.9% int...
☒	sodium chloride 0.9% 500 mL bag		

Total volume mL: 530
Ingredient volume mL: 500

Note: Populating the Total volume will flow to the MAR. Nursing will still require to enter a drug volume (i.e., for vancomycin) on administration.

- Enter Infuse over period only if needed

Options:

- Enter "0" to bypass

* Route: IV * Frequency: q24h ☐ PRN doses

* Rate: 0 mL/hr

* Infuse over: 0 hr

- Navigate to the IV Drug Dosing Guidelines to input an accurate rate. Orders for peripheral vs central IVs will specify in the IV set (see

above). Our order is for the peripheral IV set (we did not choose “central line”)

Standard preparation (Peripheral) – maximum concentration: 5 mg/mL
Diluent: D5W, NS maximum rate: 15 mg/min

Up to 500 mg/100 mL over 1 h
750 mg/250 mL over 1 h
1–1.25 g/250 mL over 1.5 h
1.5–1.75 g/500 mL over 2 h
2–2.5 g/500 mL over 3 h
2.75–4 g/L over 4.5 h

* Route: IV * Frequency: q24h ☐ PRN doses:

☐ * Rate: 265 mL/hr ☒ * Infuse over: 2 hr

- Enter an Indication in the Comments section

Product... Printing... **Comments...** Order Type Link Info... Alert History... Rx Intervention Lot Info

Comments

Rx comments: Fill notes:

Control number:

User defined details:

* Antimicrobial Indication:

Allergy testing
Bacteremia
Bone and joint infection
C. difficile infection
C. difficile infection (po only)
Cardiovascular infection
Central line associated bacteremia
CMV prophylaxis

OK Cancel

- Review Next administration time and Skip or change if inappropriate (navigate to the MAR by clicking the Powerchart icon in the Verify window)

Drug:

Vol	Drug	Dose	Ordered As
1000	vancomycin	1.5 g	vancomycin
500	sodium chloride 0.9% intravenous sol...	500 mL	Sodium Chloride 0.9% int...
500	sodium chloride 0.9% 500 mL bag		

Total volume mL: 530
Ingredient volume mL: 500

* Route: IV * Frequency: q24h ☐ PRN doses:

☐ * Rate: 265 mL/hr ☒ * Infuse over: 2 hr

Duration: (None)

Previous scheduled administration: ****_**_**

* Start date: 2026-Feb-20 * Time: AST 12:03

* Next administration: AST ☐ Skip 2026-Feb-21 10:00

Stop date: ****_**_** Time:

Following: AST ☐ Skip 2026-Feb-22 10:00

* Physician: OPOR Test, PharmNet - Pharmaci

* Stop type: No

Remaining doses:

New Medication Order:

New Intermittent Order

Drug: vancomycin

Dose: 1.5 g

Frequency: q24h

Rate: 265 mL/hr

Duration: 2 hr

Start date: 2026-Feb-20 12:03

Stop date: 2026-Feb-22 10:00

Next administration: 2026-Feb-21 10:00

Physician: OPOR Test, PharmNet - Pharmaci

Order comments:

Product notes: Single use vials. Prepare peripheral intermittent infusions in concentrations up to 5 mg/mL in D5W or NS. Maximum rate 15 mg/min - may differ if given intradialysis.

Dispense category: IV Intermittent

Dispense from location: QEII Halifax Infirmary Main Pharr

Initial doses: 1

Price: \$0.88

Cost: \$0.88

Buttons: OK, Cancel

- Click OK to Verify the order. **Note: Orders entered in Medication Manager automatically verify.** Only orders entered via Powerchart will route to Pharmacy Patient Monitor and Medication Manager for verification.

OK Cancel

- Click **Submit** in Medication Manager

Submit Cancel Apply

Note: the double chevron symbol indicates the action is complete but NOT submitted and will remain as a pending action

Action	Status
	Active

Verifying Combinations of Different Strengths:

1. On Verification in Medication Manager, you may select two different products to make up a desired dose.
2. This may cause issues on the Discharge Medication Reconciliation
3. Instead, enter two separate orders if they require two different strengths (or one order if the dose is divisible by the drug strengths available)
4. In the Order Comments, include "Along with 'x mg' for a total dose of 'x mg'"

Example:

(a) Use 5 tablets of 25 mg to make a 125 mg dose

(b) Use 1 x 100 mg tablet and 1 x 25 mg tablet in two separate orders

- Click Modify to change the Dose

- Change the Dose to 25 mg and click Update

- In the Order Comments, type "Along with 100 mg tablet for a total dose of 125 mg" and click OK to verify

Drug:

Drug	Dose	Ordered As
lamotrigine	25 mg / 1 tab	
lamotrigine 25 mg tablet		

* Route: PO * Frequency: daily * PRN doses: ☐ PRN reason: (None) * Physician: OPOR Test, External Provider 1

Duration: (None) * Start date: 2025-Nov-25 * Time: 17:46 * Stop date: * Stop type: No

Previous scheduled administration: * Next administration: AST ☐ Skip Following: AST ☐ Skip

Order comments: Along with 100 mg tablet for a total dose of 125 mg

Product notes:

- In Medication Manager, search for an enter lamotrigine 100 mg and click OK

TEST, PHARMJENN MRN: 50168 Age: 5 Years (2020-Jan-24) Sex: Male Location: IWK ED / Inrgae WR
FIN: 230003586 Race: Admitted: 2025-Aug-21 11:02 ADT Physician:

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Enter a patient name: TEST, PHARMJENN

Drug: lamotrigine

Product Search

Main Settings

Identifiers ☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type ☒ Product ☒ IV Set ☒ Order Set ☒ Compound Order Type ☒ Medication ☒ Intermittent ☒ Continuous

Search for: lamotrigine

Order	Mnemonic	Generic Name	Strength / Form	Description
M	lamot150Tab	lamotrigine	150 mg / 1 tab	lamotrigine 150 mg tablet
M	lamot250Tab	lamotrigine	250 mg / 1 tab	lamotrigine 250 mg tablet
M	lamot100Tab	lamotrigine	100 mg / 1 tab	lamotrigine 100 mg tablet
M	lamot50Tab	lamotrigine	50 mg / 1 tab	lamotrigine 50 mg tablet

OK Cancel

- Complete remainder of order details, including the Order Comments type "Along with 25 mg tablet for a total dose of 125 mg"
- Ensure start/administration time is the same as the 25 mg tablet
- Click OK to verify

Drug:

Drug	Dose	Ordered As
lamotrigine	100 mg / 1 tab	
lamotrigine 100 mg tablet		

* Route: PO * Frequency: daily * PRN doses: ☐ PRN reason: (None) * Physician: OPOR Test, External Provider 1

Duration: (None) * Start date: 2025-Nov-25 * Time: 17:57 * Stop date: * Stop type: No

Previous scheduled administration: * Next administration: AST ☐ Skip Following: AST ☐ Skip

Order comments: Along with 25 mg tablet for a total dose of 125 mg

Product notes:


- On the MAR, this will display as two separate orders. The Order Comments will display face up to the Nurse.

Verifying Powerplans:

- All medication orders for the Powerplan (if does not Auto-Verify) will route to Pharmacy Patient Monitor to verify. Hover over the Powerplan icon  to view the name of the Powerplan.

Note: Only Powerplans that were Initiated will be active and require pharmacist verification. Powerplans that are “Planned” will not route to PPM.

- Click Process



Icons:

-  Order comments on that order
-  Requires manual product selection
-  Order is part of a Powerplan/Plan

- In Medication Manager, the Verify action will default. Click Apply.

Tip: Click “View” in PPM and manually assign 3-4 orders the Verify action. Assigning all orders the Verify action requires closing each individually in case interrupted during verification.

ZZTEST, RPHARMJENN

MRN: 51768 Age: 34 Years (1992-Jan-15) Gestational age: 37 weeks 0 days Sex: Female Location: HI ED / E
 FIN: 230001360 Race: Postmenstrual age: 1818 weeks 1 days Admitted: 2026-Jan-15 10:36 AST Physician:
 Rx Clinical Note: Pregnant: Unknown

Enter a patient name: ZZTEST, RPHARMJENN

Demographics
 Height/Length ... 140 cm
 Result DtTm 2026-Feb-12 ...
 Weight Dosing 60 kg
 Result DtTm 2026-Feb-12 ...
 Serum Cr 0
 Result DtTm ...
 Patient Note[]
 Reason For Visit (1)
 Allergies (1)
 Medications
 Problems and Diagnoses[*]
 Rx Clinical Note[]
 Rx Interventions (1)

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
Verify	Active	acetaminophen 975 mg / 3 tab tab PO q4h PRN pain	2026-Mar-05 10:17 AS
Verify	Active	dalteparin 5,000 unit / 0.2 mL inj subcut daily	2026-Mar-05 10:17 AS
Verify	Active	dimenhyDRINATE + sodium chloride 0.9% intravenous solution IV-dir...	2026-Mar-05 10:17 AS
Verify	Active	dimenhyDRINATE 25 mg / 0.5 mL inj IM q4h PRN nausea/vomiting	2026-Mar-05 10:17 AS
Verify	Active	dimenhyDRINATE PRN range dose 25 mg PO q4h PRN nausea/v...	2026-Mar-05 10:17 AS
Verify	Active	ondansetron 4 mg IV-direct q8h PRN nausea/vomiting	2026-Mar-05 10:17 AS
Verify	Active	ondansetron 4 mg PO q8h PRN nausea/vomiting	2026-Mar-05 10:17 AS
Verify	Active	polyethylene glycol 3350 17 g / 1 packet pwrdr PO BID PRN constipati...	2026-Mar-05 10:17 AS
Verify	Active	sennosides 17.2 mg / 2 tab tab PO HS PRN constipation	2026-Mar-05 10:17 AS
Verify	Active	Apidra 100 unit/mL (insulin glulisine) - correction scale Low Dose Cor...	2026-Mar-05 12:00 AS
Verify	Active	bisacodyl 10 mg rectal HS PRN constipation	2026-Mar-05 10:17 AS
Verify	Active	dextrose 50% IV solution 25 g IV-direct As directed; see comments P...	2026-Mar-05 10:17 AS

Active Orders Inactive Orders

Submit Cancel Apply

- Verify each order individually, assigning the correct product as required.
- To view all orders selected on the Powerplan, click the Powerchart icon on the Verify window

Verify Med Order

Drug:

Drug	Dose	Ordered As
acetaminophen	975 mg / 3 tab	acetaminophen PRN range do...
acetaminophen 325 mg tablet		

Update Remove Modify

- Click the Orders tab on the Navigator Bar, open the Plans section by clicking on the +

ZZTEST, RPHARMJENN

MRN: 51768 HCN: ...
 Admin Sex: Female DOB: 1992-Jan-15 Age: 34
 Pronouns: <Unknown> GOC/LOI: <No Data Available>

Menu
 Pharmacist Workflow
 MAR Summary
 Perioperative View
 MAR
 Orders + Add
 Medication List + Add
 Allergies + Add

Orders Medication List Document In Plan

View
 Orders for Signature
 Plans
 Suggested Plans (0)

- Select the Powerplan and review all orders

Orders Medication List Document In Plan

View

Plans
 Document In Plan
 Medical
 MED Admission to Medicine (Initiated)
 Venous Thromboembolism (VTE) Prophylaxis: ...
 Bowel Routine (Non-opioid) (Initiated)
 Bronchodilators: Salbutamol and Ipratropium (I...
 Insulin Subcutaneous (Eating/NPO/Intermittent...
 OBS Oxytocin for Labour Induction / Augmentat...
 OBS Caesarean Section Pre-operative (Initiated)
 OBS Labour and Delivery Admission (Initiated)
 PEDICU Continuous Renal Replacement Therapy
 GENSUR General Surgery Post-operative (Phase...
 Surgeon Post-operative (Floor) (Planned)
 Venous Thromboembolism (VTE) Prophylaxis: ...
 MED Admission to Medicine (Void)
 OBS Diabetes Management - Intrapartum (Comple...
 OBS Magnesium Sulfate for Fetal Neuroprotection...
 Admission to Pediatrics (Void)
 Interdisciplinary

Medication List

Component Status Dose ... Details

MED Admission to Medicine (Initiated)
 Last updated on: 2026-Mar-05 09:52 AST by: OPOR Test, PharmNet - Pharmacist

Vital Signs/Monitoring
 Vital Signs Ordered 2026-Mar-05 09:47 AST, q12h

IV Solutions/Infusions
 Maintenance Infusions
 Sodium Chloride 0.9% intravenous solution 1000 mL Ordered Total Volume (mL): 1,000, IV, 75 mL/hr, 60 kg, 1.53, m... Reassess in 24 hours.

Medications
 Venous Thromboembolism (VTE) Prophylaxis
 Venous Thromboembolism (VTE) Prophylaxis: Medical... Initiated 2026-Mar-05 09:47 AST

Analgesics
 acetaminophen (acetaminophen PRN range dose) Ordered 975 mg, 3 tab, PO, tab, q4h PRN pain, 2026-Mar-05 1...

Antiemetics
 dimenhyDRINATE (dimenhyDRINATE PRN range dose) Ordered 25 mg, PO, q4h PRN nausea/vomiting, 2026-Mar-05 ...
 dimenhyDRINATE (dimenhyDRINATE PRN range dose) Ordered 25 mg, 0.5 mL, IV-direct, q4h PRN nausea/vomiting, ...
 dimenhyDRINATE (dimenhyDRINATE PRN range dose) Ordered 25 mg, 0.5 mL, IM, inj, q4h PRN nausea/vomiting, 20...
 ondansetron (dimenhyDRINATE PRN range dose) Ordered 4 mg, PO, q8h, PRN nausea/vomiting, 2026-Mar-05 ...
 ondansetron Ordered 4 mg, IV-direct, q8h, PRN nausea/vomiting, 2026-M...

Laxatives
 Bowel Routine (Non-opioid) Initiated 2026-Mar-05 09:47 AST

Bronchodilators
 Bronchodilators: Salbutamol and Ipratropium Initiated 2026-Mar-05 09:47 AST

- Navigate back to Medication Manager. Click OK to Verify orders (or Reject to decline orders).

Reject OK Cancel

- Click Submit when complete

Submit Cancel Apply

Continuous vs Titratable Infusions

In Powerchart, titratable infusions are distinguished by having “titrate” in the name. These continuous infusions have a different Order Entry Format (OEF) versus regular continuous infusions. Continuous infusions should mainly be ordered on Powerplans. You may see some “Ad Hoc” (i.e., individual) orders not associated with a Powerplan.

Continuous Infusion:

- In Powerchart, click the Orders or Medication list tab on the Navigator Bar. Click Add and search the name of the continuous infusion.
- Select the continuous infusion and click Done (Note: will not have “titrate” in the name)

The screenshot shows the Powerchart interface. On the left is a navigation menu with options like 'Pharmacist Workflow', 'MAR Summary', 'Orders', etc. The top header displays patient information: 'ZZTEST, RPHARMJENN', 'MRN:51768', 'HCN:No HC...', 'Allergies: No Known AllergiesMRP:', 'Loc:HI ED: EDWR'. The main area shows a search for 'vasopressin'. The search results list several infusion orders, with 'vasopressin continuous infusion (0.4 units/mL) in NaCl 0.9% 50 mL syringe (preferred)' highlighted. The interface also includes a 'Diagnoses & Problems' section and a 'Problems' section.

Note: “NEO” or “PED” IV sets should be flexed to the IWK for CZ. These are pediatric and neonatal IV sets only. Adult IVs will not have “ADULT” in the naming.

- In the Continuous Details tab, a Rate (mL/hr) and Normalized Rate (unit/min) will display.
Note: The “Infuse Over” time is the time at which the entire 50 mL will run out based on the rate. The infusion time can be inputted in the Infusion instructions.

Pulls from
Dosing
Weight on
the Banner
Bar

Orders for Signature

Order Name	Status	Start	Details
HI ED; EDWR Fin#QE2230001360 Admit: 2026-Jan-15 10:36 AST			
IV Solutions/Infusions			
vasopressin (additive) 20 unit... Order 2026-Mar-06 10:54... Total Volume (mL): 50, IV, 6 mL/hr, 60 kg, 1.53, m2, 2026-Mar-06 10:54 AST			

Details for **vasopressin (additive) 20 unit [0.04 unit/min] + Sodium Chloride 0.9% (diluent) 49 mL**

Details	Continuous Details	Diagnoses
Base Solution	Bag Volume	Rate
Sodium Chloride 0.9% (diluent) 49 mL	6 mL/hr	8.2 hr
Additive	Normalized Rate	Delivers
vasopressin (additive) 20 unit	0.04 unit/min	0.04 unit/min
		Occurrence
		EB
Total Bag Volume	50 mL	

Weight: 60 kg Weight Type: Clinical Weight Result dt/tm: 2026-Feb-12 12:44:00 AST BSA: 1.53 m2

Infusion instructions: Infuse over 20 hours

Infusion instructions are face up on the MAR

0 Missing Required Details Dx Table Orders For Cosignature Orders For Nurse Review Sign

Bag/syringe of 50 mL will last 8.2 hr based on the 6 mL/hr rate

Note: Bag Volume requires units (i.e. mL)

4. In the Details section, there are no starting, min/max and Titration instructions. Click Sign when complete.

Note: Inputting a duration (i.e., 10 hours) will discontinue the infusion when the duration is met (from the time the order is signed, not from when the bag is hung).

Details for **vasopressin (additive) 20 unit/1 mL [0.04 unit/min] + Sodium Chloride 0.9% (diluent) 49 mL**

Details Continuous Details Diagnoses

IV Concentration: Drug Form: Duration: Stop Date/Time: PRN reason: Bolus Dose: Requested Start Date/Time: 2026-Mar-06 11:22 AST

*Route of administration: IV

Duration unit: PRN: Yes No

First Dose Priority: Bolus Dose Unit: Research Account:

Dx Table Orders For Cosignature Orders For Nurse Review Sign

5. In Medication Manager, Apply the Verify action

ZZTEST, RPHARMJENN

MRN: 51768 Age: 34 Years (1992-Jan-15) Gestational age: 37 weeks 0 days Sex: Female Location: HI ED / EDWR

FIN: 230001360 Race: Postmenstrual age: 1818 weeks 2 days Admitted: 2026-Jan-15 10:36 AST Physician:

Rx Clinical Note: Pregnant: Unknown

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
Verify	Active	vasopressin + sodium chloride 0.9% intravenous solution IV 6 mL/hr [0.04 unit/min]	2026-Ma
	Active	norepinephrine + sodium chloride 0.9% intravenous solution inj IV Titrate	2026-Ma
	Active	magnesium sulfate + Sodium Chloride 0.45% with KCl 40 mmol/L intravenous solution...	2026-Ma
	Active	vancomycin + sodium chloride 0.9% intravenous solution inj IV q24h-int 0 mL/hr	2026-Ma
	Active	citalopram 20 mg / 1 tab tab PO Once	2026-Ma
	Canceled	citalopram 20 mg / 1 tab tab PO Once	2026-Ma
	Active	ondansetron 4 mg inj IV q8h PRN nausea/vomiting	2026-Ma
	Active	lamoTrigline 125 mg / 5 tab tab PO daily	2026-Ma
	Active	casprofungin + sodium chloride 0.9% intravenous solution inj IV q24h	2026-Ma

Active Orders Inactive Orders Submit Cancel Apply

6. The Infusion Instructions populate in the Order Comments. The "Infuse Over" time is the "Replace every" field (i.e., when the bag/syringe will run out). Click OK to Verify.

Verify Continuous Order

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As
✓	vasopressin	20 unit / 1 mL	0.04 unit/min	0.4 unit/mL	EB	vasopress...
✓	sodium chloride 0.9% intr...	49 mL			EB	Sodium C...
✓	sodium chloride 0.9% 50 mL bag					

Total volume mL: 50
Ingredient volume mL: 50

* Route: IV
Rate: 6 mL/hr
Duration: (None)
Weight: 60 kg
BSA(m2): 1.53
Free text rate:
* Start date: 2026-Mar-06
* Time: AST 11:22
Infuse over: 8.3 hr
Stop date: Time:
* Physician: OPOR Test, PharmNet - Pharmac
* Replace every: 8.3 hr
* Stop type: Physician Stop

Order comments: Infuse over 20 hours

Product notes: High alert. Protect vials from light. Multidose vial. Continuous infusions may be administered for up to 24 h at room temperature. Mix to total volume in 50 mL syringe.

Dosage form: inj
Communication type: Written
Order priority: (None)
Sequence: COMPOUND
* Dispense category: IV Continuous
* Dispense from location: QEII Halifax Infirmary Main Pharm
* Billing formula: Standard
Price: \$23.46
Cost: \$23.46

☐ Patient's own med
☒ Auto calculate initial dose

Reject OK Cancel

7. Click Submit

Submit Cancel Apply

Titratable Infusion:

1. In Powerchart, click the Orders or Medication list tab on the Navigator Bar. Click Add and search the name of the titratable continuous infusion.
2. Select the infusion that has "titrate" in the name and click Done

Menu: Pharmacist Workflow, MAR Summary, Perioperative View, MAR, Orders, Medication List, Allergies, Documentation, Form Browser, Results Review, Interactive View and I&O, Activities and Interventions, Diagnoses and Problems, Patient Information, Oncology, Growth Chart, Appointments, Medication Request, Clinical Research

ZZTEST, RPHARMJENN - Add Order

ZZTEST, RPHARMJENN MRN:51768 HCN:No HC... Allergies: No Known AllergiesMRP: Alerts:No Alerts Documented Loc:HI ED: EDWR
Admin Sex:Female DOB:1992-Ja... Age:34 years Dose Wt:60 kg
Pronouns:<Unknown> GOC/LOI:<No Data Availabl... Isolation:<No Data Availabl... Emergency ENC:QE2230001360 (Admit Dt: 2026-Jan-15 10:...

Diagnoses & Problems

Diagnosis (Problem) being Addressed this Visit

Search By: Annotated Display Code

Acute lymphoblastic leuk... C91.0

Problems

Display: Active

Search By: Annotated Display Code

Search: norepi

Advanced Options Type: Inpatient

Intern

Intern

norepinephrine (central line) titratable infusion (240 mcg/mL) in NaCl 0.9% 50 mL syringe

norepinephrine (central line) titratable infusion (240 mcg/mL) in NaCl 0.9% 250 mL

norepinephrine (resus) titratable infusion (16 mcg/mL) in NaCl 0.9% 250 mL

norepinephrine NEO cont 0.04 mg/mL (greater than 2 kg) in D5W 30 mL

norepinephrine NEO titrate 0.008 mg/mL (less than or equal to 2kg or for cardiac surgery) in D5W 30 mL

norepinephrine NEO titrate 0.04 mg/mL (greater than 2 kg) in D5W 30 mL

norepinephrine NEO titrate 0.008 mg/mL (less than or equal to 2kg or for cardiac surgery) in D5W 30mL

norepinephrine PED cont 0.008 mg/mL (if required for cardiac surgery patients) in D5W 50 mL

norepinephrine PED cont 0.16 mg/mL (greater than 20 kg) in D5W 50 mL

norepinephrine PED cont 0.04 mg/mL (greater than 2 kg to 20 kg) in D5W 50 mL

norepinephrine PED titrate 0.008 mg/mL (if required for cardiac surgery patients) in D5W 50 mL

norepinephrine PED titrate 0.16 mg/mL (greater than 20 kg) in D5W 50 mL

norepinephrine PED titrate 0.04 mg/mL (greater than 2 kg to 20 kg) in D5W 50 mL

Norepinephrine Plasma

Enter to Search

ZZTEST, RPHARMJENN - 51768 Done

Note: "NEO" or "PED" IV sets should be flexed to the IWK for CZ. These are pediatric and neonatal IV sets only. Adult IVs will not have "ADULT" in the naming.

3. In the Continuous Details section, the Rate will default as "Titrate". This is a free-text rate. Enter other Infusion instructions in the free-text box below.

Orders for Signature

Order Name	Status	Start	Details
HI ED; EDWR Fin#:QE2230001360 Admit: 2026-Jan-15 10:36 AST			
IV Solutions/Infusions			
norepinephrine (additive) 60... Order	2026-Mar-06 10:23...	Total Volume (mL): 250, IV, Titrate, Min Dose: 0.01 mcg/kg/min, ...	

Details for **norepinephrine (additive) 60 mg + Sodium Chloride 0.9% (titrate) 190 mL**

Pulls from Dosing Weight on the Banner Bar →

Details	Continuous Details	Diagnoses
Base Solution	Bag Volume	Rate
Sodium Chloride 0.9% (titrate) 190 mL		Titrate
Additive	Additive Dose	Normalized Rate
norepinephrine (additive) 60 mg		Delivers
		Occurrence
		EB
Total Bag Volume	250 mL	

Weight: 60 kg Weight Type: Clinical Weight Result dt/tm: 2026-Feb-12 12:44:00 AST BSA: 1.53 m2

Infusion instructions

Infusion instructions are face up on the MAR

Titratable infusions will not have an "Infuse Over" time (i.e., the time that the bag will last)

Note: Bag Volume requires units (i.e. mL)

0 Missing Required Details Dx Table Orders For Cosignature Orders For Nurse Review Sign

4. In the Details section, review the pre-populated minimum and maximum dose and Titration Instructions. Input a Starting Dose and click Sign.

Details for **norepinephrine (additive) 60 mg + Sodium Chloride 0.9% (titrate) 190 mL**

Details Continuous Details Diagnoses

IV Concentration: Starting Dose: 0.01 mcg/kg/min Maximum Dose: 1 mcg/kg/min Duration: Drug Form: *Requested Start Date/Time: 2026-Mar-06 1023 AST Scheduled / PRN: Yes No PRN Instructions: *Route of administration: IV Minimum Dose: 0.01 mcg/kg/min Titration Instructions: Titrate to target blood pressure. Us... Duration unit: First Dose Priority: Stop Date/Time: PRN Reason: Research Account: Sign

5. In Medication Manager, Apply the Verify action

ZZTEST, RPHARMJENN

MRN: 51768 Age: 34 Years (1992-Jan-15) Gestational age: 37 weeks 0 days Sex: Female Location: HI ED / EDWR
 FIN: 230001360 Race: Postmenstrual age: 1818 weeks 2 days Admitted: 2026-Jan-15 10:36 AST Physician:
 Rx Clinical Note: Pregnant: Unknown

Enter a patient name: ZZTEST, RPHARMJENN

Demographics
 Height/Length ... 140 cm
 Result Dt/Tm 2026-Feb-12 ...
 Weight Dosing 60 kg
 Dt/Tm 2026-Feb-12 ...

Patient Note()

Reason For Visit (1)

Allergies (1)

Medications

Problems and Diagnoses(*)

Rx Clinical Note()

Rx Interventions (*)

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
Verify	Active	norepinephrine + sodium chloride 0.9% intravenous solution IV Titrate	2026-Ma
	Active	magnesium sulfate + Sodium Chloride 0.45% with KCl 40 mmol/L intravenous solution...	2026-Ma
	Active	vancomycin + sodium chloride 0.9% intravenous solution inq IV q24h-int 0 mL/hr	2026-Ma
	Active	citalopram 20 mg / 1 tab tab PO Once	2026-Ma
	Active	citalopram 20 mg / 1 tab tab PO Once	2026-Ma
	Active	ondansetron 4 mg inq IV q8h PRN nausea/vomiting	2026-Ma
	Active	lamotrigine 125 mg / 5 tab tab PO daily	2026-Ma
	Active	casopofungin + sodium chloride 0.9% intravenous solution inq IV q24h	2026-Ma
	Active	Forxiga 10 mg PO daily	2026-Ma

Active Orders Inactive Orders

Submit Cancel Apply

6. In the Verify Continuous Order window, the Rate will be greyed out and there will be a Freetext Rate "Titrate". Titration instructions are in the Comments section.

Verify Continuous Order

Drug:

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As
1	norepinephrine	60 mg / 60 mL			EB	norepinep...
1	norepinephrine 1 mg/mL injection 4 mL					
1	sodium chloride 0.9% intr...	190 mL			EB	Sodium C...
1	sodium chloride 0.9% 250 mL bag					

Total volume mL: 250
 Ingredient volume mL: 250

* Route: IV Weight: 60 kg BSA(m2): 1.53 * Physician: OPOR Test, PharmNet - Pharmaci
 Rate: (None) Freetext rate: Titrate Infuse over: 0 (None) * Replace every: 24 hr
 Duration: (None) * Start date: 2026-Mar-06 * Time: AST 10:23 Stop date: Time: * Stop type: No

Order comments:

Product notes:
 High alert. Protect vials from light. Single use vial. Remove 60 mL from 250 mL IV bag. Central line for 240 mcg/mL concentration.

Dosage form: inj * Communication type: Written Order priority: (None) Sequence: COMPOUNDI
 * Dispense category: IV Continuous * Dispense from location: QEII Halifax Infirmary Main Pharr Initial doses: 1 Initial quantity:
 * Billing formula: Standard Start dispense date: Time: Price: \$32.53 Cost: \$32.53

Product...
 Printing...
 Order Type
 Alert History...
 Rx Intervention
 Lot Info

Reject OK Cancel

Tip: Frequency "EB" means "Each Bag"

Orange = Look at me

7. Click Comments and view titration instructions to ensure appropriate. Click OK.

Product...
Printing...
Comments...
Order Type
Alert History...
Rx Intervention
Lot Info

User defined details:

Starting Dose:
0.01 mcg/kg/min

Minimum Dose:
0.01 mcg/kg/min

Maximum Dose:
1 mcg/kg/min

Titration Instructions:
Titrate to target blood pressure. Usual titration: adjust by 0.05 to 0.1 mcg/kg/min every 1 to 5 min.

OK Cancel

- Click OK to Verify

Reject OK Cancel

- Click Submit

Submit Cancel Apply

Verifying a Bolus off a Continuous Bag

Most commonly these orders will be in a Powerplan. If a bolus is ordered and a continuous infusion bag is already running, prescribers should enter a “Bolus” **medication** order.

- Navigate to Pharmacy Patient Monitor and click Process
- In Medication Manager, the Verify action will default. Click Apply.

PHARM, JENNADULT

Task Edit View Options Help

PHARM, JENNADULT

MIRN: 48939 Age: 34 Years (1992-Jan-24) Sex: Female Location: IWK ED / Triage WR
FIN: 230002325 Race: Admitted: 2025-Jun-13 14:24 ADT Physician: MacDonald Green, A
Rx Clinical Note: 2025-Jul-29 17:05 ADT Pregnant: Unknown

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Star
Verify	Active	norepinephrine + sodium chloride 0.9% intravenous solution IV Titrate	202
Verify	Active	norepinephrine PRN range dose 24 mcg IV q2min PRN hypotension	202
	Active	furosemide 40 mg / 1 tab tab PO daily	202
	Active	HYDROMORPHONE 0.5 mg / 0.5 tab tab PO BID PRN pain, severe	202
	Active	perindopril 4 mg / 1 tab tab PO daily	202
	Active	polyethylene glycol 3350 17 g / 1 packet pwr PO BID	202
	Active	sennosides 17.2 mg / 2 tab tab PO HS PRN constipation	202

Active Orders Inactive Orders

Submit Cancel Apply

- The Continuous infusion is a titratable infusion, with a Freetext rate of Titrate. Click the Comments tab to view starting, minimum and maximum dose. Click OK to verify.

Verify Continuous Order

Drug: []

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As
4	norepinephrine	4 mg / 4 mL			EB	norepinep...
4	norepinephrine 1 mg/mL injection 4 mL					
4	sodium chloride 0.9% in...	46 mL			EB	Sodium C...
	sodium chloride 0.9% 50 mL bag					

Total volume mL: 50
Ingredient volume mL: 50

* Route: IV Weight: (None) BSA(m2): []
Rate: (None) Free-text rate: Titrate Infuse over: 0 (None)
* Physician: OPOR Test, PharmNet - Pharmaci
* Replace every: 24 hr
* Stop type: No

Comments

Rx comments: [] Fill notes: High alert. Protect vials from light. Prepared to a total volume of 50 mL in syringe. Single use vial.

Control number: []

User defined details:

Starting Dose: 0.01 mcg/kg/min
Minimum Dose: 0.01 mcg/kg/min

OK Cancel OK Cancel

- The bolus order will display as a Med order. Select the product and click OK.

Manual Product Select - norepinephrine 24 mcg IV q2min PRN hypotension

Ingredients: norepinephrine 24 mcg

Filter Options:
☐ All Routes and Dosage Forms
☒ Route / Dosage Form compatible
☐ Ordered Dosage Form

Products (1) IV Sets (0)

Description	Pro...
norepinephrine 1 mg/mL injection 4 mL	1 m.

Move >

Reset OK Cancel

- Click OK to verify the Med order
Note: If defaulted as an Intermittent order, click Order Type to change the Bolus to the Med order

Verify Med Order

Drug:

Drug	Dose	Ordered As
norepinephrine	24 mcg / 0.02 mL	norepinephrine
norepinephrine 1 mg/mL injection 4 mL		

* Route: IV * Frequency: q2min ☒ PRN doses: 0 PRN reason: hypotension * Physician: OPOR Test, PharmNet - Pharmaci

Duration: (None) * Start date: 2026-Mar-09 * Time: ADT 13:12 Stop date: ****-**-** Time: * Stop type: No

Previous scheduled administration: ****-**-** Next administration: ADT 2026-Mar-09 12:55 Following: ADT ****-**-** Remaining doses:

Order comments: via infusion pump for 2 doses. Notify prescriber if administered

Product notes: High Alert Med - Independent Double Check (Initiation and Transitions in Care for NS Health)
Independent Double Check (Children and Women's Health Only)

Dosage form: inj * Communication type: Written Order priority: (None) Sequence: INJECTION

* Dispense category: INJ * Dispense from location: IWK Carousel Initial doses: 0 Initial quantity: 0

* Billing formula: Standard Start dispense date: ****-**-** Time:

Price: \$1.72 Cost: \$1.72

☐ Patient's own med ☒ Auto calculate initial dose

6. On the MAR, the nurse will administer the Bolus via the continuous infusion. The med order for the bolus (or loading dose) may be charted as “Not Done” or charted on the MAR as given with no associated volume.

Charting for PHARM, JENNAULT

☒ norepinephrine (additive) 4 mg + Sodium Chloride 0.9% (titrate) 46 mL
 Total Volume (mL): 50, IV, Titrate, Starting dose: 0.01 mcg/kg/min, Min Dose: 0.01 mcg/kg/min, Max Dose: 1 mcg/kg/min, Titration instructions: Titrate to target blood pressure. Usual titration: adjust by 0.05 to 0.1 mcg/kg/min every 1 to 5 min., 2026-...

2026-Mar-09 01:01 ADT - 2026-Mar-10 01:01 ADT

No results found

☒ Yes ☐ No norepinephrine (additive) 4 mg/4 mL
☒ Yes ☐ No Sodium Chloride 0.9% (titrate) 46 mL

*Infuse volume (mL): 0.02 ☒ Bolus

*From: 2026-Mar-09 1301 ADT *To: 2026-Mar-09 1302 ADT

Infused Over: 0 Hours 1 Minutes

*Performed by: OPOR Test, PharmNet - Pharmacist

Witnessed by:

*Bag #: 1

*Site: Arm, Lower Left

Bolus

NS Health/IWK Health One Person One Record
Pharmacist Verification & Med Manager v.1

Build an IV Set in Medication Manager

- Most IV sets should be built in the formulary. If ordered as a Template Non-Formulary, click Cancel in Medication Manager.

ZZTEST, RPHARMJENN

MRN: 51768 Age: 34 Years (1992-Jan-15) Gestational age: 37 weeks 0 days Sex: Female Location: HI ED / EDWR
 FIN: 230001360 Race: Postmenstrual age: 1818 weeks 1 days Admitted: 2026-Jan-15 10:36 AST Physician:
 Rx Clinical Note: Pregnant: Unknown

Enter a patient name: ZZTEST, RPHARMJENN

Demographics
 Height/Length ... 140 cm
 Result Dt/Tm 2026-Feb-12 12:44 AST
 Weight Dosing 60 kg
 Result Dt/Tm 2026-Feb-12 12:44 AST

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
	Active	TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl 0.45% total volume 1,000 mL IV 50 mL...	2026-Mar-05 12:14 A
	Active	acetaminophen 975 mg / 3 tab tab PO q4h PRN pain	2026-Mar-05 10:17 A
	Active	bisacodyl 10 mg / 1 supp suppository rectal HS PRN constipation	2026-Mar-05 10:17 A
	Active	dalteparin 5,000 unit / 0.2 mL inj subcut daily	2026-Mar-05 10:17 A
	Active	dimenhydrinate + sodium chloride 0.9% intravenous solution inj IV-direct q4h PRN ...	2026-Mar-05 10:17 A
	Active	dimenhydrinate 25 mg / 0.5 mL inj IM q4h PRN nausea/vomiting	2026-Mar-05 10:17 A
	Active	dimenhydrinate 25 mg / 0.5 tab tab PO q4h PRN nausea/vomiting	2026-Mar-05 10:17 A
	Active	insulin glulisine Low Dose Correction Scale inj subcut TID with meals	2026-Mar-05 12:00 A
	Active	mycophenolate mofetil 500 mg / 1 tab tab PO BID	2026-Mar-03 11:23 A

Active Orders Inactive Orders

Submit Cancel Apply

- Search the main component of the IV set (i.e., potassium chloride)

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

potassium chloride

Add

- If unable to find the pre-built IV set, build your own in Medication Manager:

- Select an appropriate product/IV bag and click OK

Product Search

Main Settings

Identifiers
☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type
☒ Product ☒ IV Set ☒ Order Set ☒ Compound

Order Type
☒ Medication ☒ Intermittent ☒ Continuous

Search for: potassium chloride

Search

Order	Mnemonic	Generic Name	Strength / Form	Description
M, I, C	kcl200inj	potassium chloride	200 mmol / 100 mL inj	potassium chloride 2 mmol/mL injection 100 mL (p
I, C	kcl500inj	potassium chloride	500 mmol / 250 mL inj	potassium chloride 2 mmol/mL bag 250 mL (pharm
M	pota20Liq500	potassium chloride	1.33 mmol / 1 mL soln	potassium chloride 20 mmol/15 mL (1.33 mEq/mL)
M	pota8ER	potassium chloride	8 mmol / 1 tab tab-er	potassium chloride 8 mmol (600 mg) ER tablet
M	pota600ER	potassium chloride	8 mmol / 1 tab tab-er	potassium chloride 8 mmol ER tablet
M	pota20SRTab	potassium chloride	20 mmol / 1 tab tab-er	potassium chloride 20 mmol (1500 mg) SR tablet
M, C	PotSodiumSOL	Sodium Chloride 0.45% with K...	20 mmol / 1,000 mL inj	potassium chloride 20 mmol/L - NaCl 0.45% 1000 r
M, C	Pot45SocD-45SOLcpd	Sodium Chloride 0.45% with K...	40 mmol / 1,000 mL inj	potassium chloride 40 mmol/L - NaCl 0.45% 1000 r
I, C	KCL20NSD 91000	Sodium Chloride 0.9% with K...	20 mmol / 1,000 mL inj	potassium chloride 20 mmol/L-NaCl 0.9% 1000 mL
I, C	KCL40NSD 91000	Sodium Chloride 0.9% with K...	40 mmol / 1,000 mL inj	potassium chloride 40 mmol/L-NaCl 0.9% 1000 mL
I	kcl30mmolINS250INT			potassium chloride (hematology) 30 mmol in NaCl
I, C	NaCl45_KCl40mmol_1000			potassium chloride 40 mmol/L - NaCl 0.45% 1000 r
I, C	potasNEO(BEP)1mmol/mL SW11mL			potassium chloride NEO(BEP) 1mmol/mL infusion 1 mmol

Show all manufacturers

OK Cancel

- Select the Continuous Product Type and click OK

Select Product Type

The type of product could not be determined.
 Please specify which type this is.

☐ Med
☐ Intermittent
☒ Continuous

OK Cancel

- Type in the Dose (total volume) and click Update Drag the New Continuous Order window down to see the order. Leave the **Normalized rate** field BLANK. **Normalized rates are weight or target based (e.g., mcg/kg/min, mg/h, mcg/h, unit/h)**, whereas mL/hr is the speed at which the pump delivers the physical volume.

Order Sentence: TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl 0.45% total volume 1,000 mL IV 50 mL/hr

Start: 2026-Mar-05 12:14 AST

New Continuous Order

Drug: Sodium Chloride 0.45% with KCl 40 mm

Dose: 1000 mL

Normalized rate:

Frequency: EB

Ordered as: (None)

Update

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As

Remove

Modify

- Complete required details. Use the "Rate" field to input the rate ordered (50 mL/hr).

Order Sentence: TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl 0.45% total volume 1,000 mL IV 50 mL/hr

Start: 2026-Mar-05 12:14 AST

New Continuous Order

Drug: Sodium Chloride 0.45% with KCl 40 mm

Dose: 40 mmol / 1.0...

Normalized Rate:

Concentration: potassium chloride 40 mmol/L- NaCl 0.45% 1000 mL bag (cpd)

Frequency: EB

Ordered As:

Update

Remove

Modify

Total volume mL: 1,000

Ingredient volume mL: 1,000

* Route: IV

* Rate: 50 mL/hr

Duration: (None)

Weight Dosing: [2026-Feb-12 12:00] 60 kg

BSA(m2): [Mosteller] 1.53

* Infuse over: 20 hr

* Replace every: 20 hr

* Stop type: No

* Start date: 2026-Mar-06

* Time: AST 09:24

Stop date: ****_**_**

Time:

- Search the next drug (Magnesium Sulfate) in the Search bar on the New Continuous Order window and press Enter on your keyboard.

Order Sentence: TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl 0.45% total volume 1,000 mL IV 50 mL/hr

Start: 2026-Mar-05 12:14 AST

New Continuous Order

Drug: magnesium sulfate

Update

Remove

Modify

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As

Sodium Chloride 0.45% ... 40 mmol / 1.0...

potassium chloride 40 mmol/L- NaCl 0.45% 1000 mL bag (cpd)

- Select an appropriate product and click OK

Product Search

Main Settings

Identifiers

☒ Generic name ☒ Brand name ☒ Mnemonic ☒ Description ☒ Charge number ☒ DIN ☐ Other: *

Product Type

☒ Product ☐ IV Set ☐ Order Set ☒ Compound

Order Type

☐ Medication ☐ Intermittent ☒ Continuous

Search for:

magnesium sulfate Search

Order	Mnemonic	Generic Name	Strength / Form	Description
M.I.C	mag4g100NSos	magnesium sulfate	4 g / 100 mL inj	magnesium sulfate 4 g/100 mL NaCl 0.9% (40 mg/mL) bag (outsourc
M.I.C	mag200inj10	magnesium sulfate	2,000 mg / 10 mL inj	magnesium sulfate 200 mg/mL (20%) injection 10 mL
I.C	mag500solnIV	magnesium sulfate	20 g / 500 mL soln-IV	magnesium sulfate 20 g/500 mL NaCl 0.9% (40 mg/mL) bag (outsourc

Show all manufacturers

OK Cancel

- Enter the dose of the other component and click Update

New Continuous Order

Drug: magnesium sulfate

Dose: 1 g

Normalized rate: Frequency: EB

Ordered as:

Update

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As
	Sodium Chloride 0.45% ...	40 mmol / 1,0...			EB	
	potassium chloride 40 mmol/L- NaCl 0.45% 1000 mL bag (cpd)					

- In the Comments tab, input a rationale and click OK. Alternatively, enter this note in the "Product Notes" or complete an Rx Intervention via the "Intervene" action.

Product... Printing... Comments... Order Type Link Info... Alert History... Rx Intervention Lot Info

Comments

Rx comments: Changed TNF to compounded IV

Fill notes:

Only visible to Pharmacy staff. Enter note in the Product notes for nursing and provider visibility, or complete an "Intervene" action after verification

Bolus Dose: Bolus Dose Unit:

OK Cancel

- When complete, click OK on the New Continuous Order window

New Continuous Order

Drug:

Vol	Drug	Dose	Normalized Rate	Concentration	Frequency	Ordered As
4	Sodium Chloride 0.45% ...	40 mmol / 1,000 mL			EB	
4	potassium chloride 40 mmol/L- NaCl 0.45% 1000 mL bag (cpd)					
4	magnesium sulfate	1 g / 5 mL			EB	
4	magnesium sulfate 200 mg/mL (20%) injection 10 mL					

Total volume mL: 1,005
Ingredient volume mL: 1,005

* Route: IV
Weight Dosing: [2026-Feb-12 12:00] kg 1.53
BSA(m2): [Mosteller]
* Rate: 50 mL/hr
Duration: (None)
* Start date: 2026-Mar-06
* Time: AST 09:24
* Infuse over: 20.1 hr
Stop date: ****-**-**
* Physician: OPOR Test, External Provider 1
* Replace every: 20.1 hr
* Stop type: No

Order comments:

Product notes:

Dosage form: inj
* Communication type: Electronic
Order priority: (None)
Sequence: COMPOUND
* Dispense category: IV Continuous
* Dispense from location: QEII Halifax Infirmary Main Pharr
Initial doses: 1
* Billing formula: Standard
Start dispense date: ****-**-**
Time:
Price: \$7.37
Cost: \$7.37

☐ Patient's own med
☒ Auto calculate initial dose

OK Cancel

- Click Submit

Submit Cancel Apply

5. Assign the Void action to the template non-formulary (TNF) order and click Apply

Acute Profile Ambulatory Profile Results Interventions Processing Orders

Drug:

Action	Status	Order Sentence	Start
Void	Active	TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl 0.45% total volume 1,000 mL IV 50 mL/hr	2026-Ma
	Discontinued	nystatin 500,000 unit / 5 mL susp swish and spit QID	2026-Ma
	Discontinued	sulfamethoxazole-trimethoprim 400 mg-80 mg 80 mg / 1 tab tab PO daily	2026-Ma
	Discontinued	tacrolimus 4 mg / 4 cap cap PO BID	2026-Ma
	Active	amLODIPine 10 mg / 1 tab tab PO Once	2026-Ma
	Active	ampicillin + sodium chloride 0.9% intravenous solution inj IV q6h	2026-Ma
	Active	dalteparin 5,000 unit / 0.2 mL inj subcut Once	2026-Ma
	Active	ondansetron 4 mg inj IV q8h PRN nausea/vomiting	2026-Ma
	Active	ramipril 5 mg / 1 cap cap PO daily	2026-Ma

☒ Active Orders ☐ Inactive Orders

Submit Cancel Apply

6. Select a Reason for void and click OK (do not print a Label)

Void
✕

Order sentence:
TNF - KCl 40 mmol/L + Mg Sulfate 1g + NaCl
0.45% total volume 1,000 mL IV 50 mL/hr

Void date/time: AST
2026-Mar-06 0942

☒ Physician placed or counter-signed order

* Physician:
OPOR Test, PhamNet - Pharmacist

Reason for void:
Wrong Medication

* Communication type:
Electronic

Printer:
Label copies:
1

☐ Administrations given

OK Cancel

7. Click Submit

Submit

Cancel

Apply

Invalid Dose Entry Error in Medication Manager:

When verifying orders, the following error may display upon clicking “OK” in the Verify window.

1. Click OK on the Alert

Verify Med Order
✕

Drug:

Drug	Dose	Ordered As
Dextrose 50% in Water intravenous solution	25 g	dextrose 50% IV solution
dextrose 50% 50 mL syringe		

* Route: IV-direct * Frequency: As directed; see comm Custom... ☒ PRN doses: 0 PRN reason: hypoglycemia * Physician: OPOR Test, PhamNet - Pharmacist

Duration: (None) Start date: Original 2026-Mar-05 10:17 AST Stop date: Time: Stop type: No

Previous scheduled administration: Order comments:

Invalid Dose Entry - Dextrose 50% in Water intravenous solution

Calculated dose: 25 g

A strength less than 0.0001 or a volume less than 0.01 was entered or calculated.
Enter a larger value or modify the units.

OK

- Review the Dose and units. The error is indicating that the units for the dose are invalid. This may occur for inhalers, which default as “inh” in the dose field but require “puff”. In this case, we likely need to change “g” to “mL”. Click Modify.

Verify Med Order

Drug:

Drug	Dose	Ordered As
Dextrose 50% in Water intravenous solution	25 g	dextrose 50% IV solution
dextrose 50% 50 mL syringe		

Buttons: Update, Remove, **Modify**

- Change to “50 mL” (25 g = 50 mL) and click Update

Verify Med Order

Drug:

Drug	Dose	Ordered As
Dextrose 50% in Water intravenous solution	50 mL	dextrose 50% IV solution
dextrose 50% 50 mL syringe	25 g	dextrose 50% IV solution

Buttons: **Update**, Remove, Modify

- Click OK

Verify Med Order

Drug:

Drug	Dose	Ordered As
Dextrose 50% in Water intravenous solution	25 g / 50 mL	dextrose 50% IV solution
dextrose 50% 50 mL syringe		

Configuration:

- Route: IV-direct
- Frequency: As directed, see comr
- PRN doses: 0
- PRN reason: hypoglycemia
- Physician: OPOR Test, PharmNet - Pharmac
- Duration: (None)
- Start date: Original 2026-Mar-05 10:17 AST
- Stop date: ****_**_**
- Time:
- Stop type: No
- Previous scheduled administration: ****_**_**
- Next administration: AST 2026-Mar-05 10:33
- Following: AST ****_**_**
- Remaining doses:
- Order comments:
- Product notes: High Alert Med (All Patients) - Independent Double Check (Children and Women's Health Only)
- Dosage form: syringe
- Communication type: Written
- Order priority: (None)
- Sequence: INJECTION
- Dispense category: INJ
- Dispense from location: QEII Halifax Infirmary Main Pharr
- Initial doses: 0
- Initial quantity: 0
- Billing formula: Standard
- Start dispense date: ****_**_**
- Time:
- Price: \$36.65
- Cost: \$36.65
- Patient's own med: ☐
- Auto calculate initial dose: ☒

Buttons: Reject, **OK**, Cancel

- Click Submit

Buttons: **Submit**, Cancel, Apply