

#テーブル定義

データベース名:LSYUDAT

テーブル名:SyukkaFresh

項目	列名	データ型	Null許 容	備考
ID	fresh_id	int	×	主キー オートナンバー
1日連番	itiniti_renban	char(3)	×	Syukkaレコード識別子 複合ユニークキー
工場コード	kozyo_code	char(4)	×	Syukkaレコード識別子 複合ユニークキー
出荷予定日	syukka_yoteibi	char(16)	×	Syukkaレコード識別子 複合ユニークキー
当日予定 No	tozitu_yotei_no	char(3)	×	縦割のグループ識別に使用 Syukkaから導出できるが簡略化のため
試験区分	siken_kubun	nvarchar(1)	×	0=製品,1=工程,2=代行,3=試験練り4=その他 複合ユニークキー
縦割	is_tatewari	bit	×	
スランプ	slump	nvarchar(8)	×	
フロー1	flow1	nvarchar(8)	×	
フロー2	flow2	nvarchar(8)	×	
エアー	air	nvarchar(8)	×	
温度	ondo	nvarchar(8)	×	
単容	tanyo	nvarchar(8)	×	
塩化物1	enkabutu1	nvarchar(8)	×	
塩化物2	enkabutu2	nvarchar(8)	×	
塩化物3	enkabutu3	nvarchar(8)	×	
立会者	tataisya	nvarchar(20)	×	
打設箇所	dasetukasyo	nvarchar(120)	×	
外気温度	siken_kubun	nvarchar(6)	×	
単位水量	tanisuiryo	nvarchar(8)	×	
備考	biko	nvarchar(10)	×	縦割のみ
グループ No	group_no	tinyint	×	縦割のグループ アプリ上で3本までに制限 通常取りの場合は0
初回登録年 月日	syokai_toroku_nengappi	datetime	×	

データベース名:LSYUDAT

テーブル名:SyukkaFreshPicture

項目	列名	データ型	Null許 容	備考
ID	fresh_picture_id	int	×	主キー オートナンバー

項目	列名	データ型	Null許容	備考
フレッシュID	fresh_id	int	×	外部キー SyukkaFreshのIDと外部キー制約(ON DELETE CASCADE)
写真	picture	varbinari(MAX)	×	

SQL

フレッシュデータ

```
USE [LSYUDAT]
GO

USE [LSYUDAT]
GO

/***** Object: Table [dbo].[SyukkaFresh]    Script Date: 2024/11/18 15:18:17 *****/
SET ANSI_NULLS ON
GO

SET QUOTED_IDENTIFIER ON
GO

CREATE TABLE [dbo].[SyukkaFresh](
    [fresh_id] [int] IDENTITY(1,1) NOT NULL,
    [itiniti_renban] [char](3) NOT NULL,
    [kozyo_code] [char](4) NOT NULL,
    [syukka_yoteibi] [char](16) NOT NULL,
    [tozitu_yotei_no] [char](3) NOT NULL,
    [siken_kubun] [nvarchar](1) NOT NULL,
    [is_tatewari] [bit] NOT NULL,
    [slump] [nvarchar](8) NOT NULL,
    [flow1] [nvarchar](8) NOT NULL,
    [flow2] [nvarchar](8) NOT NULL,
    [air] [nvarchar](8) NOT NULL,
    [ondo] [nvarchar](8) NOT NULL,
    [tanyo] [nvarchar](8) NOT NULL,
    [enkabutu1] [nvarchar](8) NOT NULL,
    [enkabutu2] [nvarchar](8) NOT NULL,
    [enkabutu3] [nvarchar](8) NOT NULL,
    [tatiaisya] [nvarchar](20) NOT NULL,
    [dasetukasyo] [nvarchar](120) NOT NULL,
    [gaikiondo] [nvarchar](6) NOT NULL,
    [tanisuiryo] [nvarchar](8) NOT NULL,
    [biko] [nvarchar](10) NOT NULL,
    [group_no] [tinyint] NOT NULL,
    [syokai_toroku_nengappi] [datetime] NOT NULL,
    CONSTRAINT [PK_SyukkaFresh] PRIMARY KEY CLUSTERED
(
    [fresh_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
    CONSTRAINT [IX_SyukkaFresh] UNIQUE NONCLUSTERED
(
    [itiniti_renban] ASC,
    [kozyo_code] ASC,
```

```
[syukka_yoteibi] ASC,
[siken_kubun] ASC,
[is_tatewari] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON
) ON [PRIMARY]
GO

/***** Object: Table [dbo].[SyukkaFreshPicture]    Script Date: 2023/01/23 15:54:39 *****/
SET ANSI_NULLS ON
GO

SET QUOTED_IDENTIFIER ON
GO

CREATE TABLE [dbo].[SyukkaFreshPicture](
    [fresh_picture_id] [int] IDENTITY(1,1) NOT NULL,
    [fresh_id] [int] NOT NULL,
    [picture] [varbinary](max) NOT NULL,
    CONSTRAINT [PK_SyukkaFreshPicture] PRIMARY KEY CLUSTERED
(
    [fresh_picture_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO

ALTER TABLE [dbo].[SyukkaFreshPicture] WITH CHECK ADD CONSTRAINT [FK_SyukkaFreshPicture_Syukka
REFERENCES [dbo].[SyukkaFresh] ([fresh_id])
ON DELETE CASCADE
GO

ALTER TABLE [dbo].[SyukkaFreshPicture] CHECK CONSTRAINT [FK_SyukkaFreshPicture_SyukkaFresh]
GO
```