

ບົດທີ 2

ການຕິດຕັ້ງລະບົບຈັດການຖານຂໍ້ມູນ
(DBMS Installation)

ເນື້ອໃນຫຍໍ້

- ◆ ການກະກຽມຕິດຕັ້ງ ລະບົບຈັດການຖານຂໍ້ມູນ
- ◆ ຂັ້ນຕອນການຕິດຕັ້ງ
- ◆ ການຕິດຕັ້ງຫຼາຍໆ Instance ໃນເຄື່ອງດຽວ
- ◆ ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ
- ◆ ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

ການກະກຽມຕິດຕັ້ງ ລະບົບຈັດການຖານຂໍ້ມູນ

◆ ຄວາມຕ້ອງການດ້ານຮາດແວ (Hardware Requirement)

ໜ້າຈໍ (MONITOR)	ຄວາມລະອຽດຢ່າງໜ້ອຍ 800X600 PIXEL
ເຄື່ອງອ່ານແຜ່ນ CD/DVD	ມີເຄື່ອງອ່ານແຜ່ນ CD/DVD ໃຊ້ສໍາຫລັບລົງໂປຣແກຣມຈາກແຜ່ນ
ໜ່ວຍປະມວນຜົນ (CPU)	ຄວາມໄວຢ່າງໜ້ອຍ 1.4GHZ (ແນະນໍາ 2GHZ ຫຼືໄວກວ່ານັ້ນ)
ໜ່ວຍຄວາມຈໍາ (RAM)	SQL SERVER 2012 ENTERPRISE EDITION ຕ້ອງການ ≥ 1 GB SQL SERVER 2012 BUSINESS INTELLIGENCE EDITION ຕ້ອງການ ≥ 1 GB SQL SERVER 2012 STANDARD EDITION ຕ້ອງການ ≥ 1 GB SQL SERVER 2012 DEVELOPER EDITION ຕ້ອງການ ≥ 1 GB SQL SERVER 2012 WEB EDITION ຕ້ອງການ ≥ 1 GB SQL SERVER 2012 EXPRESS EDITION ຕ້ອງການ ≥ 512 MB SQL SERVER 2012 ທຸກ EDITION ແນະນໍາທີ່ 4GB

ເນື້ອທີ່ວ່າງໃນຮາດດິດ
ຢ່າງໜ້ອຍ 6GB
ພາກວິຊາວິທະຍາສາດຄອມພິວເຕີ, ຄວບ, ມັງ 2020-2021

ການກະກຽມຕິດຕັ້ງ ລະບົບຈັດການຖານຂໍ້ມູນ

◆ ຄວາມຕ້ອງການດ້ານຊອບແວ (Software Requirement)

Microsoft Internet Explorer	Microsoft Internet Explorer 7 ຫຼືໃໝ່ກວ່ານັ້ນ
Internet Information Service	IIS 7.0 ຫຼື ໃໝ່ກວ່ານັ້ນ (ໃຊ້ສໍາຫລັບ Reporting Service)
.NET Framwork	.NET Framwork 3.5 SP1 ແລະ ຕິດຕັ້ງ hotfix KB956250 ນໍາ
ລະບົບປະຕິບັດການ (OS)	Windows Server 2012 Windows Server 2008 R2 SP1 ຫຼືໃໝ່ກວ່ານັ້ນ Windows Server 2008 SP2 ຫຼືໃໝ່ກວ່ານັ້ນ Windows 7 SP1 ຫຼືໃໝ່ກວ່ານັ້ນ Windows Vista SP2 ຫຼືໃໝ່ກວ່ານັ້ນ

ການກະກຽມຕິດຕັ້ງ ລະບົບຈັດການຖານຂໍ້ມູນ


◆ ຄວາມຕ້ອງການເນື້ອທີ່ຮາດຕິດ (Software Requirement)

ອົງປະກອບ (Component ຊຶ່ງເປັນ Feature ຂອງ SQL Server 2005)	ຂະໜາດຂອງເນື້ອທີ່ຮາດຕິດ
Database Engine and data file, Replication, and Full-text Search	811MB
Analysis Services and data files	345MB
Reporting Services and Report Manager	304MB
Integration Services	591MB
Master data Service	243MB
Client Components	1823MB
SQL Server Books Online and SQL Server Compact Book Online	200MB

ຂັ້ນຕອນການຕິດຕັ້ງ


◆ ມີຂັ້ນຕອນດັ່ງນີ້

1. ໃສ່ແຜ່ນຊີດີ SQL Server 2012 ເຂົ້າໄປໃນ CDROM Drive ແລ້ວໄປຮັບ setup.exe



ຂັ້ນຕອນການຕິດຕັ້ງ

ມີຂັ້ນຕອນດັ່ງນີ້



The screenshot displays the SQL Server Installation Center window. The title bar reads "SQL Server Installation Center". On the left, a sidebar lists the following sections: Planning, Installation, Maintenance, Tools, Resources, Advanced, and Options. The "Planning" section is currently selected. The main content area lists various links and their descriptions:

- [Hardware and Software Requirements](#)
View the hardware and software requirements.
- [Security Documentation](#)
View the security documentation.
- [Online Release Notes](#)
View the latest information about the release.
- [How to Get SQL Server Data Tools](#)
SQL Server Data Tools provides an integrated environment for database developers to carry out all their database design work for any SQL Server platform.
- [System Configuration Checker](#)
Launch a tool to check for conditions that prevent a successful SQL Server installation.
- [Install Upgrade Advisor](#)
Upgrade Advisor analyzes any SQL Server 2008 R2, SQL Server 2008 or SQL Server 2005 components that are installed and identifies issues to fix either before or after you upgrade to SQL Server 2012.
- [Online Installation Help](#)
Launch the online installation documentation.
- [How to Get Started with SQL Server 2012 Failover Clustering](#)
Read instructions on how to get started with SQL Server 2012 failover clustering.
- [How to Get Started with a PowerPivot for SharePoint Standalone Server Installation](#)
Read instructions on how to install PowerPivot for SharePoint in the fewest possible steps on a new SharePoint 2010 server.
- [How to Get started with Reporting Services SharePoint Integration on a Standalone Server](#)
Read instructions on how to install and configure Reporting Services SharePoint integration in the fewest possible steps on a new SharePoint 2010 server.
- [Upgrade Documentation](#)
View the document about how to upgrade to SQL Server 2012 from SQL Server 2005, SQL Server 2008 or SQL Server 2008 R2.
- [Install SQL Server Migration Assistant \(SSMA\)](#)
Launch the online installation of SQL Server Migration Assistant (SSMA) to migrate Oracle, Sybase, MySQL, and Access databases to SQL Server or SQL Azure. SSMA automates all aspects of migration including migration assessment analysis, schema and SQL statement conversion, data migration, and migration testing.
- [How to apply SQL Server updates](#)
View the document on how to apply the appropriate product updates during a new installation or to an existing installation of SQL Server 2012.


In the bottom left corner, the Microsoft SQL Server 2012 logo is visible.

ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


2. ໃນໜ້າຈໍ SQL Server Installation Center ໃຫ້ຄົກເລືອກ Installation ຈະປະກົດໜ້າຈໍດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້


3. ໃນໜ້າຈໍ Installation ໃຫ້ຄົກເລືອກ New SQL Server stand-alone or add features to existing installation ຈະປະກົດໜ້າຈໍດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້


3. ໃນໜ້າຈໍ Installation ໃຫ້ຄົກເລືອກ New SQL Server stand-alone or add features to existing installation ຈະປະກົດໜ້າຈໍ Setup Support Rules ດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

4. ຄຶກ OK ເພື່ອເຂົ້າຂັ້ນຕອນຕໍ່ໄປ ມັນຈະເປີດໜ້າຈໍປ້ອນ Product Key ດັ່ງນີ້




The screenshot shows the 'Product Key' window in the SQL Server 2012 Setup. The window has a red title bar with the text 'SQL Server 2012 Setup'. Inside, the title 'Product Key' is displayed above the instruction 'Specify the edition of SQL Server 2012 to install.' On the left is a sidebar with links: 'Product Key' (selected), 'License Terms', 'Product Updates', and 'Install Setup Files'. The main area contains a validation instruction: 'Validate this instance of SQL Server 2012 by entering the 25-character key from the Microsoft certificate of authenticity or product packaging. You can also specify a free edition of SQL Server, such as Evaluation or Express. Evaluation has the largest set of SQL Server features, as documented in SQL Server Books Online, and is activated with a 180-day expiration. To upgrade from one edition to another, run the Edition Upgrade Wizard.' Below this, there are two radio button options: 'Specify a free edition:' (unselected) and 'Enter the product key:' (selected). The 'Specify a free edition:' option has a dropdown menu currently showing 'Evaluation'. The 'Enter the product key:' option has a text input field with a 25-character placeholder (hyphens and asterisks). At the bottom are three buttons: '< Back', 'Next >', and 'Cancel'.

ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້


5. ໃຫ້ປ້ອນ Product Key ແລ້ວຄຶກ Next (ໃນທີ່ນີ້ຈະປະວ່າງໄວ້) ຈະປະກົດໜ້າຈໍ License Terms ໃຫ້ຄຶກເລືອກ I accept the license terms ແລ້ວຄຶກ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

6. ປະກົດໜ້າຈໍ Product Update ມັນຈະກວດສອບການອັບເດດຈາກອິນເຕີເນັດ ເຮົາສາມາດຄິກ Skip Scan ເພື່ອຂ້າມຂັ້ນຕອນນີ້ ແລ້ວຄິກ Next




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


6. ປະກົດໜ້າຈໍ Product Update ມັນຈະກວດສອບການອັບເດດຈາກອິນເຕີເນັດ ເຮົາສາມາດຄຶກ Skip Scan ເພື່ອຂ້າມຂັ້ນຕອນນີ້ ແລ້ວຄຶກ Next



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

7. ເມື່ອຄຶກປຸ່ມ Next ໜ້າຈໍ Setup Support files ຈະປະກົດຂຶ້ນເພື່ອຕິດຕັ້ງ
ຟາຍຈໍາເປັນຕໍ່ການຕິດຕັ້ງ




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


8. ເມື່ອຕິດຕັ້ງ Support file ຮຽບຮ້ອຍແລ້ວ ໜ້າຈໍ Setup Support Rules ຈະປະກົດຂຶ້ນ ແລະ ກວດສອບການກຽມພ້ອມຂອງເຄື່ອງອີກເທື່ອໜຶ່ງ ຖ້າ ກຽມພ້ອມໜ້າຈໍຈະເປັນດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

9. ຄຶກຢູ່ມ Next ໜ້າຈໍ Setup Role ຈະປະກົດຂຶ້ນ ເພື່ອໃຫ້ເຮົາເລືອກກຳນົດ ບົດບາດ SQL Server ທີ່ຈະຕິດຕັ້ງ ດັ່ງຮູບ ເລືອກ ແລ້ວຄຶກ Next




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


10. ໃນໜ້າຈໍ Feature Selection ໃຫ້ເລືອກວ່າຈະຕິດຕັ້ງຄວາມສາມາດໃດຂອງ SQL Server ແລ້ວຄຶກ Next



ຂັ້ນຕອນການຕິດຕັ້ງ

ມີຂັ້ນຕອນດັ່ງນີ້

10. ໃນໜ້າຈໍ Feature Selection ໃຫ້ເລືອກວ່າຈະຕິດຕັ້ງຄວາມສາມາດໃດຂອງ SQL Server ແລ້ວຄຶກ Next




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້

11. ໃນໜ້າຈໍ Installation Rules ແມ່ນເພື່ອກວດສອບຄອມໂປເນັ້ນທີ່ຈຳເປັນຕ້ອງໃຊ້ງານກັບຄວາມສາມາດທີ່ເຮົາເລືອກຕິດຕັ້ງ ຖ້າພ້ອມຕິດຕັ້ງໝົດຈະເປັນດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້

12. ເມື່ອຄຶກ Next ໜ້າຈໍ Instance Configuration ຈະປະກົດຂຶ້ນ

SQL Server 2012 Setup

Instance Configuration

Specify the name and instance ID for the instance of SQL Server. Instance ID becomes part of the installation path.

Setup Support Rules
Setup Role
Feature Selection
Installation Rules
Instance Configuration
Disk Space Requirements
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Reporting Services Configuration
Error Reporting
Installation Configuration Rules
Ready to Install
Installation Progress
Complete

☒ Default instance
☐ Named instance:

Instance ID: MSSQLSERVER

Instance root directory: C:\Program Files\Microsoft SQL Server\

SQL Server directory: C:\Program Files\Microsoft SQL Server\MSSQL11.MSSQLSERVER
Analysis Services directory: C:\Program Files\Microsoft SQL Server\MSAS11.MSSQLSERVER
Reporting Services directory: C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER

Installed instances:

Instance Name	Instance ID	Features	Edition	Version
---------------	-------------	----------	---------	---------

< Back Next > Cancel Help

ຂັ້ນຕອນການຕິດຕັ້ງ


◆ ມີຂັ້ນຕອນດັ່ງນີ້

12. ເມື່ອຄົກ Next ໜ້າຈໍ Instance Configuration ຈະປະກົດຂຶ້ນ
 - ◆ ຖ້າເລືອກ Default Instance ຈະເປັນຊື່ default ດັ່ງນີ້:
MSSQLSERVER ເຮັດໃຫ້ການອ້າງອີງເຖິງ SQL Server 2012 ຈະກຳນົດພຽງຊື່ເຄື່ອງເທົ່ານັ້ນ ແຕ່ວ່າໃນແຕ່ລະເຄື່ອງຈະມີ Default Instance ໄດ້ພຽງ 1 ອັນເທົ່ານັ້ນ
 - ◆ ຖ້າເລືອກ Name Instance ຈະເປັນການກຳນົດຊື່ Instance ເອງ. ໃຊ້ໃນກໍລະນີຕ້ອງການໃຫ້ມີຫລາຍກວ່າ 1 Instance. ເຮົາສາມາດເຂົ້າໄປກຳນົດຊື່ Instance ຕື່ມອີກໄດ້ ໂດຍຊື່ Instance ຈະຢູ່ໃນຮູບແບບ **ຊື່ເຄື່ອງຄອມພິວເຕີຊື່ Instance**
 - ◆ Instance ID ຈະອ້າງອີງຕາມຊື່ Instance ທີ່ເຮົາກຳນົດ
 - ◆ Instance Root Directory ເປັນການກຳພາດໄດເຣັກໂທຣີທີ່ເຮົາຈະຕິດຕັ້ງ ຊຶ່ງຈະມີຜົນຕໍ່ຄອມໂພເນັ້ນຕ່າງໆທີ່ຢູ່ພາຍໃຕ້ພາດໄດເຣັກໂທຣີສ່ວນນີ້
 - ◆ Installed Instance ຈະເປັນບ່ອນສະແດງ SQL Server Instance ທີ່

ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້


13. ໃນຕົວຢ່າງນີ້ ໄດ້ເລືອກ Default Instance ແລະ ໃຊ້ພາດໄດເຣັກໂທຣີ default ຕາມໜ້າຈໍຕິດຕັ້ງ ແລ້ວຄຶກປຸ່ມ Next ໄປເລີຍ ຈະປະກົດໜ້າຈໍ Disk Space Requirement ເພື່ອກວດສອບວ່າເນື້ອທີ່ຫວ່າງຂອງຮາດດິດຂອງເຮົາພຽງພໍບໍ່



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

14. ຄຶກຢູ່ມ Next ໜ້າຈໍກຳນົດການເຮັດວຽກຂອງເຊີວິດຈະປະກົດຂຶ້ນ ໃນສ່ວນນີ້ເຮົາສາມາດກຳນົດໄດ້ວ່າ ເຊີວິດໃດຈະເລີ່ມຕົ້ນເຮັດວຽກແບບໃດ ແລະ ກຳນົດຜູ້ໃຊ້ງານໄດ້



SQL Server 2012 Setup

Server Configuration

Specify the service accounts and collation configuration.

Setup Support Rules
Setup Role
Feature Selection
Installation Rules
Instance Configuration
Disk Space Requirements
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Reporting Services Configuration
Error Reporting
Installation Configuration Rules
Ready to Install
Installation Progress
Complete

Service Accounts Collation

Microsoft recommends that you use a separate account for each SQL Server service.

Service	Account Name	Password	Startup Type
SQL Server Agent	NT Service\SQLSERVERA...		Manual
SQL Server Database Engine	NT Service\MSSQLSERVER		Automatic
SQL Server Analysis Services	NT Service\MSSQLServe...		Automatic
SQL Server Reporting Services	NT Service\ReportServer		Automatic
SQL Server Integration Services 11.0	NT Service\MsDtsServer...		Automatic
SQL Full-text Filter Daemon Launc...	NT Service\MSSQLFDLa...		Manual
SQL Server Browser	NT AUTHORITY\LOCAL ...		Disabled


< Back Next > Cancel Help

ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້

15. ໃຫ້ຄົກແທ້ບ Collation ເພື່ອກຳນົດພາຂອງຂໍ້ມູນ



ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້

16. ເມື່ອຄຶກປຸ່ມ Next ໜ້າຈໍ Authentication Mode ຈະປະກົດຂຶ້ນ ໃຫ້ກຳນົດ ເປັນ Mixed Mode ແລະ ກຳນົດລະຫັດຜ່ານໃຫ້ sa

SQL Server 2012 Setup

Database Engine Configuration

Specify Database Engine authentication security mode, administrators and data directories.

Setup Support Rules
Setup Role
Feature Selection
Installation Rules
Instance Configuration
Disk Space Requirements
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Reporting Services Configuration
Error Reporting
Installation Configuration Rules
Ready to Install
Installation Progress
Complete

Server Configuration | Data Directories | FILESTREAM

Specify the authentication mode and administrators for the Database Engine.

Authentication Mode

☐ Windows authentication mode

☒ Mixed Mode (SQL Server authentication and Windows authentication)

Specify the password for the SQL Server system administrator (sa) account.

Enter password: [password field]

Confirm password: [password field]

Specify SQL Server administrators

[Add Current User] [Add...] [Remove]


SQL Server administrators have unrestricted access to the Database Engine.

< Back | Next > | Cancel | Help

ຂັ້ນຕອນການຕິດຕັ້ງ

ມີຂັ້ນຕອນດັ່ງນີ້

17. ຈາກນັ້ນໃຫ້ກຳນົດຜູ້ໃຊ້ງານຂອງ Windows ທີ່ຈະມີບົດບາດເປັນ System Administrator ໃນ SQL Server ໂດຍການຄົ້ນພົບ Add ເຂົ້າມາ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

17. ຈາກນັ້ນໃຫ້ກຳນົດຜູ້ໃຊ້ງານຂອງ Windows ທີ່ຈະມີບົດບາດເປັນ System Administrator ໃນ SQL Server ໂດຍການຄົ້ນພົບ Add ເຂົ້າມາ

SQL Server 2012 Setup

Database Engine Configuration

Specify Database Engine authentication security mode, administrators and data directories.

Setup Support Rules
Setup Role
Feature Selection
Installation Rules
Instance Configuration
Disk Space Requirements
Server Configuration
Database Engine Configuration
Analysis Services Configuration
Reporting Services Configuration
Error Reporting
Installation Configuration Rules
Ready to Install
Installation Progress
Complete

Server Configuration | Data Directories | FILESTREAM

Specify the authentication mode and administrators for the Database Engine.

Authentication Mode

☐ Windows authentication mode

☒ Mixed Mode (SQL Server authentication and Windows authentication)

Specify the password for the SQL Server system administrator (sa) account.

Enter password:

Confirm password:

Specify SQL Server administrators

BUILTIN\Administrators (Administrators)

SQL Server administrators have unrestricted access to the Database Engine.

Add Current User Add... Remove


< Back Next > Cancel Help

ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້

18. ຄຶກຢູ່ມ Next ໜ້າຈໍ Administrator ໃນ Analysis Service ຈະປະກົດຂຶ້ນ ໃຫ້ເຮົາຄຶກຢູ່ມ Add ເພື່ອເພີ່ມ Administrators ເຂົ້າມາຄືດັ່ງຂັ້ນຕອນກ່ອນໜ້າ ນີ້




ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

19. ຄືກຸ່ມ Next ໜ້າຈໍ ກໍານົດຄຸນສົມບັດຂອງ Reporting Services ຈະປະກົດຂຶ້ນ.

ເຮົາສາມາດເລືອກກໍານົດຄຸນສົມບັດຂອງ Reporting Services ໄດ້ຕາມຕ້ອງການ ໃນກໍລະນີທີ່ເຮົາເລືອກຕິດຕັ້ງຢ່າງດຽວ(Install only)




ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

20. ຄຶກຢູ່ມ Next ໜ້າຈໍ Error Reporting ຈະປະກົດຂຶ້ນ ເພື່ອໃຫ້ເຮົາກຳນົດໃຫ້ມີການແຈ້ງ Microsoft ກໍລະນີທີ່ມີຄວາມຜິດພາດເກີດຂຶ້ນ

ເຮົາສາມາດເລືອກກຳນົດໃຫ້ມີການລາຍງານຂໍ້ຜິດພາດໄປຫາ Microsoft ໄດ້ ຖ້າບໍ່ຕ້ອງການ ກໍ່ຄິດ Next ຜ່ານໄປ




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


21. ຄຶກຢູ່ມ Next ໜ້າຈໍ Installation Rules ຈະປະກົດຂຶ້ນ ເພື່ອກວດສອບວ່າ ພ້ອມທີ່ຈະຕິດຕັ້ງຫຼືບໍ່ ຖ້າພ້ອມຈະປະກົດໜ້າຈໍດັ່ງຮູບ



ຂັ້ນຕອນການຕິດຕັ້ງ

◆ ມີຂັ້ນຕອນດັ່ງນີ້

22. ຄຶກຢູ່ມ Next ໜ້າຈໍ ສະຫຼຸບການຕິດຕັ້ງທີ່ເຮົາໄດ້ກຳນົດຈະປະກົດຂຶ້ນ ເພື່ອໃຫ້ເຮົາໄດ້ກວດສອບອີກຄັ້ງໜຶ່ງ ກ່ອນທີ່ຈະເລີ່ມຕິດຕັ້ງ




ຂັ້ນຕອນການຕິດຕັ້ງ



ມີຂັ້ນຕອນດັ່ງນີ້


23. ຄຶກຸ່ມ Install ຈະເລີ່ມຕິດຕັ້ງ ໃຫ້ລໍຖ້າຈົນສໍາເລັດ



ຂັ້ນຕອນການຕິດຕັ້ງ

ມີຂັ້ນຕອນດັ່ງນີ້

24. ຫລັງຈາກຕິດຕັ້ງສໍາເລັດໃຫ້ຄິກປຸ່ມ Close



ການຕິດຕັ້ງຫຼາຍໆ Instance ໃນເຄື່ອງດຽວ

- ◆ ນັບຕັ້ງແຕ່ SQL Server 2000 ເປັນຕົ້ນມາ ເຮົາສາມາດຕິດຕັ້ງ SQL Server ຫລາຍໆ Instance ໃຫ້ເຮັດວຽກຢູ່ເທິງເຄື່ອງດຽວກັນໄດ້
- ◆ ເປັນການແຍກສະພາບແວດລ້ອມການເຮັດວຽກຂອງ SQL Server ອອກຈາກກັນ
- ◆ ມີປະໂຫຍດຫລາຍຢ່າງເຊັ່ນ
 - ອິນສະແຕນທີ່ໜຶ່ງສໍາຫລັບເຮັດວຽກຈິງ ສ່ວນອິນສະແຕນທີ່ສອງມີໄວ້ສໍາຫລັບທົດສອບແອບປລິເຄຊັນ ຫຼື ອິນສະແຕນທີ່ສາມມີໄວ້ສໍາຫລັບເຮັດຮ່ວມກັບເວີຊັນກ່ອນ

ການຕິດຕັ້ງຫຼາຍໆລະບົບໃນເຄື່ອງດຽວ

◆ ຂັ້ນຕອນການຕິດຕັ້ງ

- ໃຫ້ປະຕິບັດຄືກັບຂັ້ນຕອນການຕິດປົກກະຕິ ເມື່ອຮອດຂັ້ນຕອນ Instance Configuration ໃຫ້ໃສ່ Named Instance ໃໝ່
- ຫຼັງຈາກນັ້ນປະຕິບັດຕາມຂັ້ນຕອນຕິດຕັ້ງປົກກະຕິອີກຈົນກວ່າຈະສໍາເລັດ



Instance Configuration

Specify the name and instance ID for the instance of SQL Server. Instance ID becomes part of the installation path.

Setup Support Rules

Installation Type

Product Key

License Terms

Setup Role

Feature Selection

Installation Rules

Instance Configuration

Disk Space Requirements

Server Configuration

Database Engine Configuration

Analysis Services Configuration

Reporting Services Configuration

Error Reporting

Installation Configuration Rules

Ready to Install

Installation Progress

Complete

☐ Default instance

☒ Named instance:

MYINSTANCE

Instance ID:

MYINSTANCE

Instance root directory:

C:\Program Files\Microsoft SQL Server\



SQL Server directory:

C:\Program Files\Microsoft SQL Server\MSSQL11.MYINSTANCE

Analysis Services directory:

C:\Program Files\Microsoft SQL Server\MSAS11.MYINSTANCE

Reporting Services directory:

C:\Program Files\Microsoft SQL Server\MSRS11.MYINSTANCE

Installed instances:

Instance Name	Instance ID	Features	Edition	Version
MSSQLSERVER	MSSQL11.MSSQLS...	SQLEngine,SQLEn...	Evaluation	11.0.2100.60
<Shared Compone...		SSMS, Adv_SSMS, ...		11.0.2100.60

< Back

Next >

Cancel

Help


ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ(Unattended)

- ◆ ເປັນການຕິດຕັ້ງໂດຍການສ້າງຟາຍຄໍາຕອບ(Answer File)ໄວ້ລ່ວງໜ້າ ໂດຍທີ່ບໍ່ຈໍາເປັນຕ້ອງຕອບຄໍາຖາມ ຫຼື ກໍານົດຄ່າໃນລະຫວ່າງຂັ້ນຕອນຕິດຕັ້ງ
- ◆ ເປັນການຕິດຕັ້ງໂດຍໃຊ້ຄໍາສັ່ງ (Command Line)
- ◆ ເຮັດໃຫ້ງ່າຍຕໍ່ການຕິດຕັ້ງ ແລະ ປະຢັດເວລາ
- ◆ ໃຊ້ໃນກໍລະນີເຮົາຕ້ອງການຕິດຕັ້ງຫລາຍໆ Instance ທີ່ກໍານົດຄ່າຕ່າງໆຄືກັນຢູ່ໃນຫລາຍໆເຊີເວີ

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended


1. ໃຫ້ລອກອອນເຂົ້າເຊີໃນນາມຜູ້ບໍລິຫານລະບົບ ແລ້ວເປີດ Command Prompt ນາມຜູ້ບໍລິຫານລະບົບ




ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended

1. ໃຫ້ລອກອອນເຂົ້າເຊີໃນນາມຜູ້ບໍລິຫານລະບົບ ແລ້ວເປີດ Command Prompt ນາມຜູ້ບໍລິຫານລະບົບ



```
Administrator: C:\Windows\System32\cmd.exe
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.
C:\Windows\System32>
```



```
Administrator: C:\Windows\System32\cmd.exe
Microsoft Windows [Version 6.2.9200]
(c) 2012 Microsoft Corporation. All rights reserved.
C:\Windows\System32>d:
D:\>
```

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended

2. ໃຊ້ຄໍາສັ່ງຮູບແບບດັ່ງນີ້ເພື່ອຕິດຕັ້ງ

<Installation media location>\setup.exe

/ACTION=install

/QS

/INSTANCENAME="<MachineName\InstanceName>"

/IACCEPTSQLSERVERLICENSETERMS = 1

/FEATURES=SQLENGINE,SSMS

/SQLSYSADMINACCOUNTS = "<YourDomain\Administrator>"

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended

2. ໃຊ້ຄໍາສັ່ງຮູບແບບດັ່ງນີ້ເພື່ອຕິດຕັ້ງ

ຄໍາອະທິບາຍ ພາຣາມິເຕີຕ່າງໆ

/ACTION ເປັນການກຳນົດສິ່ງທີ່ຕ້ອງປະຕິບັດ

/QS ເປັນການນຳນົດໃຫ້ການຕິດຕັ້ງສະແດງການຂັ້ນຕອນການຕິດຕັ້ງ ແລະ ບໍ່ຮັບຂໍ້ມູນ

/INSTANCENAME ກຳນົດຊື່ instance

/IACCEPTSQLSERVERLICENSETERMS ກຳນົດການຍອມຮັບລາຍເຊັນ

/FEATURES ກຳນົດອົງປະກອບທີ່ຕ້ອງການຕິດຕັ້ງ

/SQLSYSADMINACCOUNTS ກຳນົດຜູ້ມີສິດໃນການເຂົ້າໃຊ້ ຊຶ່ງປົກກະຕິກໍເປັນ
ສະມາຊິກຂອງກຸ່ມຜູ້ບໍລິຫານລະບົບ

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended

2. ໃຊ້ຄໍາສັ່ງຮູບແບບດັ່ງນີ້ເພື່ອຕິດຕັ້ງ

ຕົວຢ່າງ

```
D:\setup.exe
```

```
/ACTION=install
```

```
/Q
```

```
/INSTANCENAME="MYINSTANCE"
```


```
/IACCEPTSQLSERVERLICENSETERMS=1
```

```
/FEATURES=SQLENGINE,REPLICATION,FULLTEXT
```

```
/SQLSYSADMINACCOUNTS= "WSQLSRV\Administrator"
```

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended




```
Administrator: cmd - Shortcut

C:\Windows\System32>D:\setup.exe /ACTION=install /Q /INSTANCENAME= "MYINSTANCE"
/IACCEPTSQLSERVERLICENSETERMS=1 /FEATURES=SQLENGINE,REPLICATION,FULLTEXT /SQLSYS
ADMINACCOUNTS= "WSQLSRU\Administrator"
Microsoft (R) SQL Server 2012 11.00.2100.60
Copyright (c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>
```

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ຂັ້ນຕອນໃນການຕິດຕັ້ງແບບ Unattended



The screenshot displays the SQL Server Configuration Manager interface. The left pane shows the tree view with 'SQL Server Services' expanded. The right pane contains a table listing the services, their current state, and their start mode.

Name	State	Start Mode
SQL Full-text Filter Daemon Launcher (MSSQLSERVER)	Running	Manual
SQL Server (MSSQLSERVER)	Running	Automatic
SQL Server Analysis Services (MSSQLSERVER)	Running	Automatic
SQL Server Reporting Services (MSSQLSERVER)	Running	Automatic
SQL Server Browser	Running	Automatic
SQL Server Agent (MSSQLSERVER)	Stopped	Manual
SQL Server (MYINSTANCE)	Running	Automatic
SQL Server Agent (MYINSTANCE)	Stopped	Manual
SQL Full-text Filter Daemon Launcher (MYINSTANCE)	Running	Manual

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ການຕິດຕັ້ງຈາກ Configuration File

1. ສ້າງ Configuration File ໂດຍການຕິດຕັ້ງຕາມຂັ້ນຕອນ Wizard ຈົນສຳເລັດ
2. ໃຫ້ເຂົ້າໄປຫາ Configuration File ຕາມເສັ້ນທາງທີ່ປະກົດໃນຂັ້ນຕອນ Ready to Install(ເບິ່ງຕາມຮູບໃນສະໄລ່ທັດໄປ)
3. ສຳເນົາ Configuration File ໄປໄວ້ບ່ອນທີ່ຕ້ອງການ
4. ປັບປຸງແກ້ໄຂ Configuration File ດັ່ງນີ້
 - ◆ ກຳນົດຄ່າ QUIET ຈາກ False ໃຫ້ເປັນ True (QUIET="True")
 - ◆ ເພີ່ມ IACCEPTSQLSERVERLICENSETERMS="True" ເຂົ້າໄປ
 - ◆ ກຳນົດຄ່າ SQLSYSADMINACCOUNTS="YourDomain\Administrators"
 - ◆ ໃຫ້ລົບ ADDCURRENTUSERASSQLADMIN="False" ອອກໄປ
 - ◆ ໃຫ້ລົບ UIMODE="Normal" ອອກໄປ



Ready to Install

Verify the SQL Server 2012 features to be installed.

Setup Support Rules

Setup Role

Feature Selection

Installation Rules

Instance Configuration

Disk Space Requirements

Server Configuration

Database Engine Configuration

Analysis Services Configuration

Reporting Services Configuration

Error Reporting

Installation Configuration Rules

Ready to Install

Installation Progress

Complete

Ready to install SQL Server 2012:

Summary

- Edition: Evaluation
- Action: Install (Product Update)
- Prerequisites
 - Already installed:
 - Microsoft .NET Framework 4.0
 - Windows PowerShell 2.0
 - To be installed from media:
 - Microsoft Visual Studio 2010 Shell
 - Microsoft Visual Studio Tools for Applications 3.0
 - Windows feature(s) to be turned on:
 - Microsoft .NET Framework 3.5
- General Configuration
 - Features
 - Database Engine Services
 - SQL Server Replication
 - Full-Text and Semantic Extractions for Search
 - Data Quality Services

Configuration file path:

C:\Program Files\Microsoft SQL Server\110\Setup Bootstrap\Log\20201014_203451\ConfigurationFile.ini

< Back

Install

Cancel

Help

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ການຕິດຕັ້ງຈາກ Configuration File

5. ໃຊ້ Configuration file ໃນ Command Prompt ໂດຍປ່ຽນພາດໄປຫາບ່ອນຟາຍຕິດຕັ້ງຕາມຮູບແບບດັ່ງນີ້

```
<Installation media location>\Setup.exe  
/ConfigurationFile=<Configuration file location> /Q
```


ຕົວຢ່າງ:

```
D:\>setup.exe  
/ConfigurationFile=C:\ConfigurationFile.ini
```

6. ເມື່ອການຕິດຕັ້ງສໍາເລັດ ໃຫ້ເປີດ SQL Server Configuration Manager ຫຼື ເຊື່ອມຕໍ່ Instance ໂດຍໃຊ້ SQL Server Management Studio ເພື່ອກວດສອບການຕິດຕັ້ງ

ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ການຕິດຕັ້ງຈາກ Configuration File



```
Administrator: C:\Windows\system32\cmd.exe


C:\Users\Administrator>d:

D:\>setup.exe /ConfigurationFile=C:\ConfigurationFile.ini
Microsoft (R) SQL Server 2012 11.00.2100.60
Copyright (c) Microsoft Corporation. All rights reserved.

D:\>_
```


ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ການຕິດຕັ້ງຈາກ Configuration File



ການຕິດຕັ້ງໂດຍໃຊ້ແບດຟາຍ (Unattended)

◆ ການຕິດຕັ້ງຈາກ Configuration File



Connect to Server

Microsoft SQL Server 2012

Server type: Database Engine

Server name: WSQLSRV

Authentication: SQL Server Authentication

Login: sa

Password: *****

☐ Remember password


Connect Cancel Help Options >>

ການຕິດຕັ້ງຈາກ Configuration File




ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

1. ໃນຂັ້ນຕອນ SQL Server Installation Center ໃຫ້ເລືອກ Upgrade from SQL Server 2005, SQL Server 2008 or SQL Server 2008 R2



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ


2. ກວດສອບການກຽມພ້ອມໃນການຕິດຕັ້ງ



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ

3. ກວດສອບການອັບເດດ ໃຫ້ຄືກ Skip ຂ້າມໄປ


ກໍລະນີເຊື່ອມຕໍ່
ອິນເຕີເນັດ ຈະ
ສະແດງ ດັ່ງຮູບ
ໃຫ້ຄືກ Skip
Scan ຜ່ານໄປ
ເລີຍ ຖ້າບໍ່
ຕ້ອງການອັບເດດ



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

3. ກວດສອບການອັບເດດ ໃຫ້ຄືກ Skip ຂ້າມໄປ


ກໍລະນີຄືກ Skip
Scan ຜ່ານໄປ
ເລີຍ ຈະປະກົດ
ໜ້າຈໍດັ່ງນີ້



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ

3. ກວດສອບການອັບເດດ ໃຫ້ຄຶກ Skip ຂ້າມໄປ


ເມື່ອຄຶກ Next
ຈະປະກົດໜ້າຈໍ
ດັ່ງນີ້



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ


3. ກວດສອບການອັບເດດ ໃຫ້ຄຶກ Skip ຂ້າມໄປ

ກໍລະນີບໍ່ໄດ້ເຊື່ອມ
ຕໍ່ອິນເຕີເນັດ ຈະ
ສະແດງ ຜິດພາດ
ດັ່ງຮູບ ໃຫ້ຄຶກ
Next ໄປເລີຍ




ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

4. ຕິດຕັ້ງ Setup Support files ເພື່ອຕິດຕັ້ງຟາຍຈຳ ເປັນຕໍ່ການຕິດຕັ້ງ ແລ້ວຈະປະກົດໜ້າຈໍກວດສອບອີກ



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ

4. ປະກົດໜ້າຈຳກວດສອບອີກ ແລ້ວຄຶກ Next



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

5. ປ້ອນອັບເກຣດ Product Key ແລ້ວຄຶກ Next

The screenshot shows the 'Upgrade to SQL Server 2012' wizard window. The title bar reads 'Upgrade to SQL Server 2012'. The main heading is 'Product Key'. Below it, the instruction says 'Specify the edition of SQL Server 2012 to install.' On the left is a list of steps: 'Setup Support Rules', 'Product Key' (highlighted), 'License Terms', 'Select Instance', 'Select Features', 'Disk Space Requirements', 'Server Configuration', 'Error Reporting', 'Upgrade Rules', 'Ready to Upgrade', 'Upgrade Progress', and 'Complete'. The main area contains a text block explaining that the user can validate the instance by entering a 25-character key from a Microsoft certificate or specify a free edition like 'Evaluation' or 'Express'. There are two radio buttons: 'Specify a free edition:' (selected) and 'Enter the product key:'. The 'Specify a free edition:' option has a dropdown menu showing 'Evaluation'. The 'Enter the product key:' option has a text box with a placeholder for a 25-character key. At the bottom are four buttons: '< Back', 'Next >', 'Cancel', and 'Help'.

Upgrade to SQL Server 2012

Product Key

Specify the edition of SQL Server 2012 to install.

Setup Support Rules
Product Key
License Terms
Select Instance
Select Features
Disk Space Requirements
Server Configuration
Error Reporting
Upgrade Rules
Ready to Upgrade
Upgrade Progress
Complete

Validate this instance of SQL Server 2012 by entering the 25-character key from the Microsoft certificate of authenticity or product packaging. You can also specify a free edition of SQL Server, such as Evaluation or Express. Evaluation has the largest set of SQL Server features, as documented in SQL Server Books Online, and is activated with a 180-day expiration. To upgrade from one edition to another, run the Edition Upgrade Wizard.


☐ Specify a free edition:
Evaluation

☒ Enter the product key:

< Back Next > Cancel Help

ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

6. ຍອມຮັບຕາມຂໍ້ກຳນົດລາຍເຊັນການອັບເກຣດ



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

7. ເລືອກ Instance ເພື່ອອັບເກຣດ


The screenshot shows the 'Upgrade to SQL Server 2012' wizard at the 'Select Instance' step. The left sidebar contains a list of steps: Setup Support Rules, Product Key, License Terms, **Select Instance**, Select Features, Disk Space Requirements, Server Configuration, Error Reporting, Upgrade Rules, Ready to Upgrade, Upgrade Progress, and Complete. The main area has the title 'Select Instance' and the instruction 'Specify the instance of SQL Server to modify.' Below this, it says 'Select the instance of SQL Server to upgrade. To upgrade only Management Tools and shared features, select "Upgrade shared features" and then click next.' There is a label 'Instance to upgrade:' followed by a dropdown menu showing 'MSSQLSERVER'. Below that is a label 'Installed instances:' followed by a table.

Instance Name	Instance ID	Features	Edition	Version
MSSQLSER...	MSSQL10....	SQLEngine,...	Developer	10.0.1600.22
<Shared C...		SSMS, Adv...		10.0.1600.22

At the bottom of the wizard are four buttons: '< Back', 'Next >', 'Cancel', and 'Help'.

ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

8. ເລືອກ Features ເພື່ອອັບເກຣດ



ການຕິດຕັ້ງອັບເກດຈາກເວີຊັນກ່ອນ

9. ກຳນົດຊື່ຂອງ Instance

Upgrade to SQL Server 2012

Instance Configuration

Specify the name and instance ID for the instance of SQL Server. Instance ID becomes part of the installation path.

Setup Support Rules
Product Key
License Terms
Select Instance
Select Features
Instance Configuration
Disk Space Requirements
Server Configuration
Full-text Upgrade
Error Reporting
Upgrade Rules
Ready to Upgrade
Upgrade Progress
Complete

☐ Default instance
☒ Named instance:

Instance ID:

Instance root directory: ...

SQL Server directory: C:\Program Files\Microsoft SQL Server\MSSQL11.MSSQLSERVER
Analysis Services directory: C:\Program Files\Microsoft SQL Server\MSAS11.MSSQLSERVER
Reporting Services directory: C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER


Installed instances:

Instance Name	Instance ID	Features	Edition	Version
MSSQLSERVER	MSSQL10.MSSQ...	SQLEngine, SQLE...	Developer	10.0.1600.22
<Shared Compo...		SSMS, Adv_SSM...		10.0.1600.22

< Back Next > Cancel Help

ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

10. ກວດສອບເນື້ອທີ່ຫວ່າງຂອງຮາດດິດຂອງເຮົາພຽງພໍບໍ່



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

11. ກຳນົດການເຮັດວຽກເລີ່ມຕົ້ນຂອງແຕ່ລະບໍລິການ

Upgrade to SQL Server 2012

Server Configuration
Specify the service accounts and collation configuration.

Setup Support Rules
Product Key
License Terms
Select Instance
Select Features
Instance Configuration
Disk Space Requirements
Server Configuration
Full-text Upgrade
Error Reporting
Upgrade Rules
Ready to Upgrade
Upgrade Progress
Complete

Service Accounts


Microsoft recommends that you use a separate account for each SQL Server service.

Service	Account Name	Password	Startup Type
SQL Server Integratio...	NT Service\Ms...		Automatic
SQL Full-text Filter Da...	NT Service\MS...		Manual

< Back Next > Cancel Help


ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

12. ເລືອກຮູບແບບການອັບເກຣດ Full-text



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

13. ເລື່ອກວ່າຈະສົ່ງລາຍງານຫຼືບໍ່ ກໍລະນີມີຂໍ້ຜິດພາດ



ການຕິດຕັ້ງອັບເກຣດຈາກເວີຊັນກ່ອນ

14.ກວດສອບການຕິດຕັ້ງ

15.ລາຍງານການກຳນົດຄ່າຕ່າງໆໃນການຕິດຕັ້ງ ແລະ

16.ດຳເນີນການຕິດຕັ້ງ

ໃຫ້ປະຕິບັດຄ້າຍຄືກັບຂັ້ນຕອນຕິດຕັ້ງປົກກະຕິ ຈົນກວ່າສຳ
ເລັດ

ສິ່ງທີ່ໄດ້ຫລັງຈາກການຕິດຕັ້ງສໍາເລັດ

◆ ບັນດາ ເຊີວິດ ຕ່າງໆ

- SQL Server
- SQL Server Agent
- SQL Server Analysis

◆ ຖານຂໍ້ມູນລະບົບ

- Master
- Model
- Msdb
- tempdb

◆ ບັນຊີຂອງຜູ້ດູແລລະບົບ

ສິ່ງທີ່ໄດ້ຫຼັງຈາກການຕິດຕັ້ງສໍາເລັດ

◆ ບັນດາ ເຊີວິດ ຕ່າງໆ

