

Day 7 Practice

Scenario 1

Type: onChange(quantity)

```
function onChange(control, oldValue, newValue, isLoading) {  
  
    if (isLoading || newValue === '') return;  
  
    var available = parseInt(g_form.getValue('available_dishes'), 10);  
    var qty = parseInt(newValue, 10);  
  
    if (qty > available) {  
        g_form.showFieldMsg('quantity',  
            'Quantity cannot exceed available stock: ' + available,  
            'error'  
        );  
  
        g_form.setValue('quantity', available);  
    }  
}
```

Scenario 2

Type: onChange(restaurant)

```
function onChange(control, oldValue, newValue, isLoading) {  
  
    if (isLoading || newValue === '') return;  
  
    var restaurant = g_form.getDisplayValue('restaurant');  
  
    if (restaurant.includes('Italian')) {  
        g_form.setValue('cuisine', 'italian');  
    }  
}
```

```

    }
    else if (restaurant.includes('Japanese')) {
        g_form.setValue('cuisine', 'japanese');
    }
    else if (restaurant.includes('Fast Food')) {
        g_form.setValue('cuisine', 'fast_food');
    }
}

```

Scenario 3

Type: onChange(cuisine)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading) return;

    if (newValue == 'indian' || newValue == 'thai') {
        g_form.setDisplay('spice_level', true);
    } else {
        g_form.setDisplay('spice_level', false);
        g_form.setValue('spice_level', '');
    }
}

```

Scenario 4

Type: onSubmit()

```

function onSubmit() {

    var qty = parseInt(g_form.getValue('quantity'), 10);

    if (!qty || qty <= 0) {
        g_form.showFieldMsg('quantity',
            'Quantity must be greater than 0',
            'error'
        );
    }
}

```

```

        return false;
    }

    return true;
}

```

Scenario 5

Type: onChange(quantity)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading || newValue === '') return;

    var price = parseFloat(g_form.getValue('dish_price'));
    var qty = parseInt(g_form.getValue('quantity'), 10);

    var total = price * qty;

    g_form.setValue('total_price', total);
}

```

Scenario 6

Type: onChange(dish)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading || newValue === '') return;

    var currentDish = newValue;
    var existing = g_form.getValue('selected_dishes');

    if (existing && existing.indexOf(currentDish) !== -1) {
        g_form.showFieldMsg('dish',
            'This dish is already selected in this order',
            'error'
        );
    }
}

```

```

        g_form.setValue('dish', '');
    } else {
        g_form.setValue('selected_dishes', existing + ',' +
currentDish);
    }
}

```

Scenario 7

Type: onChange(quantity)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading) return;

    var qty = parseInt(newValue, 10);

    if (qty > 10) {
        g_form.showFieldMsg('quantity',
            'Maximum allowed per order is 10 items',
            'error'
        );

        g_form.setValue('quantity', 10);
    }
}

```

Scenario 8

Type: onChange(delivery_type)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading) return;

    if (newValue == 'delivery') {
        g_form.setDisplay('address', true);
    }
}

```

```

    }
    else {
        g_form.setDisplay('address', false);
        g_form.setValue('address', '');
    }
}

```

Scenario 9

Type: onLoad()

```

function onLoad() {

    g_form.setValue('quantity', 1);
    g_form.setValue('delivery_type', 'standard');

    g_form.setDisplay('address', false);
    g_form.setDisplay('spice_level', false);
}

```

Scenario 10

Type: onChange(order_type)

```

function onChange(control, oldValue, newValue, isLoading) {

    if (isLoading) return;

    if (newValue == 'custom_order') {
        g_form.setMandatory('special_instructions', true);
    }
    else {
        g_form.setMandatory('special_instructions', false);
        g_form.setValue('special_instructions', '');
    }
}

```