

India's trusted Health Test @Home Service

National Reference Laboratory in Delhi NCR



Booking ID : 12998752645

Sample Collection Date : 09/Mar/2025

Saksham Mittal


Male, 24 Yrs

Healthians
Relationship
Status

Preferred
Bronze
Since
3 Months

A Comprehensive Health Analysis Report

AI Based Personalized Report for You



INDIA'S FIRST & ONLY CREDIBILITY CHECK FOR YOUR LAB REPORT

Check the authenticity of your lab report with machine data

Scan the QR using any QR code scanner

HEALTH ANALYSIS

Personalized Summary & Vital Parameters

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

Saksham Mittal,

Congratulations, We have successfully completed your health diagnosis. This is a big step towards staying on top of your health and identify potential to improve!

10 Vital Health Parameters of a Human Body Ecosystem

Below are the health parameters which require routine checkups for primary healthcare. The view also includes *personalised information* depending on the tests you have taken.

Your Health Score

94
Out of 100

**Calculated from test reports*



Thyroid Function

Test not taken




Cholesterol Total

Test not taken



Kidney Function

Serum Creatinine : 0.97 mg/dl
● Everything looks good


Vitamin D

Test not taken



HbA1c

Test not taken



Vitamin B12

Test not taken



Liver Function

Alanine Aminotransferase (ALT/SGPT) : 17 U/L
● Everything looks good


Calcium Total

9.3 mg/dl
● Everything looks good


Iron studies

Test not taken



Complete Hemogram

Haemoglobin (HB) : 14.8 g/dL
● Everything looks good



New Features

Report Summary

Saksham Mittal

Booking ID 12998752645 | Sample Collection Date: 09/Mar/2025

Understanding laboratory reports can be complex, often leading to unwarranted anxiety.

At Healthians, we understand that you shouldn't have to rely on a Google search to decipher your own health report. That's why we offer comprehensive summaries that are easy to understand.

Summary of Deranged Parameters

Saksham, thank you for sharing your health test results. It's understandable to feel concerned when you see values that are outside the normal range. Let's take a closer look at the parameters that were flagged.

Firstly, your total IgE levels are elevated, which can indicate an allergic response or sensitivity to certain substances. This is quite common and can often be managed with lifestyle adjustments.

Additionally, your lymphocyte percentage is higher than what is typically expected. Lymphocytes are a type of white blood cell that play a crucial role in your immune system. An increase can sometimes suggest that your body is responding to an infection or inflammation, which is a natural part of how your immune system works.

Your liver function tests show a slight elevation in direct bilirubin and a lower globulin level. These results can indicate a variety of factors, including hydration status or dietary influences. The liver is a resilient organ, and many factors can affect its function temporarily.

Suggestions for Improvement

1.

Dietary Adjustments

: Consider incorporating a balanced diet rich in fruits, vegetables, whole grains, and lean proteins. Staying hydrated is also essential for overall health and can support liver function.

2.

Allergy Management

: If you suspect allergies, try to identify and minimize exposure to potential allergens. Keeping a diary of your symptoms and any environmental factors may help you pinpoint triggers.

3.

Regular Exercise

: Engaging in regular physical activity can boost your immune system and improve overall health. Aim for at least 150 minutes of moderate exercise each week, such as walking, cycling, or swimming.

4.

Stress Management

: Practicing relaxation techniques such as mindfulness, yoga, or deep-breathing exercises can help reduce stress, which may positively influence your immune response and overall well-being.

Remember, these results are just one part of your health picture, and with some positive lifestyle changes, you can support your body in maintaining balance.

HEALTH ANALYSIS

HISTORICAL CHARTS

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025


Hemoglobin Hb

Everything looks good

Your Latest result

14.8 g/dL

9th Mar 2025





Calcium Total, Serum

Everything looks good

Your Latest result

9.3 mg/dl

10th Mar 2025




Creatinine, Serum

Everything looks good

Your Latest result

0.97 mg/dl

10th Mar 2025




SGOT/SGPT Ratio

Everything looks good

Your Latest result

1.35 Ratio

10th Mar 2025



KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

HEALTH ANALYSIS
COMPARATIVE CHARTS

Saksham Mittal
Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

↑ Increase From Last Time ↓ Decrease From Last Time

Total Parameters :17
(As per latest result)

16 Everything Looks Good

1 Borderline

0 Concern

Test Name		Risk Area	Booking ID 12176328800 22 Nov 2024 09:30 AM		Latest Result 09 Mar 2025
3 Months Ago					
Alkaline Phosphatase, Serum 38 -126 Normal Range	--		89 u/L	↑ 101 u/L	Everything Looks Good
GGTP (Gamma GT) 5 -73 Normal Range	--		12.7 u/L	↓ 12 u/L	Everything Looks Good
Proteins, Serum 5.7 -8.2 Normal Range	--		7.03 g/dl	↓ 6.97 g/dl	Everything Looks Good
SGOT/AST 5 -34 Normal Range	--		23.7 u/L	↓ 23 u/L	Everything Looks Good
SGPT/ALT 10 -49 Normal Range	--		15.4 u/L	↑ 17 u/L	Everything Looks Good
ESR Automated 0 -10 Normal Range	--		-	2 mm/1st hour	Everything Looks Good
Hemoglobin Hb 13.0 -17.0 Normal Range	--		14.3 g/dL	↑ 14.8 g/dL	Everything Looks Good
Platelet Count Thrombocyte count 150 -410 Normal Range	--		281 10^3/μl	↑ 299 10^3/μl	Everything Looks Good
Calcium Total, Serum 8.7 -10.4 Normal Range	--		9.3 mg/dl	9.3 mg/dl	Everything Looks Good
Chlorides, Serum 99 -109 Normal Range	--		102 mmol/L	↑ 104 mmol/L	Everything Looks Good
Creatinine, Serum 0.2 -1.2 Normal Range	--		0.85 mg/dl	↑ 0.97 mg/dl	Everything Looks Good
Phosphorus-Inorganic, Serum 2.4 -5.1 Normal Range	--		4.3 mg/dl	↓ 3.5 mg/dl	Everything Looks Good

HEALTH ANALYSIS

COMPARATIVE CHARTS

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

↑ Increase From Last Time

↓ Decrease From Last Time

Total Parameters :17
(As per latest result)

16 Everything Looks Good

1 Borderline

0 Concern

3 Months Ago

Test Name	Risk Area	Booking ID 12176328800 22 Nov 2024 09:30 AM	Latest Result 09 Mar 2025
Sodium, Serum 132 -146 Normal Range	--	138 mmol/L	↑ 141 mmol/L Everything Looks Good
Urea, Serum 19.3 -49.38 Normal Range	--	21 mg/dl	21 mg/dl Everything Looks Good
Uric Acid, Serum 3.5 -7.2 Normal Range	--	5.7 mg/dl	↑ 6.1 mg/dl Everything Looks Good
URINE KETONE Negative -Negative Normal Range	--	Negative	Negative
Random Blood Sugar 70 -140 Normal Range	--	-	85 mg/dl Everything Looks Good

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:27PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 04:08PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: FLOURIDE PLASMA	ReportStatus	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Glucose-Random



GLUCOSE, RANDOM

85

mg/dl

70 - 140

Method: Hexokinase


Machine: BECKMAN COULTER DXC 700 AU

Test Interpretation

According to the American Diabetes Association (ADA), a random blood glucose level of 200 mg/dL or higher can indicate diabetes in patients with classic symptoms of hyperglycemia or hyperglycemic crisis.

Other criteria for diagnosing diabetes include:

- Fasting plasma glucose (FPG): A level of 126 mg/dL or higher
- Hemoglobin A1c (HbA1c): A level of 6.5% or higher
- Oral glucose tolerance test (OGTT): A 2-hour plasma glucose level of 200 mg/dL or higher



Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : Serum

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 06:51PM
Report Generated On : 10/Mar/2025 09:28AM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF BIOCHEMISTRY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Liver Function Test (LFT)

 Serum Bilirubin, (Total) Method: Vanadate oxidation Machine: SIEMENS ADVIA 2400 XPT	0.90	mg/dl	0.3 - 1.2
 Serum Bilirubin, (Direct) Method: Vanadate oxidation Machine: SIEMENS ADVIA 2400 XPT	0.37	mg/dl	0 - 0.3
 Serum Bilirubin, (Indirect) Method: Calculated	0.53	mg/dl	0.0 - 0.8
 Aspartate Aminotransferase (AST/SGOT) Method: UV without P5P Machine: SIEMENS ADVIA 2400 XPT	23.00	U/L	5 - 34
 Alanine Aminotransferase (ALT/SGPT) Method: UV without P5P Machine: SIEMENS ADVIA 2400 XPT	17	U/L	10 - 49
 Alkaline Phosphatase (ALP) Method: AMP Buffer Machine: SIEMENS ADVIA 2400 XPT	101.00	U/L	38 - 126
 Gamma Glutamyl Transferase (GGT) Method: Modified IFCC Machine: SIEMENS ADVIA 2400 XPT	12.0	U/L	5 - 73
 Serum Total Protein Method: Biuret Machine: SIEMENS ADVIA 2400 XPT	6.97	g/dl	5.7-8.2
 Serum Albumin Method: Bromo Cresol Green(BCG) Machine: SIEMENS ADVIA 2400 XPT	4.50	g/dl	3.4 - 4.8
 Serum Globulin Method: Calculated	2.47	gm/dl	3.0 - 4.2
 Albumin/Globulin Ratio Method: Calculated	1.82	Ratio	1.2 - 2.5
 SGOT/SGPT Ratio Method: Calculated	1.35	Ratio	0.7 - 1.4

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Elevated levels are a result of increased bilirubin production (e.g hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (e.g.; obstruction and hepatitis) and abnormal


Dr. Shambhavi
MBBS, MD(Pathology)
Consultant Pathologist
Healthians Labs



SIN No:E5062248

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 06:51PM	
Referred By	: Ashoka	Report Generated On	: 10/Mar/2025 09:28AM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: Serum	ReportStatus	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

bilirubin metabolism (e.g; hereditary and neonatal jaundice) .

Conjugated (direct) bilirubin is elevated in conditions like- Hereditary disorders(Dubin Johnson syndrome, Rotor syndrome),Hepatocellular damage(e.g –viral ,toxic ,alcohol ,drugs) ,biliary duct obstruction (extrahepatic or intrahepatic), Infiltrations ,space occupying lesions(e.g metastasis, abscess , granuloma , amyloidosis. Increased unconjugated (indirect) bilirubin may be a result of hemolytic or pernicious anemia, transfusion reaction & a common metabolic condition termed Gilbert syndrome.

AST levels increase in viral hepatitis, blockage of the bile duct ,cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.

ALT is a liver specific enzyme commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.

Elevated ALP levels are seen in Biliary Obstruction, Osteoblastic Bone Tumors, Osteomalacia, Hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc.

Elevated serum GGT activity can be found in diseases of the liver, Biliary system and pancreas. Obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs lead to raised GGT levels .

Serum total protein measures the total amount of protein in serum. It is largely comprised of albumin and globulins. Increased levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, multiple myeloma, Waldenstrom's disease. Decreased levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic Syndrome.

Albumin is the most abundant protein in the serum and is produced in the liver. Low serum albumin levels (hypoalbuminemia) can be caused by: Liver diseases like liver cirrhosis, nephrotic syndrome, protein-losing enteropathy, burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting .

Globulins are increased in most liver diseases , in chronic inflammatory diseases and neoplastic diseases



Dr. Shambhavi
MBBS, MD(Pathology)
Consultant Pathologist
Healthians Labs



SIN No:E5062248

Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : SERUM

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 06:51PM
Report Generated On : 09/Mar/2025 10:46PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF BIOCHEMISTRY

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Kidney Function Test1 (KFT1)

 Serum Creatinine	0.97	mg/dl	0.2 - 1.2
Method: Jaffes Kinetic			
Machine: SIEMENS ADVIA 2400 XPT			
 GFR, ESTIMATED	111.80	mL/min/1.73m2	
Method: Calculated			
 Serum Uric Acid	6.1	mg/dl	3.5 - 7.2
Method: Uricase/Peroxidase			
Machine: SIEMENS ADVIA 2400 XPT			
 Serum Calcium	9.3	mg/dl	8.7-10.4
Method: Arsenazo III			
Machine: SIEMENS ADVIA 2400 XPT			
 Serum Phosphorus	3.5	mg/dl	2.4 - 5.1
Method: Phosphomolybdate/UV			
Machine: SIEMENS ADVIA 2400 XPT			
 Serum Sodium	141	mmol/L	132 - 146
Method: ISE (Indirect)			
Machine: SIEMENS ADVIA 2400 XPT			
 Serum Chloride	104	mmol/L	99-109
Method: ISE (Indirect)			
Machine: SIEMENS ADVIA 2400 XPT			
 Blood Urea	21	mg/dl	19.3-49.38
Method: Urease			
Machine: SIEMENS ADVIA 2400 XPT			
 Blood Urea Nitrogen (BUN)	10.0	mg/dl	8-20
Method: Calculated			
 Bun/Creatinine Ratio	10.32	Ratio	
Method: Calculated			
 Urea/Creatinine Ratio	22.09	Ratio	
Method: Calculated			

The kidneys play a vital role in the excretion of waste products and toxins such as urea, creatinine and uric acid, regulation of extracellular fluid volume, serum osmolality and electrolyte concentrations, as well as the production of hormones like erythropoietin and 1,25 dihydroxy vitamin D and renin. Assessment of renal function is important in the management of patients with kidney disease or pathologies affecting renal function. Tests of renal function have utility in identifying the presence of renal disease, monitoring the response of kidneys to treatment, and determining the progression of renal disease.

Urea is synthesized in the liver as the final product of protein and amino acid metabolism. Urea synthesis is therefore dependent on daily protein intake and endogenous protein metabolism.



Dr Sohini Sengupta
MD (Biochemistry) , DNB , FNB (Lab Medicine)
Head of Lab , Healthians Labs



SIN No:E5062248

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582 | NABL Accreditation Certificate Number MC-4245)

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 06:51PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 10:46PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	ReportStatus	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Creatinine is a metabolic product of creatine and phosphocreatine, which are both found almost exclusively in muscle. Uric Acid is the major product of purine catabolism in humans. Uric acid levels are used to monitor the treatment of gout. Measurement of calcium is used in the diagnosis and treatment of parathyroid disease, a variety of bone diseases, chronic renal disease, urolithiasis and tetany. Phosphorus levels are increased in acute or chronic renal failure with decreased GFR. Sodium is an electrolyte, and it helps regulate the amount of water in and around the cells & the balance of chemicals in the body called acids and bases. Chloride is a negatively charged ion that works with other electrolytes such as potassium, sodium, and bicarbonate, to help regulate the amount of fluid in the body and maintain the acid-base balance.


Dr Sohini Sengupta
MD (Biochemistry), DNB, FNB (Lab Medicine)
Head of Lab, Healthians Labs



Page 5 of 17



SIN No:E5062248

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582 | NABL Accreditation Certificate Number MC-4245)

Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : URINE

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 05:54PM
Report Generated On : 09/Mar/2025 07:30PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Urine Routine & Microscopy Extended

PHYSICAL EXAMINATION

Colour Method: Visual	Pale Yellow		Pale Yellow
Volume Method: Visual	15.00	mL	
Appearance Method: Visual	Clear		Clear

CHEMICAL EXAMINATION

Specific Gravity Method: Acid ionic exchange Machine: DIRUI FUS 2000	1.025		1.001 - 1.035
pH Method: pH indicator method Machine: DIRUI FUS 2000	5.5		4.5 - 7.5
Glucose Method: Glucose oxidase enzyme reaction Machine: DIRUI FUS 2000	Negative		Negative
Urine Protein Method: protein error method Machine: DIRUI FUS 2000	Negative		Negative
Ketones Method: Sodium nitroprusside Machine: DIRUI FUS 2000	Negative		Negative
Urobilinogen Method: Diazonium salt Machine: DIRUI FUS 2000	Normal		Normal
Bilirubin Method: Diazotized Dichloroaniline reaction Machine: DIRUI FUS 2000	Negative		Negative
Nitrite Method: Griess method Machine: DIRUI FUS 2000	Negative		Negative

S. U. Agarwal

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Page 6 of 17

Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : URINE

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 05:54PM
Report Generated On : 09/Mar/2025 07:30PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
 Blood Method: Peroxidase-like method Machine: DIRUI FUS 2000	Negative		Negative
 Leucocyte Esterase Method: Pyrrole diazonium reaction Machine: DIRUI FUS 2000	Negative		Negative
MICROSCOPIC EXAMINATION			
 Pus Cells Method: Flow Imaging Technique	0-1	/HPF	0 - 5
 Epithelial cells Method: Flow Imaging Technique	0-1	/HPF	0 - 5
 RBCs Method: Flow Imaging Technique	Nil	/HPF	Nil
 Casts Method: Flow Imaging Technique	Nil		Nil
 Crystals Method: Flow Imaging Technique	Nil		Nil
 Bacteria Method: Flow Imaging Technique	Absent		Absent
 Yeast Cell Method: Flow Imaging Technique	Absent		Absent
 Others (Non Specific) Method: Flow Imaging Technique	Nil		NIL

The main indication for testing for glucose in urine is detection of unsuspected diabetes mellitus or follow-up of known diabetic patients. Renal glycosuria accounts for 5% of cases of glycosuria in general population.

Proteinuria can be seen in nephrotic syndrome, pyelonephritis, heavy metal poisoning, tuberculosis of kidney, interstitial nephritis, cystinosis, Fanconi syndrome, rejection of kidney transplant. Hemodynamic proteinuria is transient and can be seen in high fever, hypertension, heavy exercise, congestive cardiac failure, seizures, and exposure to cold. Post-renal proteinuria is caused by inflammatory or neoplastic conditions in renal pelvis, ureter, bladder, prostate, or urethra.

Ketonuria can be seen in uncontrolled Diabetes mellitus with ketoacidosis, Glycogen storage disorder, starvation, persistent vomiting in children, weight reduction program, fever in children, severe thyrotoxicosis, pregnancy and protein calorie malnutrition.

Presence of bilirubin in urine indicates conjugated hyperbilirubinemia (obstructive or hepatocellular jaundice). Bile salts along with bilirubin can be detected in urine in cases of obstructive jaundice. Normally about 0.5-4 mg of urobilinogen is excreted in urine in 24 hours. Therefore, a small amount of urobilinogen is normally detectable in urine. Increased urobilinogen in urine can be seen due to hemolysis, megaloblastic anemia and haemorrhage in tissues. Decreased urobilinogen can be seen in obstructive jaundice, reduction of intestinal bacterial flora, neonates and following antibiotic treatment. The presence of abnormal number of intact red blood cells in urine is called as hematuria. It implies presence of a bleeding lesion in the urinary tract. Hematuria can be seen in glomerular diseases like Glomerulonephritis, Berger's disease, lupus nephritis, Henoch-Schonlein purpura, non glomerular diseases like Calculus, tumor, infection, tuberculosis, pyelonephritis, hydronephrosis, polycystic kidney disease, trauma, after strenuous physical exercise, diseases of prostate (benign hyperplasia of prostate, carcinoma of prostate).

Nitrites are not present in normal urine. Ingested nitrites are converted to nitrate and excreted

S. S. Agarwal

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Page 7 of 17

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 05:54PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 07:30PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: URINE	ReportStatus	: Final Report	

DEPARTMENT OF CLINICAL PATHOLOGY


Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

in urine. If gram-negative bacteria (e.g. E.coli, Salmonella, Proteus, Klebsiella, etc.) are present in urine, they will reduce the nitrates to nitrites through the action of bacterial enzyme nitrate reductase. As E. coli is the commonest organism causing urinary tract infection, this test is helpful as a screening test for urinary tract infection.

Some organisms like Staphylococci or Pseudomonas do not reduce nitrate to nitrite and therefore in such infections nitrite test is negative.

Leucocyte esterase test detects esterase enzyme released in urine from granules of leucocytes. Thus the test is positive in pyuria.



Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:23PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 03:42PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: Sodium Citrate	ReportStatus	: Final Report	

DEPARTMENT OF COAGULATION

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Prothrombin Time (PT) and INR

 Prothrombin Time Method: Optical Method (Light Scattering) Machine: WERFEN ACL TOP 350	12.60	Sec.	9.1 - 13.5
 Control (MNPT) Method: Calculated	11.30	Sec	
 Ratio Method: Calculated Machine: WERFEN ACL TOP 350	1.12		
 International Normalized Ratio (INR) Method: Calculated Machine: WERFEN ACL TOP 350	1.12		0.82 - 1.18

Prothrombin time (PT) is used to monitor patients on anti clotting drugs as well as to diagnose clotting disorders. A PT test also called as an INR (International Normalized Ratio) is a way of standardising the results of PT test, no matter the testing method.

INR is used to monitor patients on anticoagulation therapy.

INR of 2.0 – 3.0 is usually targeted for patients on warfarin therapy. A high INR indicates risk of bleeding, while a low INR suggests a risk of developing clot.


Causes of prolonged PT:

- Factor II deficiency.
- Liver diseases.
- Vitamin K deficiency.
- Warfarin.

Causes of prolonged PT & APTT:

- Vitamin K deficiency.
- Liver diseases.
- Factor II, VIII, II and fibrinogen deficiency.
- DIC.
- Massive blood transfusion.

Please note targeted INR may vary with respect to the clinical condition for which the anticoagulant therapy is used. Patient should contact their clinician for further advise.



Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Page 9 of 17

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:23PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 03:44PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: Sodium Citrate	ReportStatus	: Final Report	

DEPARTMENT OF COAGULATION

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Activated Partial Thromboplastin Time (aPTT)

PATIENT VALUE	33.00	Sec.	26.0 - 36.4
Method: Optical Method (Light Scattering)			
Machine: WERFEN ACL TOP 350			
CONTROL VALUE	31.2	sec	
RATIO	1.06		0.84 - 1.16
Method: Calculated			

COMMENTS:

Activated partial thromboplastin time (APTT) is used to monitor patients on anti – clotting drugs as well as to diagnose clotting disorders.

Causes of prolonged APTT:

- FactorXII, XI, IX, VIII deficiency (the factors have to be < 20 – 40% of normal).
- Pre-kallikren deficiency.
- Acquired clotting factor inhibitors.
- Lupus anticoagulant.


Causes of prolonged PT & APTT:

- Vitamin K deficiency.
- Liver diseases.
- Factor II, VIII, II and fibrinogen deficiency.
- DIC.
- Massive blood transfusion.

The **APTT Ratio** is used to monitor Heparin therapy.

Heparin prolongs the APTT, therapeutic levels of heparin relate to an APTT Ratio of between 1.5 and 3.0.

Levels below 1.5 would indicate that the patient may have a problem with thrombosis, levels above 3.0 will increase the risk of bleeding.



Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:14PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 04:16PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: Whole Blood EDTA	ReportStatus	: Final Report	

DEPARTMENT OF HAEMATOLOGY

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

PERIPHERAL SMEAR

 **RBCs**
Method: Staining and Microscopy

RBCs ARE
NORMOCYTIC
NORMOCHROMIC.

 **WBCs**
Method: Staining and Microscopy

TLC WITHIN NORMAL
LIMIT.

 **PLATELETS**
Method: Staining and Microscopy

PLATELETS ARE
ADEQUATE.

 **HAEMOPARASITE**
Method: Staining and Microscopy

NO
HAEMOPARASITES
SEEN.

 **IMPRESSION**


NORMOCYTIC
NORMOCHROMIC
BLOOD PICTURE.

Red Blood cells are evaluated for variation in size, shape, hemoglobin distribution and presence of cellular inclusions.
WBC count is described as increased or decreased and morphology is described as any increased number of particular cells and presence of abnormal cells if any.
Platelet number (increased or decreased) and morphology (presence of giant platelets) is described.
Presence or absence of any hemoparasite is mentioned.

ERYTHROCYTE SEDIMENTATION RATE (ESR)

 **ESR**
Method: Kinetic Red Cells Aggregation
Machine: ALIFAX TEST - 1

02	mm/1st hour	0-10
----	-------------	------


Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs


SIN No:E5062248



Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : WHOLE BLOOD EDTA

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 03:14PM
Report Generated On : 09/Mar/2025 04:58PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF HAEMATOLOGY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Complete Blood Count

 Haemoglobin (HB) Method: Photometry Machine: BECKMAN COULTER DxH800	14.8	g/dL	13.0-17.0
 Total Leucocyte Count (TLC) Method: Impedance Machine: BECKMAN COULTER DxH800	4.1	10 ³ /uL	4.0-10.0
 Hematocrit (PCV) Method: Calculated Machine: BECKMAN COULTER DxH800	44.8	%	40.0-50.0
 Red Blood Cell Count (RBC) Method: Impedance Machine: BECKMAN COULTER DxH800	5.10	10 ⁶ /μl	4.50-5.50
 Mean Corp Volume (MCV) Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	87.9	fL	83.0-101.0
 Mean Corp Hb (MCH) Method: Calculated Machine: BECKMAN COULTER DxH800	29.1	pg	27.0-32.0
 Mean Corp Hb Conc (MCHC) Method: Calculated Machine: BECKMAN COULTER DxH800	33.1	g/dL	31.5-34.5
 RDW - CV Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	13.8	%	11.6-14.0
 RDW - SD Method: Derived from RBC Histogram Machine: BECKMAN COULTER DxH800	42.40	fL	39.0-46.0
 Mentzer Index Method: Calculated	17.24	Ratio	
 RDWI Method: Calculated	237.85	Ratio	
 Green and king index Method: Calculated	72	Ratio	

S. S. Agarwal

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Page 12 of 17

Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : WHOLE BLOOD EDTA

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 03:14PM
Report Generated On : 09/Mar/2025 04:58PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF HAEMATOLOGY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Differential Leucocyte Count

 Neutrophils Method: VCS Technology Machine: BECKMAN COULTER DxH800	41.5	%	40 - 80
 Lymphocytes Method: VCS Technology Machine: BECKMAN COULTER DxH800	44.3	%	20-40
 Monocytes Method: VCS Technology Machine: BECKMAN COULTER DxH800	9.2	%	02 - 10
 Eosinophils Method: VCS Technology Machine: BECKMAN COULTER DxH800	4.2	%	01 - 06
 Basophils Method: VCS Technology Machine: BECKMAN COULTER DxH800	0.8	%	00 - 02

Absolute Leucocyte Count

 Absolute Neutrophil Count (ANC) Method: Calculated Machine: BECKMAN COULTER DxH800	1.70	10 ³ /uL	2.0-7.0
 Absolute Lymphocyte Count (ALC) Method: Calculated Machine: BECKMAN COULTER DxH800	1.82	10 ³ /uL	1.0-3.0
 Absolute Monocyte Count Method: Calculated Machine: BECKMAN COULTER DxH800	0.38	10 ³ /uL	0.2-1.0
 Absolute Eosinophil Count (AEC) Method: Calculated Machine: BECKMAN COULTER DxH800	0.17	10 ³ /uL	0.02-0.5
 Absolute Basophil Count Method: Calculated Machine: BECKMAN COULTER DxH800	0.03	10 ³ /uL	0.02 - 0.10
 Platelet Count(PLT) Method: Impedance Machine: BECKMAN COULTER DxH800	299	10 ³ /μl	150-410

S. S. Agarwal

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Patient Name : Saksham Mittal
Age/Gender : 24Y 0M 0D /Male
Order Id : 12998752645
Referred By : Ashoka
Customer Since : 22/Nov/2024
Sample Type : WHOLE BLOOD EDTA

Barcode : E5062248
Sample Collected On : 09/Mar/2025 09:15AM
Sample Received On : 09/Mar/2025 03:14PM
Report Generated On : 09/Mar/2025 04:58PM
Sample Temperature : Maintained ✓
ReportStatus : Final Report

DEPARTMENT OF HAEMATOLOGY

Ayushman Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------



MPV

7.9

fL

7 - 9

Method: Derived from PLT Histogram

Machine: BECKMAN COULTER DxH800

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

The Mentzer index is used to differentiate iron deficiency anaemia beta thalassemia trait. If a CBC indicates microcytic anaemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is then 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anaemia is more likely.

S. S. Agarwal

Dr. Sakesh Agarwal
MBBS, DCP
Consultant Pathologist, Healthians Labs



SIN No:E5062248



Page 14 of 17

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 06:51PM	
Referred By	: Ashoka	Report Generated On	: 10/Mar/2025 09:25AM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	ReportStatus	: Final Report	

DEPARTMENT OF IMMUNOLOGY

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Immunoglobulin - IgE Total - Serum

 IMMUNOGLOBULIN E (IgE) TOTAL	291.90	IU/ml	<158
--	--------	-------	------

Method: CLIA

Machine: SIEMENS CENTAUR XP

Immunoglobulin E (IgE) It is the most important trigger molecule for allergic information. It mediates allergic and hypersensitivity reactions. There is a significant overlap in total IgE between allergic and non-allergic individuals. For this reason, the measurement of a total IgE is not very useful as a stand-alone screen for allergic disease. A normal level of IgE in serum does not eliminate the possibility of allergic diseases.

Uses

- For allergy testing . Ig E antibodies and skin tests are essentially interchangeable
- Indicates various parasitic diseases
- Diagnosis of IgE-myeloma.
- Diagnosis of bronchopulmonary aspergillosis; a normal serum IgE level excludes the diagnosis.

Increased In :

- Atopic diseases like exogenous asthma, Hay fever , Atopic eczema (Levels are Influenced by type of allergen, duration of stimulation, presence of symptoms and hyposensitization treatment.)
- Parasitic diseases (e.g., ascariasis, visceral larva migrans, hookworm disease, schistosomiasis, Echinococcus infection)
- Monoclonal IgE myeloma.

Decrease In:

Hereditary deficiencies , acquired immunodeficiency Ataxia–telangiectasia, Non-IgE myeloma.



SIN No:E5062248


Dr. Shambhavi
MBBS, MD(Pathology)
Consultant Pathologist
Healthians Labs



Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:28PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 04:46PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	ReportStatus	: Final Report	

DEPARTMENT OF SEROLOGY

STI Detection Package

Test Name	Value	Unit	Bio. Ref Interval
-----------	-------	------	-------------------

Hepatitis B Virus Surface Antigen (HBsAg)

 Hepatitis B Virus Surface Antigen	Non Reactive		Non- Reactive
Method: Immunochromatography			

This is a screening test ,If requires confirmation or correlation can be done by HBsAg neutralisation test .HBV viral load can be done post clinician evalutaion. This is a visual, rapid immuno chromatographic,one step immunoassay based on antigen capture for the qualitative detection of Hepatitis B Surface Antigen (HBsAg) in Human Serum or Plasma. Samples containing mouse monoclonal antibodies or heterophile antibodies can give falsely reactive or non-reactive results. False Reactive results can be obtained due to the presence of other antigens or elevated levels of RF factor.

Hepatitis C Virus (HCV) Antibody

 Anti HCV Antibody (Qualitative)	Non Reactive		Non-Reactive
Method: Immunochromatography			

This is a screening test. All reactive samples must be confirmed by HCV RNA determination. This is a visual, rapid immuno chromatographic method for the detection of antibodies to Hepatitis C Virus in human serum or plasma. Patients with auto-immune liver diseases, Renal disorders and Antenatal samples may show false reactive results. A Reactive result cannot distinguish between an acute and chronic infection and a Non-Reactive result does not exclude the possibility of exposure to or infection with HCV. Determination of HCV RNA by PCR is used to identify an active Hepatitis C infection and can be detected within 1-2 weeks of exposure to virus.

RPR (Rapid Plasma Reagin)

 RPR TEST	Non Reactive		Non-Reactive
Method: Slide flocculation			

The Rapid Plasma Regain (RPR)/ Carbon Antigen test is a macroscopic non Treponemal flocculation test for the detection and quantitation of antilipoidal antibodies. Rapid plasma reagin (RPR) is a blood test to screen for syphilis. Antigens used in RPR test are similar to VDRL except that they are charcoal coated to enhance the sensitivity of the test. Syphilis is a sexually transmitted infection caused by the spirochete bacterium Treponema pallidum. This is a screening test for syphilis which is useful for following the progression of disease and response to therapy. Rising titers are of immense value in confirming the diagnosis. Biological false positive reactions exhibit low titers and are seen in conditions like Viral fevers, Mycoplasma infection, Chlamydia infection, Malaria, Immunizations, Pregnancy, Autoimmune disorders & past history of Treponemal infection. It is advisable to confirm the diagnosis by tests such as TPHA & FTA-ABS.



DR. URVASHI
MD, (MICROBIOLOGY)
SENIOR CONSULTANT, HEALTHIANS LABS



Page 16 of 17



SIN No:E5062248

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582 | NABL Accreditation Certificate Number MC-4245)

Patient Name	: Saksham Mittal	Barcode	: E5062248	
Age/Gender	: 24Y 0M 0D /Male	Sample Collected On	: 09/Mar/2025 09:15AM	
Order Id	: 12998752645	Sample Received On	: 09/Mar/2025 03:28PM	
Referred By	: Ashoka	Report Generated On	: 09/Mar/2025 04:46PM	
Customer Since	: 22/Nov/2024	Sample Temperature	: Maintained ✓	
Sample Type	: SERUM	ReportStatus	: Final Report	

DEPARTMENT OF SEROLOGY

STI Detection Package

Test Name	Value	Unit	Bio. Ref Interval
HIV-DUO p24 Antigen & Antibody (1 &2)by CMIA Method			
 HIV I & II Ag/Ab Combo	0.20	S/CO	<1.00 NON-REACTIVE ≥1.00 REACTIVE
Method: Chemiluminescent microparticle immunoassay (CMIA)			
Machine: Abbott Architect i2000			
 Final Result	Negative		Negative

Interpretation of Results:

The HIV Ag/Ab Combo assay is used as a screening tool to assist in diagnosing HIV-1 and HIV-2 infections. This assay utilizes a chemiluminescent microparticle immunoassay (CMIA) to simultaneously detect the presence of HIV p24 antigen and antibodies against human immunodeficiency virus types 1 and/or 2 (HIV-1/HIV-2) in human serum. It is important to note that the results of the HIV Ag/Ab Combo do not differentiate between the detection of HIV p24 antigen, HIV-1 antibodies, or HIV-2 antibodies.

This is an initial screening test to identify potential HIV infection. A single test result is not sufficient to confirm HIV infection. A negative (non-reactive) result does not exclude the possibility of exposure to or infection with HIV or the window period. All results must be clinically correlated. All samples that test reactive in this initial screening must be confirmed using either the HIV Western Blot or HIV RNA tests. Diagnosis must be based on the results of supplemental confirmatory tests conducted on repeat samples, along with clinical correlation considering the patient's immune status and medical history.

The test results obtained relate only to the labeled sample received at the lab and tested.

Results are reported as per the Strategy 3 of National guidelines of HIV testing by NACO, July 2017.

A negative test result indicates antibody is not detected against HIV- 1/2. A Positive test result indicates antibody detected against HIV-1/2 in all the three tests done by different methodologies. Indeterminate test result indicates antibodies to HIV-1/2 have been detected in the sample by two of three methods.

False positive results may be observed in Autoimmune diseases, Alcoholic hepatitis, Primary biliary cirrhosis, Leprosy, Multiple pregnancies, Rheumatoid factor, and due to the presence of heterophile antibodies. False-negative results may occur during the window period and during the end stage of the disease.

Note: For Post-test counseling, patient/ customer can contact the lab through customer care (+91-9998880005) for appointment. For any other information and regarding post-test counseling you can contact the Integrated Counseling & Testing Centre (ICTC) of your area or contact the helpline number of the National AIDS Control Organization (NACO) which caters to the population of India and is reachable from any mobile/landline number through a short code **toll-free number 1097**

*** End Of Report ***



DR. URVASHI
MD, (MICROBIOLOGY)
SENIOR CONSULTANT, HEALTHIANS LABS



Page 17 of 17



SIN No:E5062248

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)

Plot 1 & 2, Udyog Vihar, Phase-4, Gurgaon, Haryana, Pincode-122016 (CAP Number: 9019582 | NABL Accreditation Certificate Number MC-4245)

Terms & Conditions:

- 1) Machine Data is available for last 7 days only. In case of manual testing & outsourced testing, machine data will not be available.
- 2) CBC parameters may vary when it is manually reviewed by the Pathologists.
- 3) **For Thyroid tests** - Circulating TSH shows a normal circadian rhythm with a peak between 11pm-5am and a nadir between 5pm-8pm. TSH values are also lowered after food when compared to fasting in a statistically significant manner. This variation is of the order of $\pm 50\%$, hence time of day and fasting status have influence on the reported TSH level.
- 4) **For Lipid profile** - Lipid and Lipoprotein concentrations vary during the normal course of daily activity. Also, certain drugs, diet and alcohol can have lasting effects on Triglyceride levels. To obtain best results for Lipid testing, a strict fasting of 10-12 hours with a light meal on the previous night is recommended.
- 5) Test results released pertain to the specimen submitted.
- 6) Test results are dependent on the quality of the sample received by the Lab.
- 7) The tests are carried out in the lab with the presumption that the specimen belongs to the patient named or identified in the bill/test request form/booking ID.
- 8) The reported results are for information and are subject to confirmation and interpretation by the referring doctor to co-relate clinically.
- 9) Test results may show interlaboratory variations.
- 10) Liability of Healthians for deficiency of services or other errors and omissions shall be limited to the fee paid by the patient for the relevant laboratory services.
- 11) This report is not subject to use for any medico-legal purposes.
- 12) Few of the tests might be outsourced to partner labs as and when required.
- 13) This report is not intended to replace but to lead by providing comprehensive information. It is recommended that you consult your doctor/physician for interpretation of results.
- 14) All reports might not be applicable for individuals less than 18, pregnant women or individuals suffering from diseases for which health test has not been performed or symptoms not diagnosed.
- 15) This report is based on preventive health test screening and is meant for a healthy lifestyle. It does not provide any recommendation for life threatening situations.
- 16) It is strongly recommended to take required precautions for allergic reactions or sensitivities.
- 17) Authorised partner labs as mentioned for certain tests are as below:
 - HL/PL/001- Metropolis Healthcare Ltd
 - HL/PL/002- Thyrocare technologies Limited
 - HL/PL/003- Lifecell International Pvt. Ltd. - Laboratory Services
 - HL/PL/004- Modern Diagnostic & Research Centre

ADVISORY

Health Advisory

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

23.88 Body Mass Index

5'6" Height (ft/in)

69 Weight (kgs.)



Physical Activity

No Data



Smoke

No Data



Food Preference

No Data



Alcohol

No Data



Medication

No Data



Family History

No Data



Blood Pressure

No Data



Pulse Rate

No Data



Waist (In Cm)

No Data



Hip Circumference (In Cm)

No Data



SPO2 Levels

No Data



Sugar Levels

No Data

Additional Remarks :

NA

SUGGESTED NUTRITION

SUGGESTED NUTRITION

Do's

- Have a balanced diet that includes whole grains, pulses, dairy, fruits, vegetables, nuts and healthy fats
- Include fruits like apples, berries and melons in your diet

Dont's

- Avoid flavoured and seasoned foods
- Decrease intake of colas and sugary drinks
- Avoid saturated fats, trans fats, oily and greasy foods like cakes, creamy or fried foods

SUGGESTED LIFESTYLE

SUGGESTED LIFESTYLE

Do's

- Have breakfast early in morning and a light high fiber snack for dinner


Dont's

- Avoid overexertion without having food or drink
- Avoid strenuous exercises
- Avoid smoking and alcohol

SUGGESTED FUTURE TESTS

SUGGESTED FUTURE TESTS

- Complete Hemogram - **Every 2 Month**
- Peripheral Smear Examination By Pathologist - **Every 2 Month**



HEALTH ADVISORY

Suggestions for Health & Well-being

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

PHYSICAL ACTIVITY

PHYSICAL ACTIVITY

Physical activities can vary from Regular walks (Brisk or normal), Jogging , Sports, Stretching, Yoga to light weight lifting etc. It is recommended to partake in physical activity at least 30 minutes a day for 3-4 days a week.

If regular workout is difficult, then we can adapt changes such as using stairs instead of lift/escalators and doing household work!



BALANCED DIET

A balanced diet is the key to healthy lifestyle. Include Whole grains, vegetables, whole fruits, nuts, seeds, beans, plant oils in your diet.

It is recommended to always have a high protein breakfast and a light dinner. Avoid items such as processed foods, potatoes and high calorie/sugar products. Don't forget to drink water regularly!

BALANCED DIET

STRESS MANAGEMENT

STRESS MANAGEMENT

Managing stress is an essential part of well-being. Some day to day changes can help such as having sufficient sleep (6-8 hours), indulging yourself in meditation, positive attitude towards lifestyle, using humor, traveling, talking to people whom you feel comfortable with and making time for hobbies by doing what you love to do.




BMI

BMI recommended range is 18.5 to 24.9. Your BMI is **23.88**, which is on a normal side.

Please follow recommended diet and maintain a healthy lifestyle and try to keep your BMI within the desired range. Keeping the right BMI for your body helps prevent many untimely diseases and goes a long way.

BMI CHART



SUGGESTED BMI

Supplement Suggestions

Saksham Mittal

Booking ID : 12998752645 | Sample Collection Date : 09/Mar/2025

In order to fulfill the gaps in nutrition and promote a healthier body we suggest you the following supplements mentioned in the table below:

Suggestions for Improving Deficiencies



IMMUNO-PLUS

Give your immunity a boost the all-natural way.

IMMUNO-PLUS is the perfect all-natural herbal supplement to boost your immune system and strengthens your body's defenses against diseases and infections. IMMUNO-PLUS provides your immune system the necessary reinforcement to keep you safe and healthy.

A weakened immune system opens you to a host of illnesses, such as:

- Recurring Infections
- Heightened Risk of Cancer
- Autoimmune Disorders
- Slow Growth Rate
- Serious Damage to the Heart, Lungs, Digestive Tract & the Nervous System

Infused with the ages-proven goodness of all-natural ingredients, IMMUNO-PLUS is the perfect supplement to strengthen your immune system without having to worry about side effects. Sourced from nature's own pharmacy of herbs, the ingredients in IMMUNO-PLUS present the following benefits:

Amla

Boosts immunity & Stores antioxidants

Jetwatika

Antioxidant properties strengthen the immune system

Aloe Vera


Fights against oxygenated rogue molecules in the blood

Ashwagandha

Reinforces the immune system to increase its fighting ability

Ginger

Anti-inflammatory & antioxidant effects reinforce the immune system



NUTRI-BOOST

Make-up for your missing nutrition the all-natural way!

NUTRI-BOOST is a scientifically formulated and clinically proven all-natural supplement that provides you with essential nutrients that might be missing from your daily diet. With NUTRI-BOOST, give your body the richness of all-natural nutrients and get all the energy you need to keep active throughout the day.

A lack of essential nutrients can lead to serious deficiencies which lead to serious health consequences. Some of the common deficiencies include:

- Iron Deficiency
- Iodine Deficiency
- Vitamin D Deficiency
- Calcium Deficiency
- Vitamin B12 deficiency

Infused with the ages-proven goodness of all-natural ingredients, NUTRI-BOOST is the perfect supplement to fill in the gap of vital nutrients for your body, without having to worry about side effects. Sourced from nature's own pharmacy of herbs, the ingredients in NUTRI-BOOST present the following benefits:

Indian Khajoor

Promotes brain and heart health

Shatavari

Anti-oxidant properties boost the immune system.

Amla

Aids in digestion, and promotes heart & liver health

Wheat

Aids in weight control reduces the risk of heart ailments and provides energy

Jetwatika

Prevents cell damage to keep optimum body functionality



Healthians Scans

Your one-stop destination for affordable & reliable imaging services



Honest pricing



Highly experienced
130+ radiology
specialists



100% covid safe



State-of-the-art
radiology labs
across India



CASH
BACK



100%
Cash Back

When you book via app

Know More

About Healthians Labs

How we control Report Accuracy at Healthians



Quality Control

We follow Quality control to ensure both **precision & accuracy** of patient results.



Machine Data

We save patient's result values **directly from machines** ensuring no manipulations & no fake values.



QR Code

QR Code based authenticity check on all its reports



Calibration

We make use of calibrators to evaluate the **precision & accuracy** of measurement equipment.



Equipment

Our Labs are equipped with state-of-the-art instruments with **cutting edge technology** to provide faster & reliable results.



EQA

Our Labs participate in EQA & show proven accuracy by checking **laboratory performance** through external agency or facility.

JOIN **100,000+** HAPPY USERS WHO TRUST HEALTHIANS!

KNOW ALL ABOUT YOUR HEALTH ON YOUR FINGERTIPS

- ✓ Book & track your health tests
- ✓ Smart reports on your Phone
- ✓ Health Tracker
- ✓ Health Articles

DOWNLOAD HEALTHIANS APP:

