Card Club Arcade

v17 source update · verification and Play Store readiness

330	25	PASS
automated checks	test files	web build + typecheck

What changed

- **Donkey:** bots prefer smaller cards, follow below the current winner where possible, and cut with the smallest available card when void. Once per deal, a player may privately take the next active player’s whole hand, then continue their turn and play normally.
- **Callbreak:** when void in the led suit, trump if none has trumped and you hold trump; overtrump an existing winning trump when able; otherwise any card is allowed.
- **Cambrio:** keeps the memory-based face-down hand flow and requested card powers.
- **Ghulam Chor:** gameplay was left unchanged.
- The updated hub, landscape-oriented Android configuration, and project UI fixes remain in the package.

Verification completed

Check	Result
Full automated suite	**330 passed** across 25 files; includes game UI full matches for all 15 games, multiplayer protocol simulations, and seeded rule simulations.
TypeScript	Passed (`tsc --noEmit`).
Production web build	Passed; Vite transformed 112 modules.
Native Android / phone	**Not verified.** Android Studio, Java, Gradle, and Android SDK were unavailable; no signed AAB or physical-device test was produced.

Release limits: the app has no hosted player database. Profiles, history, and cosmetic data are device-local; global unique names, cross-device friend requests, and push invitations are not implemented. Room-code play uses the existing PeerJS signaling path and needs internet access.

Steps before a Play Store test

The source ZIP includes a Capacitor Android project, but it is not yet a built or signed Android app.

Build and test locally

- Install Android Studio and its Android SDK on a computer; local debug builds and phone installs are free.
- Install Node.js dependencies from the included `package.json`, then run `npm run android:sync`.
- Run `npm run android:open`, choose an emulator or connect an Android phone, then build and run from Android Studio.
- Test the games, variants, landscape orientation, invitations, screen sizes, and offline behavior on real devices.
- The Android scaffold currently targets API 36. Keep the final package/application ID stable after the first Play upload.

Publisher setup

- Create and verify a Play Console developer account. Google currently lists a one-time US$25 registration fee for full distribution; this is separate from free local builds.
- Prepare the signed Android App Bundle (AAB), store listing, screenshots, content rating, privacy policy URL, and accurate Data safety answers.
- For new personal developer accounts created after Nov 13, 2023, run a closed test with at least 12 testers continuously opted in for 14 days before applying for production access.
- Use the internal test track first, fix device issues, then apply for production access and complete Google’s review.

Not yet complete

The native Gradle build, AAB signing, device testing, Play Console account, testing track, store listing, and approval are not completed. Privacy and Terms files in the project are drafts; publish accurate policies and verify Play declarations before submission.

Android’s immersive-mode exit hint belongs to the operating system. The app does not add its own “drag from top / press back” notice, but app code cannot suppress an OS-owned transient hint.

Official guidance

Target API requirements (API 36 from Aug 31, 2026)
New personal account testing requirements
Play Console registration