

# APOLLO PHARMACY PVT. LTD.

Customer Quality Complaint Form  
Complaint Reference: AP-CC-2024-0892

| Field                   | Details                                            |
|-------------------------|----------------------------------------------------|
| Date of Complaint       | 15 October 2024                                    |
| Reported By             | Mr. Rajesh Sharma, QA Head                         |
| Customer Organization   | Apollo Pharmacy Pvt. Ltd., Mumbai                  |
| Contact                 | rajesh.sharma@apollopharmacy.in   +91-22-6789-0123 |
| Supplier / Manufacturer | PharmaGen India Ltd., Hyderabad                    |
| Product Name            | Amoxicillin Capsules IP                            |
| Product Strength        | 500 mg                                             |
| Batch Number            | BMX24601                                           |
| Manufacturing Date      | January 2024                                       |
| Expiry Date             | December 2025                                      |
| Quantity Received       | 5,000 capsules (250 bottles × 20 capsules)         |
| Quantity Affected       | 200 bottles (approximately 4,000 capsules)         |
| Complaint Category      | Quality – Discoloration                            |

## Complaint Description

During routine quality check at our central warehouse (Mumbai), our QA team observed significant discoloration in approximately 80% of the received Amoxicillin Capsule 500 mg (Batch BMX24601). The capsule shells, which should be light pink in color (as per the approved artwork), were found to be brownish-yellow, indicating potential degradation. The product was stored under recommended conditions (15-25°C, <65% RH) throughout the supply chain. No physical damage to the blister packaging was observed. Customer complaints have been received from 3 retail outlets regarding the appearance of the product.

## Immediate Actions Taken

- The entire batch BMX24601 has been placed under quarantine at our warehouse.
- Sales of this batch have been suspended with immediate effect.
- Retain samples have been kept for further investigation.
- Customers who purchased this batch have been informed to return the product.

## Requested Actions from Manufacturer

We request PharmaGen India Ltd. to:

- Conduct a thorough investigation of Batch BMX24601.
- Provide a root cause analysis report within 15 working days.
- Issue replacement stock for the affected quantity (200 bottles).
- Confirm whether other batches are affected and initiate CAPA.

Signature: Rajesh Sharma    Date: 15 October 2024    Designation: Quality Assurance Head