




A STUDY IN TEAK

Particulars of the room

DOOR D2 · D3 — 7 FT 7 IN × 2 FT 6 IN

Elevation · Panel head · Section · Lock rail

SCALE

AS NOTED @ A3

DATE

17.09.2026

REV

6 — set out on the panel square: upper two squares, lower one

DWG

AST-DR-009

drawing

dimension line

5'-2 1/2"


measurement

Aa

note


All sizes in feet and inches. Enlarged — go by the written sizes, never measure the paper.


7 ft 7 in x 2 ft 6 in · SINGLE LEAF





FRONT ELEVATION — D2 · D3

7 ft 7 in × 2 ft 6 in · SINGLE LEAF











All sizes in feet and inches. Enlarged — go by the written sizes, never measure the paper.




All sizes in feet and inches. Enlarged — go by the written sizes, never measure the paper.




DETAIL A — PANEL HEAD


FOOT OF PANEL IS THE MIRROR



DETAIL A — PANEL HEAD

FOOT OF PANEL IS THE MIRROR





KEY

PARTS OF THE LEAF

- 1 Stile
- 2 Top rail
- 3 Upper panel — shaped bead, 4 roundels
- 4 Lock rail
- 5 Lower panel — same pattern
- 6 Bottom rail
- 7 Knob Ø2¹/₈"
- 8 Keyhole escutcheon
- 9 Meeting bead (pair only)
- 0³/₈" Architrave — to design

NOTES

READ BEFORE MAKING

Dimensions in feet and inches. Do not scale.

Proportions taken from a film-still reference;

leaf size, opening and thickness are ASSUMED.

Knob centre lands 3'-1³/₄" above the floor — normal height.

D2 · D3 — DRESSING · BATHROOM, 7 ft 7 in × 2 ft 6 in.

Set out on the panel square. The 2 ft 6 leaf gives a

1'-10¹/₈" panel; the upper panel is two of those squares

(3'-8¹/₄"), the lower is one (1'-10¹/₈"). Rails follow: top 3⁷/₈",

lock 9", bottom 11⁵/₈". Knob centre 3'-2¹/₄" above the floor.

Both widths take the identical rails and mouldings, so

only the panel width changes — here 1'-10¹/₈" per panel.

Solid teak frame. Veneer and polish per

Materials; polish to match the teak desk.


Casing: 2 in lining plus 4 in moulding over it, so the


moulding head sits 6" above the leaf.

See AST-DR-011 (option A) and AST-DR-012 (option B).

SECTION B–B

HORIZONTAL THROUGH UPPER PANELS





See AST-DR-011 (option A) and AST-DR-012 (option B).

Hinges and lock not yet designed.

Stiles and rails, 1¾" thick

DATUM 0

Ovolo sticking, ¾" wide

WORKED ON THE FRAME EDGE

Panel, ¾" thick, loose in a ½" groove

—

Panel field

½" IN

Shaped bead line round the field

2.5 IN

Roundel boss Ø1", four per panel

⅛" OUT

Mitres at the sticking corners

CUT, NOT SCRIBED

Knob Ø2⅛" and escutcheon Ø1⅜"

SURFACE

DETAIL C — LOCK RAIL

ACTIVE LEAF

